Test Bank

for

Butcher, Mineka, and Hooley

Abnormal Psychology

Fourteenth Edition

prepared by

Anne Fisher New College of Florida

Allyn & Bacon

Boston Columbus Indianapolis New York San Francisco Upper Saddle River Amsterdam Cape Town Dubai London Madrid Milan Munich Paris Montreal Toronto Delhi Mexico City Sao Paulo Sydney Hong Kong Seoul Singapore Taipei Tokyo

This sample only, Download all chapters at: alibabadownload.com

Copyright © 2010, 2007, 2004 Pearson Education, Inc., publishing as Allyn & Bacon, 75 Arlington Street, Suite 300, Boston, MA 02116

All rights reserved. Manufactured in the United States of America. The contents, or parts thereof, may be reproduced with *Abnormal Psychology*, Fourteenth Edition, by James N. Butcher, Susan Mineka, and Jill M. Hooley, provided such reproductions bear copyright notice, but may not be reproduced in any form for any other purpose without written permission from the copyright owner.

To obtain permission(s) to use material from this work, please submit a written request to Pearson Higher Education, Rights and Contracts Department, 501 Boylston Street, Suite 900, Boston, MA 02116, or fax your request to 617-671-3447.

10 9 8 7 6 5 4 3 2 1 13 12 11 10 09

This work is protected by United States copyright laws and is provided solely for the use of instructors in teaching their courses and assessing student learning. Dissemination or sale of any part of this work (including on the World Wide Web) will destroy the integrity of the work and is not permitted. The work and materials from it should never be made available to students except by instructors using the accompanying text in their classes. All recipients of this work are expected to abide by these restrictions and to honor the intended pedagogical purposes and the needs of other instructors who rely on these materials.

Allyn & Bacon is an imprint of



www.pearsonhighered.com

ISBN-10: 0-205-64988-2 ISBN-13: 978-0-205-64988-4

Contents

CHAPTER 1	Abnormal Psychology: An Overview	1
CHAPTER 2	Historical and Contemporary Views of Abnormal Behavior	
CHAPTER 3	Causal Factors and Viewpoints	81
CHAPTER 4	Clinical Assessment and Diagnosis	
CHAPTER 5	Stress and Physical and Mental Health	
CHAPTER 6	Panic, Anxiety, and Their Disorders	
CHAPTER 7	Mood Disorders and Suicide	
CHAPTER 8	Somatoform and Dissociative Disorders	
CHAPTER 9	Eating Disorders and Obesity	
CHAPTER 10	Personality Disorders	
CHAPTER 11	Substance-Related Disorders	411
CHAPTER 12	Sexual Variants, Abuse, and Dysfunctions	
CHAPTER 13	Schizophrenia and Other Psychotic Disorders	
CHAPTER 14	Cognitive Disorders	
CHAPTER 15	Disorders of Childhood and Adolescence	
CHAPTER 16	Therapy	611
CHAPTER 17	Contemporary and Legal Issues in Abnormal Psychology	

Chapter 1: Abnormal Psychology: An Overview

Multiple-Choice Questions

1.1-1. Which of the following is an example of family aggregation?

- a. Both Jane and her husband are alcoholic.
- b. Jim and John, 21-year-old twins, are both schizophrenic.
- c. Karen, her mother, and her grandmother all have been diagnosed with generalized anxiety disorder.
- d. Kim's suicide was apparently a reaction to her mother's abuse.

```
Difficulty:2Question ID:1.1-1Page Ref:3Topic:Abnormal Psychology/An OverviewSkill:AppliedAnswer:c. Karen, her mother, and her grandmother all have been diagnosed with
```

generalized anxiety disorder.

1.1-2. What do the cases of Monique and Donald best illustrate?

- a. Most individuals with mental disorders are violent.
- b. Women are more likely to commit suicide than men.
- c. Most individuals who experience a mental breakdown are clearly unwell long before treatment is sought.
- d. Mental illness can have a significant impact on one's life.
- Difficulty:1Question ID:1.1-2Page Ref:2-3Topic:Abnormal Psychology/An OverviewSkill:ConceptualAnswern d. Montel illness can have a significant imp

Answer: d. Mental illness can have a significant impact on one's life.

1.1-3. What do the cases of Monique and Donald best illustrate?

- a. Abnormal behavior usually produces more distress in others than the person who engages in the abnormal behavior.
- b. Abnormal behavior covers a wide range of behavioral disturbances.
- c. Most people who suffer from abnormal behavior are quickly identified as deviant by other people.
- d. When people suffer from mental disorders, they are unable to work or live independently.

Difficulty: 1 Question ID: 1.1-3 Page Ref: 3 Topic: Abnormal Psychology/An Overview Skill: Conceptual Answer: b. Abnormal behavior covers a wide range of behavioral disturbances.

1.1-4. What makes defining abnormality difficult?

- a. There are so many types of abnormal behavior that they can't be accurately described.
- b. There is no one behavior that serves to make someone abnormal.
- c. Most of us are abnormal much of the time so that we cannot tell what is normal.

d. Criteria for abnormality have yet to be developed.
Difficulty: 2
Question ID: 1.1-4
Page Ref: 3-4
Topic: What Do We Mean by Abnormality?
Skill: Factual
Answer: b. There is no one behavior that serves to make someone abnormal.

1.1-5. Which of the following is a sufficient element to determine abnormality?

a. Suffering

b. Maladaptiveness
c. Deviancy
d. There is no sufficient element.
Difficulty: 2
Question ID: 1.1-5
Page Ref: 4
Topic: What Do We Mean by Abnormality?
Skill: Factual
Answer: d. There is no sufficient element.

1.1-6. The fact that body piercings are commonplace today while they would once have been viewed as abnormal illustrates that

- a. modern society is always open to change.
- b. what is acceptable for men and women is no longer different.
- c. American culture values independence.

2

d. the values of a society may change over time.

Difficulty:

Question ID:1.1-6Page Ref:5Topic:What Do We Mean by Abnormality?Skill:ConceptualAnswer:d. the values of a society may change over time.

1.1-7. What is a reason for classifying mental disorders?

- a. A classification system allows information to be organized.
- b. Then professionals won't need to look at as much information about a person.
- c. Then professionals can make assumptions about people based on their diagnosis.
- d. The diagnosis then often has an effect on peoples' behaviors.

Difficulty:1Question ID:1.1-7Page Ref:7Topic:Why Do We Need to Classify Mental Disorders?Skill:FactualAnswer:a. A classification system allows information to be organized.

1.1-8. _____ is a necessary first step toward introducing order to any discussion of the cause or treatment of abnormal behavior.

- a. Epidemiology
- b. Classification
 c. Brain research
 d. Labeling
 Difficulty: 1
 Question ID: 1.1-8
 Page Ref: 7
 Topic: Why Do We Need to Classify Mental Disorders?
 Skill: Conceptual
 Answer: b. Classification

1.1-9. Which of the following is a disadvantage of having a classification system for mental disorders?

- a. A classification system establishes the types of problems that mental professionals can treat.
- b. When a label is used to describe an individual's behavior, information about the person is lost.
- c. A classification system allows for research to advance.
- d. Identifying the disorder that an individual has guides treatment.

Difficulty: 1 Question ID: 1.1-9

Page Ref: 8

Topic: What are the Disadvantages of Classification?

Skill: Conceptual

Answer: b. When a label is used to describe an individual's behavior, information about the person is lost.

- 1.1-10. Which of the following statements is true concerning classification systems for mental disorders?
 - a. It is far more important that they be reliable than it is for them to be valid.
 - b. Classification systems make it more difficult to gather statistics on the incidence and prevalence of disorders.
 - c. Classification systems meet the needs of medical insurance companies who need diagnoses in order to authorize payment of claims.
 - d. Although they assist scientists who are researching disorders, they inhibit our ability to communicate about abnormal behavior in a consistent way.

```
Difficulty:2Question ID:1.1-10Page Ref:7Topic:Why Do We Need to Classify Mental Disorders?Skill:ConceptualAnswer: c. Classification systems meet the needs of medical insurance companies who need diagnoses in order to authorize payment of claims.
```

1.1-11. All of the following are disadvantages of classifying and diagnosing mental disorders EXCEPT

a. stereotyping.
b. labeling.
c. the potential stigma.
d. providing structure.
Difficulty: 1
Question ID: 1.1-11
Page Ref: 8
Topic: Why Do We Need to Classify Mental Disorders?
Skill: Factual
Answer: d. providing structure.

1.1-12. Stereotyping is an example of the stigma of mental illness. It means

- a. people are reluctant to discuss their psychological problems because they are afraid others won't like them.
- b. people feel very sad and upset when they find out they have a mental illness.
- c. the automatic and often incorrect beliefs people have about people with mental illness.
- d. the problem of removing the diagnosis, even if people make a full recovery from mental illness.

```
Difficulty:1Question ID:1.1-12Page Ref:8Topic:What Are the Disadvantages of Classification?Skill:Factual
```

Answer: c. the automatic and often incorrect beliefs people have about people with mental illness.

1.1-13. What is wrong with describing someone as being "schizophrenic"?

- a. Nothing.
- b. Such a definitive diagnosis is rare.

2

- c. The behavior of the schizophrenic changes so rapidly that this is only true a small percentage of the time.
- d. Labels should be applied to disorders, not to people.

Difficulty:

Question ID	: 1.1-13
Page Ref:	8-9
Topic:	What Are the Disadvantages of Classification?
Skill:	Conceptual
Answer: d. l	Labels should be applied to disorders, not to people.

1.1-14. In the field of abnormal psychology, what does DSM stand for?

a. Disorders, Science, and the Mind		
. Diagnostic and Statistical Manual		
c. Descriptors for the Science of the MInd		
d. Diagnostic Science of the Mind		
Difficulty: 1		
Question ID: 1.1-14		
Page Ref: 5		
Topic: The DSM-IV Definition of Mental Disorder		
Skill: Factual		
Answer: b. Diagnostic and Statistical Manual		

1.1-15. Which of the following is included in the DSM?

1

- a. A discussion of the various causes of mental disorders
- b. A means of identifying different mental disorders
- c. A description of the necessary and sufficient conditions for mental illness
- d. A description of all of the possible treatments for each disorder

Difficulty:

Question ID:1.1-15Page Ref:5Topic:The DSM-IV Definition of Mental DisorderSkill:AppliedAnswer: b. A means of identifying different mental disorders

1.1-16. In the United States, the standard for defining types of mental disorders is contained in the

- a. American Psychological Association's bylaws.
- b. American Psychiatric Association's bylaws.
- c. World Health Organization's classification code.
- d. Diagnostic and Statistical Manual of Mental Disorders.

Difficulty:1Question ID:1.1-16Page Ref:5Topic:The DSM-IV Definition of Mental DisorderSkill:FactualAnswer:d. Diagnostic and Statistical Manual of Mental Disorders.

1.1-17. According to the DSM-IV's definition of mental disorder, impairment in one or more areas of functioning (disability)

- a. must not be present in order to make a diagnosis.
- b. may be present but is not a necessary condition for making a diagnosis.
- c. is one of the only important features of a mental disorder.
- d. must be present for at least six months to be considered a true disability.

Difficulty:

2

Question ID:1.1-17Page Ref:5Topic:The DSM-IV Definition of Mental DisorderSkill:Conceptual

Answer: b. may be present but is not a necessary condition for making a diagnosis.

1.1-18. The Solarists are a cult whose members believe that they control the movements of the sun with special hand gestures. What would the DSM-IV say about this group?

- a. The group suffers from Shared Delusion Psychosis.
- b. Because a group of persons share a belief, however strange, the group must be considered emotionally healthy.
- c. While some of this group's individual members may meet criteria for a DSM-IV diagnosis, the DSM-IV does not diagnose groups.
- d. The group is diagnosable because it is a cult.

Difficulty:

Question ID: 1.1-18

2

Page Ref: 5

Topic: The DSM-IV Definition of Mental Disorder

Skill: Applied

Answer: c. While some of this group's individual members may meet criteria for a DSM-IV diagnosis, the DSM-IV does not diagnose groups.

- 1.1-19. Brett persistently injects himself with pain killers. This has greatly increased his chance of overdosing and dying. His behavior harms no one else. According to the DSM, is Brett's behavior consistent with the definition of a mental disorder?
 - a. Yes, because very few people in society engage in this behavior.
 - b. Yes, because he is persistently acting in a way that harms him.
 - c. No, because his behavior must also harm the well-being of others in the community.

d. No, because there is no evidence that his actions are out of his own control.

Difficulty:3Question ID:1.1-19Page Ref:5Topic:The DSM-IV Definition of Mental DisorderSkill:AppliedAnswer: b. Yes, because he is persistently acting in a way that harms him.

1.1-20. The current DSM is

a. atheoretical.
b. focused upon etiology.
c. focused upon theory.
d. not generally accepted by practitioners.
Difficulty: 1
Question ID: 1.1-20
Page Ref: 5
Topic: The DSM-IV Definition of Mental Disorder
Skill: Factual
Answer: a. atheoretical.

1.1-21. Wakefield's conception of "mental disorder" included the idea of as most central to diagnosis.

a. religious persecution
b. dangerous malfunction
c. harmful dysfunction
d. familial mental disorder
Difficulty: 2
Question ID: 1.1-21
Page Ref: 6
Topic: The DSM-IV Definition of Mental Disorder
Skill: Factual
Answer: c. harmful dysfunction

1.1-22. According to the DSM, when is deviant behavior viewed as indicative of a mental disorder?

- a. Always
- b. Only when the behavior is inconsistent with cultural norms
- c. When it is a symptom of a dysfunction in the individual

d. Never
Difficulty: 1
Question ID: 1.1-22
Page Ref: 5
Topic: The DSM-IV Definition of Mental Disorder
Skill: Factual
Answer: c. When it is a symptom of a dysfunction in the individual

1.1-23. Which of the following best describes the DSM?

2

- a. A complete guide to the origin, diagnosis and treatment of mental disorders
- b. A work in progress that classifies mental disorders based on what is currently known
- c. A fundamentally flawed collection of unfounded assumptions about mental disorders

d. An objective guide to diagnosing mental disorders

Difficulty:

Question ID:1.1-23Page Ref:6Topic:The DSM-IV Definition of Mental DisorderSkill:Conceptual

Answer: b. A work in progress that classifies mental disorders based on what is currently known

1.1-24. What do the textbook authors identify as the most problematic element of Wakefield's definition of mental disorder?

- a. He describes mental disorders as mental conditions.
- b. The role of biology is not recognized.
- c. We have yet to discover the dysfunction that underlies most mental disorders.

d. Most mental disorders do not cause distress.

Difficulty:

Question ID: 1.1-24

3

Page Ref: 6

Topic: The DSM-IV Definition of Mental Disorder

Skill: Conceptual

Answer: c. We have yet to discover the dysfunction that underlies most mental disorders.

1.1-25. What does the case of JGH, a Native American elder, illustrate?

- a. Alcoholism has long lasting effects on mood and behavior, even when drinking has ceased.
- b. A person may focus on somatic symptoms, rather than mood, when depressed.
- c. Depression is not universal.
- d. The symptoms of some illnesses are not apparent until after lengthy psychological evaluation.

Difficulty:1Question ID:1.1-25Page Ref:9-10Topic:How Does Culture Affect What Is Considered Abnormal?Skill:AppliedAnswer: b. A person may focus on somatic symptoms, rather than mood, when depressed.

1.1-26. What is a culture-specific disorder?

- a. A disorder seen in all cultures
- b. A disorder that is seen universally, but presents itself differently depending on cultural factors
- c. A disorder that is a product of cultural stressors
- d. A disorder seen only in certain cultures

Difficulty:2Question ID:1.1-26Page Ref:10Topic:Culture-Specific DisordersSkill:FactualAnswer:d. A disorder seen only in certain cultures

1.1-27. Practically speaking, "abnormal" behavior means

- a. any behavior that is "away from the normal" and causes any distress.
- b. any behavior that causes the person distress.
- c. any behavior that causes us to consider our values.
- d. unusual behaviors that are not consistent with the norms of the society in which they are displayed.

Difficulty:

- Question ID: 1.1-27
- Page Ref: 10

Topic: Culture-Specific Disorders

1

Skill: Conceptual

Answer: d. unusual behaviors that are not consistent with the norms of the society in which they are displayed.

1.1-28. Maria believes that her dead grandmother occasionally speaks to her. In deciding if Maria has a mental illness or not, which of the following is important?

- a. How old is Maria?
- b. Is Maria's belief consistent with the beliefs of her culture?
- c. Do people in general consider Maria's belief abnormal?

d. Does her belief match any of the symptoms in the disorders in the DSM?

Difficulty:1Question ID:1.1-28Page Ref:10Topic:Culture-Specific DisordersSkill:ConceptualAnswer: b. Is Maria's belief consistent with the beliefs of her culture?

1.1-29. Why is it important to know how many people have diagnosable mental illnesses?

- a. Such information is needed to plan for the provision of adequate services.
- b. The number of people with mental illness and the level of crime are highly correlated.
- c. If the incidence of mental illness is rising, there needs to be a corresponding increase in the level of funding for medical research.
- d. Pharmaceutical companies need such information to ensure the appropriate level of drug production.

Difficulty:

1

Question ID:1.1-29Page Ref:11Topic:How Common Are Mental Disorders?Skill:Factual

Answer: a. Such information is needed to plan for the provision of adequate services.

1.1-30. How should information about the frequency of mental disorders in different groups of people be used?

- a. Such information can greatly simplify the process of diagnosis as it can be assumed that certain people have certain disorders.
- b. Such information can greatly simplify the process of diagnosis as it can be assumed that certain people are highly unlikely to have certain disorders.
- c. Information about the incidence of disorders among certain groups of people may provide information as to what causes a particular disorder.

d. There is no use for or value in such dangerous stereotyping.

Difficulty:

Ouestion ID: 1.1-30

Page Ref: 11

Topic: How Common Are Mental Disorders?

Skill: Conceptual

2

Answer: c. Information about the incidence of disorders among certain groups of people may provide information as to what causes a particular disorder.

1.1-31. What is epidemiology?

- a. The exploration of what forms of treatment are most effective
- b. A form of psychotherapy
- c. The study of the role of genes in mental illness

d. The study of the distribution of a disorder in a population

Difficulty: 1

Question ID:1.1-31Page Ref:11Topic:How Common Are Mental Disorders?/Prevalence and IncidenceSkill:Factual

Answer: d. The study of the distribution of a disorder in a population

1.1-32. Mental health epidemiology is

- a. the study of epidemics in mental disorders among the general population.
- b. the study of organic brain diseases among different ethnic populations of a defined geographic region.
- c. the study of the distribution of mental disorders in a given population.
- d. a sociological study of psychological disorders.

0	
Difficulty:	2
Question ID:	1.1-32
Page Ref:	11
Topic:	How Common Are Mental Disorders?/Prevalence and Incidence
Skill:	Factual
Answer: c. the	e study of the distribution of mental disorders in a given population

1.1-33. What does it mean if a disorder is said to be highly prevalent?

a. It is common.	
b. It is not curable.	
c. It is treatable.	
d. It is contagious.	
Difficulty: 1	
Question ID: 1.1-33	
Page Ref: 11	
Topic: How Common Are Mental Disorders?/Prevalence and Incidence	
Skill: Factual	
Answer: a. It is common.	

1.1-34. What type of prevalence estimate tends to be lowest?

- a. Point prevalence
- b. One-year prevalence
- c. Lifetime prevalence

```
d. Virtual prevalence
Difficulty:
              1
Question ID: 1.1-34
Page Ref:
              11
Topic:
              How Common Are Mental Disorders?/Prevalence and Incidence
Skill:
              Factual
Answer: a. Point prevalence
```

1.1-35. rates may be reported in terms of the lifetime risk of contracting a

- particular disorder.
- a. Prevalence
- b. Point prevalence
- c. Point incidence
- d. Incidence

Difficulty:

Question ID: 1.1-35

1

Page Ref: 11

Topic: How Common Are Mental Disorders?/Prevalence and Incidence Skill: Factual

Answer: a. Prevalence

1.1-36. Which of the following is an example of point prevalence?

- a. Forty people had a panic attack in the last year.
- b. Seventy people in her graduating class had been diagnosed with anorexia at some time during the past four years.
- 1% of the population is currently experiencing depressive symptoms. C.
- d. 15% of women will suffer from an anxiety disorder before the age of 30. 2

Difficulty:

Question ID: 1.1-36

Page Ref: 11

Topic: How Common Are Mental Disorders?/Prevalence and Incidence Skill: Applied

Answer: c. 1% of the population is currently experiencing depressive symptoms.

1.1-37. What type of prevalence data only counts active cases of a disorder?

- a. Point prevalence
- b. One-year prevalence
- c. Lifetime prevalence
- d. All prevalence data count both those who have the disorder and those who have recovered.

Difficulty: 2

Question ID:	1.1-37
Page Ref:	11
Topic:	How Common Are Mental Disorders?/Prevalence and Incidence
Skill:	Applied
Answer: a. Point prevalence	

- 1.1-38. The mayor of a city wants to know the number of new cases of a disorder over the past year. The mayor should ask an epidemiologist for the _____ of the disorder.
 - a. prevalence rate
 - b. incidence rate
 - c. point prevalence
 - d. acute occurrence

2

- Difficulty:
- Question ID: 1.1-38
- Page Ref: 11
- **Topic:** How Common Are Mental Disorders?/Prevalence and Incidence
- Skill: Applied
- Answer: b. incidence rate

1.1-39. What type of prevalence estimate tends to be highest?

- a. Point prevalence
- b. One-year prevalence
- c. Lifetime prevalence
- d. Virtual prevalence

Difficulty:

Question ID: 1.1-39

Page Ref: 11

Topic:How Common Are Mental Disorders?/Prevalence and IncidenceSkill:Factual

Answer: c. Lifetime prevalence

1

1

1.1-40. What term refers to the number of new cases of a disorder that occur over a given time period?

- a. Point prevalence
- b. One-year prevalence
- c. Incidence
- d. Valence

Difficulty:

Question ID: 1.1-40

Page Ref: 11

Topic:How Common Are Mental Disorders?/Prevalence and Incidence**Skill:**Factual

Answer: c. Incidence

1.1-41. Why is it believed that the NCS survey used to estimate the prevalence of mental illness underestimated that prevalence?

a. Most problems are acute.

2

- b. Few people report symptoms of mental illness when completing surveys.
- c. The incidence of comorbidity is too high.
- d. Measures of several types of disorders were not included.

Difficulty:

Question ID: 1.1-41

Page Ref: 12

Topic: How Common Are Mental Disorders?/Prevalence Estimates for Mental Disorders

Skill: Factual

Answer: d. Measures of several types of disorders were not included.

1.1-42. What is the most prevalent grouping of psychological disorder?

- a. Anxiety disorders
- b. Depressive disorders
- c. Substance abuse disorders

```
d. Dissociative disorders
Difficulty: 1
Question ID: 1.1-42
Page Ref: 12
Topic: How Common Are Mental Disorders?/Prevalence Estimates for Mental Disorders
Skill: Factual
Answer: a. Anxiety disorders
```

1.1-43. What is important to remember about the apparent high lifetime rate of mental disorders?

- a. Many people were probably misdiagnosed.
- b. So many people have disorders and have them seriously that this has become a major health issue.
- c. Many people with disorders are not seriously affected by them or may have them for only a short time.
- d. A large majority of people with disorders seek treatment, so the problem is not as bad as it seems.

Difficulty:

Question ID: 1.1-43

Page Ref: 12

Topic:How Common Are Mental Disorders?/Prevalence Estimates for Mental
Disorders

Skill: Conceptual

2

Answer: c. Many people with disorders are not seriously affected by them or may have them for only a short time.

1.1-44. What can be said about individuals who have a history of at least one serious psychological disorder?

- a. Most are effectively treated and never experience mental illness again.
- b. Over 50% have at least two or more other disorders.
- c. Few have a comorbid disorder.

2

d. Individuals who have sought treatment for one illness are unlikely to ever experience another.

Difficulty:

Question ID:	1.1-44
Page Ref:	12
Topic:	How Common Are Mental Disorders?/Prevalence Estimates for Mental
	Disorders
Skill:	Factual
1 1 0	

Answer: b. Over 50% have at least two or more other disorders.

1.1-45. Comorbidity means

- that a disorder is often fatal. a.
- that a person has two or more disorders. b.
- that a person has a more severe form of a disorder. c.
- d. that a person is unlikely to recover from the disorder.

Difficulty: 2 **Question ID:** 1.1-45 Page Ref: 12 How Common Are Mental Disorders?/Prevalence Estimates for Mental **Topic:** Disorders Skill: Factual

Answer: b. that a person has two or more disorders.

1.1-46. A major finding from the National Comorbidity Survey (NCS) was that

- those people who have three or more comorbid disorders have one or more mild a. and transitory disorders.
- b. over half of the people with a history of one serious disorder had two or more comorbid disorders.
- c. people who have one mental disorder are unlikely to have a second comorbid disorder.
- d. as people grow older they are more likely to have multiple severe disorders. 2

Difficulty:

Ouestion ID: 1.1-46 12

Page Ref:

Topic: How Common Are Mental Disorders?/Prevalence Estimates for Mental Disorders

Skill: Factual

Answer: b. over half of the people with a history of one serious disorder had two or more comorbid disorders.

1.1-47. Most mental health treatment

- a. occurs in an outpatient setting.
- b. requires an overnight stay.
- c. does not involve professionals.

d. occurs in psychiatric hospitals. 2

Difficulty:

Question ID: 1.1-47

Page Ref: 13

- **Topic:** How Common Are Mental Disorders?/Treatment
- Skill: Applied

Answer: a. occurs in an outpatient setting.

1.1-48. Most people with psychological disorders

- a. seek treatment as soon as they realize there is a problem.
- b. recover only if they seek treatment.
- c. delay seeking treatment, sometimes for many years.
- d. exaggerate their symptoms so it takes longer for them to recover.

Difficulty:2Question ID:1.1-48Page Ref:13Topic:How Common Are Mental Disorders?/TreatmentSkill:FactualAnswer:c. delay seeking treatment, sometimes for many years.

1.1-49. The trend toward deinstitutionalization in recent years means that

- a. inpatient hospitalization in public institutions has increased.
- b. people with psychological problems more often receive inpatient treatment than outpatient treatment.
- c. people are hospitalized more briefly and then treated on an outpatient basis.

d. the number of community services has skyrocketed.
Difficulty: 2
Question ID: 1.1-49
Page Ref: 13
Topic: How Common Are Mental Disorders?/Treatment
Skill: Factual
Answer: c. people are hospitalized more briefly and then treated on an outpatient basis.

1.1-50. Which of the following mental health professionals has a doctoral degree in psychology with both research and clinical skill specialization?

- a. the clinical psychologist
- b. the occupational therapist

1

- c. the psychoanalyst
- d. the psychiatrist

Difficulty:

Question ID: 1.1-50

Page Ref: 14

Topic:How Common Are Mental Disorders?/Mental Health ProfessionalsSkill:Factual

Answer: a. the clinical psychologist

1.1-51. Which of the following mental health professionals has a medical degree?

- The clinical psychologist a.
- The psychiatrist b.

The counseling psychologist c.

d. The occupational therapist

Difficulty: 1 **Ouestion ID:** 1.1-51 Page Ref: 14 **Topic:** How Common Are Mental Disorders?/Mental Health Professionals Skill: Factual **Answer:** b. The psychiatrist

1.1-52. A clinical psychologist is

- a. a Ph.D. in psychology with experience in mental health.
- b. a person with doctoral training and experience in academic and learning problems.
- an M.D. or Ph.D. with intensive experience in psychoanalysis. c.
- d. a Ph.D. in social work.

2

Difficulty:

Question ID: 1-1.52

Page Ref: 14

Topic: How Common Are Mental Disorders?/Mental Health Professionals Skill: Factual

Answer: a. a Ph.D. in psychology with experience in mental health.

1.1-53. Describing a disorder as acute means that

- it causes very severe distress and impairment. а
- b. it causes very mild distress and impairment.
- c. it is a very long-lasting disorder.

1

is is a disorder that is short in duration. d.

Difficulty:

Question ID: 1.1-53

Page Ref: 14

Topic: Research Approaches In Abnormal Psychology

Skill: Factual

Answer: d. is is a disorder that is short in duration.

1.1-54. Why is it important to have some understanding of what causes a psychological disorder?

- a. A disorder can not be identified unless there is an understanding of where it came from.
- b. All recognized disorders have known causes.
- c. Biological treatments only work when a disorder has a biological cause.
- The selection of a treatment approach is largely determined by assumptions about d. causality.

Difficulty:

2 **Question ID:** 1.1-54 Page Ref: 14 **Topic:** Research Approaches In Abnormal Psychology Skill: Conceptual

Answer: d. The selection of a treatment approach is largely determined by assumptions about causality.

1.1-55. Why is it dangerous to make conclusions based on case studies?

- a. Case studies can provide little information about a disorder.
- b. Few patients are willing to be used as case studies.
- c. It is unethical.

d. Conclusions based on so little data are likely to be flawed.
Difficulty: 2
Question ID: 1.1-55
Page Ref: 15
Topic: Sources of Information/Case Studies
Skill: Conceptual
Answer: d. Conclusions based on so little data are likely to be flawed.

1.1-56. Which of the following typically involves the use of trained observers?

- a. Case study method
- b. Direct observation
- c. Self-report data collection

1

d. Psychophysiological data collection

Difficulty:

Question ID:1.1-56Page Ref:16Topic:Sources of Information/Observational ApproachesSkill:FactualAnswer:b. Direct observation

1.1-57. A psychologist reports a single case of a disorder, detailing the person's feelings and responses. This research strategy is

- a. very strong and widely used in abnormal psychology.
- b. rarely used in abnormal psychology because few people are willing to examine their own lives closely.
- c. weak because it rarely provides information we can generalize to others with the disorder.

d. weak because it confuses correlational data with experimental data.

Difficulty:

Question ID: 1.1-57

3

Page Ref:15

Topic: Sources of Information/Case Studies

Skill: Applied

Answer: c. weak because it rarely provides information we can generalize to others with the disorder.

- 1.1-58. Carl is asked to provide information about his drinking. Despite the fact that he has had several arrests for driving will intoxicated, Carl reports that he has no problems with drinking. This is an example of
 - the problems with self-report data. a.
 - the problems with case studies. b.
 - the problems of diagnosis. c.

1

d. the problems of forming hypotheses.

Difficulty:

Ouestion ID: 1.1-58

Page Ref: 15

Topic: Sources of Information/Self-Report Data

Skill: Applied

Answer: a. the problems with self-report data.

are more or less plausible ideas used to explain something (e.g., a 1.1-59. behavior) and can be tested using research methods.

- Observations a.
- b. Hypotheses
- c. Variables

d. Correlations

Difficulty:

1 Question ID: 1.1-59 Page Ref: 17 **Topic:** Forming and Testing Hypotheses Skill: Factual Answer: b. Hypotheses

1.1-60. One strength of case studies is

- a. they can help prove causal relationships between variables.
- b. they can generate new ideas to explore.
- they do not involve bias. C.
- d. they are usually highly accurate.

Difficulty: 1

Ouestion ID: 1.1-60 Page Ref: 15

Topic: Sources of Information/Case Studies

Skill: Factual

Answer: b. they can generate new ideas to explore.

1.1-61. An important FIRST step in studying a particular disorder is

- a. selecting the best case study for analysis.
- b. determining the criteria for identifying people who have the disorder.
- c. deciding upon the appropriate statistical analyses to use on the data to be collected.
- d. selecting the appropriate subjects for study.

Difficulty:

Ouestion ID: 1.1-61

2

Page Ref: 18

Topic: Forming and Testing Hypotheses/Sampling and Generalization Skill: Conceptual

Answer: b. determining the criteria for identifying people who have the disorder.

- 1.1-62. Upon deciding to study individuals with a given disorder, what is the next step that should be taken?
 - a. Select criteria for identifying individuals with the disorder.
 - b. Determine what treatment approach will be tested.
 - c. Establish which subjects will be the control group and which will be in the experimental group.
 - d. Gather survey data to determine where your subjects are most likely to reside. **Difficulty:** 1

Ouestion ID: 1.1-62

Page Ref: 18

Topic:Forming and Testing Hypotheses/Sampling and Generalization**Skill:**Factual

Answer: a. Select criteria for identifying individuals with the disorder.

1.1-63. Ideally, a sample is described as what?

- a. Random
- b. Representative

c. Generalizable

d. Demographically pure

1

Difficulty:

Question ID: 1.1-63

Page Ref: 18

Topic:Forming and Testing Hypotheses/Sampling and Generalization**Skill:**Factual

Answer: b. Representative

1.1-64. Why is a representative sample desirable?

- a. Such samples are random.
- b. Hypotheses can only be tested on representative samples.
- c. Only representative samples yield meaningful results.
- d. The more representative a sample is, the more generalizable the data.

Difficulty: 1

Question ID: 1.1-64

Page Ref:18

Topic:Forming and Testing Hypotheses/Sampling and Generalization**Skill:**Factual

Answer: d. The more representative a sample is, the more generalizable the data.

- 1.1-65. Dr. Katz is researching the causes of phobias. He puts an ad in a newspaper asking for people who have an intense, distressing fear of snakes to come and participate in his study. The major problem with this is
 - a. the people who come may not have a phobia.
 - b. his sample will be too small.

2

- c. he is not getting a representative sample.
- d. he doesn't know if people are telling the truth about their fears or not.

Difficulty:

Question ID: 1.1-65

Page Ref: 18

Topic:Forming and Testing Hypotheses/Sampling and Generalization**Skill:**Applied

Answer: c. he is not getting a representative sample.

- 1.1-66. Why would a researcher want to ensure that every person in the larger group of study has an equal chance of being included in the sample?
 - This helps eliminate a correlational relationship. a.
 - It increases the chances of finding a causal relationship. b.
 - It provides important epidemiological information such as the prevalence and c. incidence of the disorder.
 - d. It increases the researcher's ability to generalize findings to the larger group. **Difficulty:** 2

Question ID: 1.1-66

Page Ref: 18

Topic: Forming and Testing Hypotheses/Sampling and Generalization Skill: Conceptual

Answer: d. It increases the researcher's ability to generalize findings to the larger group.

- 1.1-67. A researcher interested in the health problems of people with schizophrenia interviews only those people diagnosed with the disorder who are in an inpatient facility. The most glaring weakness in this study is
 - a. the absence of correlational statistics.
 - the failure to use DSM-IV criteria for health problems. b.
 - c. having an inappropriate control group.
 - d. nonrepresentative sampling.

Difficulty:

3 **Ouestion ID:** 1.1-67 Page Ref: 18 **Topic:** Forming and Testing Hypotheses/Sampling and Generalization Skill: Applied Answer: d. nonrepresentative sampling.

- 1.1-68. In Dr. Lu's study of eating disorders, she looked at the academic histories of girls with an eating disorder and girls who did not have such problem. In this example, the girls with eating disorders are the group.
 - a. comparison
 - b. control c. criterion d. treatment
 - **Difficulty:** 1

Ouestion ID: 1.1-68

Page Ref: 18-19

Topic: Forming and Testing Hypotheses/Criterion and Comparison Groups Skill: Applied

Answer: c. criterion

- 1.1-69. In Dr. Lu's study of eating disorders, she looked at the academic histories of girls with an eating disorder and girls who did not have such problem. In this example, the girls without eating disorders are the _____ group.
 - conforming a. b. control c. criterion d. treatment **Difficulty:** 1 **Question ID:** 1.1-69 18-19 Page Ref: **Topic:** Forming and Testing Hypotheses/Criterion and Comparison Groups Skill: Applied Answer: b. control
- 1.1-70. In what significant ways do observational (correlational) research designs differ from experimental research designs?
 - a. Observational research does not require the selection of a sample to study.
 - Observational research does not generate hypotheses. b.
 - There is no comparison group in observational research. c.
 - There is no manipulation of variables in observational research d

u. There is in	o manipulation of variables in observational research.
Difficulty:	1
Question ID:	1.1-70
Page Ref:	22
Topic:	Research Designs/Studying the World as It Is: Observational Research
	Designs
Skill:	Factual
A	

Answer: d. There is no manipulation of variables in observational research.

1.1-71. To determine whether certain characteristics are true of people in general, and not just of people with mental disorders, it is important to use

a. an experimental design.

2

- b. a representative sample of individuals with the disorder.
- c. a control group.
- d. a criterion group.

Difficulty:

Question ID: 1.1-71

Page Ref: 18

- **Topic:** Forming and Testing Hypotheses/Sampling and Generalization
- Skill: Conceptual

Answer: c. a control group.

1.1-72. What is a good control group for a research study on people with eating disorders?

- a. People who have an eating disorder and a wide range of educational backgrounds.
- A group that is comparable to those with eating disorders except they eat normally. b.
- A group that is drawn from the sample of people with eating disorders. c.
- d. People who used to have eating disorders but no longer say they do.

Difficulty:

Ouestion ID: 1.1-72

Page Ref: 18-19

1

Topic: Forming and Testing Hypotheses/Criterion and Comparison Groups Skill: Applied

Answer: b. A group that is comparable to those with eating disorders except they eat normally.

1.1-73. Why are correlational (observational) research designs often used in abnormal psychology?

- They are best at determining cause and effect. a.
- b. They are the most useful for comparing groups.
- They give in-depth descriptions of the disorder being studied. c.
- It is often unethical or impossible to directly manipulate the variables involved in d. abnormal psychology.

Difficulty:

2 **Ouestion ID:** 1.1-73 Page Ref: 19 Research Designs/Studying the World as It Is: Observational Research **Topic:** Designs Skill:

Conceptual

Answer: d. It is often unethical or impossible to directly manipulate the variables involved in abnormal psychology.

1.1-74. What is the most important limitation of correlational studies?

- a. They cannot determine cause and effect.
- They are very subject to bias. b.
- They rarely have representative samples. c.
- d. They are very difficult to do.

Difficulty: 1 **Ouestion ID:** 1.1-74

Page Ref: 20

Topic: Research Designs/Studying the World as It Is: Observational Research Designs

Skill: Factual

Answer: a. They cannot determine cause and effect.

- 1.1-75. Researchers have observed that women who wear bras for more than 16 hours a day are more likely to develop breast cancer than those who spend less time in a bra. In other words, there is a correlation between wearing a bra and breast cancer. Based on this finding, which of the following statements is true?
 - a. Wearing a bra causes cancer.
 - b. All women should avoid wearing a bra for more than 16 hours a day.
 - c. There is no relationship between wearing a bra and breast cancer; these data are clearly flawed.
 - d. Some additional variable may serve to explain the relationship observed between wearing a bra and developing cancer.

 Difficulty:
 2

 Question ID:
 1.1-75

 Page Ref:
 20

 Topic:
 Research Designs/Correlation and Causality

 Skill:
 Conceptual

 Answers d. Some additional variable may serve to explain the server of th

Answer: d. Some additional variable may serve to explain the relationship observed between wearing a bra and developing cancer.

1.1-76. What research approach require subjects to recall the past?

a.	Reconstru	ctive
b.	Repressed	
c.	. Retroactive	
d.	d. Retrospective	
Diff	iculty:	1
Que	estion ID:	1.1-76
Pag	e Ref:	21
Тор	ic:	Research Designs/Retrospective Versus Prospective Strategies
Skil	l:	Factual
Ans	swer: d. Re	etrospective

- 1.1-77. A researcher says, "These studies make it too easy for investigators to find the background factors they expect to find. However, they are more valid if we find documents like school reports that show the background factor before the disorder emerges." What kind of research strategy is the researcher referring to?
 - a. Prospective strategies
 - b. N=1 strategies
 - c. Retrospective strategies

2

d. Analogue studies

Difficulty:

Question ID: 1.1-77

Page Ref: 21

Topic: Retrospective Versus Prospective Strategies

Skill: Conceptual

Answer: c. Retrospective strategies

1.1-78. Which of the following may be safely inferred when a significant negative correlation is found between variables x and y?

- a. x causes y
- b. y causes x

c. as x increases, y increases

d. as x increases, y decreases

Difficulty: 2 Question ID: 1.1-78

Page Ref: 20-21

Topic: Research Designs/Correlation and Causality

Skill: Conceptual

Answer: d. as x increases, y decreases

1.1-79. Dr. Gordon finds that heroin-addicted adults almost always smoked cigarettes and drank alcohol when they were young adolescents. Knowing this strong association we can conclude that

- a. cigarette smoking causes drinking, which causes heroin addiction.
- b. if cigarette smoking and drinking could be stopped in adolescence, heroin addiction would be stopped too.
- c. heroin addiction is caused by the same factors that cause early smoking and drinking.
- d. there is an association among the variables, but no causal inferences should be drawn.

Difficulty:

Question ID:1.1-79Page Ref:20-21Topic:Research Designs/Correlation and CausalitySkill:Applied

2

Answer: d. there is an association among the variables, but no causal inferences should be drawn.

1.1-80. Individuals who have alcohol problems tend to come from families with other individuals who have alcohol problems. This would suggest that

- a. genetic factors cause an individual to have alcohol problems.
- b. environmental factors cause an individual to have alcohol problems.
- c. both genetic and environmental factors cause an individual to have problems.

d. although there is an association, no cause-effect relationship can be concluded.

Difficulty:

Ouestion ID: 1.1-80

- **Page Ref:** 20-21
- **Topic:** Research Designs/Correlation and Causality

Skill: Conceptual

3

Answer: d. although there is an association, no cause-effect relationship can be concluded.

- 1.1-81. What type of research design begins with the identification of individuals who are likely to develop a particular disorder?
 - a. Correlational
 b. Experimental
 c. Prospective
 d. Retrospective
 Difficulty: 1
 Question ID: 1.1-81
 Page Ref: 21
 Topic: Research Designs/Retrospective Versus Prospective Strategies
 Skill: Applied
 Answer: c. Prospective
- 1.1-82. Dr. Luigi has discovered that the more spaghetti people eat, the less likely they are to be diagnosed with depression. Based on this finding, what statement can be made about the relationship between spaghetti and depression?
 - a. There is a positive correlation between spaghetti eating and depression.
 - b. There is a negative correlation between spaghetti eating and depression.
 - c. Spaghetti prevents depression.

d. Italians are happy.
Difficulty: 2
Question ID: 1.1-82
Page Ref: 20
Topic: Research Designs/Correlation and Causality
Skill: Applied
Answer: b. There is a negative correlation between spaghetti eating and depression.

- 1.1-83. It has been demonstrated that those who were prenatally exposed to the influenza virus are more likely to develop schizophrenia. In other words, prenatal exposure to the influenza virus is ______ correlated with developing schizophrenia.
 - not a. b. randomly c. negatively d. positively **Difficulty:** 2 **Question ID:** 1.1-83 Page Ref: 20-21 **Topic:** Research Designs/Correlation and Causality Skill: Factual Answer: d. positively

- 1.1-84. A significant positive correlation is found between variables x and y. Which of the following may be safely inferred?
 - a. x causes y
 b. y causes x
 c. as x increases, y increases
 d. as x increases, y decreases
 Difficulty: 2
 Question ID: 1.1-84
 Page Ref: 20
 Topic: Research Designs/Correlation versus Causality
 Skill: Conceptual
 Answer: c. as x increases, y increases
- 1.1-85. A researcher who provides a certain treatment for one group and withholds treatment from a completely comparable group is using the _____ research method.
 - a. correlational
 - b. epidemiological
 - c. case study

c. case study
d. experimental
Difficulty: 1
Question ID: 1.1-85
Page Ref: 21-22
Topic: Research Designs/Manipulating Variables: The Experimental Method in Abnormal Psychology
Skill: Conceptual
Answer: d. experimental

- 1.1-86. A researcher who studies children who are home-schooled and compares them to children who attend school is using the _____ research method.
 - a. correlational
 - b. epidemiological
 - c. case study

d. experimental

Difficulty: 3

Question ID: 1.1-86

- **Page Ref:** 21-22
- **Topic:**Research Designs/Manipulating Variables: The Experimental Method
in Abnormal Psychology

Skill: Applied Answer: a. correlational

1.1-87. In most prospective studies,

- a. large samples of individuals are interviewed to see if there are any risk factors that differentiate those with the disorder of interest.
- b. children who share a risk factor for a disorder are studied before signs of the disorder show up.
- c. analogue research is used because of the ethical problems with other experimental research.

d. a representative sample of a general population of adults is used.

Difficulty:

Question ID: 1.1-87

2

Page Ref:21

Topic:Research Designs/Retrospective Versus Prospective StrategiesSkill:Factual

Answer: b. children who share a risk factor for a disorder are studied before signs of the disorder show up.

1.1-88. Several studies have found that there is a correlation in children between amount of television watched and weight. What is one of the problems with using this finding to report that watching lots of television makes children obese?

a. The data might be inaccurate.

2

- b. It is just as possible that being obese causes children to watch more television.
- c. There wasn't a control group that watched no television.
- d. The sample was probably not representative.

Difficulty:

Question ID:1.1-88Page Ref:20Topic:Research Designs/Correlations and CausalitySkill:AppliedAnswer: b. It is just as possible that being obese causes children to watch more

television.

1.1-89. Which variable is manipulated in an experiment?

a. Comparison
b. Criterion
c. Dependent
d. Independent
Difficulty: 1
Question ID: 1.1-89
Page Ref: 21
Topic: Research Designs/Manipulating Variables: The Experimental Method in Abnormal Psychology
Skill: Factual
Answer: d. Independent

- 1.1-90. In a study of the effects of ice cream on mood, the ice cream can be described as what?
 - The dependent variable a.
 - The independent variable b.
 - A correlational variable c.
 - d. A confounding variable

1

Difficulty:

Question ID: 1.1-90

Page Ref: 21

Research Designs/Manipulating Variables: The Experimental Method **Topic:** in Abnormal Psychology

Skill: Applied

Answer: b. The independent variable

- 1.1-91. In a study of the effects of ice cream on mood, the mood after ice cream exposure can be described as what?
 - a. The dependent variable
 - The independent variable b.
 - c. A correlational variable
 - A confounding variable d.

Difficulty:

1 **Question ID:** 1.1-91 Page Ref: 21 **Topic:** Research Designs/Manipulating Variables: The Experimental Method in Abnormal Psychology Skill: Applied

Answer: a. The dependent variable

1.1-92. Which of the following would most likely be explored with an experiment?

- The possible causes of schizophrenia a.
- The effect of the home environment on relapse to drug use b.
- c. The effectiveness of a new treatment for depression
- d. The relationships between early childhood trauma and substance abuse

Difficulty:

Question ID: 1.1-92 21-22 Page Ref:

2

Topic: Research Designs/Manipulating Variables: The Experimental Method in Abnormal Psychology

Conceptual Skill:

Answer: c. The effectiveness of a new treatment for depression

1.1-93. Which of the following is an example of an ABAB design?

- a. Half of the subjects receive one treatment and the other half are not treated.
- b. All subjects received one of two treatments.
- c. A subject is observed and treated.

d. A subject is observed both before and after two exposures to the treatment. Difficulty: 2 **Ouestion ID:** 1.1-93 Page Ref: 24 **Topic:** Research Designs/Single-Case Experimental Designs Skill: Conceptual **Answer:** d. A subject is observed both before and after two exposures to the treatment.

- 1.1-94. Fred refuses to speak at school, although he speaks normally at home. His therapist plans out a treatment where Fred is given a gold star every time he answers his teacher, and he can then trade in his stars for prizes. Fred begins speaking in class. The therapist then tells the teacher to stop the program for a couple of weeks. Fred stopped talking during that time. The teacher then starting giving Fred stars again, and Fred again began to talk. This is an example of
 - a. a case study.
 - b. a correlational study. c. an ABAB experimental design study. d. a self-report study.

Difficulty: 2 Question ID: 1.1-94 Page Ref: 24 **Topic:** Research Designs/Single-Case Experimental Designs Skill: Applied Answer: c. an ABAB experimental design study.

1.1-95. What is the value of using an ABAB design?

- a. It permits the study of the effects of multiple forms of treatment on a single subject.
- b. Subjects can be selected randomly.
- c. The effects of a single form of treatment are studied twice in the same subject.
- d. Generalizability is ensured. 2

Difficulty:

Ouestion ID: 1.1-95

Page Ref: 24

Topic: Research Designs/Single-Case Experimental Designs

Skill: Conceptual

Answer: c. The effects of a single form of treatment are studied twice in the same subject.

- 1.1-96. A psychologist wishes to test the hypothesis that the experience of chronic physical pain can cause clinical depression, but the Ethics Committee of his university won't allow him to conduct a study in which he inflicts pain on the subjects. What kind of research design might best allow the psychologist to test this hypothesis while circumventing the committee's objection?
 - a. Experimental Prospective b. Analogue C. d. Longitudinal **Difficulty:** 3 **Question ID:** 1.1-96 Page Ref: 25 **Topic:** Research Designs/Animal Research Skill: Factual Answer: c. Analogue

1.1-97. Which of the following is an example of an analogue study?

- a. Families with a history of schizophrenia are compared to families with no family history of mental illness.
- b. Rats prenatally exposed to alcohol are studied to further our understanding of Fetal Alcohol Syndrome.
- c. Blood is taken from a group of individuals with panic disorder both before and after viewing a disturbing film.
- d. Survey data is examined to determine the prevalence of mental illness.

Difficulty:

2

Question ID:1.1-97Page Ref:25Topic:Research Designs/Animal ResearchSkill:AppliedAnswer:b. Rats prenatally exposed to alcohol are studied to further our understanding of Fetal Alcohol Syndrome.

1.1-98. Dr. Brown wants to study social phobia. She induces temporary anxiety by having normal subjects believe they will be negatively evaluated by another person. This is an example of

- a. a path analysis.
- b. an analogue study.
- c. an experimental epidemiological study.
- d. a correlational study.

Difficulty:

Question ID: 1.1-98

Page Ref: 21

 Topic:
 Research Designs/Manipulating Variables: The Experimental Method in Abnormal Psychology

Skill: Conceptual

Answer: b. an analogue study.

2

1.1-99. What did Seligman find by studying dogs exposed to uncontrollable shock?

- a. Seligman demonstrated that dogs can get depressed.
- b. Seligman found that the dogs became aggressive.
- c. Seligman found that uncontrollable shock led the dogs to behave much like depressed humans.
- d. Seligman found that the exposure to the shock altered the level of brain chemicals known to be involved in depression.

Difficulty:2Question ID:1.1-99Page Ref:25Topic:Research Designs/Animal ResearchSkill:AppliedAnswer: c. Seligman found that uncontrollable shock led the dogs to behave much like
depressed humans.

1.1-100. A major scientific problem with analogue studies is

- a. the difficulty of disentangling intercorrelated factors.
- b. the difficulty of manipulating variables in a laboratory.
- c. the inability to draw causal inferences from such studies.

d. the difficulty of generalizing to the naturally occurring phenomenon.
Difficulty: 3
Question ID: 1.1-100
Page Ref: 25
Topic: Research Design/Animal Research
Skill: Conceptual

Answer: d. the difficulty of generalizing to the naturally occurring phenomenon.

Fill-in-the-Blank Questions

1.2-1. _____are automatic beliefs concerning other people based on little information.

Difficulty:1Question ID:1.2-1Page Ref:8Topic:What Are the Disadvantages of Classification?Skill:FactualAnswer: Stereotypes

1.2-2. The number of people who have suffered from a particular disorder at any time in their lives is ______.

Difficulty:1Question ID:1.2-2Page Ref:11Topic:How Common Are Mental Disorders?/Prevalence and IncidenceSkill:ConceptualAnswer:lifetime prevalence
1.2-3. When mental disorders are short in duration, they are known as acute. When they are long in duration, they are _____.

Difficulty:1Question ID:1.2-3Page Ref:14Topic:Research Approaches in Abnormal PsychologySkill:ConceptualAnswer: chronic

1.2-4. If the score on one variable is high and the score on another variable is low, this is known as a ______ correlation.

Difficulty:1Question ID:1.2-4Page Ref:19Topic:Research Designs/Measuring CorrelationSkill:FactualAnswer: negative

1.2-5. ______ is used to study questions that would not be possible to study with human subjects.

Difficulty:1Question ID:1.2-5Page Ref:25Topic:Research Designs/Animal ResearchSkill:FactualAnswer:Analogue research

Short Answer Questions

1.3-1. Why is it difficult to agree on a definition of abnormal behavior?

Difficulty:1Question ID:1.3-1Page Ref:3-5Topic:What Do We Mean by Abnormality?Skill:ConceptualAnswer: There are no sufficient or necessary conditions. Also, what is abnormal at one point in time may no longer be considered abnormal at another time.

1.3-2. What are the benefits of classifying mental disorders?

Difficulty:	2
Question ID:	1.3-2
Page Ref:	7
Topic:	Why Do We Need to Classify Mental Disorders?
Skill:	Factual
Answer: Allows information to be organized, needed for research, most sciences do it,	

establishes the range of problems mental health professionals can address.

1.3-3. Discuss one disadvantage of developing a classification system for mental disorders.

Difficulty:2Question ID:1.3-3Page Ref:8Topic:What Are the Disadvantages of Classification?Skill:Applied

Answer: Multiple possible answers: 1. There is a loss of information when a classification scheme is applied to behavior, as will happen when any single word is used to convey something as complex as a mental disorder. 2. In addition, there may be some stigma attached to receiving a psychiatric diagnosis. 3. Stereotyping may occur, leading to incorrect assumptions about and expectations of an individual who has received a psychiatric diagnosis.

1.3-4. What is mental health epidemiology? How is it studied?

Difficulty:1Question ID:1.3-4Page Ref:11Topic:How Common Are Mental Disorders?/Prevalence and IncidenceSkill:FactualAnswer: Epidemiology is the study of the distribution of a health-related problemwithin a populationMental health epidemiology is the distribution and frequency.

within a population. Mental health epidemiology is the distribution and frequency of mental disorders. A key element in studying this is the frequency of mental disorder, which includes prevalence rates.

1.3-5. Explain what a culture-specific syndrome is and provide an example of one.

Difficulty:	2
Question ID:	1.3-5
Page Ref:	10
Topic:	What Do We Mean By Abnormality?/Culture-Specific Disorders
Skill:	Applied
A	strung an apific arm drame is a disander that a source most source only in

Answer: A culture-specific syndrome is a disorder that occurs most commonly in or exclusively in a specific culture. While many disorders may present themselves differently in different cultures, these are disorders that are unique to a particular culture. Koro, a disorder seen most commonly in young Asian males, is one example. This anxiety disorder is characterized by an extreme fear that a body part is shrinking.

1.3-6. Discuss the difference between prevalence and incidence.

Difficulty:	2
Question ID:	1.3-6
Page Ref:	11
Topic:	How Common Are Mental Disorders?/Prevalence and Incidence
Skill:	Conceptual
Answer: Prev	alence is the number of active cases of a disorder in a given population
during a given	period of time. Incidence is the number of new cases that occur over a

1.3-7. What is comorbidity?

given period of time.

Difficulty:	2
Question ID:	1.3-7
Page Ref:	12
Topic:	How Common Are Mental Disorders?/Prevalence Estimates for Mental
	Disorders
Skill:	Factual
Answer: The	presence of two of more disorders in the same person. This is common in
serious mental	disorders, rarer for mild disorders.

1.3-8. Briefly discuss why research in abnormal psychology is important.

Difficulty:	2	
Question ID:	1.3-8	
Page Ref:	14-15	
Topic:	Research Approaches in Abnormal Psychology	
Skill:	Conceptual	
Answer: Through the use of research, the characteristics of disorders can be studied and		
our understand	ling of the etiology of disorders is furthered. In addition, research must be	
used to determ	ine the effectiveness of treatment.	

1.3-9. What is a case study and what are its benefits and drawbacks?

Difficulty:	2
Question ID:	1.3-9
Page Ref:	16
Topic:	Sources of Information/Case Studies
Skill:	Applied
Answer: An in	n-depth, detailed account of a single case. They

Answer: An in-depth, detailed account of a single case. They are good sources of research ideas and hypotheses. However, information from them does not generalize. They are uncontrolled and often impressionistic, so any conclusions drawn may be incorrect.

1.3-10. What is sampling and why is it important?

Difficulty:2Question ID:1.3-10Page Ref:18Topic:Forming and Testing Hypotheses/Sampling and GeneralizationSkill:AppliedAnswer: Sampling is the procedure used to select subjects to study. As it is notpossible to study all of the population of interest, a subset of the population is selected.The sample studied needs to resemble the larger population on all relevant variables sothat findings made when studying the sample can be generalized to the population. Inother words, results obtained with a sample should provide accurate information aboutthe larger population.

1.3-11. Discuss the limitations of self-report data.

Difficulty:2Question ID:1.3-11Page Ref:15Topic:Sources of Information/Self-Report DataSkill:FactualAnswer: Can be misleading, sometimes deliberately lie, misinterpret questions or try
to present themselves more favorably or less favorably than is true.

1.3-12. What is an analogue study?

Difficulty:2Question ID:1.3-12Page Ref:25Topic:Research Designs/Animal ResearchSkill:FactualAnswer: A study of an approximation of the real thing in which the researcher isinterested. Often done if studying the real thing is difficult or it would be unethical to
manipulate the variables of interest.

Essay Questions

1.4-1. Discuss some of the difficulties involved in attempting to define abnormal behavior.

Difficulty: 1 **Ouestion ID:** 1.4-1 Page Ref: 3-5 **Topic:** The DSM-IV Definition of Mental Disorder Skill: Conceptual Answer: "Abnormal" presupposes some norm from which behavior deviates, but there is no definition of "normal" about which people can all agree. Abnormal is also related to behavior that is deemed undesirable by society. Value issues therefore always complicate the objective definition of disorders. What, exactly, comprises distress, disability, or dysfunction is also difficult to define. In addition, definitions of abnormality vary not only with culture, but over time. GRADING RUBRIC: 6 points total, 2 points for each difficulty discussed.

1.4-2. What is the DSM and how does it define mental disorder?

Difficulty:1Question ID:1.4-2Page Ref:5Topic:The DSM-IV Definition of Mental DisorderSkill:Factual

Answer: The DSM is the Diagnostic and Statistical Manual of Mental Disorders. The DSM is published by the American Psychiatric Association and provides information to be used in identifying mental disorders. The DSM does not provide information as to the cause of mental disorders. A mental disorder, according to the DSM, is a psychological problem that is not the result of some culturally accepted response to a live event but that causes one or more of the following: present distress (a painful symptom); disability (impairment in one or more areas of functioning); increased risk of suffering death, pain, or disability; and an important loss of freedom. A mental disorder is not simply deviant or unacceptable behavior and is believed to be the product of some sort of dysfunction within the individual. GRADING RUBRIC: 8 points total, 2 points for what DSM stands for, 2 points for explaining what it is, 4 points for correct definition of "mental disorder."

1.4-3. Describe the retrospective and prospective research designs. What are the benefits and problems of these designs?

Difficulty:2Question ID:1.4-3Page Ref:21Topic:Research Designs/Retrospective Versus Prospective StrategiesSkill:Applied

Answer: Retrospective: Study people with a disorder by collecting information about their lives before they became sick. Problem is faulty and selective memory, bias on the part of the person and the researcher. Prospective: Find people with high risk of developing a disorder before they have it, measure variables ahead of time and track the person to see who develops the disorder. Problem: Can't know how may will develop the disorder; small sample size. GRADING RUBRIC: 10 points, 5 points each.

1.4-4. What is an observational research design and how can such an approach further our understanding of abnormal behavior. What limitations are there of such designs and how can these be overcome?

Difficulty:	2
Question ID:	1.4-4
Page Ref:	19
Topic:	Research Designs/Correlations and Causality
Skill:	Applied

Answer: When an observational research design is employed, no manipulation is made, and data is merely gathered on the subject or subjects of interest. A group who is at risk for some disorder or one that has a particular disorder may be studied in order to gather information as to the factors that might influence the development of the disorder or the progression of the disorder. Just as a control group is used in an experiment, a control group must be used when conducting observational research. It is important, however, to recognize that no conclusions can be made about cause and effect. Correlational data, observing that two factors are related, does not permit such conclusions to be made as other factors may be the true cause for the observed relationship. For example, if a researcher observes a correlation between obesity and depression, it can't be concluded that depression causes obesity or that obesity causes depression. While either may be true, it cannot be determined from such data. In addition to these obvious causal connections, there could be additional factors that are causing both problems. Thus, while observational research designs provide information as to how things are related, no conclusions can be made as to cause and effect. GRADING RUBRIC: 10 points total, 2 points for explaining observational research design, 2 points for how it can be used, 3 points for limitations, 3 points for how limitations can be overcome.

1.4-5. Describe the ABAB research design and give an example.

Difficulty:	3
Question ID:	1.4-5
Page Ref:	24-25
Topic:	Research Designs/Single-Case Experimental Designs
Skill:	Factual

Answer: A type of single case research design. A way of using case study to develop and test therapy techniques within a scientific framework. The same subject is studied over time. Phase A - collect information about the subject but don't intervene. Phase B - intervention. Repeating the phases tells whether it is what was done in the B phase that produced any changes. Many possible examples. GRADING RUBRIC: 10 points - 5 for description, 5 for example.

Chapter 2: Historical and Contemporary Views of Abnormal Behavior

Multiple-Choice Questions

2.1-1. When comparing modern concepts of abnormal behavior with those of ancient civilizations, we find

- a. that our beliefs are the opposite of theirs.
- b. some striking similarities.
- c. almost no similarity.
- d. a greater emphasis on supernatural and spiritual causes today.

Difficulty:2Question ID:2.1-1Page Ref:31Topic:Hippocrates' Early Medical ConceptsSkill:FactualAnswer: b. some striking similarities.

2.1-2. What is trephining?

b. The ancier	b. The ancient study of the bumps on the skull.	
d. An ancien	t practice in which a hole was drilled in the skull to release evil spirits.	
Difficulty:	1	
Question ID:	2.1-2	
Page Ref:	30	
Topic:	Historical Views of Abnormal Behavior	
Skill:	Factual	
Answer: d. As spirits.	n ancient practice in which a hole was drilled in the skull to release evil	

2.1-3. Archaeology and early writing indicate that the first people to think that the brain was the site of mental functions were the

- a. ancient Egyptians.
- b. ancient Greeks.
- c. Chinese.

d. Hebrews.

Difficulty:

Question ID: 2.1-3

Page Ref:30

Topic: Historical Views of Abnormal Behavior

Skill: Factual

Answer: a. ancient Egyptians.

2

- 2.1-4. In ancient societies, if a person's abnormal conduct consisted of speech that appeared to have a religious or mystical significance, then the person was
 - a. assumed to have willingly entered into a pact with the devil.
 - b. thought to be a witch.
 - c. thought to be possessed by a good spirit or god.
 - d. assumed to have something physically wrong with the heart.

Difficulty:2Question ID:2.1-4Page Ref:30Topic:Demonology, Gods, and MagicSkill:FactualAnswer:c. thought to be possessed by a good spirit or god.

2.1-5. Prayer, incantations, and noise-making were all techniques for

- a. altering a person's brain functioning.
- b. improving a person's dreams.
- c. helping a person become possessed by good spirits.
- d. exorcising demons.

Difficulty:1Question ID:2.1-5Page Ref:30Topic:Demonology, Gods, and MagicSkill:FactualAnswer:d. exorcising demons.

2.1-6. Each of the following is one of the "four humors" EXCEPT

a. blood.	
b. phlegr	n.
c. phreni	tis.
d. bile.	
Difficulty:	1
Question I	D: 2.1-6
Page Ref:	31
Topic:	Hippocrates' Early Medical Concepts
Skill:	Factual
Answer: c	. phrenitis.

2.1-7. The belief in the four humors as a means of explaining temperament

- a. is inconsistent with a biological explanation for mental illness.
- b. has yet to be disproven.
- c. proposed that mental disorders were the result of an imbalance.
- d. provides that first indication that ancient people recognized the significance of the brain in determining behavior.

Difficulty:2Question ID:2.1-7Page Ref:31Topic:Hippocrates' Early Medical ConceptsSkill:ConceptualAnswer: c. proposed that mental disorders were the result of an imbalance.

2.1-8. The doctrine of the four humors

- a. was an attempt to support moral management.
- b. was an explanation for personality traits.
- c. was an early suggested treatment for melancholy.
- d. was the first psychological explanation of mental disorders.

Difficulty:	2
Question ID	2.1-8
Page Ref:	31
Topic:	Hippocrates' Early Medical Concepts
Skill:	Factual
Answer: b.	was an explanation for personality traits.

2.1-9. According to early beliefs, what would characterize an individual with an excess of blood?

a. Depression
b. Schizophrenia
c. Irritability
d. Cheerfulness
Difficulty: 2
Question ID: 2.1-9
Page Ref: 31
Topic: Hippocrates' Early Medical Concepts
Skill: Applied
Answer: d. Cheerfulness

2.1-10. Hippocrates suggested marriage as a cure for

- a. impotence.
- b. hysteria in women.
- c. phrenitis (brain fever) in men.

d. melancholia.
Difficulty: 1
Question ID: 2.1-10
Page Ref: 31
Topic: Hippocrates' Early Medical Concepts
Skill: Factual
Answer: b. hysteria in women.

- 2.1-11. Cicero was feeling depressed. He sought help from Hippocrates. Hippocrates would probably have
 - a. prescribed the roots of certain plants and unusual elixirs.
 - b. utilized a talking cure.
 - c. prescribed exercise, tranquility, and celibacy.
 - d. performed an exorcism.

Difficulty:2Question ID:2.1-11Page Ref:31Topic:Hippocrates' Early Medical ConceptsSkill:AppliedAnswer: c. prescribed exercise, tranquility, and celibacy.

2.1-12. Who studied how to deal with mentally ill criminals and concluded that such individuals were not responsible for their actions?

a. Aristotle
b. Freud
c. Galen
d. Plato
Difficulty: 2
Question ID: 2.1-12
Page Ref: 32
Topic: Early Philosophical Conceptions of Consciousness
Skill: Factual
Answer: d. Plato

2.1-13. Plato was one of the first to argue for

a. medical treatment of mental illness.
b. demonic possession in mental illness.
c. an insanity defense.
d. the use of bleeding as a treatment for mental illness.
Difficulty: 2
Question ID: 2.1-13
Page Ref: 32
Topic: Early Philosophical Conceptions of Consciousness
Skill: Applied
Answer: c. an insanity defense.

2.1-14. Aristotle believed that

- a. mental disorders could be caused by psychological factors.
- b. mental disorders could not be caused by psychological factors.
- c. bodily fluids had nothing to do with mental illness.
- d. mental illness was due to demon possession.

Difficulty:

2 **Question ID: 2.1-14** Page Ref: 32 **Topic:** Early Philosophical Conceptions of Consciousness Skill: Factual Answer: b. mental disorders could not be caused by psychological factors.

2.1-15. One of Aristotle's most major contributions to psychology was

- his belief that dreams explained most mental disorders. a.
- his theory that psychological disorders were due to psychological rather than b. physical factors.
- his description of personality traits. c.
- d. his description of consciousness.

Difficulty: 2 **Question ID: 2.1-15** Page Ref: 32 **Topic:** Early Philosophical Conceptions of Consciousness Skill: Factual Answer: d. his description of consciousness.

2.1-16. The physicians of Alexandria, Egypt in the era after Alexander the Great were most likely to treat mental patients by

- putting them in prisons. a.
- b. using brutal forms of exorcism.

2

- c. having them make sacrifices to gods.
- d. providing activities, massage, and education.

Difficulty:

Question ID: 2.1-16

- Page Ref: 32-33
- **Topic:** Later Greek and Roman Thought

Skill: Factual

Answer: d. providing activities, massage, and education.

2.1-17. What is Galen credited with?

- a. Providing the first biological explanation for mental disorders
- b. Performing the first human autopsies
- c. Demonstrating that the doctrine of the four humors was flawed
- d. Recognizing that psychological disorders could have both biological and psychological causes

Difficulty:

Question ID: 2.1-17 **Page Ref:** 33

2

Topic: Later Greek and Roman Thought

Skill: Conceptual

Answer: d. Recognizing that psychological disorders could have both biological and psychological causes

2.1-18. Which of the following would be characteristic of the treatment provided by the first mental hospitals or sanatoria used by the Romans and Greeks?

- a. The use of trephining and other biological approaches
- b. Psychodynamic therapy
- c. Exorcisms
- d. Warm baths and massages

Difficulty:1Question ID:2.1-18Page Ref:33Topic:Views of Abnormality During the Middle AgesSkill:AppliedAnswer:d. Warm baths and massages

2.1-19. Which statement about treatment of abnormal behavior in the Middle Ages is accurate?

- a. Although the Hippocratic tradition was continued in most of Europe, Islamic countries emphasized demonology.
- b. Scientific reasoning and humane treatments were valued in both European and Islamic societies.
- c. Islamic forms of treatment were more humane than European approaches.
- d. The Chinese emphasized prayer, the Europeans emphasized exercise, and the Islamic peoples emphasized balancing the four bodily humors.

Difficulty:

Question ID: 2.1-19

- **Page Ref:** 33-34
- **Topic:** Views of Abnormality During the Middle Ages

Skill: Conceptual

2

Answer: c. Islamic forms of treatment were more humane than European approaches.

- 2.1-20. The approaches to treatment of the mentally ill during the Middle Ages in Europe are best characterized as
 - a. superstitious.
 b. humane.
 c. medical.
 d. scientific.
 Difficulty: 1
 Question ID: 2.1-20
 Page Ref: 34
 Topic: Views of Abnormality During the Middle Ages
 Skill: Factual
 Answer: a. superstitious.

2.1-21. What trend was observed during the Middle Ages in Europe?

- a. Belief in theology was declining.
- b. Approaches to mental disorders were becoming increasingly scientific.
- c. Supernatural explanations for mental disorders grew in popularity.
- d. Humane treatments were developed.

Difficulty:2Question ID:2.1-21Page Ref:34Topic:Views of Abnormality During the Middle AgesSkill:ConceptualAnswer:c. Supernatural explanations for mental disorders grew in popularity.

2.1-22. What is "mass madness"?

- a. An exhibition of disordered behavior by a group of people that appears to be caused by hysteria
- b. A reaction to the harsh and inhumane treatment of the mentally ill during the Middle Ages
- c. A reference to the increased incidence of schizophrenia seen 16 years after a flu epidemic
- d. A reaction to hallucinogenic compounds taken as part of religious rituals in ancient Egypt

Difficulty: 2

Question ID: 2.1-22

Page Ref: 34

Topic: Views of Abnormality During the Middle Ages

Skill: Factual

Answer: a. An exhibition of disordered behavior by a group of people that appears to be caused by hysteria

2.1-23. Compared to the West, in the Chinese "Dark Ages," views of mental illness

- a. began at a more sophisticated level but regressed, like the West, to belief in the supernatural forces, although not for as long or with as negative a reaction to patients.
- b. began at a less sophisticated level but regressed, like the West, to belief in the supernatural forces, although they regressed earlier and with a more negative reaction to patients.
- c. always believed that mental illness was due to supernatural forces. This belief is still prevalent in China.
- d. were always more sophisticated than the West; the focus was always on medical causes and humane treatment.

Difficulty:

Question ID: 2.1-23

Page Ref:33

Topic: Early Views of Mental Disorders in China

Skill: Conceptual

2

Answer: a. began at a more sophisticated level but regressed, like the West, to belief in the supernatural forces, although not for as long or with as negative a reaction to patients.

2.1-24. What is lycanthropy?

- a. A form of mass hysteria characterized by wild dance-like movements
- b. A condition in which people believe themselves to be possessed by wolves
- c. A form of mass madness seen only in men
- d. A form of mass hysteria now known to have been drug-induced

Difficulty:

Question ID: 2.1-24

2

Page Ref:34

Topic: Views of Abnormality During the Middle Ages

Skill: Factual

Answer: b. A condition in which people believe themselves to be possessed by wolves

2.1-25. The fact that episodes of mass madness peaked at the time of the Black Death illustrates that

a. mass hysteria usually has a biological basis.

- b. mental and physical illnesses commonly occur together.
- c. phenomena that impact the society and its structure may also affect mental health.
- d. mental illnesses really are caused by imbalances in the four bodily humors.

Difficulty:

- Question ID: 2.1-25
- **Page Ref:** 34-35

Topic: Views of Abnormality During the Middle Ages

Skill: Conceptual

2

Answer: c. phenomena that impact the society and its structure may also affect mental health.

- 2.1-26. In 1983, a large group of West Bank Palestinian girls showed signs of illness. Some thought they were poisoned, but later it was discovered that psychological factors played a key role in most cases. This incident best illustrates
 - a. St. Vitus's dance.
 - b. exorcism.
 - c. lycanthropy.

d. mass madness.
Difficulty: 1
Question ID: 2.1-26
Page Ref: 35
Topic: Views of Abnormality During the Middle Ages
Skill: Applied
Answer: d. mass madness.

2.1-27. The disorder Koro, where males fear that their genitals have retracted into their body, possibly leading to death, is similar to the episodes of mass madness during

the Black Death because

3

- a. both demonstrated that mass madness is primarily a physiological disorder.
- b. both demonstrated the effect that sociocultural stressors can have on mental functioning of large groups of people.
- c. both demonstrated that the responses of other people to the person with mass madness determines whether the person will recover.
- d. both demonstrated that it is extremely difficult, if not impossible, to discover the cause of mass madness.

Difficulty:

Question ID:2.1-27Page Ref:35Topic:Views of Abnormality During the Middle AgesSkill:Conceptual

Answer: b. both demonstrated the effect that sociocultural stressors can have on mental functioning of large groups of people.

2.1-28. A common treatment for mental illness during the Middle Ages in Europe was

- a. exorcism.
- b. fresh air and supportive surroundings.
- c. banishment.
- d. an early form of psychoanalytic dream interpretation.

Difficulty:

Question ID: 2.1-28

1

Page Ref: 35

- **Topic:** Views of Abnormality During the Middle Ages
- Skill: Factual

Answer: a. exorcism.

- 2.1-29. Recent historical reviews of the literature indicate that the typical accused witch in the Middle Ages in Europe was
 - a. a person we would now consider to have a mental illness.
 - b. a priest who was a rival of a more powerful priest.
 - c. an ill-tempered, impoverished woman.
 - d. a person we would now consider to have mental retardation.

Difficulty:2Question ID:2.1-29Page Ref:35Topic:Views of Abnormality During the Middle AgesSkill:FactualAnswer: c. an ill-tempered, impoverished woman.

2.1-30. People in the Middle Ages

- a. believed that mentally ill people were witches.
- b. believed that witches were mentally ill.
- c. believed that mentally ill witches should be treated differently than other types of witches.
- d. believed that most witches and mentally ill people were possessed by demons, but in different ways.

Difficulty:2Question ID:2.1-30Page Ref:35Topic:Views of Abnormality During the Middle AgesSkill:FactualAnswer:d believed that most witches and mentally ill people witches

Answer: d. believed that most witches and mentally ill people were possessed by demons, but in different ways.

2.1-31. During the middle ages in Europe, which of the following was most likely to treat mental illness?

- a. a priest
- b. a physician
- c. a scientist

d. a surgeon
Difficulty: 2
Question ID: 2.1-31
Page Ref: 35
Topic: Views of Abnormality During the Middle Ages
Skill: Applied
Answer: a. a priest

2.1-32. Exorcism is

- still occasionally practiced today for the treatment of psychological problems, a. sometimes with fatal results.
- a religious rite that is no longer used for the treatment of psychological problems. b.
- c. a symbolic act that can still be useful in changing psychological functioning.
- d. a treatment that, throughout history, was never a very popular method of treating psychological problems.

Difficulty:

Question ID: 2.1-32 Page Ref: 35 **Topic:** Views of Abnormality During the Middle Ages Skill: Factual

Answer: a. still occasionally practiced today for the treatment of psychological problems, sometimes with fatal results.

2.1-33. The emergence of humanism brought about changes in all of the following **EXCEPT**

- an increase in the belief in supernatural causes of behavior. a.
- b. scientific questioning.
- c. more humane treatment.

2

fewer superstitious beliefs about demonic possession. d.

Difficulty: 2

Ouestion ID: 2.1-33 Page Ref: 36 **Topic:** Resurgence of Scientific Questioning in Europe Skill: Factual Answer: a. an increase in the belief in supernatural causes of behavior.

2.1-34. What was the purpose of the early asylums?

- a. To remove those who could not care for themselves from society
- b. To provide exorcisms
- c. To offer humanitarian treatment to those afflicted with mental illnesses
- d. To offer biological approaches to the treatment of mental disorders

Difficulty:

2 Question ID: 2.1-34 Page Ref: 36 **Topic:** Establishment of Early Asylums Skill: Conceptual Answer: a. To remove those who could not care for themselves from society

2.1-35. Johan Wever, in the early 1500s,

- a. was a popularly accepted writer who argued that mental illness was due to demon possession.
- b. was a popularly accepted writer who argued that mental illness was due to imbalances in the four humors.
- c. wrote a book that was condemned by many, arguing that many witches were actually mentally ill.
- d. wrote a book that was scorned by many, arguing that mental illness was due to bodily magnetism.

Difficulty: 2 **Question ID: 2.1-35** Page Ref: 36 **Topic:** Resurgence of Scientific Questioning in Europe Skill: Factual

Answer: c. wrote a book that was condemned by many, arguing that many witches were actually mentally ill.

- 2.1-36. Who was one of the first physicians in the early 1500s to criticize the idea that mental illness was due to demon possession (although he did believe the moon influenced the brain)?
 - Paracelsus a.
 - b. Galen
 - c. Pinel
 - d. Hippocrates

Difficulty: 2 **Question ID: 2.1-36** Page Ref: 36 Topic: Resurgence of Scientific Questioning in Europe Factual Skill: Answer: a. Paracelsus

2.1-37. How did early treatment of mental patients in the United States compare to that offered in Europe?

- Treatment in the United States was more humanitarian. a.
- b. It was comparable to that offered in Europe.
- The techniques employed were more scientifically based than those used in C. Europe.
- The treatment approaches used in the United States were more effective than those d. used in Europe. 2

Difficulty:

2	-
Question ID:	2.1-37
Page Ref:	37
Topic:	Establishment of Early Asylums and Shrines
Skill:	Factual
λ 1 Τ.	

Answer: b. It was comparable to that offered in Europe.

2.1-38. If you visited an asylum in the 16th Century in Europe you would likely find

- a. a place which mixed together the mentally ill, the poor, criminals, and the physically ill.
- b. exorcisms being done by priests.

1

- c. a place where people were given good food, work, and rest so they could recover.
- d. mentally ill people living in conditions of filth and cruelty.

Difficulty:

1		
2.1-38		
36		
Establishment of Early Asylums and Shrines		
Applied		
Answer: d. mentally ill people living in conditions of filth and cruelty.		

2.1-39. The early asylums

- a. were primarily warehouses for the mentally ill.
- b. were designed to be places of refuge for the mentally ill.
- c. were designed to treat the mentally ill with physiological treatments, such as bloodletting.

d. were similar to the places the early Greeks used for people with mental illness.

Difficulty:	1	
Question ID:	2.1-39	
Page Ref:	36-37	
Topic:	Establishment of Early Asylums and Shrines	
Skill:	Factual	
Answer: a. were primarily warehouses for the mentally ill.		

2.1-40. Shackling a patient to a wall with little food or heat would be most typical of

- a. the hospitals run by Philippe Pinel.
- b. the sanatoriums of Alexandria, Egypt.
- c. the early asylums in Europe.
- d. the treatment advocated by Hippocrates.

Difficulty: 1

Question ID:2.1-40Page Ref:36-37Topic:Establishment of Early Asylums and ShrinesSkill:FactualAnswer: c. the early asylums in Europe.

2.1-41. "Bedlam" in London was one of several hospitals for the mentally ill in different countries that

- a. treated the mentally ill with physiological treatments.
- b. exhibited their patients for profit.
- c. viewed themselves as religious houses for the demonically possessed.
- d. allowed patients a lot of freedom.

Difficulty:1Question ID:2.1-41Page Ref:36-37Topic:Establishment of Early Asylums and ShrinesSkill:FactualAnswer: b. exhibited their patients for profit.

2.1-42. In the United States, an early treatment involved the belief that

- a. patients needed to choose rationality over insanity and treatments were designed to intimidate patients into choosing correctly.
- b. patients were demonically possessed and needed to be made uncomfortable to get the demons to leave.
- c. patients were medically ill and needed physiological treatments.
- d. patients were basically animals and were treated as such.

1	
Difficulty:	2
Question ID:	2.1-42
Page Ref:	37-38
Topic:	Establishment of Early Asylums and Shrines
Skill:	Factual
Answer: a pa	tients needed to choose rationality over insanity

Answer: a. patients needed to choose rationality over insanity and treatments were designed to intimidate patients into choosing correctly.

2.1-43. Humanitarian treatment would be most typical of

- a. the hospitals run by Philippe Pinel.
- b. Bedlam.
- c. the early asylums in Europe.
- d. the early asylums in the United States.

Difficulty:1Question ID:2.1-43Page Ref:38Topic:Humanitarian ReformSkill:FactualAnswer:a. the hospitals run by Philippe Pinel.

2.1-44. There is some debate about whether Philippe Pinel

- was the first person to remove chains from mental patients in a French mental a. hospital.
- b. was the first person to refute the idea of witchcraft as an explanation for abnormal behavior.
- supported Mesmer's ideas of animal magnetism and hypnosis. C.
- d. approved of the use of bleeding, beatings, and imprisonment for mental patients.

Difficulty: 1 **Ouestion ID: 2.1-44** Page Ref: 38 **Topic:** Humanitarian Reform Skill: Factual **Answer:** a. was the first person to remove chains from mental patients in a French mental hospital.

2.1-45. Philippe Pinel

- believed that mental illness was due to possession by demons and exorcism was a. the only useful treatment.
- b. believed that mental patients needed to choose rationality over insanity, so treatment was aimed at making their lives as patients uncomfortable.
- c. believed that mental patients were ill and needed to be treated as such with kindness and caring.
- believed that mental illness was purely a physiological phenomena, and could only d. be treated by physical means such as bloodletting.

Difficulty:

Ouestion ID: 2.1-45

Page Ref: 38

Topic: Humanitarian Reform Factual

1

Skill:

Answer: c. believed that mental patients were ill and needed to be treated as such with kindness and caring.

2.1-46. A contemporary of Pinel's in England who started a Quaker religious retreat for the mentally ill was

- a. John Wesley.
- b. Benjamin Rush.
- c. Dorothea Dix.
- d. William Tuke.

Difficulty:

Question ID: 2.1-46 Page Ref: 38

Topic: Humanitarian Reform

1

Skill: Factual

Answer: d. William Tuke.

- 2.1-47. Which of the following is credited with continuing the work of Pinel in the United States?
 - a. John Wesley
 - b. Benjamin Rush

c. John Connolly
d. Samuel Hitch
Difficulty: 1
Question ID: 2.1-47
Page Ref: 39
Topic: Humanitarian Reform
Skill: Factual
Answer: b. Benjamin Rush

2.1-48. Benjamin Rush is credited with all of the following EXCEPT

- a. signing the Declaration of Independence.
- b. encouraging more humane treatment of the mentally ill.
- c. taking a scientific approach to the study and treatment of mental disorders.
- d. being the first American to organize a course in psychiatry.

Difficulty:

Question ID:2.1-48Page Ref:39Topic:Humanitarian ReformSkill:Conceptual

2

Answer: c. taking a scientific approach to the study and treatment of mental disorders.

2.1-49. Benjamin Rush, who encouraged more humane treatment of the mentally ill in the United States, used as his principal remedies

- a. rest and talk.
- b. bloodletting and the tranquilizer chair.
- c. exorcism and purging.
- d. the tranquilizer chair and relaxation.

Difficulty: 2

Question ID: 2.1-49

Page Ref:39

Topic: Humanitarian Reform

Skill: Factual

Answer: b. bloodletting and the tranquilizer chair.

2.1-50. Who is considered the founder of American psychiatry?

a. William Tuke
b. Dorothea Dix
c. Benjamin Rush
d. Clifford Beers
Difficulty: 1
Question ID: 2.1-50
Page Ref: 39
Topic: Humanitarian Reform
Skill: Factual
Answer: c. Benjamin Rush

2.1-51. The moral management treatment

- a. focused on the physiological problems that mental patient's supposedly had rather than their mental state.
- b. focused on the symptoms that mental patient's had rather than on their moral character.
- c. focused on warehousing and punishing mental patients, so that they would choose to become well.
- d. focused on the moral and spiritual development of mental patients rather than their disorder.

Difficulty:

Question ID:2.1-51Page Ref:39Topic:Humanitarian Reform

2

Skill: Factual

Answer: d. focused on the moral and spiritual development of mental patients rather than their disorder.

2.1-52. All of the following were likely to be part of moral treatment in the 1800s EXCEPT

- a. manual labor.
- b. spiritual discussions.
- c. character development.
- d. antipsychotic medication.

2

Difficulty:

Question ID: 2.1-52

Page Ref: 39

Topic: Humanitarian Reform

Skill: Factual

Answer: d. antipsychotic medication.

- 2.1-53. The level of success achieved with the use of moral management is surprising because
 - most mental illnesses are not treatable. a.
 - the drugs used were usually inappropriate. b.
 - the majority of those hospitalized for mental illness were schizophrenic. c.
 - d. many patients suffered from syphillis that was, at the time, incurable.

Difficulty: 2 **Question ID: 2.1-53** Page Ref: 39 **Topic:** Humanitarian Reform Skill: Conceptual

Answer: d. many patients suffered from syphillis that was, at the time, incurable.

2.1-54. Which of the following was a form of treatment that addressed a patient's social, individual, and occupational needs?

- a. Moral management
- b. The treatments provided at the Geel Shrine
- c. Anton Mesmer's approach to treating the mentally ill
- d. The treatment started by the Nancy School

Difficulty:

Ouestion ID: 2.1-54 Page Ref: 39 **Topic:** Humanitarian Reform Skill: Factual

1

Answer: a. Moral management

2.1-55. Which of the following contributed to the virtual absence of moral management by the nineteenth century?

- a. The fact that it was rarely effective in treating the mentally ill
- The shrinking of the size of most mental hospitals b.
- c. Society's displeasure with the idea that mentally ill people were morally inferior
- d. Advances in biomedical science 1

Difficulty:

Question ID: 2.1-55

Page Ref: 39-40

Topic: Humanitarian Reform

Skill: Factual

Answer: d. Advances in biomedical science

2.1-56. Which of the following approaches to treatment focuses almost exclusively on physical well-being?

- a. Moral management
- b. Mental hygiene
- c. Humanitarian

d. Deinstitutionalization
Difficulty: 2
Question ID: 2.1-56
Page Ref: 39
Topic: Humanitarian Reform
Skill: Factual
Answer: b. Mental hygiene

2.1-57. Which of the following was a consequence of the rise of the mental hygiene movement and the occurrence of biomedical advances?

- a. The social and psychological environments of mental patients were ignored.
- b. Biological causes for most mental disorders were identified.
- c. Physical comfort was neglected.

2

d. Most humanitarian gains were lost.

Difficulty:

Question ID: 2.1-57

Page Ref: 39-40

Topic: Humanitarian Reform

Skill: Conceptual

Answer: a. The social and psychological environments of mental patients were ignored.

2.1-58. The demise of moral management occurred for all of the following reasons EXCEPT

- a. research showed that it had never been effective.
- b. the rise of the moral hygiene movement put a focus on patient well-being.
- c. the rise of biological explanations diminished the importance of the social environment.
- d. hospital facilities got so large that it was difficult to maintain the staff-patient relationships necessary for moral management.

Difficulty:

Question ID:	2.1-598
Page Ref:	39-40
Topic:	Humanitarian Reform
Skill:	Factual
	1 1 1 1 1 1 1 1

1

Answer: a. research showed that it had never been effective.

2.1-59. Dorothea Dix

- a. urged that religious conversion was a primary means of treatment for the mentally disturbed.
- b. was a major impediment to the mental hygiene movement in this country.
- c. was a leading force in the emphasis on finding biological cures for mental disorders.

d. is credited with establishing numerous humane mental hospitals in many countries. **Difficulty:** 1

Question ID:2.1-59Page Ref:40Topic:Humanitarian ReformSkill:FactualAnswer:d. is credited with establishing numerous humane mental hospitals in many countries.

2.1-60. Which one of the following increased the availability of treatment for the mentally ill in the United States?

a. Dorothea Dix
b. Benjamin Rush
c. Emil Kraepelin
d. Philippe Pinel
Difficulty: 1
Question ID: 2.1-60
Page Ref: 40
Topic: Humanitarian Reform
Skill: Applied
Answer: a. Dorothea Dix

2.1-61. The work of Dorothea Dix has been criticized for

- a. interfering with the provision of moral therapy.b. increasing the use of unproven treatment approaches.
- c. popularizing humanitarian approaches.

d. preventing the development of biomedical approaches to mental illness.Difficulty: 2

Question ID:2.1-61Page Ref:40Topic:Humanitarian ReformSkill:ConceptualAnswer: a. interfering with the provision of moral therapy.

2.1-62. In the early nineteenth century, psychiatrists were referred to as

a.	alienists.	
b.	lunatics.	
c.	soothsayer	⁻ S.
d.	purgatists.	
Dif	ficulty:	1
Que	estion ID:	2.1-62
Pag	ge Ref:	41
Top	oic:	Nineteenth Century Views of the Causes and Treatment of Mental
_		Disorders
Ski	ll:	Factual
An	swer: a. ali	enists.

- 2.1-63. Imagine that it is 1885. A man complains of "shattered nerves." He is lacking in energy and shows low mood. Physicians specializing in mental conditions (alienists) would likely consider this person
 - a. a morally deficient individual.
 - b. as suffering from neurasthenia.
 - c. as suffering from hysteria.
 - d. as untreatable because the condition was biological.

Difficult

Difficulty:	2
Question ID:	2.1-63
Page Ref:	41
Торіс:	Nineteenth Century Views of the Causes and Treatment of Mental
	Disorders
Skill:	Applied
Answer: b. as suffering from neurasthenia.	

2.1-64. During the late nineteenth century, alienists

a. focused on removing evil demons from the psyche.b. employed techniques such as drugging, restraint, and bleeding.		
did not view mental illnesses as treatable.		
d. incorporated moral management therapy into treatments.		
Difficulty: 3		
Question ID: 2.1-64		
Page Ref: 41		
Topic: Nineteenth Century Views of the Causes and Treatment of Mental		
Disorders		
Skill: Factual		
Answer: d. incorporated moral management therapy into treatments.		

2.1-65. The "neurasthenia" recognized in the 1800s resembles today's diagnosis of

a.	anxiety.	
b.	schizophre	enia.
c.	bipolar dis	sorder.
d.	depression	1.
Diff	ficulty:	2
Que	estion ID:	2.1-65
Pag	e Ref:	41
Top	oic:	Nineteenth Century Views of the Causes and Treatment of Mental
-		Disorders
Ski	11:	Applied
An	swer: d. de	pression.

2.1-66. By the end of the nineteenth century

- effective treatments had been developed for many forms of mental illness. a.
- b. little was known about most mental illnesses.
- c. asylums were recognized as humanitarian institutions that served an important function.
- d. most mental hospitals effectively addressed the physical needs of patients, but ignored other needs.

Difficulty:

2 **Ouestion ID: 2.1-66** Page Ref: 41-42 **Topic:** Changing Attitudes Toward Mental Health in the Early 20th Century Skill: Conceptual **Answer:** b. little was known about most mental illnesses.

2.1-67. All of the following are credited with emphasizing the link between brain pathology and mental illness EXCEPT

- Dix. a.
- b. Griesinger. c. Alzheimer. d. Kraepelin. **Difficulty:** 2 **Question ID: 2.1-67** Page Ref: 46-47 Topic: Biological Discoveries: Establishing the Link Skill: Factual Answer: a. Dix.

2.1-68. At the start of the twentieth century in America, public attitudes toward the mentally ill

- a. had become enlightened and humane.
- b. associated mental disorder with "tainted genes" and divine retribution.
- c. had become a conviction that the mentally ill were incurable and should be executed or jailed for the rest of their lives.
- d. were characterized by fear, horror, and ignorance.

Difficulty:

Question ID: 2.1-68

1

Page Ref: 41-42

Topic:Changing Attitudes Toward Mental Health in the Early 20th CenturySkill:Conceptual

Answer: d. were characterized by fear, horror, and ignorance.

2.1-69. What is Clifford Beers known for?

- a. He developed the first effective antidepressant.
- b. His efforts lead to the establishment of over thirty mental hospitals.
- c. He vigorously rejected the Victorian idea that sexual fantasies caused mental disorders.
- d. He publicized the brutal treatment that many mental patients received.

Difficulty:

Question ID: 2.1-69

1

Page Ref: 42

Topic:Changing Attitudes Toward Mental Health in the Early 20th CenturySkill:Factual

Answer: d. He publicized the brutal treatment that many mental patients received.

2.1-70. During the early twentieth century,

- a. more asylums and mental hospitals were established.
- b. most of the institutionalized mentally ill received moral therapy.
- c. hospital stays tended to be brief.

1

d. housed very few people.

Difficulty:

Question ID: 2.1-70

Page Ref: 42

Topic:Mental Hospital Care in the 20th Century

Skill: Factual

Answer: a. more asylums and mental hospitals were established.

- 2.1-71. During the first half of the twentieth century, mental hospital care would best be characterized as
 - a. effective.
 b. humane.
 c. moral.
 d. punitive.
 Difficulty: 1
 Question ID: 2.1-71
 Page Ref: 42
 Topic: Mental Hospital Care in the 20th Century
 Skill: Factual
 Answer: d. punitive.
- 2.1-72. Which of the following served to publicize the plight of the mentally ill in the mid 1940s?
 - a. The publication of "A Mind That Found Itself"
 - b. The publication of "The Snake Pit"

1

- c. The research funded by the National Institutes of Mental Health
- d. The passage of the Community Health Services act

Difficulty:

Question ID:2.1-72Page Ref:42Topic:Mental Hospital Care in the 20th CenturySkill:AppliedAnswer: b. The publication of "The Snake Pit"

2.1-73. The Hill-Burton Act

- a. ended the moral hygiene movement.
- b. contributed to the practice of warehousing the mentally ill.
- c. provided funding for mental health treatment in the community.
- d. legislated the creation of 50% more inpatient facilities for the mentally ill.Difficulty: 2

Question ID:2.1-73Page Ref:42Topic:Mental Hospital Care in the 20th CenturySkill:AppliedAnswer: c. provided funding for mental health treatment in the community.

2.1-74. Which of the following occurred in the late twentieth century?

- a. The establishment of large inpatient facilities for the mentally ill
- b. A movement of the mentally ill from institutions to the community
- c. Dramatic increases in the cost of caring for the mentally ill
- d. The inpatient mentally ill population doubled

1

Difficulty:

•		
Question ID:	2.1-74	
Page Ref:	43-44	
Topic:	Mental Hospital Care in the 20th Century	
Skill:	Factual	
Answer: b. a movement of the mentally ill from institutions to the community		

2.1-75. Medications for psychological disorders

- a. were first used centuries ago.
- b. were first used only recently.

1

- c. still currently use some ancient ingredients, such as "mummy powder."
- d. made the search for the causes of disorders more difficult.

Difficulty:

•	
Question ID:	2.1-75
Page Ref:	44
Topic:	Mental Hospital Care in the 20th Century
Skill:	Factual
Answer: a. we	ere first used centuries ago.

2.1-76. The rationale behind deinstitutionalization was

- a. a belief that physicians could better medicate and give physical treatment to patients in their own homes.
- b. a concern that prolonged hospitalization could keep patients from being able to adjust to and function in the outside world.
- c. a belief that most mental patients were faking and would cease to do so if they weren't "rewarded" by allowing them to stay in the hospital.
- d. a concern that mental hospitals were such unpleasant places that for mental patients, living on their own could only be better.

Difficulty:

Question ID:	2.1-76
Page Ref:	44-45
Topic:	Mental Hospital Care in the 20th Century
Skill:	Conceptual
A 1	

Answer: b. a concern that prolonged hospitalization could keep patients from being able to adjust to and function in the outside world.

2.1-77. All of the following are reasons for the growth of the deinstitutionalization movement EXCEPT

- a. a desire to involve the family in the care of the mentally ill.
- b. it was thought to be more humane.

2

2

- c. the belief that new medications might allow patients to successfully return to their former lives.
- d. it was thought to be more cost effective.

Difficulty:

Question ID: 2.1-77

Page Ref: 44-45

Topic: Mental Hospital Care in the 20th Century

Skill: Applied

Answer: a. a desire to involve the family in the care of the mentally ill.

- 2.1-78. All of the following were effects of the deinstitutionalization movement EXCEPT that
 - a. a large number of psychiatric hospitals were closed.
 - b. mental hospital populations declined.
 - c. most of the services once offered on an inpatient basis were available at community health centers.
 - d. some of those released would have been better off remaining hospitalized. 3

Difficulty:

Question ID: 2.1-79

Page Ref: 44-45

Topic: Mental Hospital Care in the 20th Century

Skill: Applied

Answer: c. most of the services once offered on an inpatient basis were available at community health centers.

2.1-79. The insanity associated with general paresis

- a. has no known physical cause.
- b. is caused by excessive alcohol consumption.
- c. is seen only in the aging who have compromised health.
- d. results from an infection of the brain.

Difficulty: 2 **Question ID: 2.1-79** Page Ref: 46 **Topic:** Biological Discoveries: Establishing the Link Skill: Applied Answer: d. results from an infection of the brain.

2.1-80. Why was malarial therapy effective in treating general paresis?

- The fever that was induced killed off the cause of the observed symptoms. a.
- b. General paresis was caused by malaria, and malarial therapy triggered an immune response that destroyed the existing infection.
- c. Malarial therapy prevented the syphilis spirochetes from entering the brain.
- There is no know treatment for general paresis. d.

Difficulty:

Question ID: 2.1-80

1

Page Ref: 46

Topic: **Biological Discoveries: Establishing the Link**

Skill: Applied

Answer: a. The fever that was induced killed off the cause of the observed symptoms.

2.1-81. Which of the following is recognized as a major biomedical breakthrough in psychopathology because it established the link between mental and physical illnesses?

- a. the discovery of the cause and later a cure for general paresis (syphilitic insanity)
- b. the discovery of penicillin as a cure for syphilis
- c. the development of electroshock therapy for general paresis (syphilitic insanity)
- d. the discovery that brain injuries could be associated with mental disorders

Difficulty:

Question ID: 2.1-81

1

Page Ref:46

Topic: Biological Discoveries: Establishing the Link

Skill: Factual

Answer: a. the discovery of the cause and later a cure for general paresis (syphilitic insanity)

2.1-82. The use of malarial fever to treat paresis

- a. is an example of the barbaric treatment that mental patients received at the beginning of the twentieth century.
- b. proved to be so ineffectual that many professionals abandoned the biological explanation of mental disorders.
- c. represented the first clear-cut defeat of a mental disorder by medicine.
- d. was the first time scientists used knowledge of brain chemistry to develop specific drugs for treating mental disorder.

Difficulty: 2

Question ID:2.1-82Page Ref:46Topic:Biological Discoveries: Establishing the LinkSkill:ConceptualAnswer: c. represented the first clear-cut defeat of a mental disorder by medicine.

2.1-83. Which one of the following is credited with developing a classification system for mental disorders?

a. Dix
b. Pinel
c. Alzheimer
d. Kraepelin
Difficulty: 2
Question ID: 2.1-83
Page Ref: 47
Topic: The Development of a Classification System
Skill: Factual
Answer: d. Kraepelin

2.1-84. Kraepelin is credited with

- discovering that penicillin was an effective treatment for malaria. a.
- determining the cause of senile dementia. b.
- identifying different types of mental disorders. C.
- d. writing the first edition of the DSM.

Difficulty: 1 Question ID: 2.1-84 Page Ref: 47 Topic: The Development of a Classification System Skill: Factual Answer: c. identifying different types of mental disorders.

2.1-85. The first classification of mental disorders involved

- a. identifying the biological causes of the disorders, so a person could be tested for them.
- b. understanding the theoretical descriptions of different disorders.
- c. recognizing symptoms that occurred together often enough to be regarded as a type of mental disorder.
- d. identifying the types of thoughts that people with different mental illnesses tended to have.

Difficulty:

Question ID: 2.1-85 Page Ref: 47 **Topic:** The Development of a Classification System Skill: Factual

Answer: c. recognizing symptoms that occurred together often enough to be regarded as a type of mental disorder.

2.1-86. The ancestral roots of what we now know as psychoanalysis can be traced back to

a. the study of hypnosis.

1

- b. early beliefs in demonology and possession.
- c. the discovery of the cause of general paresis.
- d. Dorothea Dix.

Difficulty:

1 **Ouestion ID: 2.1-86** Page Ref: 47 **Topic:** Development of the Psychological Basis of Mental Disorder Skill: Factual Answer: a. the study of hypnosis.

2.1-87. Mesmer was a proponent of

- a. humanitarianism.
- b. community mental health clinics.
- c. the mental hygiene movement.
- d. the power of animal magnetism.

 Difficulty:
 1

 Question ID:
 2.1-87

 Page Ref:
 47-48

 Topic:
 Development of the Psychological Basis of Mental Disorder

 Skill:
 Factual

 Answer: d. the power of animal magnetism.

- 2.1-88. "All people have a certain amount of magnetic fluid. When the fluid is poorly distributed in the body it causes illness. The planets and the magnetic forces in other people can redistribute magnetism and produce cures." Who was most likely to say something like this?
 - a. a young Sigmund Freud
 - b. Emil Kraepelin
 - c. Jean Charcot

d. Franz Mesmer
Difficulty: 1
Question ID: 2.1-88
Page Ref: 47-48
Topic: Development of the Psychological Basis of Mental Disorder
Skill: Applied
Answer: d. Franz Mesmer

2.1-89. Who is credited with making the first major steps toward understanding the psychological factors involved in mental illness?

- a. Alois Alzheimer
- b. Wilhelm Griesinger
- c. Clifford Beers

d. Sigmund Freud

Difficulty: 1

Question ID: 2.1-89

Page Ref: 47

- **Topic:** Development of the Psychological Basis of Mental Disorder
- Skill: Factual

Answer: d. Sigmund Freud

2.1-90. The study of hypnosis and its relationship to hysteria was the starting point for

- a. the medical model.
- b. the biological classification of mental disorders.
- c. psychoanalysis.

d. the mental hygiene movement.
Difficulty: 1
Question ID: 2.1-90
Page Ref: 49
Topic: Development of the Psychological Basis of Mental Disorder
Skill: Factual
Answer: c. psychoanalysis.

2.1-91. The physicians of the Nancy School

a. opposed the use of hypnotism.

1

- b. demonstrated the power of suggestion.
- c. found that hypnotism was not effective in the treatment of any mental illnesses.
- d. believed that hysteria was the result of brain degeneration.

Difficulty:

Dinically	1	
Question ID:	2.1-91	
Page Ref:	49	
Topic:	Development of the Psychological Basis of Mental Disorder	
Skill:	Applied	
Answer: b. demonstrated the power of suggestion.		

2.1-92. The Nancy School

- a. advanced the recognition that psychological factors were involved in the development of mental disorders.
- b. furthered our understanding of the role of biological factors in the development of mental illness.
- c. fell out of favor when the evidence supporting the views of Charcot accumulated.
- d. failed to recognize that most forms of psychopathology are incurable.

Difficulty:

Question ID: 2.1-92

1

Page Ref: 49

Topic:Development of the Psychological Basis of Mental Disorder**Skill:**Factual

Answer: a. advanced the recognition that psychological factors were involved in the development of mental disorders.
2.1-93. The Nancy School/Charcot debate is best described as one that focuses on

- a. biology vs genes.
- b. learning vs nurture.

c. drugs vs surgery.
d. psychology vs biology.
Difficulty: 1
Question ID: 2.1-93
Page Ref: 49
Topic: Development of the Psychological Basis of Mental Disorder
Skill: Applied
Answer: d. psychology vs biology.

2.1-94. In 1893, Breuer and Freud published a paper on hysteria. In it they announced that

- a. unconscious factors can determine behavior and produce mental disorders.
- b. hysteria was caused by hypnosis.
- c. hysteria and hypnosis were both the result of neurological abnormalities.
- d. many forms of mental disorder are the conscious result of seeking attention from others.

Difficulty: 1 Question ID: 2.1-95 Page Ref: 48 Topic: The Beginnings of Psychoanalysis Skill: Factual Answer: a. unconscious factors can determine behavior and produce mental disorders.

2.1-95. Freud is the first to describe the _____: that the mind could contain information of which it is unaware, but by which it is still affected.

- a. catharsis
- b. unconscious
- c. hysteria
- d. operant conditioning

1

Difficulty:

Question ID: 2.1-95

- Page Ref: 49
- **Topic:** Development of the Psychological Basis of Mental Disorder
- Skill: Factual

Answer: b. unconscious

2.1-96. A catharsis is

- a. a type of hypnosis.
- b. an emotional release.
- c. the part of the brain where the unconscious exists.

d. a type of hysteria. Difficulty: 1 **Question ID: 2.1-96** Page Ref: 49 **Topic:** Development of the Psychological Basis of Mental Disorder Skill: Factual

Answer: b. an emotional release.

2.1-97. Free association and dream analysis

- a. are techniques typically used in hypnotized subjects.
- b. provide insight into the workings of the unconscious.
- c. were developed in the early 1800s.
- d. have been used extensively in behavioral therapy.

Difficulty:	1
Question ID:	2.1-97
Page Ref:	49
Topic:	Development of the Psychological Basis of Mental Disorder/The
_	Beginnings of Psychoanalysis
Skill:	Applied
Answer: b. pr	ovide insight into the workings of the unconscious.

2.1-98. Who established the first experimental psychology laboratory?

a.	Wundt	
b.	Watson	
c.	Freud	
d.	Kraepelin	
Dif	ficulty:	1
Qu	estion ID:	2.1-98
Pag	ge Ref:	50
Тор	oic:	The Evolution of the Psychological Research Tradition: Experimental
		Psychology
Ski	11:	Factual
An	swer: a. W	undt

2.1-99. Witmer is credited with

- a. establishing psychology as a field in the United States.
- b. bringing psychoanalysis to the United States.
- c. writing the first psychology text.
- d. being the founder of clinical psychology.

Difficulty:	1
Question ID:	2.1-99
Page Ref:	50
Topic:	The Evolution of the Psychological Research Tradition:Experimental
_	Psychology
Skill:	Factual
Answer: d. being the founder of clinical psychology.	

2.1-100. Behaviorism was

- a. a reaction to what the behaviorists perceived as a lack of scientific rigor in psychoanalysis.
- b. a reaction to the lack of moral and spiritual factors in most theories at the time.
- c. an attempt to focus on the thinking styles of people with mental illness.
- d. a spin-off theory that elaborated on the psychoanalytic viewpoint.

Difficulty:

Question ID: 2.1-100

1

Page Ref: 50

 Topic:
 The Evolution of the Psychological Research Tradition: Experimental Psychology

Skill: Applied

Answer: a. a reaction to what the behaviorists perceived as a lack of scientific rigor in psychoanalysis.

2.1-101. A behavioral psychologist would be most likely to use

- a. hypnotism.
- b. observational techniques.
- c. free association.

d. dream analysis.

Difficulty: 1

Question ID: 2.1-101

Page Ref: 51

Topic: The Evolution of the Psychological Research Tradition: Experimental Psychology

Skill: Applied

Answer: b. observational techniques.

2.1-102. A psychologist who takes a behavioral perspective would focus on

- a. learning.
- b. early experiences.
- c. unconscious conflicts.
- d. the role of behavioral factors.
- **Difficulty:** 1

 Question ID:
 2.1-102

 Page Ref:
 50-51

 Topic:
 The Evolution of the Psychological Research Tradition: Experimental Psychology

 Skill:
 Applied

 Answer: a. learning.

2.1-103. Who is considered to be the "father" of behaviorism?

a. Pavlov	
b. Freud	
c. Wundt	
d. Watson	
Difficulty:	2
Question ID:	2.1-103
Page Ref:	51
Торіс:	The Evolution of the Psychological Research Tradition: Experimental
	Psychology
Skill:	Factual
Answer: d. W	Vatson

2.1-104. The central principle of classical conditioning is that

- a. after repeated pairings with a stimulus that naturally causes a response, a neutral stimulus will cause a similar response.
- b. we repeat those actions that we see others engage in.
- c. the consequences of behavior influence its likelihood of being repeated.
- d. the interaction of genetics and social factors best explains human behavior.

Difficulty:

Question ID: 2.1-104

Page Ref: 49

Topic:The Evolution of the Psychological Research Tradition: Experimental
Psychology

Skill: Conceptual

2

Answer: a. after repeated pairings with a stimulus that naturally causes a response, a neutral stimulus will cause a similar response.

2.1-105. The role of learning is the central theme in

- a. Breuer's approach to treating people with mental disorders.
- b. Wundt's approach to psychological research.
- c. the psychoanalytic approach.
- d. the behavioral perspective.

 Difficulty:
 1

 Question ID:
 2.1-105

 Page Ref:
 50-51

 Topic:
 The Evolutions of the Psychological Research Tradition: Experimental Psychology

 Skill:
 Conceptual

 Answer d. the hedroired memory

Answer: d. the behavioral perspective.

2.1-106. Both ______ and _____ studied the effects of consequences on the occurrence of behaviors.

- a. Skinner; Pavlov
- b. Pavlov: Thorndike
- c. Thorndike; Skinner

c. Thorndike; Skinner
d. Pavlov; Freud
Difficulty: 1
Question ID: 2.1-106
Page Ref: 51-52
Topic: The Evolution of the Psychological Research Tradition: Experimental Psychology
Skill: Factual
Answer: c. Thorndike; Skinner

2.1-107. The central principle of operant conditioning is that

- a. certain reflexes cause us to engage in habitual behavior.
- b. we repeat those actions that we see others engage in.
- c. the consequences of behavior influence its likelihood of being repeated.
- d. the interaction of genetics and social factors best explains human behavior.

Difficulty:

Question ID: 2.1-107 **Page Ref:** 51-52

2

Topic:The Evolution of the Psychological Research Tradition: Experimental
Psychology

Skill: Conceptual

Answer: c. the consequences of behavior influence its likelihood of being repeated.

Fill-in-the-Blank Questions

2.2-1. was the affliction in the Middle Ages in which people believed themselves to be possessed by wolves.

Difficulty:1Question ID:2.2-1Page Ref:34Topic:Views of Abnormality During the Middle AgesSkill:FactualAnswer: Lycanthropy

2.2-2. _____ was the person who revolutionized moral management in the treatment of mental patients in the late 1700s.

Difficulty:2Question ID:2.2-2Page Ref:39Topic:Toward Humanitarian Reform/Humanitarian ReformSkill:FactualAnswer: Benjamin Rush

2.2-3. ______ is the process of moving mental patients from the hospital to the community.

Difficulty:1Question ID:2.2-3Page Ref:43Topic:Mental Hospital Care in the 21st CenturySkill:FactualAnswer: Deinstitutionalism

2.2-4. The surgical procedure used by physicians that initially used an ice pick to treat severe mental disorder is a ______.

Difficulty:	1
Question ID:	2.2-4
Page Ref:	46
Topic:	Biological Discoveries:Establishing the Link Between the Brain and
	Mental Disorder
Skill:	Factual
Answer: lobotomy	

Short Answer Questions

2.3-1. What was the most common explanation for abnormal behavior among many ancient peoples including the Chinese, Egyptians, Hebrews, and Greeks?

Difficulty:1Question ID:2.3-1Page Ref:30Topic:Historical Views of Abnormal BehaviorSkill:FactualAnswer: The most common explanation was possession by a demon or a god.

2.3-2. What is tarantism?

Difficulty:1Question ID:2.3-2Page Ref:34Topic:Views of Abnormality During the Middle AgesSkill:FactualAnswer:Tarantism is a form of "mass madness" characterized by wild dancing. The
behavior seen was similar to early orgiastic rites, but came to be viewed as a
consequence of having been bitten by a tarantula.

2.3-3. How did people in the Middle Ages think that possession and mental illness were related?

Difficulty:	2
Question ID:	2.3-3
Page Ref:	34-35
Topic:	Views of Abnormality During the Middle Ages
Skill:	Conceptual
Answer: Peop	le who experienced physical possession were mentally ill, those who
experienced spiritual possession were witches.	

2.3-4. What was Bedlam?

Difficulty:1Question ID:2.3-4Page Ref:36-37Topic:The Establishment of Early AsylumsSkill:Factual

Answer: Bedlam was an asylum in London that became well known for its deplorable conditions and practices. It was typical of many asylums of the sixteenth century that served primarily as storage facilities for the mentally ill.

2.3-5. Who was Benjamin Rush?

Difficulty:	1
Question ID:	2.3-5
Page Ref:	39
Topic:	Humanitarian Reform
Skill:	Factual

Answer: Benjamin Rush is credited with encouraging the use of more humane treatment of the mentally ill in the United States. He was the first American to organize a course in psychiatry, and, although some of his practices may have been less than humane, he is recognized as a transitional figure between the poor treatment of the old era and the humane approaches of the new.

2.3-6. What was moral management?

Difficulty:	1
Question ID:	2.3-6
Page Ref:	39
Topic:	Humanitarian Reform
Skill:	Factual
Answer: Moral management was an approach to the care of the mentally ill that	
emerged in the early part of the period of humanitarian reform. It focused on addressing	

2.3-7. What contributions did Dorothea Dix make to the treatment of the mentally ill?

the patient's social, individual, and occupational needs.

Difficulty:	1
Question ID:	2.3-7
Page Ref:	40
Topic:	Humanitarian Reform
Skill:	Applied
Answer: Betw	veen 1841 and 1881 Dorothea Dix brought to light the inhuman treatment
the mentally il	l usually received and persuaded legislatures to fund the building of many
mental hospita	als. She is credited with improving conditions in American hospitals,
establishing 32	2 mental hospitals, and fostering the growth of the mental hygiene
movement in t	he United States.

2.3-8. Who was Clifford Beers?

Difficulty:2Question ID:2.3-8Page Ref:42Topic:Changing Attitudes Toward Mental Health in the Early 20th CenturySkill:FactualAnswer: A former mental patient who wrote about his experiences in the institutions of

Answer: A former mental patient who wrote about his experiences in the institutions of his time. He helped change the attitude about the mentally ill and their treatment.

2.3-9. What is the current attitude about hospitalization of the mentally ill?

Difficulty:	2
Question ID:	2.3-9
Page Ref:	45
Topic:	Mental Hospital Care in the 20th Century
Skill:	Conceptual
Answer: It is	preferable to treat people in the community, and treatment should be
deinstitutional	ized, although it is not the perfect solution it was once thought to be.

2.3-10. Why was the discovery of the malarial treatment for general paresis important?

Difficulty:	2
Question ID:	2.3-10
Page Ref:	46
Topic:	Biological Discoveries: Establishing the Link
Skill:	Conceptual
Answer: It was the first scientifically demonstrated connection between a mental	
illness and bra	in pathology.

2.3-11. Who was Emil Kraepelin?

Difficulty:2Question ID:2.3-11Page Ref:47Topic:The Development of a Classification SystemSkill:FactualAnswer: The first to recognized that certain symptoms occurred regularly together and to begin the classification of mental disorders.

2.3-12. What contribution to our thinking about abnormal behavior did Freud and Breuer make?

Difficulty:	1
Question ID:	2.3-12
Page Ref:	49
Topic:	Development of the Psychological Basis of Mental Disorder
Skill:	Applied

Answer: They made the discovery of the unconscious and argued that processes outside the person's awareness could help determine behavior. They showed that emotional tensions that patients were not aware of could cause hysteria.

2.3-13. Who was Wilhelm Wundt?

Difficulty:	1	
Question ID:	2.3-13	
Page Ref:	50	
Topic:	The Evolution of the Psychological Research Tradition: Experimental	
	Psychology	
Skill:	Factual	
Answer: The man who established the first experimental psychology laboratory.		

2.3-14. What is the central theme of the behavioral perspective?

Difficulty:	2	
Question ID:	2.3-14	
Page Ref:	50-51	
Topic:	The Evolution of the Psychological Research Tradition: Experimental	
-	Psychology	
Skill:	Conceptual	
Answer: The role of learning in human behavior.		

Essay Questions

2.4-1. Abnormal behavior often has been attributed to the influence of supernatural forces. Describe how these forces were used to explain abnormal behavior during various time periods and the treatments that resulted.

Difficulty:	2
Question ID:	2.4-1
Page Ref:	30, 34-35
Topic:	Historical Views of Abnormal Behavior
Skill:	Factual

Answer: Early writings of the Egyptians, Chinese, Hebrews, and Greeks show they attributed such behavior to possession by a demon or god. This was treated by exorcism. In the Middle Ages, the clergy were largely responsible for treatment because possession was considered causal. In fifteenth- and sixteenth-century Europe, witchcraft became another related explanation for which torture, burning, and other such methods were used. Recent historical analyses, however, suggest that the mentally ill may not have been taken to be witches, as was often once thought. Even in contemporary culture, one can find those who believe that supernatural forces cause psychological problems. Exorcisms are still occasionally practiced. GRADING RUBRIC - 10 points total, 5 points each for a discussion of the use of supernatural explanations during two different time periods.

2.4-2. What was moral management? What caused its near abandonment in the second part of the nineteenth century?

Difficulty:	2	
Question ID:	2.4-2	
Page Ref:	39-40	
Topic:	Humanitarian Reform	
Skill:	Factual	
Answer: Moral management was a broad treatment that included a patient's social,		
individual, and	d occupational needs. The moral and spiritual development of patients was	
a focus. More emphasis was placed on patients' character than on their disorder. Typical		
treatments were spiritual discussion and manual labor. It was surprisingly effective. It		
was abandoned because of changing attitudes toward the mentally ill and the increasing		
size of hospitals. The mental hygiene movement and advances in biomedical science		
also contributed to its decrease in popularity. The focus on physical and biological		
explanations and care meant that other factors in a patient's life were considered		
irrelevant. GRADING RUBRIC - 10 points total, 5 for each part of the question.		

2.4-3. Explain how the link between the brain and mental disorders was first established.

Difficulty:2Question ID:2.4-3Page Ref:46Topic:Biological Discoveries: Establishing the LinkSkill:AppliedAnswer: While Hippocrates and others had long proposed that mental disorders had
some physical cause, it was not until the 1800s that a clear link between a physical
disease process and mental illness was established. This finding then paved the way for

further exploration of how brain malfunctions could result in mental illness. General paresis was an illness that produced paralysis, insanity, and, typically, death within two to five years. This mental illness was recognized as a specific type of mental disorder in 1825. Thus, it was recognized as a unique disorder, and attempts could then be made to treat it. It was eventually recognized that this illness was caused by syphilis. This is the first documented link between an identifiable brain infection and mental illness. With this finding, and the rising influence of modern experimental science, the investigation of brain pathology as the cause of mental illness began in earnest.

Abnormal Psychology 14th Edition Butcher Test Bank

Full Download: http://alibabadownload.com/product/abnormal-psychology-14th-edition-butcher-test-bank/

Test Bank for Abnormal Psychology, 14e

2.4-4. What was the dispute between Charcot and the Nancy School? Why is this significant?

Difficulty:2Question ID:2.4-4Page Ref:49Topic:Development of the Psychological Basis of Mental DisorderSkill:Conceptual

Answer: The Nancy School, named for the town of Nancy in France, refers to a group of physicians who believed that hysteria was a form of self-hypnosis. In other words, they believed that hysteria had a psychological cause. They came to this conclusion as it was observed that the symptoms of hysteria could be both produced and removed by means of hypnosis. Charcot, a neurologist, had not been able to replicate the findings of the Nancy School and argued that degenerative brain changes led to hysteria. The dispute between Charcot and the Nancy School was a debate about what the nature of the cause of hysteria was, biological or psychological. In the end, the view of the Nancy School was accepted. This is said to represent the first recognition of a psychologically caused mental disorder. GRADING RUBRIC - 10 points total, 4 points for stating the dispute, 2 points for explaining why it developed, 4 points for explaining its significance.

2.4-5. Describe classical conditioning.

Difficulty: Question ID:	2 2 4-5	
-	51	
Page Ref:		
Topic:	The Evolution of the Psychological Research Tradition: Experimental	
•	Psychology/Behavioral Perspective	
Skill:	Factual	
Answer: Classical conditioning is a form of learning in which a neutral stimulus is		

Answer: Classical conditioning is a form of learning in which a neutral stimulus is paired repeatedly with an unconditioned stimululs. After repeated pairings, the neutral stimulus becomes a conditioned stimulus that elicits a conditioned response.