### **Brunnstroms Clinical Kinesiology 6th Edition Houglum Test Bank**

Full Download: http://alibabadownload.com/product/brunnstroms-clinical-kinesiology-6th-edition-houglum-test-bank/

### **Chapter 2: Mechanical Principles: Kinetics**

#### **Multiple Choice**

Identify the choice that best completes the statement or answers the question.

- \_\_\_\_\_1. Motion that occurs about the x-axis takes place in the \_\_\_\_\_\_ plane.
  - a. sagittal
  - b. frontal
  - c. coronal
  - d. transverse

\_\_\_\_\_ 2. Motion that occurs about the y-axis takes place in the \_\_\_\_\_\_ plane.

- a. sagittal
- b. frontal
- c. coronal
- d. transverse

3. The z-axis may also be referred to as the \_\_\_\_\_\_ axis.

- a. anterior-posterior
- b. medial-lateral
- c. superior-inferior
- d. vertical
- 4. Velocity of rotary motion is best expressed in:
  - a. meters/second
  - b. meters/second<sup>2</sup>
  - c. feet/second
  - d. degrees/second
- \_\_\_\_\_ 5. If excessive, this source of force may retard joint motion:
  - a. gravity
  - b. muscular
  - c. externally applied resistance
  - d. friction
- 6. If insufficient, this source of force may promote instability:
  - a. gravity
  - b. muscular
  - c. externally applied resistance
  - d. friction
  - \_\_\_\_\_7. The perpendicular distance from the force vector to a joint's axis of motion is referred to as the:
    - a. moment
    - b. lever arm
    - c. moment arm
    - d. torque

- 8. Your patient is having difficulty performing shoulder abduction from 0 to 90° with a cuff weight around his forearm while sitting in a chair. To make the exercise *as easy as possible* you recommend that he or she move the cuff weight \_\_\_\_\_\_ and perform the activity in a \_\_\_\_\_\_ position.
  - a. further distal; side-lying
  - b. more proximal; side-lying
  - c. further distal; standing
  - d. more proximal; standing
- 9. According to Newton's First Law of Motion:
  - a. Acceleration is directly proportional to the net force applied to a body.
  - b. Acceleration is inversely proportional to the mass of the moving object.
  - c. A body at rest will remain at rest.
  - d. For every action, there is an equal and opposite reaction.
- \_\_\_\_ 10. According to Newton's Second Law of Motion:
  - a. Acceleration is directly proportional to the net force applied to a body.
  - b. Acceleration is directly proportional to the mass of the moving object.
  - c. A body at rest will remain at rest.
  - d. For every action, there is an equal and opposite reaction.
  - \_ 11. Related to first class lever systems, which of the following is most accurate?
    - a. The point of resistance application lies between the force and the axis.
    - b. They are the most common lever system in the human body.
    - c. They exhibit a force advantage so large weights can be supported or moved by a smaller force.
    - d. The axis of rotation is located between the force and resistance arms.
- 12. Your patient is performing shoulder flexion from 0 to 180° in a standing position with his elbow extended while holding a 5-pound weight in his hand. The torque imposed by the 5-pound weight is greatest at \_\_\_\_\_°.
  - a. 0
  - b. 45
  - c. 90
  - d. 135
  - e. 180
- 13. The "normal" force vector is primarily responsible for producing:
  - a. compression
  - b. distraction
  - c. rotation
  - d. tangential motion
- 14. Assuming a right triangle, to calculate the cosine of theta one should:
  - a. divide the opposite side by the hypotenuse
  - b. divide the adjacent side by the hypotenuse
  - c. divide the adjacent side by the opposite side
  - d. divide the hypotenuse by the adjacent side
- \_\_\_\_\_ 15. To reduce the effect of weight on a joint a clinician could:

- a. have the patient perform movements of the affected joint parallel to the Earth
- b. incorporate the use of a sling
- c. encourage the use of crutches
- d. recommend aquatic therapy
- e. All of the above
- \_\_\_\_\_ 16. The center of gravity of a body is:
  - a. the theoretical point around which the mass of the object is balanced
  - b. easier to find in asymmetrical objects than it is in symmetrical objects
  - c. the point of origin for gravity's vector force
  - d. A and C
  - e. All of the above
- \_\_\_\_\_ 17. The center of gravity of the adult body in the anatomic position is:
  - a. anterior to the border of the 11th thoracic vertebra
  - b. anterior to second sacral vertebra
  - c. just below the xiphoid process of the sternum
  - d. just above the knee joint
  - - a. less than
    - b. equal to
    - c. greater than
    - d. two times
  - \_\_\_\_\_ 19. Theoretically as it relates to lever arms, sit-ups are most difficult when the arms are positioned \_\_\_\_\_\_ of the individual.
    - a. at the side
    - b. on the stomach
    - c. across the chest
    - d. clasped behind the head
- \_\_\_\_\_ 20. A person being propelled in a wheelchair is an example of \_\_\_\_\_\_ equilibrium.
  - a. static
  - b. dynamic
  - c. neutral
  - d. stable
  - \_ 21. Which of the following represents the *least* degree of *stability*?
    - a. high center of gravity; large base of support
    - b. low center of gravity; large base of support
    - c. high center of gravity; small base of support
    - d. low center of gravity; small base of support
  - 22. Your patient had an above knee amputation on the left. In which direction did the patient's center of gravity shift?
    - a. Up and to the right
    - b. Down and to the right

- c. Up and to the left
- d. Down and to the left

\_\_\_\_\_ 23. A body is stable when the line of gravity runs \_\_\_\_\_\_ the center of its base of support.

- a. above
- b. next to
- c. through
- d. below
- 24. Using crutches \_\_\_\_\_\_ an individual's base of support.
  - a. increases
  - b. decreases
  - c. does not alter
  - d. negatively influences
- \_\_\_\_\_ 25. Most levers in the body are classified as \_\_\_\_\_\_ class levers.
  - a. first
  - b. second
  - c. third
  - d. fourth

## **True/False**

Indicate whether the statement is true or false.

- \_\_\_\_\_ 26. The terms, "weight" and "mass" are defined the same and may be used interchangeably.
- \_\_\_\_\_ 27. Muscles can only produce force on their bony segments when they contract.
- \_\_\_\_\_ 28. Vector forces can be combined when more than one force is applied to a body or segment.
- \_\_\_\_\_ 29. The resultant force is the simplest force that produces the same effect as all the forces acting together.
- 30. Whenever the force arm of the muscle working is shorter than the resistance arm of the segment moved by the muscle, the muscle must exert less force to lift the segment.
- 31. Third class levers, although mechanically inefficient, offer the benefit of a large excursion in range of motion with little or small changes in muscle length.
- 32. If a torque produces or tends to produce a counterclockwise motion of the coordinate system, the sign is positive.
- \_\_\_\_\_ 33. When a body part is positioned and supported to move in a plane perpendicular to the earth, the effects of gravity are reduced so a muscle weaker than 3/5 is able to move a segment.
- \_\_\_\_\_ 34. The center of gravity rises when an individual elevates his or her arms overhead.

- \_\_\_\_\_ 35. The direction of gravity is always going to be a vertically downward pull from the center of mass toward the center of the earth.
- \_\_\_\_\_ 36. In athletics, a large base of support is always advantageous.
- \_\_\_\_\_ 37. Force is bidirectional and torque is unidirectional.
- \_\_\_\_\_ 38. Small forces imparted to the distal aspect of an extremity (i.e., ankle) create large torques to the proximal joints (i.e., hip).
- \_\_\_\_\_ 39. A torque's greatest magnitude occurs when the direction of application is at a right angle or 90° to the segment or extremity.
  - 40. When the body or a body segment moves over a surface, friction also is a torque that affects movement.

# **Chapter 2: Mechanical Principles: Kinetics Answer Section**

# **MULTIPLE CHOICE**

1.	ANS:	А	PTS:	1
2.	ANS:	D	PTS:	1
3.	ANS:	А	PTS:	1
4.	ANS:	D	PTS:	1
5.	ANS:	D	PTS:	1
6.	ANS:	D	PTS:	1
7.	ANS:	С	PTS:	1
8.	ANS:	В	PTS:	1
9.	ANS:	С	PTS:	1
10.	ANS:	А	PTS:	1
11.	ANS:	D	PTS:	1
12.	ANS:	С	PTS:	1
13.	ANS:	С	PTS:	1
14.	ANS:	В	PTS:	1
15.	ANS:	E	PTS:	1
16.	ANS:	D	PTS:	1
17.	ANS:	В	PTS:	1
18.	ANS:	В	PTS:	1
19.	ANS:	D	PTS:	1
20.	ANS:	С	PTS:	1
21.	ANS:	С	PTS:	1
22.	ANS:	А	PTS:	1
23.	ANS:	С	PTS:	1
24.	ANS:	А	PTS:	1
25.	ANS:	С	PTS:	1

## TRUE/FALSE

26.	ANS:	F	PTS:	1
27.	ANS:	F	PTS:	1
28.	ANS:	Т	PTS:	1
29.	ANS:	Т	PTS:	1
30.	ANS:	F	PTS:	1
31.	ANS:	Т	PTS:	1
32.	ANS:	F	PTS:	1
33.	ANS:	F	PTS:	1
34.	ANS:	Т	PTS:	1
35.	ANS:	Т	PTS:	1
36.	ANS:	F	PTS:	1
37.	ANS:	F	PTS:	1

# Brunnstroms Clinical Kinesiology 6th Edition Houglum Test Bank

Full Download: http://alibabadownload.com/product/brunnstroms-clinical-kinesiology-6th-edition-houglum-test-bank/

38.	ANS:	Т	PTS:	1
39.	ANS:	Т	PTS:	1
40.	ANS:	F	PTS:	1