## **Chemistry The Central Science 11th Edition Brown Test Bank**

Full Download: http://alibabadownload.com/product/chemistry-the-central-science-11th-edition-brown-test-bank/

Chemistry, 11e (Brown/LeMay/Brusten/Murphy)

Chapter 2: Atoms, Molecules, and Ions

## 2.1 Multiple-Choice and Bimodal Questions

1) A certain mass of carbon reacts with 13.6 g of oxygen to form carbon monoxide.  grams of oxygen would react with that same mass of carbon to form carbon dioxide, according to the law of multiple proportions?
A) 25.6 B) 6.8 C) 13.6 D) 136 E) 27.2
Answer: E Diff: 3 Page Ref: Sec. 2.1
2) Methane and ethane are both made up of carbon and hydrogen. In methane, there are 12.0 g of carbon for every 4.00 g of hydrogen, a ratio of 3:1 by mass. In ethane, there are 24.0 g of carbon for every 6.00 g of hydrogen, a ratio of 4:1 by mass. This is an illustration of the law of
A) constant composition B) multiple proportions C) conservation of matter D) conservation of mass E) octaves
Answer: B Diff: 2 Page Ref: Sec. 2.1

- 3) Which statement below correctly describes the responses of alpha, beta, and gamma radiation to an electric field?
- A) Both beta and gamma are deflected in the same direction, while alpha shows no response.
- B) Both alpha and gamma are deflected in the same direction, while beta shows no response.
- C) Both alpha and beta are deflected in the same direction, while gamma shows no response.
- no response.

D) Alpha and beta are deflected in opposite directions, while gamma shows E) Only alpha is deflected, while beta and gamma show no response.	
Answer: D Diff: 2 Page Ref: Sec. 2.2	
4) and	reside in the atomic nucleus.
<ul><li>A) Protons, electrons</li><li>B) Electrons, neutrons</li><li>C) Protons, neutrons</li><li>D) none of the above</li><li>E) Neutrons, only neutrons</li></ul>	
Answer: C Diff: 1 Page Ref: Sec. 2.2	
5) 200 pm is the same as	Å.
A) 2000 B) 20 C) 200 D) 2 E) 2×10 <sup>-12</sup>	
Answer: D Diff: 1 Page Ref: Sec. 2.3	

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
6) The atomic number indicates
<ul> <li>A) the number of neutrons in a nucleus</li> <li>B) the total number of neutrons and protons in a nucleus</li> <li>C) the number of protons or electrons in a neutral atom</li> <li>D) the number of atoms in 1 g of an element</li> <li>E) the number of different isotopes of an element</li> </ul>
Answer: C Diff: 1 Page Ref: Sec. 2.3
7) Which pair of atoms constitutes a pair of isotopes of the same element?
A) ${}_{6}^{14}X$ ${}_{7}^{14}X$ B) ${}_{6}^{14}X$ ${}_{6}^{12}X$ C) ${}_{9}^{17}X$ ${}_{8}^{17}X$ D) ${}_{10}^{19}X$ ${}_{9}^{19}X$ E) ${}_{10}^{20}X$ ${}_{11}^{21}X$
Answer: B Diff: 1 Page Ref: Sec. 2.3
8) The nucleus of an atom contains
<ul> <li>A) electrons</li> <li>B) protons, neutrons, and electrons</li> <li>C) protons and neutrons</li> <li>D) protons and electrons</li> <li>E) protons</li> </ul>
Answer: C Diff: 1 Page Ref: Sec. 2.3

Chemistry, 11e (Brown/LeM Chapter 2:Atoms, Molecules	• • • • • • • • • • • • • • • • • • • •	
_	rows are called	and the columns are called
A) octaves, groups B) staffs, families C) periods, groups D) cogeners, families E) rows, groups		
Answer: C Diff: 1 Page Ref: Sec. 2.5		
10) Which group in the period	odic table contains only r	nonmetals?
A) 1A B) 6A C) 2B D) 2A E) 8A		
Answer: E Diff: 1 Page Ref: Sec. 2.5		
11) The elementproperties.	_ is the most similar to s	trontium in chemical and physical
A) Li B) At C) Rb D) Ba E) Cs		
Answer: D Diff: 3 Page Ref: Sec. 2.5		

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
12) Horizontal rows of the periodic table are known as
A) periods B) groups C) metalloids D) metals E) nonmetals
Answer: A Diff: 1 Page Ref: Sec. 2.5
13) Vertical columns of the periodic table are known as
A) metals B) periods C) nonmetals D) groups E) metalloids
Answer: D Diff: 1 Page Ref: Sec. 2.5
14) Elements in Group 1A are known as the
A) chalcogens B) alkaline earth metals C) alkali metals D) halogens E) noble gases
Answer: C Diff: 1 Page Ref: Sec. 2.5

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
15) Elements in Group 2A are known as the
A) alkaline earth metals B) alkali metals C) chalcogens D) halogens E) noble gases
Answer: A Diff: 1 Page Ref: Sec. 2.5
16) Elements in Group 6A are known as the
A) alkali metals B) chalcogens C) alkaline earth metals D) halogens E) noble gases
Answer: B Diff: 1 Page Ref: Sec. 2.5
17) Elements in Group 7A are known as the
A) chalcogens B) alkali metals C) alkaline earth metals D) halogens E) noble gases
Answer: D Diff: 1 Page Ref: Sec. 2.5

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions	
18) Elements in Group 8A are known as the	
<ul><li>A) halogens</li><li>B) alkali metals</li><li>C) alkaline earth metals</li><li>D) chalcogens</li><li>E) noble gases</li></ul>	
Answer: E Diff: 1 Page Ref: Sec. 2.5	
19) Potassium is a and chlorine is a	
A) metal, nonmetal B) metal, metal C) metal, metalloid D) metalloid, nonmetal E) nonmetal, metal	
Answer: A Diff: 1 Page Ref: Sec. 2.5	
20) Lithium is a and magnesium is a	
A) nonmetal, metal B) nonmetal, nonmetal C) metal, metal D) metal, metalloid E) metalloid, metalloid	
Answer: C Diff: 1 Page Ref: Sec. 2.5	

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions	
21) Oxygen is a and nitrogen is a	
A) metal, metalloid B) nonmetal, metal C) metalloid, metalloid D) nonmetal, nonmetal E) nonmetal, metalloid	
Answer: D Diff: 1 Page Ref: Sec. 2.5	
22) Calcium is a and silver is a	
A) nonmetal, metal B) metal, metal C) metalloid, metal D) metal, metalloid E) nonmetal, metalloid	
Answer: B Diff: 1 Page Ref: Sec. 2.5	
23) are found uncombined, as monatomic species in nature.	
A) Noble gases B) Chalcogens C) Alkali metals D) Alkaline earth metals E) Halogens	
Answer: A Diff: 1 Page Ref: Sec. 2.6	

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
24) When a metal and a nonmetal react, the tends to lose electrons and the tends to gain electrons.
A) metal, metal B) nonmetal, nonmetal C) metal, nonmetal D) nonmetal, metal E) None of the above, these elements share electrons.
Answer: C Diff: 1 Page Ref: Sec. 2.6
25) The empirical formula of a compound with molecules containing 12 carbon atoms, 14 hydrogen atoms, and 6 oxygen atoms is
A) $C_{12}H_{14}O_6$
B) CHO C) CH <sub>2</sub> O
D) $C_6H_7O_3$
E) $C_2H_4O$
Answer: D
Diff: 2 Page Ref: Sec. 2.6
26) typically form ions with a 2+ charge.
A) Alkaline earth metals
B) Halogens C) Chalcogens
D) Alkali metals
E) Transition metals
Answer: A  Diff: 2  Page Ref: Sec. 2.7

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
27) What is the formula of the compound formed between strontium ions and nitrogen ions?
A) SrN
B) $Sr_3N_2$
C) $Sr_2N_3$
D) SrN <sub>2</sub>
E) SrN <sub>3</sub>
Answer: B
Diff: 3
Page Ref: Sec. 2.7
28) Magnesium reacts with a certain element to form a compound with the general formula MgX. What would the most likely formula be for the compound formed between potassium and element X?
A) K <sub>2</sub> X
B) KX <sub>2</sub>
C) $K_2X_3$
D) $K_2X_2$
E) KX
Answer: A Diff: 1 Page Ref: Sec. 2.7
29) The formula of a salt is $XCl_2$ . The X-ion in this salt has 28 electrons. The metal X is
A) Ni
B) Zn
C) Fe
D) V
E) Pd
Answer: B
Diff: 2
Page Ref: Sec. 2.7

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
30) The charge on the manganese in the salt MnF <sub>3</sub> is
A) 1+ B) 1- C) 2+ D) 2- E) 3+
Answer: E Diff: 1 Page Ref: Sec. 2.7
31) Aluminum reacts with a certain nonmetallic element to form a compound with the general formula AlX. Element X is a diatomic gas at room temperature. Element X must be
A) oxygen B) fluorine C) chlorine D) nitrogen E) sulfur
Answer: D Diff: 2 Page Ref: Sec. 2.7
32) Sodium forms an ion with a charge of
A) 1+ B) 1- C) 2+ D) 2- E) 0
Answer: A Diff: 1 Page Ref: Sec. 2.7

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
33) Potassium forms an ion with a charge of
A) 2+ B) 1- C) 1+ D) 2- E) 0
Answer: C Diff: 1 Page Ref: Sec. 2.7
34) Calcium forms an ion with a charge of
A) 1- B) 2- C) 1+ D) 2+ E) 0
Answer: D Diff: 1 Page Ref: Sec. 2.7
35) Barium forms an ion with a charge of
A) 1+ B) 2- C) 3+ D) 3- E) 2+
Answer: E  Diff: 1  Page Ref: Sec. 2.7

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
36) Aluminum forms an ion with a charge of
A) 2+ B) 3- C) 1+ D) 3+ E) 1-
Answer: D Diff: 1 Page Ref: Sec. 2.7
37) Fluorine forms an ion with a charge of
A) 1- B) 1+ C) 2+ D) 3+ E) 3-
Answer: A Diff: 1 Page Ref: Sec. 2.7
38) Iodine forms an ion with a charge of
A) 7- B) 1+ C) 2- D) 2+ E) 1-
Answer: E  Diff: 1  Page Ref: Sec. 2.7

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
39) Oxygen forms an ion with a charge of
A) 2- B) 2+ C) 3- D) 3+ E) 6+
Answer: A Diff: 1 Page Ref: Sec. 2.7
40) Sulfur forms an ion with a charge of
A) 2+ B) 2- C) 3+ D) 6- E) 6+
Answer: B Diff: 2 Page Ref: Sec. 2.7
41) Predict the empirical formula of the ionic compound that forms from sodium and fluorine.
A) NaF B) Na <sub>2</sub> F C) NaF <sub>2</sub> D) Na <sub>2</sub> F <sub>3</sub> E) Na <sub>3</sub> F <sub>2</sub>
Answer: A Diff: 1 Page Ref: Sec. 2.7

42) Predict the empirical formula of the ionic compound that forms from magnesium	and
fluorine.	

- A)  $Mg_2F_3$
- B) MgF
- C) Mg<sub>2</sub>F
- D)  $Mg_3F_2$
- E) MgF,

Answer: E Diff: 1

Page Ref: Sec. 2.7

- 43) Predict the empirical formula of the ionic compound that forms from magnesium and oxygen.
- A) Mg<sub>2</sub>O
- B) MgO
- C) MgO<sub>2</sub>
- D)  $Mg_2O_2$
- E) Mg<sub>3</sub>O<sub>2</sub>

Answer: B

Diff: 1

Page Ref: Sec. 2.7

- 44) Predict the empirical formula of the ionic compound that forms from aluminum and oxygen.
- A) AlO
- B) Al<sub>3</sub>O<sub>2</sub>
- C) Al<sub>2</sub>O<sub>3</sub>
- D) AlO<sub>2</sub>
- E) Al<sub>2</sub>O

Answer: C *Diff: 1* 

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
45) The correct name for SrO is
<ul><li>A) strontium oxide</li><li>B) strontium hydroxide</li><li>C) strontium peroxide</li><li>D) strontium monoxide</li><li>E) strontium dioxide</li></ul>
Answer: A Diff: 1 Page Ref: Sec. 2.8
46) The correct name for $K_2S$ is
<ul> <li>A) potassium sulfate</li> <li>B) potassium disulfide</li> <li>C) potassium bisulfide</li> <li>D) potassium sulfide</li> <li>E) dipotassium sulfate</li> </ul>
Answer: D Diff: 1 Page Ref: Sec. 2.8
47) The correct name for $Al_2O_3$ is
<ul><li>A) aluminum oxide</li><li>B) dialuminum oxide</li><li>C) dialuminum trioxide</li><li>D) aluminum hydroxide</li><li>E) aluminum trioxide</li></ul>
Answer: A Diff: 2 Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
48) The correct name for CaH <sub>2</sub> is
<ul><li>A) hydrocalcium</li><li>B) calcium dihydride</li><li>C) calcium hydroxide</li><li>D) calcium dihydroxide</li><li>E) calcium hydride</li></ul>
Answer: E Diff: 1 Page Ref: Sec. 2.8
49) The correct name for SO is
<ul><li>A) sulfur oxide</li><li>B) sulfur monoxide</li><li>C) sulfoxide</li><li>D) sulfate</li><li>E) sulfite</li></ul>
Answer: B Diff: 1 Page Ref: Sec. 2.8
50) The correct name for CCl <sub>4</sub> is
<ul> <li>A) carbon chloride</li> <li>B) carbon tetrachlorate</li> <li>C) carbon perchlorate</li> <li>D) carbon tetrachloride</li> <li>E) carbon chlorate</li> </ul>
A

Answer: D Diff: 1

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
51) The correct name for $N_2O_5$ is
A) nitrous oxide B) nitrogen pentoxide C) dinitrogen pentoxide D) nitric oxide E) nitrogen oxide
Answer: C Diff: 1 Page Ref: Sec. 2.8
52) The correct name for H <sub>2</sub> CO <sub>3</sub> is
<ul><li>A) carbonous acid</li><li>B) hydrocarbonate</li><li>C) carbonic acid</li><li>D) carbohydrate</li><li>E) carbohydric acid</li></ul>
Answer: C Diff: 1 Page Ref: Sec. 2.8
53) The correct name for H <sub>2</sub> SO <sub>3</sub> is
<ul><li>A) sulfuric acid</li><li>B) sulfurous acid</li><li>C) hydrosulfuric acid</li><li>D) hydrosulfic acid</li><li>E) sulfur hydroxide</li></ul>
Answer: B Diff: 1 Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
54) The correct name for HClO <sub>3</sub> is
A) hydrochloric acid B) perchloric acid C) chloric acid D) chlorous acid E) hydrochlorous acid
Answer: C Diff: 1 Page Ref: Sec. 2.8
55) The correct name for HClO <sub>2</sub> is
<ul><li>A) perchloric acid</li><li>B) chloric acid</li><li>C) hypochlorous acid</li><li>D) hypychloric acid</li><li>E) chlorous acid</li></ul>
Answer: E Diff: 2 Page Ref: Sec. 2.8
56) The correct name of the compound Na <sub>3</sub> N is
A) sodium nitride B) sodium azide C) sodium trinitride D) sodium(III) nitride E) trisodium nitride
Answer: A Diff: 1 Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
57) The formula of bromic acid is
A) HBr B) HBrO <sub>4</sub> C) HBrO D) HBrO <sub>3</sub> E) HBrO <sub>2</sub>
Answer: D Diff: 1 Page Ref: Sec. 2.8
58) The correct formula for molybdenum(IV) hypochlorite is
A) Mo(ClO <sub>3</sub> ) <sub>4</sub> B) Mo(ClO) <sub>4</sub> C) Mo(ClO <sub>2</sub> ) <sub>4</sub> D) Mo(ClO <sub>4</sub> ) <sub>4</sub> E) MoCl <sub>4</sub>
Answer: B Diff: 2 Page Ref: Sec. 2.8
59) The name of PCl <sub>3</sub> is
<ul> <li>A) potassium chloride</li> <li>B) phosphorus trichloride</li> <li>C) phosphorous(III) chloride</li> <li>D) monophosphorous trichloride</li> <li>E) trichloro potassium</li> </ul>
Answer: B Diff: 1 Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
60) The ions $Ca^{2+}$ and $PO_4^{3-}$ form a salt with the formula
A) CaPO <sub>4</sub>
B) $\operatorname{Ca}_{2}(\operatorname{PO}_{4})_{3}$
C) Ca <sub>2</sub> PO <sub>4</sub>
D) $Ca(PO_4)_2$
E) $\operatorname{Ca}_{3}(\operatorname{PO}_{4})_{2}$
Answer: E
Diff: 1
Page Ref: Sec. 2.8
61) The correct formula of iron(III) bromide is
A) FeBr <sub>2</sub>
B) FeBr <sub>3</sub>
C) FeBr
D) $Fe_3Br_3$
E) Fe <sub>3</sub> Br
Answer: B
Diff: 1
Page Ref: Sec. 2.8
62) Element M reacts with fluorine to form an ionic compound with the formula MF <sub>3</sub> .
The M-ion has 18 electrons. Element M is
A) P
B) Sc
C) Ar
D) Ca E) Cr
Answer: B
Diff: 2
Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
63) Magnesium and sulfur form an ionic compound with the formula
A) MgS
B) $Mg_2S$
C) MgS <sub>2</sub>
D) $Mg_2S_2$
E) $Mg_2S_3$
Answer: A
Diff: 1
Page Ref: Sec. 2.8
64) The formula of ammonium carbonate is
A) $(NH_4)_2CO_3$
B) NH <sub>4</sub> CO <sub>2</sub>
C) $(NH_3)_2CO_4$
D) $(NH_3)_2CO_3$
E) $N_2(CO_3)_3$
Answer: A
Diff: 1
Page Ref: Sec. 2.8
65) The formula of the chromate ion is
A) CrO <sub>4</sub> <sup>2-</sup>
B) CrO <sub>2</sub> <sup>3-</sup>
C) CrO
D) CrO <sub>3</sub> <sup>2-</sup>
E) CrO <sup>2-</sup>
Answer: A
Diff: 1
Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
66) The formula of the carbonate ion is
A) CO <sub>2</sub> <sup>2-</sup>
B) CO <sub>3</sub> <sup>2-</sup>
C) CO <sub>3</sub> <sup>3-</sup>
D) CO <sub>2</sub>
E) CO <sup>-</sup>
Answer: B
Diff: 1 Page Ref: Sec. 2.8
67) The correct name for $Mg(ClO_3)_2$ is
A) magnesium chlorate
B) manganese chlorate
C) magnesium chloroxide D) magnesium perchlorate
E) manganese perchlorate
Answer: A
Diff: 1 Page Ref: Sec. 2.8
68) What is the correct formula for ammonium sulfide?
A) NH <sub>4</sub> SO <sub>3</sub>
B) $(NH_4)_2SO_4$
C) $(NH_4)_2S$
D) NH <sub>3</sub> S
E) $N_2S_3$
Answer: C
Diff: 1 Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
69) When calcium reacts with sulfur the compound formed is
A) Ca <sub>2</sub> S <sub>2</sub> B) Ca <sub>3</sub> S <sub>2</sub> C) CaS D) CaS <sub>2</sub> E) Ca <sub>2</sub> S <sub>3</sub>
Answer: C Diff: 1 Page Ref: Sec. 2.8
70) Chromium and chlorine form an ionic compound whose formula is CrCl <sub>3</sub> . The name of this compound is
A) chromium chlorine B) chromium(III) chloride C) monochromium trichloride D) chromium(III) trichloride E) chromic trichloride
Answer: B Diff: 1 Page Ref: Sec. 2.8
71) The name of the binary compound $N_2O_4$ is
A) nitrogen oxide B) nitrous oxide C) nitrogen(IV) oxide D) dinitrogen tetroxide E) oxygen nitride
Answer: D Diff: 2 Page Ref: Sec. 2.8

Chapter 2:Atoms, Molecules, and Ions
72) The formula for zinc phosphate is $\operatorname{Zn}_3(\operatorname{PO}_4)_2$ . What is the formula for cadmium arsenate?
A) $\operatorname{Cd}_4(\operatorname{AsO}_2)_3$
B) $Cd_3(AsO_4)_2$
C) $Cd_3(AsO_3)_4$
D) $\operatorname{Cd}_2(\operatorname{AsO}_4)_3$
E) $\operatorname{Cd}_2(\operatorname{AsO}_4)_4$
Answer: B
Diff: 1 Page Ref: Sec. 2.8
Tage Rej. Sec. 2.0
73) The formula for aluminum hydroxide is
A) AlOH
B) Al <sub>3</sub> OH
C) $Al_2(OH)_3$
D) Al(OH) <sub>3</sub>
E) Al <sub>2</sub> O <sub>3</sub>
Answer: D
Diff: 1 Page Ref: Sec. 2.8
Tage Rej. Sec. 2.0
74) The name of the ionic compound KBrO <sub>4</sub> is
A) potassium perbromate
B) potassium bromate
C) potassium hypobromate D) potassium perbromite
E) potassium bromide
Answer: A
Diff: 2 Page Ref: Sec. 2.8
···O··································

Chemistry, 11e (Brown/LeMay/Brusten/Murphy)

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
75) The name of the ionic compound $V_2O_3$ is
A) vanadium(III) oxide B) vanadium oxide C) vanadium(II) oxide D) vanadium(III) trioxide E) divanadium trioxide
Answer: A Diff: 1 Page Ref: Sec. 2.8
76) The name of the ionic compound NH <sub>4</sub> CN is
A) nitrogen hydrogen cyanate B) ammonium carbonitride C) ammonium cyanide D) ammonium hydrogen cyanate E) cyanonitride
Answer: C Diff: 1 Page Ref: Sec. 2.8
77) The name of the ionic compound $(NH_4)_3PO_4$ is
A) ammonium phosphate B) nitrogen hydrogen phosphate C) tetrammonium phosphate D) ammonia phosphide E) triammonium phosphate
Answer: A

Diff: 1 Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
78) What is the formula for perchloric acid?
A) HClO B) HClO <sub>3</sub> C) HClO <sub>4</sub> D) HClO <sub>2</sub> E) HCl
Answer: C Diff: 1 Page Ref: Sec. 2.8
79) The correct name for HIO <sub>2</sub> is
<ul><li>A) hypoiodic acid</li><li>B) hydriodic acid</li><li>C) periodous acid</li><li>D) iodous acid</li><li>E) periodic acid</li></ul>
Answer: D Diff: 2 Page Ref: Sec. 2.8
80) What is the molecular formula for propane?
A) $C_{2}H_{8}$ B) $C_{3}H_{6}$ C) $C_{3}H_{8}$ D) $C_{4}H_{8}$ E) $C_{4}H_{10}$
Answer: C Diff: 1 Page Ref: Sec. 2.9

- 81) What is the molecular formula for nonane?
- A) C<sub>9</sub>H<sub>18</sub>
- B)  $C_9H_{20}$
- C)  $C_{10}H_{20}$
- D) C<sub>10</sub>H<sub>22</sub>
- E)  $C_{10}H_{24}$

Answer: B

Diff: 2

Page Ref: Sec. 2.9

- 82) What is the molecular formula for heptane?
- A)  $C_6H_{12}$
- B)  $C_6H_{14}$
- C)  $C_7H_{14}$
- D) C<sub>7</sub>H<sub>16</sub>
- E)  $C_7H_{18}$

Answer: D

Diff: 2

Page Ref: Sec. 2.9

- 83) What is the molecular formula for n-hexanol?
- A)  $C_6H_{12}OH$
- B) C<sub>6</sub>H<sub>13</sub>OH
- C) C<sub>6</sub>H<sub>14</sub>OH
- D)  $C_7H_{13}OH$
- E)  $C_7H_{14}OH$

Answer: B

Diff: 2

## 2.2 Multiple-Choice Questions

- 1) A molecule of water contains hydrogen and oxygen in a 1:8 ratio by mass. This is a statement of \_\_\_\_\_\_.
- A) the law of multiple proportions
- B) the law of constant composition
- C) the law of conservation of mass
- D) the law of conservation of energy
- E) none of the above

Answer: B *Diff:* 2

Page Ref: Sec. 2.1

- 2) Which one of the following is <u>not</u> one of the postulates of Dalton's atomic theory?
- A) Atoms are composed of protons, neutrons, and electrons.
- B) All atoms of a given element are identical; the atoms of different elements are different and have different properties.
- C) Atoms of an element are not changed into different types of atoms by chemical reactions: atoms are neither created nor destroyed in chemical reactions.
- D) Compounds are formed when atoms of more than one element combine; a given compound always has the same relative number and kind of atoms.
- E) Each element is composed of extremely small particles called atoms.

Answer: A Diff: 1

- 3) Consider the following selected postulates of Dalton's atomic theory:
- (i) Each element is composed of extremely small particles called atoms.
- (ii) Atoms are indivisible.
- (iii) Atoms of a given element are identical.
- (iv) Atoms of different elements are different and have different properties.

Which of the postulates is(are) no longer considered valid?

- A) (i) and (ii)
- B) (ii) only
- C) (ii) and (iii)
- D) (iii) only
- E) (iii) and (iv)

Answer: C *Diff:* 2

Page Ref: Sec. 2.1

- 4) Which pair of substances could be used to illustrate the law of multiple proportions?
- A) SO<sub>2</sub>, H<sub>2</sub>SO<sub>4</sub>
- B) CO, CO,
- C) H<sub>2</sub>O, O<sub>2</sub>
- D) CH<sub>4</sub>, C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>
- E) NaCl, KCl

Answer: B

Diff: 1

- 5) Which one of the following is <u>not</u> true concerning cathode rays?
- A) They originate from the negative electrode.
- B) They travel in straight lines in the absence of electric or magnetic fields.
- C) They impart a negative charge to metals exposed to them.
- D) They are made up of electrons.

Answer: B
Diff: 1

Page Ref: Sec. 2.2

E) The characteristics of cathode rays depend on the material from which they are emitted.

Answer: E Diff: 2 Page Ref: Sec. 2.2
6) The charge on an electron was determined in the
<ul> <li>A) cathode ray tube, by J. J. Thompson</li> <li>B) Rutherford gold foil experiment</li> <li>C) Millikan oil drop experiment</li> <li>D) Dalton atomic theory</li> <li>E) atomic theory of matter</li> </ul>
Answer: C Diff: 1 Page Ref: Sec. 2.2
7)rays consist of fast-moving electrons.
A) Alpha B) Beta C) Gamma D) X E) none of the above

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
8) The gold foil experiment performed in Rutherford's lab
<ul> <li>A) confirmed the plum-pudding model of the atom</li> <li>B) led to the discovery of the atomic nucleus</li> <li>C) was the basis for Thomson's model of the atom</li> <li>D) utilized the deflection of beta particles by gold foil</li> <li>E) proved the law of multiple proportions</li> </ul>
Answer: B Diff: 1 Page Ref: Sec. 2.2
9) In the Rutherford nuclear-atom model,
A) the heavy subatomic particles, protons and neutrons, reside in the nucleus B) the three principal subatomic particles (protons, neutrons, and electrons) all have essentially the same mass C) the light subatomic particles, protons and neutrons, reside in the nucleus D) mass is spread essentially uniformly throughout the atom E) the three principal subatomic particles (protons, neutrons, and electrons) all have essentially the same mass <u>and</u> mass is spread essentially uniformly throughout the atom
Answer: A  Diff: 1  Page Ref: Sec. 2.2
10) Cathode rays are
A) neutrons B) x-rays C) electrons D) protons E) atoms
Answer: C Diff: 1 Page Ref: Sec. 2.2

Chapter 2:Atoms, Molecules, and Ions
11) Cathode rays are deflected away from a negatively charged plate because
<ul> <li>A) they are not particles</li> <li>B) they are positively charged particles</li> <li>C) they are neutral particles</li> <li>D) they are negatively charged particles</li> <li>E) they are emitted by all matter</li> </ul>
Answer: D Diff: 1 Page Ref: Sec. 2.2
12) In the absence of magnetic or electric fields, cathode rays
A) do not exist B) travel in straight lines C) cannot be detected D) become positively charged E) bend toward a light source
Answer: B Diff: 1 Page Ref: Sec. 2.2
13) Of the three types of radioactivity characterized by Rutherford, which is/are electrically charged?
A) β-rays B) α-rays and β-rays C) α-rays, β-rays, and γ-rays D) α-rays E) α-rays and γ-rays
Answer: B Diff: 1 Page Ref: Sec. 2.2

- 14) Of the three types of radioactivity characterized by Rutherford, which is/are not electrically charged?
- A) α-rays
- B)  $\alpha$ -rays,  $\beta$ -rays, and  $\gamma$ -rays
- C) γ-rays
- D) α-rays and β-rays
- E) α-rays and  $\gamma$ -rays

Answer: C Diff: 1

Page Ref: Sec. 2.2

- 15) Of the three types of radioactivity characterized by Rutherford, which are particles?
- A) β-rays
- B)  $\alpha$ -rays,  $\beta$ -rays, and  $\gamma$ -rays
- C) γ-rays
- D)  $\alpha$ -rays and  $\gamma$ -rays
- E) α-rays and β-rays

Answer: E

Diff: 1

Page Ref: Sec. 2.2

- 16) Of the three types of radioactivity characterized by Rutherford, which is/are not particles?
- A) β-rays
- B)  $\alpha$ -rays and  $\beta$ -rays
- C) α-rays
- D) γ-rays
- E) α-rays, β-rays, and  $\gamma$ -rays

Answer: D

Diff: 1

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
17) Of the following, the smallest and lightest subatomic particle is the
A) neutron B) proton C) electron D) nucleus E) alpha particle
Answer: C Diff: 1 Page Ref: Sec. 2.3
18) All atoms of a given element have the same
A) mass B) number of protons C) number of neutrons D) number of electrons and neutrons E) density
Answer: B Diff: 1 Page Ref: Sec. 2.3
19) Which atom has the smallest number of neutrons?
A) carbon-14 B) nitrogen-14 C) oxygen-16 D) fluorine-19 E) neon-20
Answer: B Diff: 1 Page Ref: Sec. 2.3

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
20) Which atom has the largest number of neutrons?
A) phosphorus-30 B) chlorine-37 C) potassium-39 D) argon-40 E) calcium-40
Answer: D Diff: 3 Page Ref: Sec. 2.3
21) There are electrons, protons, and neutrons in an atom of $^{132}_{54}$ Xe .
A) 132, 132, 54 B) 54, 54, 132 C) 78, 78, 54 D) 54, 54, 78 E) 78, 78, 132
Answer: D Diff: 2 Page Ref: Sec. 2.3
22) An atom of the most common isotope of gold, <sup>197</sup> Au, has protons, neutrons, and electrons.
A) 197, 79, 118 B) 118, 79, 39 C) 79, 197, 197 D) 79, 118, 118 E) 79, 118, 79
Answer: E Diff: 2 Page Ref: Sec. 2.3

23) Which combination of protons, neutrons, and electrons is correct for the isotope of copper,  $^{63}_{29}$ Cu ?

- A) 29 p<sup>+</sup>, 34 n°, 29 e<sup>-</sup>
- B) 29 p<sup>+</sup>, 29 n°, 63 e<sup>-</sup>
- C) 63 p<sup>+</sup>, 29 n°, 63 e<sup>-</sup>
- D) 34 p<sup>+</sup>, 29 n°, 34 e<sup>-</sup>
- E) 34 p<sup>+</sup>, 34 n°, 29 e<sup>-</sup>

Answer: A

Diff: 1

Page Ref: Sec. 2.3

24) Which isotope has 45 neutrons?

- A)  $_{36}^{80}$ Kr
- B) 80 Br
- C)  $_{34}^{78}$ Se
- D) 34 Cl
- E) 103/Rh

Answer: B

Diff: 1

Page Ref: Sec. 2.3

25) Which isotope has 36 electrons in an atom?

- A)  $_{36}^{80}$ Kr
- B) 80 Br
- C) 78/34Se
- D) 34 Cl
- E)  $^{36}_{80}$ Hg

Answer: A

Diff: 1

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions	
26) Isotopes are atoms that have the same number of	but differing number of
A) protons, electrons B) neutrons, protons C) protons, neutrons D) electrons, protons E) neutrons, electrons	
Answer: C Diff: 1 Page Ref: Sec. 2.3	
27) The nucleus of an atom does not contain	
A) protons B) protons or neutrons C) neutrons D) subatomic particles E) electrons	
Answer: E Diff: 1 Page Ref: Sec. 2.3	
28) The nucleus of an atom contains	
<ul> <li>A) electrons</li> <li>B) protons</li> <li>C) neutrons</li> <li>D) protons and neutrons</li> <li>E) protons, neutrons, and electrons</li> </ul>	
Answer: D Diff: 1 Page Ref: Sec. 2.3	

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
29) Different isotopes of a particular element contain the same number of
<ul> <li>A) protons</li> <li>B) neutrons</li> <li>C) protons and neutrons</li> <li>D) protons, neutrons, and electrons</li> <li>E) subatomic particles</li> </ul>
Answer: A Diff: 1 Page Ref: Sec. 2.3
30) Different isotopes of a particular element contain different numbers of
<ul> <li>A) protons</li> <li>B) neutrons</li> <li>C) protons and neutrons</li> <li>D) protons, neutrons, and electrons</li> <li>E) None of the above is correct.</li> </ul>
Answer: B Diff: 1 Page Ref: Sec. 2.3
31) In the symbol shown below, $x = \phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$
A) 7 B) 13 C) 12 D) 6 E) not enough information to determine
Answer: D Diff: 1 Page Ref: Sec. 2.3

Chapter 2:Atoms, Molecules, and Ions
32) In the symbol below, $X = \underline{\qquad}$ .
A) N B) C C) Al D) K E) not enough information to determine
Answer: B Diff: 1 Page Ref: Sec. 2.3
33) In the symbol below, $x = \underline{\qquad}$ .
A) 19 B) 13 C) 6 D) 7 E) not enough information to determine
Answer: E Diff: 2 Page Ref: Sec. 2.3
34) In the symbol below, x is ${}_{6}^{x}C$
<ul><li>A) the number of neutrons</li><li>B) the atomic number</li><li>C) the mass number</li><li>D) the isotope number</li><li>E) the elemental symbol</li></ul>
Answer: C Diff: 1 Page Ref: Sec. 2.3

- 35) Which one of the following basic forces is so small that it has no chemical significance?
- A) weak nuclear force
- B) strong nuclear force
- C) electromagnetism
- D) gravity
- E) Coulomb's law

Answer: D

Diff: 2

Page Ref: Sec. 2.3

- 36) Gravitational forces act between objects in proportion to their \_\_\_\_\_\_.
- A) volumes
- B) masses
- C) charges
- D) polarizability
- E) densities

Answer: B

Diff: 1

07		1 .	. 11	•	•	* . 1 1	C 11	•		
7.1	\ \1\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	hac two	naturally	Occurring	100t0nac	1 XXIII tha	talla	TITIO	100ton1	o maccac
_) /	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Has two	i ilatulali v	occurring	19010000	S WILLI LIIC	IOHO	wmz	180000	e masses.
,										

 $^{107}_{47}$ Ar  $^{107}_{47}$ Ar  $^{107}_{47}$ Ar  $^{108.9047}$ 

The average atomic mass of silver is 107.8682 amu. The fractional abundance of the lighter of the two isotopes is \_\_\_\_\_\_.

- A) 0.24221
- B) 0.48168
- C) 0.51835
- D) 0.75783
- E) 0.90474

Answer: C Diff: 4

Page Ref: Sec. 2.4

- 38) The atomic mass unit is presently based on assigning an exact integral mass (in amu) to an isotope of \_\_\_\_\_\_.
- A) hydrogen
- B) oxygen
- C) sodium
- D) carbon
- E) helium

Answer: D Diff: 1

39) The element X has three naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
221 <sub>X</sub>	74.22	220.9
$220\chi$	1278	220.0
218 <sub>X</sub>	13.00	218.1

- A) 219.7
- B) 220.4
- C) 220.42
- D) 218.5
- E) 221.0

Answer: B

Diff: 1

Page Ref: Sec. 2.4

40) Element X has three naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
38X	5.07	37.919
39X	15.35	39.017
$42\chi$	79.85	42111

- A) 41.54
- B) 39.68
- C) 39.07
- D) 38.64
- E) 33.33

Answer: A Diff: 1

41) The element X has three naturally occurring isotopes. The isotopic masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
159 <sub>X</sub>	30.60	159.37
$163\chi$	15.79	162.79
$164\chi$	53.61	163.92

- A) 161.75
- B) 162.03
- C) 162.35
- D) 163.15
- E) 33.33

Answer: C Diff: 1

Page Ref: Sec. 2.4

42) The element X has three naturally occurring isotopes. The isotopic masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance	Mass
53 <sub>X</sub>	19.61	5262
56X	53.91	56.29
58X	26.48	58.31

- A) 33.33
- B) 55.74
- C) 56.11
- D) 57.23
- E) 56.29

Answer: C *Diff: 1* 

43) The element X has two naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance (%)	Mass (amu)
31 <sub>X</sub>	35.16	31.16
$34\chi$	64.84	34.30

- A) 30.20
- B) 33.20
- C) 34.02
- D) 35.22
- E) 32.73

Answer: B
Diff: 1

Page Ref: Sec. 2.4

- 44) The average atomic weight of copper, which has two naturally occurring isotopes, is 63.5. One of the isotopes has an atomic weight of 62.9 amu and constitutes 69.1% of the copper isotopes. The other isotope has an abundance of 30.9%. The atomic weight (amu) of the second isotope is \_\_\_\_\_ amu.
- A) 63.2
- B) 63.8
- C) 64.1
- D) 64.8
- E) 28.1

Answer: D Diff: 4

45) The element X has three naturally occurring isotopes. The masses (amu) and % abundances of the isotopes are given in the table below. The average atomic mass of the element is \_\_\_\_\_ amu.

Isotope	Abundance (%)	Mass (amu)
15 <sub>X</sub>	28.60	15.33
$17\chi$	13.30	17.26
$16\chi$	58.10	18.11

- A) 17.20
- B) 16.90
- C) 17.65
- D) 17.11
- E) 16.90

Answer: A Diff: 1

Page Ref: Sec. 2.4

- 46) Vanadium has two naturally occurring isotopes,  $^{50}\text{V}$  with an atomic mass of 49.9472 amu and  $^{51}\text{V}$  with an atomic mass of 50.9440. The atomic weight of vanadium is 50.9415. The percent abundances of the vanadium isotopes are \_\_\_\_\_\_\_%  $^{50}\text{V}$  and \_\_\_\_\_\_\_%  $^{51}\text{V}$ .
- A) 0.25, 99.75
- B) 99.75, 0.25
- C) 49, 51
- D) 1.0, 99
- E) 99, 1.0

Answer: A Diff: 4

Chemistry, 11e (Brown/LeMay/Brusten/Murphy)

Chapter 2:Atoms, Molecules, and Ions
47) An unknown element is found to have three naturally occurring isotopes with atomic masses of $35.9675~(0.337\%)$ , $37.9627~(0.063\%)$ , and $39.9624~(99.600\%)$ . Which of the following is the unknown element?
A) Ar B) K C) Cl D) Ca E) None of the above could be the unknown element.
Answer: A Diff: 2 Page Ref: Sec. 2.4
<ul> <li>48) In the periodic table, the elements are arranged in</li> <li>A) alphabetical order</li> <li>B) order of increasing atomic number</li> <li>C) order of increasing metallic properties</li> <li>D) order of increasing neutron content</li> <li>E) reverse alphabetical order</li> </ul>
Answer: B  Diff: 1  Page Ref: Sec. 2.5
<ul> <li>49) Elements exhibit similar physical and chemical properties.</li> <li>A) with similar chemical symbols</li> <li>B) with similar atomic masses</li> <li>C) in the same period of the periodic table</li> <li>D) on opposite sides of the periodic table</li> <li>E) in the same group of the periodic table</li> </ul>

Answer: E Diff: 1
Page Ref: Sec. 2.5

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2: Atoms, Molecules, and Ions 50) Which pair of elements would you expect to exhibit the greatest similarity in their physical and chemical properties? A) H, Li B) Cs, Ba C) Ca, Sr D) Ga, Ge E) C, O Answer: C Diff: 1 Page Ref: Sec. 2.5 51) Which pair of elements would you expect to exhibit the greatest similarity in their physical and chemical properties? A) O, S B) C, N C) K, Ca D) H, He E) Si, P Answer: A Diff: 1 Page Ref: Sec. 2.5 52) Which one of the following is a nonmetal? A) W

B) Sr C) Os D) Ir E) Br

Answer: E Diff: 1

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
53) Of the following, only is <u>not</u> a metalloid.
A) B B) Al C) Si D) Ge E) As
Answer: B Diff: 1 Page Ref: Sec. 2.5
54) Which of the following elements is a metaloid?
A) B B) C C) Ga D) Se E) In
Answer: A Diff: 3 Page Ref: Sec. 2.5
55) The elements in groups 1A, 6A, and 7A are called,, respectively.
<ul> <li>A) alkaline earth metals, halogens, and chalcogens</li> <li>B) alkali metals, chalcogens, and halogens</li> <li>C) alkali metals, halogens, and noble gases</li> <li>D) alkaline earth metals, transition metals, and halogens</li> <li>E) halogens, transition metals, and alkali metals</li> </ul>
Answer: B Diff: 2 Page Ref: Sec. 2.5

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
56) Which pair of elements below should be the most similar in chemical properties?
A) C and O B) B and As C) I and Br D) K and Kr E) Cs and He
Answer: C Diff: 1 Page Ref: Sec. 2.5
57) An element in the upper right corner of the periodic table
A) is either a metal or metalloid B) is definitely a metal C) is either a metalloid or a non-metal D) is definitely a non-metal E) is definitely a metalloid
Answer: D Diff: 1 Page Ref: Sec. 2.5
58) An element that appears in the lower left corner of the periodic table is
A) either a metal or metalloid B) definitely a metal C) either a metalloid or a non-metal D) definitely a non-metal E) definitely a metalloid
Answer: B Diff: 1 Page Ref: Sec. 2.5

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
59) Elements in the same group of the periodic table typically have
<ul> <li>A) similar mass numbers</li> <li>B) similar physical properties only</li> <li>C) similar chemical properties only</li> <li>D) similar atomic masses</li> <li>E) similar physical and chemical properties</li> </ul>
Answer: E Diff: 1 Page Ref: Sec. 2.5
60) Which one of the following does not occur as diatomic molecules in elemental form?
A) oxygen B) nitrogen C) sulfur D) hydrogen E) bromine
Answer: C Diff: 1 Page Ref: Sec. 2.6
61) Which one of the following molecular formulas is also an empirical formula?
A) $C_6H_6O_2$
B) C <sub>2</sub> H <sub>6</sub> SO
C) $H_2O_2$
D) $H_2P_4O_6$
E) $C_6H_6$
Answer: B Diff: 2 Page Ref: Sec. 2.6

- 62) Which compounds do not have the same empirical formula?
- A)  $C_2H_2$ ,  $C_6H_6$
- B) CO, CO<sub>2</sub>
- C)  $C_2H_4$ ,  $C_3H_6$
- D)  $C_2H_4O_2$ ,  $C_6H_{12}O_6$
- E) C<sub>2</sub>H<sub>5</sub>COOCH<sub>3</sub>, CH<sub>3</sub>CHO

Answer: B

*Diff:* 2

Page Ref: Sec. 2.6

- 63) Of the choices below, which one is <u>not</u> an ionic compound?
- A) PCl<sub>5</sub>
- B) MoCl<sub>6</sub>
- C) RbCl
- D) PbCl<sub>2</sub>
- E) NaCl

Answer: A

Diff: 1

Page Ref: Sec. 2.6

- 64) Which type of formula provides the most information about a compound?
- A) empirical
- B) molecular
- C) simplest
- D) structural
- E) chemical

Answer: D

Diff: 1

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
65) A molecular formula always indicates
<ul> <li>A) how many of each atom are in a molecule</li> <li>B) the simplest whole-number ratio of different atoms in a compound</li> <li>C) which atoms are attached to which in a molecule</li> <li>D) the isotope of each element in a compound</li> <li>E) the geometry of a molecule</li> </ul>
Answer: A Diff: 1 Page Ref: Sec. 2.6
66) An empirical formula always indicates
<ul> <li>A) which atoms are attached to which in a molecule</li> <li>B) how many of each atom are in a molecule</li> <li>C) the simplest whole-number ratio of different atoms in a compound</li> <li>D) the isotope of each element in a compound</li> <li>E) the geometry of a molecule</li> </ul>
Answer: C Diff: 1 Page Ref: Sec. 2.6
67) The molecular formula of a compound is always the empirical formula.
A) more complex than B) different from C) an integral multiple of D) the same as E) simpler than
Answer: C Diff: 1 Page Ref: Sec. 2.6

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
68) Formulas that show how atoms are attached in a molecule are called
A) molecular formulas B) ionic formulas C) empirical formulas D) diatomic formulas E) structural formulas
Answer: E Diff: 1 Page Ref: Sec. 2.6
69) Of the following, contains the greatest number of electrons.
A) P <sup>3+</sup> B) P C) P <sup>2-</sup> D) P <sup>3-</sup> E) P <sup>2+</sup>
Answer: D Diff: 1 Page Ref: Sec. 2.7
70) Which one of the following is most likely to lose electrons when forming an ion?
A) F B) P C) Rh D) S E) N
Answer: C Diff: 2 Page Ref: Sec. 2.7

- 71) Which species has 54 electrons?
- A)  $^{132}_{54}$ Xe<sup>+</sup>
- B)  $^{128}_{52}\text{Te}^{2-}$
- C)  $^{118}_{50}$ Sn $^{2+}$
- D) 112 Cd
- E)  $^{132}_{54}$ Xe $^{2+}$

Answer: B

Diff: 1

Page Ref: Sec. 2.7

- 72) Which species has 16 protons?
- A)  $^{31}P$
- B)  $^{34}S^{2-}$
- C) <sup>36</sup>Cl
- D)  $80 \, \text{Br}^{-}$
- E) 16O

Answer: B

Diff: 1

Page Ref: Sec. 2.7

- 73) Which species has 18 electrons?
- A)  $^{39}$ K
- B)  $32 \, \mathrm{S}^{-2}$
- C) <sup>35</sup>Cl
- D)  $^{27}$  Al $^{+3}$
- E) 64 Cu<sup>+2</sup>

Answer: B

*Diff:* 2

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
74) The species contains 16 neutrons.
A) <sup>31</sup> P B) <sup>34</sup> S <sup>2-</sup> C) <sup>36</sup> Cl D) <sup>80</sup> Br <sup>-</sup> E) <sup>16</sup> O
Answer: A Diff: 1 Page Ref: Sec. 2.7
75) Which species is an isotope of <sup>39</sup> C1?
A) $^{40}$ Ar <sup>+</sup> B) $^{34}$ S <sup>2-</sup> C) $^{36}$ Cl <sup>-</sup> D) $^{80}$ Br E) $^{39}$ Ar
Answer: C Diff: 1 Page Ref: Sec. 2.7
76) Which one of the following species has as many electrons as it has neutrons?
A) <sup>1</sup> H B) <sup>40</sup> Ca <sup>2+</sup> C) <sup>14</sup> C D) <sup>19</sup> F E) <sup>14</sup> C <sup>2+</sup>
Answer: D Diff: 2 Page Ref: Sec. 2.7

77) There are 131 <sub>I</sub>	protons,	neutrons, and	electrons in
A) 131, 53, and 54 B) 131, 53, and 52 C) 53, 78, and 54 D) 53, 131, and 52 E) 78, 53, and 72			
Answer: C Diff: 2 Page Ref: Sec. 2.7			
78) Which species has	48 electrons?		
A) $^{118}_{50}$ Sn <sup>+2</sup>			
B) $^{116}_{50}$ Sn <sup>+4</sup>			
C) $^{112}_{48}$ Cd <sup>+2</sup>			
D) 68 Ga			
E) 48 <sub>22</sub> Ti			
Answer: A Diff: 1 Page Ref: Sec. 2.7			
79) Which of the follo	wing compounds wo	ould you expect to be ionic?	
A) SF <sub>6</sub>			
B) H <sub>2</sub> O			
C) $H_2O_2$			
D) NH <sub>3</sub>			
E) CaO			
Answer: E			
Diff: 1 Page Ref: Sec. 2.7			
i use hej. Dec. 2.1			

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2: Atoms, Molecules, and Ions 80) Which of the following compounds would you expect to be ionic? A) H<sub>2</sub>O B) CO<sub>2</sub> C) SrCl, D) SO<sub>2</sub> E) H<sub>2</sub>S Answer: C Diff: 1 Page Ref: Sec. 2.7 81) Which pair of elements is most apt to form an ionic compound with each other? A) barium, bromine B) calcium, sodium C) oxygen, fluorine D) sulfur, fluorine E) nitrogen, hydrogen Answer: A Diff: 1 Page Ref: Sec. 2.7 82) Which pair of elements is most apt to form a molecular compound with each other? A) aluminum, oxygen B) magnesium, iodine C) sulfur, fluorine

- D) potassium, lithium
- E) barium, bromine

Answer: C Diff: 1

# Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2: Atoms, Molecules, and Ions 83) Which species below is the nitride ion? A) Na<sup>+</sup> B) NO<sub>3</sub> C) NO<sub>2</sub> D) NH<sub>4</sub>+ E) $N^{3-}$ Answer: E Diff: 1 Page Ref: Sec. 2.7 84) Which species below is the sulfite ion? A) $SO_2^{-2}$ B) $SO_3^{-2}$ C) S<sup>2-</sup> D) $SO_4^{-2}$ E) HS<sup>-</sup> Answer: B Diff: 1 Page Ref: Sec. 2.7 85) Which species below is the nitrate ion? A) $NO_2^-$ B) NH<sub>4</sub><sup>+</sup> C) NO<sub>3</sub> D) $N_3^-$

E) N<sup>3-</sup>

Answer: C *Diff: 1* 

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2: Atoms, Molecules, and Ions 86) Barium reacts with a polyatomic ion to form a compound with the general formula  $Ba_3(X)_3$ . What would be the most likely formula for the compound formed between sodium and the polyatomic ion X? A) NaX B) Na<sub>2</sub>X C)  $Na_2X_2$ D) Na<sub>3</sub>X E)  $Na_3X_2$ Answer: D Diff: 2 Page Ref: Sec. 2.8 87) Aluminum reacts with a certain nonmetallic element to form a compound with the general formula Al<sub>2</sub>X<sub>3</sub>. Element X must be from Group \_\_\_\_\_ of the Periodic Table of Elements. A) 3A B) 4A C) 5A D) 6A E) 7A Answer: D Diff: 2 Page Ref: Sec. 2.8 88) The formula for a salt is XBr. The X-ion in this salt has 46 electrons. The metal X is A) Ag B) Pd C) Cd D) Cu E) Cs

Answer: A

Diff: 2

89) The charge on the iron ion in the salt  $Fe_2O_3$  is \_\_\_\_\_.

```
A) +1
```

- B) +2
- C) +3
- D) -5
- E) -6

Answer: C

Diff: 2

Page Ref: Sec. 2.8

- 90) Which formula/name pair is incorrect?
- A) Mn(NO<sub>2</sub>)<sub>2</sub> manganese(II) nitrite
- B) Mg(NO<sub>3</sub>)<sub>2</sub> magnesium nitrate
- C) Mn(NO<sub>3</sub>)<sub>2</sub> manganese(II) nitrate
- D) Mg<sub>3</sub>N<sub>2</sub> magnesium nitrite
- E) Mg(MnO<sub>4</sub>)<sub>2</sub> magnesium permanganate

Answer: D

*Diff:* 2

Page Ref: Sec. 2.8

- 91) Which formula/name pair is incorrect?
- A) FeSO<sub>4</sub> iron(II) sulfate
- B) Fe<sub>2</sub>(SO<sub>3</sub>)<sub>3</sub> iron(III) sulfite
- C) FeS iron(II) sulfide
- D) FeSO<sub>3</sub> iron(II) sulfite
- E) Fe<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub> iron(III) sulfide

Answer: E

Diff: 1

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
92) Which one of the following is the formula of hydrochloric acid?
A) HClO <sub>3</sub> B) HClO <sub>4</sub> C) HClO D) HCl E) HClO <sub>2</sub>
Answer: D Diff: 1 Page Ref: Sec. 2.8
93) The suffix -ide is used primarily
<ul> <li>A) for monatomic anion names</li> <li>B) for polyatomic cation names</li> <li>C) for the name of the first element in a molecular compound</li> <li>D) to indicate binary acids</li> <li>E) for monoatomic cations</li> </ul>
Answer: A Diff: 1 Page Ref: Sec. 2.8
94) Which one of the following compounds is chromium(III) oxide?
A) $Cr_2O_3$
B) CrO <sub>3</sub>
C) Cr <sub>3</sub> O <sub>2</sub>
D) Cr <sub>3</sub> O
E) $Cr_2O_4$
Answer: A Diff: 1 Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
95) Which one of the following compounds is copper(I) chloride?
A) CuCl B) CuCl <sub>2</sub> C) Cu <sub>2</sub> Cl D) Cu <sub>2</sub> Cl <sub>3</sub> E) Cu <sub>3</sub> Cl <sub>2</sub>
Answer: A Diff: 1 Page Ref: Sec. 2.8
96) The correct name for MgF <sub>2</sub> is
A) monomagnesium difluoride B) magnesium difluoride C) manganese difluoride D) manganese bifluoride E) magnesium fluoride
Answer: E Diff: 2 Page Ref: Sec. 2.8
97) A correct name for $Fe(NO_3)_2$ is
A) iron nitrite B) ferrous nitrite C) ferrous nitrate D) ferric nitrite E) ferric nitrate
Answer: C Diff: 3 Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
98) The correct name for HNO <sub>2</sub> is
A) nitrous acid B) nitric acid C) hydrogen nitrate D) hyponitrous acid E) pernitric acid
Answer: A Diff: 3 Page Ref: Sec. 2.8
99) The proper formula for the hydronium ion is
A) H <sup>-</sup> B) OH <sup>-</sup> C) N <sup>-3</sup> D) H <sub>3</sub> O <sup>+</sup> E) NH <sub>4</sub> <sup>+</sup>
Answer: D Diff: 2 Page Ref: Sec. 2.8
100) The charge on the ion is -3.
A) sulfate B) acetate C) permanganate D) oxide E) nitride
Answer: E Diff: 2 Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2: Atoms, Molecules, and Ions 101) Which one of the following polyatomic ions has the same charge as the hydroxide ion? A) ammonium B) carbonate C) nitrate D) sulfate E) phosphate Answer: C Diff: 1 Page Ref: Sec. 2.8 102) Which element forms an ion with the same charge as the ammonium ion? A) potassium B) chlorine C) calcium D) oxygen E) nitrogen Answer: A Diff: 1 Page Ref: Sec. 2.8 103) Which element forms an ion with the same charge as the sulfate ion? A) magnesium

- B) copper
- C) iron
- D) phosphorus
- E) oxygen

Answer: E Diff: 2

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
104) When a fluorine atom forms the fluoride ion, it has the same charge as the ion.
A) sulfide B) ammonium
C) nitrate D) phosphate
E) sulfite
Answer: C
Diff: 1 Page Ref: Sec. 2.8
105) The formula for the compound formed between aluminum ions and phosphate ion
is
A) $Al_3(PO_4)_3$
B) AlPO <sub>4</sub>
C) $Al(PO_4)_3$
D) $Al_2(PO_4)_3$
E) AlP
Answer: B
Diff: 1 Page Ref: Sec. 2.8
106) Which metal does not form cations of differing charges?
A) Na
B) Cu
C) Co D) Fe
E) Sn
Answer: A
Diff: 1
Page Ref: Sec. 2.8

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
107) Which metal forms cations of differing charges?
A) K B) Cs C) Ba D) Al E) Sn
Answer: E Diff: 1 Page Ref: Sec. 2.8
108) The correct name for $Ni(CN)_2$ is
A) nickel (I) cyanide B) nickel cyanate C) nickel carbonate D) nickel (II) cyanide E) nickel (I) nitride
Answer: D Diff: 1 Page Ref: Sec. 2.8
109) The correct name for $Na_2O_2$ is
A) sodium oxide B) sodium dioxide C) disodium oxide D) sodium peroxide E) disodium dioxide
Answer: D Diff: 2 Page Ref: Sec. 2.8

- 110) Which metal is not required to have its charge specified in the names of ionic compounds it forms?
- A) Mn
- B) Fe
- C) Cu
- D) Ca
- E) Pb

Answer: D

Diff: 1

Page Ref: Sec. 2.8

- 111) What is the molecular formula for n-propanol?
- A) CH<sub>3</sub>OH
- B) C<sub>2</sub>H<sub>5</sub>OH
- C) C<sub>3</sub>H<sub>7</sub>OH
- D) C<sub>4</sub>H<sub>9</sub>OH
- E) C<sub>5</sub>H<sub>11</sub>OH

Answer: C

*Diff: 3* 

Page Ref: Sec. 2.9

#### 2.3 Short Answer Questions

1) What group in the periodic table would the fictitious element :X: be found?

Answer: VIIA

Diff: 2

Chemistry, 11e (Brown/LeMay/Brusten/Murphy) Chapter 2:Atoms, Molecules, and Ions
2) Carbon can exist in different forms called
Answer: allotropes  Diff: 3  Page Ref: Sec. 2.5
3) Which element in Group IA is the most electropositive?
Answer: francium  Diff: 2  Page Ref: Sec. 2.5
4) Which element in the halogen family is the most electronegative?
Answer: fluorine  Diff: 1  Page Ref: Sec. 2.5
5) The formula for potassium sulfide is
Answer: K <sub>2</sub> S  Diff: 1  Page Ref: Sec. 2.8
6) What is the name of an alcohol derived from hexane?
Answer: hexanol  Diff: 2  Page Ref: Sec. 2.9

### 2.4 True/False Questions

1) The least electronegative halogen is astatine.

Answer: True

*Diff: 3* 

Page Ref: Sec. 2.5

2) The possible oxidation numbers for iron are +1 and +2.

Answer: False

Diff: 1

Page Ref: Sec. 2.7

3) The formula for chromium (II) iodide is  $CrI_2$ .

Answer: True

Diff: 1

Page Ref: Sec. 2.8

4) H<sub>2</sub>SeO<sub>4</sub> is called selenic acid.

Answer: True

Diff: 2

Page Ref: Sec. 2.8

5) The correct name for Na<sub>3</sub>N is sodium azide.

Answer: False

Diff: 2

## 2.5 Algorithmic Questions

1) An atom of <sup>17</sup> O contains	protons.
A) 8 B) 25 C) 9 D) 11 E) 17	
Answer: A Diff: 1 Page Ref: Sec. 2.3	
2) An atom of <sup>15</sup> N contains	_ neutrons.
A) 7 B) 22 C) 8 D) 10 E) 15	
Answer: C Diff: 2 Page Ref: Sec. 2.3	
3) An atom of <sup>131</sup> I contains	_ electrons.
A) 131 B) 184 C) 78 D) 124 E) 53	
Answer: E  Diff: 1  Page Ref: Sec. 2.3	

Chemistry, 11e (Brown/LeMay/B Chapter 2:Atoms, Molecules, and	
4) 420 pm is the same as	Angstroms.
A) 4200 B) 42 C) 420 D) 4.2 E) 0.42	
Answer: D Diff: 2 Page Ref: Sec. 2.3	
5) The mass number of an atom of	of <sup>118</sup> Xe is
A) 54 B) 172 C) 64 D) 118 E) 110	
Answer: D Diff: 2 Page Ref: Sec. 2.5	
6) The atomic number of an atom	of $^{80}$ Br is
A) 115 B) 35 C) 45 D) 73 E) 80	
Answer: B Diff: 1 Page Ref: Sec. 2.5	

7) An ion has 8 protons, 9 neutrons, and 10 electrons. The symbol for the ion is
A) 17O <sup>2-</sup>
B) 17O <sup>2+</sup>
C) 19F <sup>+</sup>
D) 19F <sup>-</sup>
E) 17Ne <sup>2+</sup>
Answer: A
Diff: 1
Page Ref: Sec. 2.5
8) How many electrons does the Al <sup>3+</sup> ion possess?
A) 16
B) 10
C) 6
D) 0
E) 13
Answer: B
Diff: 1
Page Ref: Sec. 2.7
9) How many protons does the Br <sup>-</sup> ion possess?
A) 34
B) 36
C) 6
D) 8
E) 35
Answer: E
Diff: 1
Page Ref: Sec. 2.7

#### **Chemistry The Central Science 11th Edition Brown Test Bank**

Full Download: http://alibabadownload.com/product/chemistry-the-central-science-11th-edition-brown-test-bank/

Chemistry, 11e (Brown/LeMay/Brusten/Murphy)

Chapter 2: Atoms, Molecules, and Ions

- 10) Predict the charge of the most stable ion of bromine.
- A) 2+
- B) 1+
- C) 3+
- D) 1-
- E) 2-

Answer: D

Diff: 1

Page Ref: Sec. 2.7

- 11) Predict the charge of the most stable ion of potassium.
- A) 3+
- B) 1-
- C) 2+
- D) 2-
- E) 1+

Answer: E

Diff: 1