Full Download: http://alibabadownload.com/product/cognitive-psychology-connecting-mind-research-and-everyday-experience-3r

CHAPTER 2: Cognitive Neuroscience

MULTIPLE CHOICE

- 1. The study of the physiological basis of cognition is known as
- a. cognitive psychology.
- b. neuroscience.
- c. cognitive neuroscience.
- d. neuropsychology.

ANS: C REF: page 24 TYPE: FACTUAL DIF: EASY

2. Early studies of brain tissue that used staining techniques and microscopes from the 19th century described the "nerve net." These early understandings were in error in the sense that the nerve net was believed to be

- a. continuous.
- b. composed of discrete individual units.
- c. composed of cell bodies, axons, and dendrites.
- d. composed of neurotransmitters rather than neurons.

ANS: A REF: page 26 TYPE: CONCEPTUAL DIF: MODERATE

- 3. The neuron doctrine is
- a. in agreement with nerve net theory.
- b. unrelated to nerve net theory.
- c. synonymous with nerve net theory.
- d. in disagreement with nerve net theory.

ANS: D	REF: page 26
TYPE: CONCEPTUAL	DIF: EASY

- 4. The key structural components of neurons are
- a. cell body, dendrites, and transmitters.
- b. axon, dendrites, and modules.
- c. cell body, dendrites, and axon.
- d. transmitters, dendrites, and axon.

ANS: C	REF: page 26
TYPE: FACTUAL	DIF: EASY

- 5. Which of the following neural components is NOT found at the receiving end of neurons?
- a. Cell body
- b. Dendrite
- c. Receptor
- d. Axon

ANS: DREF: page 26TYPE: CONCEPTUALDIF: MODERATE

- 6. A synapse is
- a. a tube filled with fluid that conducts electrical signals.
- b. the structure that contains mechanisms to keep a neuron alive.
- c. the structure that receives electrical signals from other neurons.
- d. the space between neurons.

ANS: D	REF: page 27
TYPE: FACTUAL	DIF: EASY

- 7. Neural circuits are groups of interconnected neurons that
- a. have only excitatory synapses.
- b. have only inhibitory synapses.
- c. can result in a neuron that responds best to a specific stimulus.
- d. are primarily responsible for automatic behaviors, like reflexes.

ANS: C	REF: page 27	WWW
TYPE: CONCEPTUAL	DIF: MODERATE	

- 8. Action potentials occur in the
- a. cell body.
- b. synapse.
- c. neurotransmitters.
- d. axon.

ANS: D REF: page 28 TYPE: FACTUAL DIF: MODERATE

9. Recordings from single neurons are conducted using which of these pieces of equipment?

- a. Positron emission tomography scanner
- b. Functional magnetic resonance imaging scanner
- c. Microelectrode
- d. Neurotransmitter

ANS: C REF: page 28 TYPE: FACTUAL DIF: MODERATE 10. An oscilloscope can display "spikes" that correspond to nerve impulses in response to a certain stimulus intensity. If the stimulus intensity is decreased, you are likely to observe spikes that are

- a. less frequent and smaller in size.
- b. less frequent and of the same size.
- c. as frequent and smaller in size.
- d. the same signal as with the higher stimulus intensity.

ANS: B	REF: page 28
TYPE: APPLIED	DIF: DIFFICULT

11. If the intensity of a stimulus that is presented to a touch receptor is increased, this tends to increase the _____ in the receptor's axon.

- a. rate of nerve firing
- b. size of the nerve impulses
- c. speed of nerve conduction
- d. all of these

ANS: A	REF: page 29	KEY: WWW
TYPE: APPLIED	DIF: MODERATE	

12. When recording from a single neuron, stimulus intensity is represented in a single neuron by the

- a. size of the action potentials.
- b. size of the synapse.
- c. firing rate of the neurotransmitters.
- d. firing rate of the action potentials.

ANS: D	REF: page 29
TYPE: FACTUAL	DIF: MODERATE

13. Which of the following statements best describes how neurons communicate with one another?

- a. The end of one neuron makes direct contact with the receiving end of another neuron.
- b. A chemical process takes place at the synapse.
- c. An electrical process takes place in the receptors.
- d. Action potentials travel across the synapse.

ANS: B	REF: page 29
TYPE: CONCEPTUAL	DIF: DIFFICULT

14. Which of the following is consistent with the idea of localization of function?

- a. Specific areas of the brain serve different functions.
- b. Neurons in different areas of the brain respond best to different stimuli.
- c. Brain areas are specialized for specific functions.
- d. All of these

ANS: D	REF: pages 29-30
TYPE: CONCEPTUAL	DIF: MODERATE

15. Recording from single neurons in the brain has shown that neurons responding to specific types of stimuli are often clustered in specific areas. These results support the idea of

- a. cortical association.
- b. dissociation.
- c. localization of function.
- d. the information processing approach.

ANS: C	REF: pages 29-30
TYPE: APPLIED	DIF: EASY

16. The temporal lobe is

- a. the first place in the cerebral cortex where visual information is received.
- b. important for language, memory, hearing, and vision.

c. important for higher functions such as language, thought, and memory, as well as motor functioning.

d. where signals are received from the auditory system.

ANS: D	REF: page 30
TYPE: FACTUAL	DIF: EASY

17. The occipital lobe is

a. the first place in the cerebral cortex where visual information is received.

- b. important for language, memory, hearing, and vision.
- c. important for higher functions such as language, thought, and memory, as well as motor functioning.

d. where signals are received from the sensory system for touch.

ANS: A REF: page 30 TYPE: FACTUAL DIF: EASY

18. The _____ lobe of the cortex serves higher functions such as language, thought, and memory.

- a. subcortical
- b. frontal
- c. occipital
- d. parietal

ANS: B REF: page 30 TYPE: FACTUAL DIF: EASY

19. Which part of the brain is important for touch?

- a. Occipital lobe
- b. Hippocampus
- c. Temporal lobe
- d. Parietal lobe

ANS: D REF: page 30 KEY: WWW TYPE: FACTUAL DIF: MODERATE 20. A 10-month-old baby is interested in discovering different textures, comparing the touch sensations between a soft blanket and a hard wooden block. Tactile signals such as these are received by the _____ lobe.

a. parietal

- b. occipital
- c. frontal
- d. temporal

ANS: A	REF: page 30
TYPE: APPLIED	DIF: MODERATE

- 21. Positron emission tomography (PET) utilizes which of the following tools?
- a. Disc electrode
- b. Microelectrode
- c. Radioactive tracer
- d. Hemoglobin

ANS: C	REF: page 31
TYPE: CONCEPTUAL	DIF: MODERATE

22. There are many methods for studying the physiology of the brain. ______ is the technique involving subtraction whereby brain activity is compared between baseline and stimulation measurements.

- a. Convergence
- b. Single unit recording
- c. Positron emission tomography
- d. Mental chronometry

ANS: C	REF: page 31
TYPE: CONCEPTUAL	DIF: MODERATE

- 23. Brain-imaging techniques can determine all of the following EXCEPT
- a. areas of the brain activated during cognitive tasks.
- b. localization of brain activity in response to a specific stimulus.
- c. the structure of individual neurons.
- d. patterns of blood flow in the brain.

ANS: C	REF: pages 31-32	KEY: WWW
TYPE: CONCEPTUAL	DIF: MODERATE	

- 24. Brain imaging has made it possible to
- a. determine which areas of the brain are involved in different cognitive processes.
- b. view individual neurons in the brain.
- c. show how environmental energy is transformed into neural energy.

d. view propagation of action potentials.

ANS: A REF: pages 31-32 TYPE: APPLIED DIF: MODERATE

- 25. Hemoglobin molecules in areas of high brain activity
- a. gain some of the ferrous molecules they are transporting.
- b. lose some of the ferrous molecules they are transporting.
- c. gain some of the oxygen they are transporting.
- d. lose some of the oxygen they are transporting.

ANS: D REF: page 32 TYPE: CONCEPTUAL DIF: DIFFICULT

26. Which of the following do PET and fMRI have in common?

- a. The use of the subtraction technique
- b. The measurement of magnetic fields
- c. The use of radioactive tracers
- d. All of the above are characteristics of both PET and fMRI

ANS: A	REF: page 32
TYPE: CONCEPTUAL	DIF: DIFFICULT

- 27. The fusiform face area (FFA) in the brain is often damaged in patients with
- a. Broca's aphasia.
- b. Wernicke's aphasia.
- c. prosopagnosia.
- d. Alzheimer's disease.

ANS: C	REF: page 32
TYPE: CONCEPTUAL	DIF: MODERATE

28. Sarah has experienced brain damage making it difficult for her to understand spatial layout. Which area of her brain has most likely sustained damage?

- a. Fusiform face area (FFA)
- b. Parahippocampal place area (PPA)
- c. Extrastriate body area (EBA)
- d. Functional magnetic area (FMA)

ANS: B	REF: page 32
TYPE: APPLIED	DIF: MODERATE

29. Ramon is looking at pictures of scantily clad women in a magazine. He is focusing on their body parts, particularly their chest and legs. Which part of Ramon's brain is activated by this viewing?

- a. Fusiform face area (FFA)
- b. Parahippocampal place area (PPA)
- c. Extrastriate body area (EBA)
- d. Functional magnetic area (FMA)

ANS: C	REF: page 32
TYPE: APPLIED	DIF: MODERATE

30. Josiah is trying to speak to his wife, but his speech is very slow and labored, often with jumbled sentence structure. Josiah may have damage to his

- a. Broca's area.
- b. Parahippocampal place area (PPA)
- c. Extrastriate body area (EBA)
- d. Wernicke's area.

ANS: A	REF: page 33
TYPE: APPLIED	DIF: MODERATE

31. Damage to Wernicke's area is in which lobe of the brain?

- a. Temporal
- b. Occipital
- c. Parietal
- d. Frontal

ANS: A		REF:	page 33
TYPE: CO	NCEPTUAL	DIF:	MODERATE

32. Paul Broca's and Carl Wernicke's research provided early evidence for

- a. distributed processing.
- b. localization of function.
- c. prosopagnosia.
- d. neural net theory.

ANS: B	REF: page 33
TYPE: CONCEPTUAL	DIF: EASY

33. Recent research on language has modified our earlier understanding of Broca's aphasia such that it is now understood as a problem in

- a. language production but not understanding.
- b. language production but not meaning.
- c. language form but not meaning.
- d. language meaning but not form.

ANS:	С	REF: page 34
TYPE:	CONCEPTUAL	DIF: MODERATE

34. Compared to brain-imaging techniques, ERP occurs on a

- a. much slower time scale.
- b. similar time scale.
- c. much faster time scale.
- d. more precise scale for understanding which brain structures are active.

ANS: C	REF: page 34
TYPE: CONCEPTUAL	DIF: MODERATE

35. In ERP methodology, the number that follows the N or the P (N400 or P300, for example) stands for

- a. the positivity or negativity of the response.
- b. how likely the response is, with higher numbers indicating a more likely response.
- c. how strong the response is in millimeters on the reading.
- d. the time at which the response peaks in milliseconds.

ANS: D	REF: page 35
TYPE: FACTUAL	DIF: MODERATE

36. Research using the ERP method shows that damage to the frontal lobes reduces the larger _____ response that occurs when the form of a sentence is incorrect.

- a. N100
- b. N400
- c. P300
- d. P600

ANS: D	REF: page 35
TYPE: APPLIED	DIF: DIFFICULT

37. The idea that specific functions are processed in many parts of the brain is known as

- a. localization of function.
- b. distributed processing.
- c. modularity.
- d. aphasia.

ANS:	В	REF:	page 36
TYPE:	FACTUAL	DIF:	EASY

38. You are walking down the street and see a really nice car drive by. You notice many features of it: its color, movement, shape, location, and so forth. All of these features are processed

- a. in one localized area of the brain.
- b. by the grandmother cells in the brain.
- c. in different parts of the brain.
- d. through fMRI potentials.

ANS: C	REF: page 37
TYPE: APPLIED	DIF: MODERATE

39. The layer of neurons that lines the back of the eye is called the

- a. retina.
- b. grandmother cell.
- c. reference electrode.
- d. feature detector.

ANS: A REF: page 38 TYPE: FACTUAL DIF: EASY 40. Neurons that respond to features that make up objects are called

- a. retinal cells.
- b. feature detectors.
- c. dendrites.
- d. receptors.

ANS:	В	REF:	page 38
TYPE:	FACTUAL	DIF:	EASY

41. The pattern of feature detectors firing in response to a stimulus creates the _____ for representing what the stimulus is (e.g., a tree, a person, a ball, and so forth).

- a. neural code
- b. module
- c. event-related potential
- d. receptor

ANS: A REF: page 39 TYPE: FACTUAL DIF: MODERATE

42. The way patterns of neural firing represent a specific stimulus or experience is known as

- a. the action potential.
- b. a propagated signal.
- c. convergence.
- d. the neural code.

ANS: D REF: page 39 TYPE: FACTUAL DIF: MODERATE

43. If kittens are raised in an environment that contains only verticals, you would predict that most of the neurons in their visual cortex would respond best to the visual presentation of a

- a. brick wall.
- b. chain link fence.
- c. solid wall.
- d. picket fence.

ANS: D	REF: page 39
TYPE: APPLIED	DIF: MODERATE

44. The idea of a grandmother cell is consistent with

- a. distributed coding.
- b. specificity coding.
- c. subtraction techniques.
- d. primary receiving areas.

ANS:	В	REF:	pages 39-40
TYPE:	CONCEPTUAL	DIF:	EASY

- 45. A grandmother cell responds
- a. only to a specific stimulus.
- b. to strong positive emotion.
- c. to both positive and negative emotion.
- d. to a variety of stimuli.

ANS: A REF: page 40 TYPE: FACTUAL DIF: MODERATE

46. When conducting an experiment on how stimuli are represented by the firing of neurons, you notice that neurons respond differently to different faces. For example, Arthur's face causes three neurons to fire, with neuron 1 responding the most and neuron 3 responding the least. Roger's face causes the same three neurons to fire, with neuron 1 responding the least and neuron 3 responding the most. Your results support _____ coding.

- a. specificity
- b. distributed
- c. convergence
- d. divergence

ANS: B REF: page 40 TYPE: APPLIED DIF: MODERATE

47. The concept of distributed neural coding proposes that a specific object, like a face, is represented across a number of

- a. microelectrodes.
- b. stimuli.
- c. modalities.
- d. neurons.

ANS: D REF: page 40 TYPE: FACTUAL DIF: EASY

48. A specific person's face is represented in the nervous system by the firing of

a. a feature detector that fires specifically to that face.

- b. a group of neurons that all respond only to that face.
- c. a group of neurons each responding to a number of different faces.

d. a receptor in the retina that responds when the face is present.

ANS: C REF: page 40 KEY: WWW TYPE: APPLIED DIF: MODERATE

49. Most cognitive psychologists ______ the notion of a grandmother cell.

a. accept

b. are uncertain about

- c. reject
- d. are actively investigating

ANS: C REF: page 40 KEY: WWW TYPE: APPLIED DIF: MODERATE

- 50. Shinkareva et al. (2008) conducted research that revealed
- a. the existence of feature detectors.
- b. the distinction between form and meaning in language.
- c. a computer could fairly accurately predict what category of object one was viewing.
- d. strong support for specificity coding.

ANS: C REF: pages 42-43 KEY: WWW TYPE: FACTUAL DIF: MODERATE

ESSAY

1. Describe how neurons communicate. Mention the key components of the neurons that are involved. Explain the process whereby the electrical signal (the information) is transferred from one neuron to another.

ANS: REF: pages 25-29

2. Explain how action potentials change in response to stimulus intensity. Use examples from two sensory modalities to illustrate this process.

ANS: REF: pages 29

KEY: WWW

3. Describe three physiological techniques for investigating human cognition. What can each technique tell us about the brain and human cognition? Also, give at least one limitation of each of the three techniques.

ANS: REF: pages 30-32, 34

4. Describe how localization of function and distributed brain activity work together in everyday cognitive processes. Use the example of seeing your prom date at a high school reunion to illustrate your answer.

ANS: REF: pages 33-37

5. Explain the purpose of feature detectors in creating mental representation of objects.

ANS: REF: pages 38-39

KEY: WWW

Cognitive Psychology Connecting Mind Research And Everyday Experience 3rd Edition Goldstein Test Bank

Full Download: http://alibabadownload.com/product/cognitive-psychology-connecting-mind-research-and-everyday-experience-3rd for the second sec