Full Download: https://alibabadownload.com/product/general-organic-biological-chemistry-2nd-edition-smith-test-bank/

Chapter 1: Matter and Measurement

Chapter 1: Matter and Measurement

- Which is <u>not</u> an example of a pure substance?
 A) Sugar B) Air C) Aluminum foil D) Water E) A block of dry ice Ans: B Difficulty: Easy
- 2. Which is an example of a physical change?
 - A) The rusting of an iron nail
 - B) The burning of propane in a gas grill
 - C) Baking cookies
 - D) Polishing tarnished silver
 - E) Melting of an ice cube in a glass of soda
 - Ans: E Difficulty: Easy
- 3. Which measurement has the fewest number of significant figures?
 - A) 12.80 m
 - B) 0.1280 m
 - C) 0.001280 m
 - D) 1280 m
 - E) All of the measurements have the same number of significant figures.

Ans: D Difficulty: Easy

- 4. Which quantity is an exact number?
 A) 3 cars B) 1,000 m C) 2 L D) 453.6 g
 Ans: A Difficulty: Easy
- 5. The number 0.0035880 expressed correctly using scientific notation is
 - A) 0.0035889B) 3.5880×10^{3} C) 3.5880×10^{-3} Ans: C Difficulty: Easy
- 6. The measurement 78,005,760 expressed correctly using scientific notation is

 3.5880×10^{-4}

 3.588×10^{-3}

D)

E)

- A) 7.8005760×10^7 B) 7.8005760×10^{-7} E) 7.800576×10^{-7} E) 7.800576×10^7
- C) 7.8×10^7
 - 7.8×10^{7}
- Ans: E Difficulty: Easy
- 7. When 4.870 × 10⁻³ is correctly converted to its standard form the number becomes A) 4870 B) 4870. C) 0.00487 D) 0.004870 E) 0.0004870 Ans: D Difficulty: Easy
- 8. Which number is the largest? A) 4.38×10^3 B) 4.38×10^2 C) 4.38×10^{-3} D) 4.38×10^{-2} E) 438 Ans: A Difficulty: Easy

^{© 2013} by McGraw-Hill Education. This is proprietary material solely for authorized instructor use. Not authorized for sale or distribution in any manner. This document may not be copied, scanned, duplicated, forwarded, distributed, or posted on a website, in whole or part.

- 9. Which number is the smallest? A) 4.38×10^3 B) 4.38×10^2 C) 4.38×10^{-3} D) 4.38×10^{-2} E) 438 Ans: C Difficulty: Easy
- 10. When 0.022189 is correctly rounded to two significant figures the number becomes
 A) 0.02 B) 0.022 C) 22 D) 0.023
 Ans: B Difficulty: Easy
- 11. When 5.5490×10^8 is correctly rounded to three significant figures the number becomes A) 5.55 B) 5.55×10^8 C) 555 D) 554 E) 5.54×10^8 Ans: B Difficulty: Easy
- 12. Which number contains four significant figures?
 - A) 3.978
 - B) 0.780
 - C) 0.0085
 - D) 1700
 - E) Two or more of the above numbers contain four significant figures.
 - Ans: A Difficulty: Easy
- 13. Carry out the following calculation and report the answer using the proper number of significant figures: 38.251 + 73.1
 A) 111 B) 111.3 C) 111.4 D) 111.35 E) 111.351
 Ans: C Difficulty: Medium
- 14. Carry out the following calculation and report the answer using the proper number of significant figures:
 549.101 + 8.12 + 95.0076 651.9
 A) 3.286 B) 0.3286 C) 0.33 D) 0.3 E) 1268.1
 Ans: D Difficulty: Medium
- 15. Carry out the following calculation and report the answer using the proper number of significant figures: 38.251 × 73.1
 A) 2796.1481 B) 2796.15 C) 2796.1 D) 2796 E) 2.80 × 10³
 Ans: E Difficulty: Medium
- 16. Carry out the following calculation and report the answer using the proper number of significant figures:

 $\frac{16.75 \text{ ft}}{0.54 \text{ s}}$ A) 31.0185 ft/s B) 31.01 ft/s C) 31.02 ft/s D) 31.0 ft/s E) 31 ft/s Ans: E Difficulty: Difficult 17. What is the correct metric relationship between milliliters and microliters?

- A) 1 milliliter = 1 microliter
- 1.000 milliliters = 1 microliter B)
- C) 1 milliliter = 1,000 microliters
- Difficulty: Medium Ans: C
- 18. Which metric relationship is incorrect?
 - A) 1 milligram = 1,000 grams
 - $1 \, dL = 100 \, mL$ B)
 - 1 km = 1,000 mC)

Ans: A Difficulty: Medium

D)

E)

- 19. Which is the proper conversion factor for converting a mass expressed in pounds (lb) to the same mass expressed in grams (g)?
 - A) $\frac{1 \text{ lb}}{454 \text{ g}}$ B) $\frac{1 \text{ g}}{454 \text{ lb}}$ C) $\frac{454 \text{ g}}{1 \text{ lb}}$ D) $\frac{454 \text{ lb}}{1 \text{ g}}$ Ans: C Difficulty: Medium

20. Which length is the longest? A) 12 m B) 12,000 mm C) 12,000 µm D) 12,000 cm E) 0.0012 km Ans: D Difficulty: Difficult

- 21. What is the mass in kilograms of an individual who weighs 197 lb? A) 197 kg B) 8.95 kg C) 89.5 kg D) 90 kg E) 433 kg Ans: C Difficulty: Medium
- 22. If a balloon has a volume of 21.6 cups, what is the volume of this balloon expressed in L? A) 86.4 L B) 81.51 L C) 5.72 L D) 5.094 L E) 5.09 L Ans: E Difficulty: Difficult
- 23. Which volume is equivalent to 225 mL?
 - D) $2.25 \times 10^{-5} \,\mu L$ $2.25 \times 10^5 \,\mu L$ A)
 - $2.25 \times 10^2 \,\mu L$ 0.225 µL E) B)
 - C) 2.25 L
 - Ans: A Difficulty: Difficult
- 24. If a package of nuts weighs 41.3 oz, what is the mass of the package expressed in milligrams?
 - A) 1.17 mg 117 mg D) $3.00 \times 10^5 \,\mathrm{mg}$ E)
 - $1.17 \times 10^{3} \,\mathrm{mg}$ B)
 - $1.17 \times 10^6 \,\mathrm{mg}$ C)
 - Ans: C Difficulty: Difficult

- - D) 100 cg = 1 g
 - 1 liter = 1,000,000 microliters E)

1.000.000 milliliters = 1 microliter

1 milliliter = 1,000,000 microliters

- 25. If a tree is 89.5 cm tall, what is the tree's height expressed in yards?
 A) 0.979 yd
 B) 6.31 yd
 C) 18.9 yd
 D) 35.2 yd
 E) 227 yd
 Ans: A Difficulty: Difficult
- 26. If honey has a density of 1.36 g/mL, what is the mass of 1.25 qt, reported in kilograms?
 A) 1.60 kg
 B) 1.6 × 10³ kg
 C) 0.974 kg
 D) 974 kg
 E) 1.80 kg
 Ans: A Difficulty: Difficult
- 27. If a piece of rock has a volume of 0.73 L and a mass of 1524 g, what is the density of the rock in g/mL?

2.1 g/mL

2.088 g/mL

- 28. A hiker with hypothermia has a body temperature of 82 °F. What is his body temperature in °C?
 A) 14 °C
 B) 28 °C
 C) 31 °C
 D) 50 °C

Ans: B Difficulty: Medium

- 29. On an autumn day in Washington, DC the outdoor temperature was 21 °C. What was this outdoor temperature in °F?
 A) 44 °F B) 57 °F C) 69 °F D) 70 °F
 Ans: D Difficulty: Medium
- 30. An oven is set for a temperature of 298 °F. What is the oven temperature in K?
 A) 166 K
 B) 421 K
 C) 148 K
 D) 571 K
 E) 439 K
 Ans: B
 Difficulty: Difficult
- 31. Which of the following temperatures is the hottest?
 A) 100 °C B) 100 °F C) 100 K D) All would feel equally warm. Ans: A Difficulty: Medium
- 32. The recommended dietary allowance for calcium for teenage children is 1,300 mg per day. If a typical 8.0-fl oz glass of reduced-fat milk contains 298 mg of calcium, how many fluid ounces of milk does a teenager need to drink to get the entire recommended amount of calcium from this milk?
 A) 4.4 fl oz B) 1.8 fl oz C) 3.5 fl oz D) 35 fl oz E) 32 fl oz Ans: D Difficulty: Difficult
- 33. What is the density of a sample of rubbing alcohol if it has a specific gravity of 0.789?
 A) 1.27 g/mL B) 0.789 g/mL C) 1.00 g/mL D) 0.895 g/mL
 Ans: B Difficulty: Easy

34. Which of the following conversions is correct and expresses the answer using the proper number of significant figures?

A)
$$3.779 \text{ Jb} \times \frac{454 \text{ g}}{1 \text{ Jb}} \times \frac{1,000 \text{ mg}}{1 \text{ g}} = 1.7 \times 10^6 \text{ mg}$$

B) 553
$$\text{AL} \times \frac{1 \text{L}}{10 \text{AL}} \times \frac{10^3 \text{ mL}}{1 \text{ L}} = 5.5 \times 10^4 \text{ mL}$$

C)
$$623 \, \text{pm} \times \frac{1 \, \text{m}}{10^9 \, \text{pm}} \times \frac{39.4 \, \text{in}}{1 \, \text{m}} = 2.45 \times 10^{-5} \, \text{in}$$

D)
$$623 \text{ pm} \times \frac{1 \text{ m}}{10^6 \text{ pm}} \times \frac{39.4 \text{ in}}{1 \text{ m}} = 2.45 \times 10^{-2} \text{ in}$$

- 35. What is the mass in grams of 85.32 mL of blood plasma with a density of 1.03 g/mL?
 A) 85.32 g
 B) 82.83 g
 C) 82.8 g
 D) 87.88 g
 E) 87.9 g
 Ans: E Difficulty: Medium
- 36. If a 185-lb patient is prescribed 145 mg of the cholesterol lowering drug Tricor daily, what dosage is the patient receiving in mg/kg of his body weight?
 - A)0.784 mg/kgD)1.72 mg/kgB)1.28 mg/kgE)0.580 mg/kg
 - B) 1.28 mg/kgC) 0.356 mg/kg

Ans: D Difficulty: Difficult

- 37. The estimated average daily requirement of folic acid for pregnant females is 520 micrograms. Which accurately expresses this value?
 A) 520 mg
 B) 520 Mg
 C) 520 mG
 D) 520 μg
 Ans: D Difficulty: Easy
- 38. For a person between the ages of 10 and 29, the normal range of blood triglycerides is 53 $\times 10^4$ mg/dL. What is the correct interpretation of the units in this measurement?
 - A) milligrams times deciliter
- C) megagrams per deciliter
- B) micrograms per deciliter
- D) milligrams per deciliter
- Ans: D Difficulty: Easy
- 39. A patient's urine sample has a density of 1.02 g/mL. If 1250 mL of urine was excreted by the patient in one day, what mass of urine was eliminated?A) 1.28 kg B) 1225 g C) 1275 g D) 128 g

Ans: A Difficulty: Difficult

- 40. The density of human urine is normally between 1.003 and 1.030g/mL, and is often used as a diagnostic tool. If a 25.00 mL sample of urine from a patient has a mass of 26.875 g, how does the density of the urine sample compare to the normal range?
 - A) the density of the sample is lower than the normal range
 - B) the density of the sample is greater than the normal range
 - C) the density of the sample is within the normal range
 - D) there is insufficient information to make a comparison
 - Ans: B Difficulty: Medium
- 41. Which volume has the most uncertainty associated with the measurement?
 - A) 10 mL
 - B) 10.0 mL
 - C) 10.00 mL
 - D) all have the same degree of uncertainty
 - Ans: A Difficulty: Medium
- 42. Air has a density of 0.001226 g/mL. What volume of air would have a mass of 1.0 lb?
 A) 2.7 mL B) 815.6 mL C) 37 mL D) 3.7 x 10² L
 Ans: D Difficulty: Difficult
- 43. A beaker contains 145.675 mL of a saline solution. If 24.2 mL of the saline solution are removed from the beaker, what volume of solution remains?
 A) 121.475 mL B) 121.4 mL C) 121.5 mL D) 121 mL
 Ans: C Difficulty: Medium
- 44. PVC plastic, which is used in pipes, is an example of a synthetic material. Ans: True Difficulty: Easy
- 45. Nitrogen gas (N₂) would properly be classified as a compound. Ans: False Difficulty: Medium
- 46. Changes in state such as melting and boiling are physical changes. Ans: True Difficulty: Easy
- 47. A compound cannot be broken down into simpler substances. Ans: False Difficulty: Easy
- 48. The water molecules in this image are best described as being in the liquid state.



Ans: False Difficulty: Easy

Page 6

- 49. The base unit for mass in the metric system is kilograms (kg). Ans: False Difficulty: Easy
- 50. The base unit for volume in the metric system is liter (L). Ans: True Difficulty: Easy
- 51. An inexact number results from a measurement or observation and contains some uncertainty. Ans: True Difficulty: Easy
- 52. A zero counts as a significant figure when it occurs at the end of a number that contains a decimal point.Ans: True Difficulty: Easy
- 53. 8 mL is larger than 8 dL. Ans: False Difficulty: Medium
- 54. Specific gravity is a quantity that compares the density of a substance with the density of water.Ans: True Difficulty: Easy
- 55. The specific gravity of a substance has units of g/mL. Ans: False Difficulty: Medium
- 56. When the liquid carbon tetrachloride (density = 1.59 g/mL) is added to water, the top layer will be the water layer.Ans: True Difficulty: Medium
- 57. When a piece of magnesium (density = 1.738 g/mL) is placed in a container of liquid carbon tetrachloride (density = 1.59 g/mL), the piece of magnesium will float on top of the carbon tetrachloride.Ans: False Difficulty: Medium
- 58. In reading a number with a decimal point from left to right, all digits starting with the first nonzero number are significant figures.Ans: True Difficulty: Easy
- 59. The number 900,027,300 has four significant figures. Ans: False Difficulty: Easy
- 60. The number 900,027,300 has nine significant figures. Ans: False Difficulty: Easy

Page 7

61. The two conversion factors for the equality 1 in = 2.54 cm are properly shown below.

<u> </u>	and $\frac{2.54 \text{ in}}{2.54 \text{ in}}$
2.54 cm	1 cm
Ans: False	Difficulty: Easy

- 62. Dissolving sugar in water involves a chemical change. Ans: False Difficulty: Medium
- 63. One-thousand (1,000) ms is the same length of time as one (1) μs. Ans: False Difficulty: Medium
- 64. Assuming the numbers are measured values, when multiplying 762.85 by 15 the answer should be reported with two significant figures.Ans: True Difficulty: Medium
- 65. When subtracting 15 from 762.85 the answer should be reported with two significant figures.Ans: False Difficulty: Medium
- 66. In scientific notation, a number is written as $y \times 10^x$, where x can be any positive or negative number or fraction. Ans: False Difficulty: Easy
- 67. If the density of a substance is greater than 1 g/mL, the mass of a sample of this substance will be greater than the volume of the sample.Ans: True Difficulty: Medium
- 68. Dividing a number by 10^5 is the same as multiplying a number by 10^{-5} . Ans: True Difficulty: Medium
- 69. The measurement 10.3 cm has more significant figures than the measurement 10.3 m. Ans: False Difficulty: Medium
- 70. The density of olive oil is greater at 200 °C than at 25 °C. Ans: False Difficulty: Medium
- 71. One Kelvin is the same size as one degree Celsius. Ans: True Difficulty: Easy
- 72. The temperature 60 °C is higher than 60 °F. Ans: True Difficulty: Medium
- 73. The temperature -60 °C is higher than -60 °F. Ans: False Difficulty: Difficult

- 74. The temperature 60 °C is higher than 60 K. Ans: True Difficulty: Medium
- 75. Elements and compounds are both classified as pure substances. Ans: True Difficulty: Medium
- 76. The terms used in conversion factors must always be exact numbers. Ans: False Difficulty: Medium
- 77. The number 87,927,000 is larger than the number 9.7×10^6 . Ans: True Difficulty: Medium
- 78. The number 0.0007270 is larger than the number 5.7×10^{-3} . Ans: False Difficulty: Medium
- 79. A mixture can be separated into its components by physical changes. Ans: True Difficulty: Easy
- 80. For a number written in scientific notation, a negative exponent indicates the value of the number is less than 1.Ans: True Difficulty: Easy
- 81. The meaning of the metric prefix *milli* is 1000. Ans: False Difficulty: Medium
- 82. A _____ change converts one material to another. Ans: chemical Difficulty: Easy
- 83. The measurement 0.030500 m has _____ significant figures. Ans: five or 5 Difficulty: Easy
- 84. When the measurement 340,942 s is rounded to two significant figures, the value is properly reported as _____.
 Ans: 340,000 s or 3.4 × 10⁵ s Difficulty: Easy
- 85. To use conversion factors to solve a problem, set up the problem with any unwanted unit in the numerator of one term and the _____ of another term, so that unwanted units cancel.
 Ans: denominator
 Difficulty: Easy

Page 9

General Organic Biological Chemistry 2nd Edition Smith Test Bank

Full Download: https://alibabadownload.com/product/general-organic-biological-chemistry-2nd-edition-smith-test-bank/

Chapter 1: Matter and Measurement

- 86. If you have equal masses of two different substances (A and B), and the density of A is twice the density of B, then the volume of A is _____ the volume of B. Ans: one-half or 1/2 Difficulty: Difficult
- 87. Every measurement is composed of a number and a _____.Ans: unit Difficulty: Easy
- 88. A small banana contains 323 mg of the nutrient potassium. You would need to eat approximately ______ small bananas in one day to obtain the recommended daily intake of 3.5 g of potassium.
 Ans: 11
 Difficulty: Difficult
- 89. The measurement 5342 nm is the same length as _____ cm, written in scientific notation. Ans: 5.342×10^{-4} Difficulty: Difficult
- 90. When crude oil leaks into the ocean from an oil tanker, the crude oil floats because it is ______ dense than water.

Ans: less Difficulty: Easy

Page 10 © 2013 by McGraw-Hill Education. This is proprietary material solely for authorized instructor use. Not authorized for sale or distribution in any manner. This document may not be copied, scanned, duplicated, forwarded, distributed, or posted on a website, in whole or part.