

Chapter 01: Introduction to Pathophysiology

Test Bank

MULTIPLE CHOICE

1. Which of the following would be the most likely cause of an iatrogenic disease?
 - a. An inherited disorder
 - b. A combination of specific etiological factors
 - c. An unwanted effect of a prescribed drug
 - d. Prolonged exposure to toxic chemicals in the environment

ANS: C REF: 6

2. The manifestations of a disease are best defined as the:
 - a. subjective feelings of discomfort during a chronic illness.
 - b. signs and symptoms of a disease.
 - c. factors that precipitate an acute episode of a chronic illness.
 - d. early indicators of the prodromal stage of infection.

ANS: B REF: 6

3. The best definition of the term *prognosis* is the:
 - a. precipitating factors causing an acute episode.
 - b. number of remissions to be expected during the course of a chronic illness.
 - c. predicted outcome or likelihood of recovery from a specific disease.
 - d. exacerbations occurring during chronic illness.

ANS: C REF: 7

4. Which of the following is considered a systemic sign of disease?
 - a. Swelling of the knee
 - b. Fever
 - c. Pain in the neck
 - d. Red rash on the face

ANS: B REF: 6

5. Etiology is defined as the study of the:
 - a. causes of a disease.
 - b. course of a disease.
 - c. expected complications of a disease.
 - d. manifestations of a disease.

ANS: A REF: 5

6. A type of cellular adaptation in which there is a decrease in cell size is referred to as:
 - a. hypertrophy.
 - b. metaplasia.
 - c. anaplasia.
 - d. atrophy.

ANS: D REF: 8

7. A change in a tissue marked by cells that vary in size and shape and show increased mitotic figures would be called:
- metaplasia.
 - atrophy.
 - dysplasia.
 - hypertrophy.

ANS: C REF: 8

8. A deficit of oxygen in the cells usually due to respiratory or circulatory problems is called:
- apoptosis.
 - ischemia.
 - hypertrophy.
 - necrosis.

ANS: B REF: 9

9. When a group of cells in the body dies, the change is called:
- ischemia.
 - gangrene.
 - hypoxia.
 - necrosis.

ANS: D REF: 10

10. Rigorous weight lifting/body building regimens may result in the skeletal muscle cells undergoing:
- hypertrophy.
 - dysplasia.
 - atrophy.
 - regeneration.

ANS: A REF: 8

11. The term *cancer* refers to:
- dysplasia.
 - hyperplasia.
 - metaplasia.
 - malignant neoplasm.

ANS: D REF: 9

12. To which of the following does the term *apoptosis* refer?
- Increased rate of mitosis by certain cells
 - Ischemic damage to cells
 - Liquefaction of necrotic tissue
 - Preprogrammed cell self-destruction

ANS: D REF: 9

13. Which of the following statements is TRUE?
- Alteration of DNA does not change cell function.

- b. Damaged cells may be able to repair themselves.
- c. All types of cells die at the same rate.
- d. Mild ischemia causes immediate cell death.

ANS: B REF: 10

14. Caseation necrosis refers to an area where:
- a. cell proteins have been denatured.
 - b. cell are liquefied by enzymes.
 - c. dead cells form a thick cheesy substance.
 - d. bacterial invasion has occurred.

ANS: C REF: 10

15. Routine application of sun block to skin would be an example of:
- a. an iatrogenic cause of cancer.
 - b. a preventive measure.
 - c. a precipitating factor.
 - d. a predisposing condition.

ANS: B REF: 6

16. A circumstance that causes a sudden acute episode of a chronic disease to occur is termed:
- a. latent stage.
 - b. predisposing factor.
 - c. incidence.
 - d. precipitating factor.

ANS: D REF: 7

17. The term *homeostasis* refers to:
- a. the causative factors in a particular disease.
 - b. maintenance of a stable internal environment.
 - c. a condition that triggers an acute episode.
 - d. a collection of signs and symptoms.

ANS: B REF: 2

18. Which term is used to describe a new and secondary or additional problem that arises after the original disease has been established?
- a. Symptoms
 - b. Occurrence
 - c. Manifestations
 - d. Complication

ANS: D REF: 7

19. Pathophysiology involves the study of:
- a. the structure of the human body.
 - b. the functions of various organs in the body.
 - c. functional or structural changes resulting from disease processes.
 - d. various cell structures and related functions.

ANS: C

REF: 2

20. Which of the following is the best definition of epidemiology?
- The science of tracking the occurrence and distribution of diseases
 - The relative number of deaths resulting from a particular disease
 - Identification of a specific disease through evaluation of signs and symptoms
 - The global search for emerging diseases

ANS: A

REF: 7

21. Which of the following can cause cell injury or death?

- Hypoxia
 - Exposure to excessive cold
 - Excessive pressure on a tissue
 - Chemical toxins
- 1, 2
 - 2, 4
 - 1, 3, 4
 - 1, 2, 3, 4

ANS: D

REF: 9

22. All of the following are part of the Seven Steps to Health EXCEPT:

- follow cancer screening guidelines.
- use sun block agents whenever exposed.
- participate in strenuous exercise on a regular daily basis.
- choose high fiber, lower fat foods.

ANS: C

REF: 2

23. The term *disease* refers to:

- the period of recovery and return to a normal healthy state.
- a deviation from the normal state of health and function.
- the treatment measures used to promote recovery.
- a basic collection of signs and symptoms.

ANS: B

REF: 2

24. A collection of signs and symptoms, often affecting more than one organ or system, that usually occur together in response to a certain condition is referred to as a (an):

- acute disease.
- multiorgan disorder.
- syndrome.
- manifestation.

ANS: C

REF: 7

25. All of the following statements are correct about cell damage EXCEPT:

- The initial stage of cell damage often causes an alteration in metabolic reactions.
- If the factor causing the damage is removed quickly, the cell may be able to recover and return to its normal state.
- If the noxious factor remains for an extended period of time, the damage becomes

irreversible and the cell dies.

- d. Initially, cell damage does not change cell metabolism, structure, or function.

ANS: D REF: 9

26. Which of the following conditions distinguishes double blind studies used in health research?
- a. Neither the members of the control group or the experimental group nor the person administering the treatment knows who is receiving the experimental therapy.
 - b. Both groups of research subjects and the person administering the treatment know who is receiving the experimental therapy.
 - c. The research subjects do not know, but the person administering the treatment knows who is receiving placebo or standard therapy.
 - d. Only members of the control group know they are receiving standard therapy.

ANS: A REF: 3 | 4

27. If the data collected from the research process confirm that the new treatment has increased effectiveness and is safe, this is called:
- a. the placebo effect.
 - b. evidence-based research.
 - c. blind research studies.
 - d. approval for immediate distribution.

ANS: B REF: 4

28. A short-term illness that develops very quickly with perhaps a high fever or severe pain is called:
- a. acute.
 - b. latent.
 - c. chronic.
 - d. manifestation.

ANS: A REF: 6

29. The term *prognosis* refers to the:
- a. period of recovery and return to a normal state.
 - b. expected outcome of the disease.
 - c. mortality and morbidity rates for a given population.
 - d. typical collection of signs and symptoms.

ANS: B REF: 7

30. When prolonged ischemia occurs to an area of the heart, the resulting damage is referred to as:
- a. atrophy.
 - b. liquefactive necrosis.
 - c. apoptosis.
 - d. infarction.

ANS: D REF: 10

31. During the evaluation process for a new therapy's effectiveness and safety, a double blind study may be conducted during:
- a. the first stage.

- b. the second stage.
- c. the third stage.
- d. any of these stages.

ANS: C REF: 3

32. Why are the predisposing factors for a specific disease important to health professionals?
- a. To predict the prognosis
 - b. To determine treatments
 - c. To develop preventive measures
 - d. To develop morbidity statistics

ANS: C REF: 3

33. Cell damage may be caused by exogenous sources such as:
- a. abnormal metabolic processes.
 - b. certain food additives.
 - c. genetic defects.
 - d. localized hypoxia.

ANS: B REF: 9 | 10

34. Which of the following is usually included in a medical history?
- 1. Past illnesses or surgeries
 - 2. Current illnesses, acute and chronic
 - 3. Prescribed medication or other treatments
 - 4. Nonprescription drugs and herbal remedies
 - 5. Current allergies
- a. 1, 3
 - b. 2, 4, 5
 - c. 1, 3, 4
 - d. 1, 2, 3, 4, 5

ANS: D REF: 4 | 5

35. A situation when there is a higher than expected number of cases of an infectious disease within a given area is called a/an:
- a. epidemic.
 - b. exacerbation.
 - c. morbidity.
 - d. pandemic.

ANS: A REF: 7

36. The term *pathogenesis* refers to:
- a. the development of a disease or sequence of events related to tissue changes involved in the disease process.
 - b. the determination of the cause(s) involved in the development of a malignant neoplasm.
 - c. the specific signs and symptoms involved in the change from an acute disease to a chronic disease.
 - d. the changes in cells of affected tissue that result in necrosis.

ANS: A

REF: 6