# **Beginning Algebra 7th Edition Martin Gay Solutions Manual**

Full Download: http://testbanklive.com/download/beginning-algebra-7th-edition-martin-gay-solutions-manual/

# Chapter 2

### Section 2.1 Practice Exercises

- 1. a. The numerical coefficient of *t* is 1, since *t* is 1*t*.
  - **b.** The numerical coefficient of -7x is -7.
  - c. The numerical coefficient of  $-\frac{w}{5}$  is  $-\frac{1}{5}$ , since  $-\frac{w}{5}$  means  $-\frac{1}{5} \cdot w$ .
  - **d.** The numerical coefficient of  $43x^4$  is 43.
  - **e.** The numerical coefficient of -b is -1, since -b is -1b.
- **2. a.** -4xy and 5yx are like terms, since xy = yx by the commutative property.
  - **b.** 5q and  $-3q^2$  are unlike terms, since the exponents on q are not the same.
  - **c.**  $3ab^2$ ,  $-2ab^2$ , and  $43ab^2$  are like terms, since each variable and its exponent match.
  - **d.**  $y^5$  and  $\frac{y^5}{2}$  are like terms, since the exponents on y are the same.

**3. a.** 
$$-3y + 11y = (-3 + 11)y = 8y$$

**b.** 
$$4x^2 + x^2 = 4x^2 + 1x^2 = (4+1)x^2 = 5x^2$$

- c.  $5x 3x^2 + 8x^2 = 5x + (-3 + 8)x^2 = 5x + 5x^2$
- **d.**  $20y^2 + 2y^2 y^2 = 20y^2 + 2y^2 1y^2$ =  $(20 + 2 - 1)y^2$ =  $21y^2$

- **4.** a. 3y+8y-7+2 = (3+8)y+(-7+2) = 11y-5
  - **b.** 6x-3-x-3 = 6x-1x + (-3-3)= (6-1)x + (-3-3)= 5x-6

**c.** 
$$\frac{3}{4}t - t = \frac{3}{4}t - 1t = \left(\frac{3}{4} - 1\right)t = -\frac{1}{4}t$$

**d.** 
$$9y + 3.2y + 10 + 3 = (9 + 3.2)y + (10 + 3)$$
  
= 12.2y + 13

e.  $5z-3z^4$ These two terms cannot be combined because they are unlike terms.

5. a. 
$$3(2x-7) = 3(2x) + 3(-7) = 6x - 21$$


- **b.** -5(x 0.5z 5)= -5(x) + (-5)(-0.5z) + (-5)(-5)= -5x + 2.5z + 25
- c. -(2x y + z 2)= -1(2x - y + z - 2)= -1(2x) - 1(-y) - 1(z) - 1(-2)= -2x + y - z + 2
- 6. a. 4(9x+1) + 6 = 36x + 4 + 6 = 36x + 10

**b.** 
$$-7(2x-1) - (6-3x) = -14x + 7 - 6 + 3x$$
  
=  $-11x + 1$ 

$$\mathbf{c.} \quad 8 - 5(6x + 5) = 8 - 30x - 25 = -30x - 17$$

7. "Subtract 7x - 1 from 2x + 3" translates to (2x+3) - (7x-1) = 2x + 3 - 7x + 1 = -5x + 4

8. a.	Three	added to	double a number
	$\downarrow$	$\downarrow$	$\downarrow$
	3	+	2x
	or $2x + 3$		



#### Vocabulary, Readiness & Video Check 2.1

- 1.  $23y^2 + 10y 6$  is called an <u>expression</u> while  $23y^2$ , 10y, and -6 are each called a <u>term</u>.
- **2.** To simplify x + 4x, we <u>combine like terms</u>.
- 3. The term *y* has an understood <u>numerical coefficient</u> of 1.
- 4. The terms 7z and 7y are <u>unlike</u> terms and the terms 7z and -z are <u>like</u> terms.
- 5. For the term  $-\frac{1}{2}xy^2$ , the number  $-\frac{1}{2}$  is the <u>numerical coefficient</u>.
- 6. 5(3x y) equals 15x 5y by the <u>distributive</u> property.
- 7. Although these terms have exactly the same variables, the exponents on each are not exactly the same—the exponents on x differ in each term.
- 8. distributive property
- **9.** -1

10. The sum of 5 times a number and -2, added to 7 times the number; 5x + (-2) + 7x; because there are like terms.

### **Exercise Set 2.1**

**2.** The numerical coefficient of 3x is 3.

### Chapter 2: Equations, Inequalities and Problem Solving

ISM: Beginning Algebra

- 4. The numerical coefficient of -y is -1, since -y = -1y.
- **6.** The numerical coefficient of 1.2*xyz* is 1.2.
- 8.  $-2x^2y$  and 6xy are unlike terms, since the exponents on x are not the same.
- **10.**  $ab^2$  and  $-7ab^2$  are like terms, since each variable and its exponent match.
- 12.  $7.4p^3q^2$  and  $6.2p^3q^2r$  are unlike terms, since the exponents on *r* are not the same.
- **14.** 3x + 2x = (3 + 2)x = 5x
- **16.** c 7c + 2c = (1 7 + 2)c = -4c

**18.** 
$$6g + 5 - 3g - 7 = 6g - 3g + 5 - 7$$
  
=  $(6-3)g - 2$   
=  $3g - 2$ 

**20.** 
$$a + 3a - 2 - 7a = a + 3a - 7a - 2$$
  
=  $(1 + 3 - 7)a - 2$   
=  $-3a - 2$ 

22. 
$$8p+4-8p-15 = (8p-8p)+(4-15)$$
  
=  $(8-8)p+(-11)$   
=  $0p-11$   
=  $-11$ 

**24.** 
$$7.9y - 0.7 - y + 0.2 = 7.9y - y - 0.7 + 0.2$$
  
=  $(7.9 - 1)y - 0.5$   
=  $6.9y - 0.5$ 

**26.** 8h+13h-6+7h-h=8h+13h+7h-h-6= (8+13+7-1)h-6= 27h-6

**28.** 
$$8x^3 + x^3 - 11x^3 = (8+1-11)x^3 = -2x^3$$

**30.** 
$$0.4y - 6.7 + y - 0.3 - 2.6y$$
  
=  $0.4y + y - 2.6y - 6.7 - 0.3$   
=  $(0.4 + 1 - 2.6)y - 7.0$   
=  $-1.2y - 7$ 

**32.** 
$$7(r-3) = 7(r) - 7(3) = 7r - 21$$

**34.** 
$$-4(y+6) = -4(y) + (-4)(6) = -4y - 24$$

**60.** -11c - (4 - 2c) = -11c - 4 + 2c = -9c - 4

**62.** 
$$(8-5y)-(4+3y)=8-5y-4-3y=-8y+4$$

**64.** 2.8w - 0.9 - 0.5 - 2.8w = 2.8w - 2.8w - 0.9 - 0.5= -1.4

66. 
$$\frac{1}{5}(9y+2) + \frac{1}{10}(2y-1) = \frac{9}{5}y + \frac{2}{5} + \frac{2}{10}y - \frac{1}{10}$$
$$= \frac{9}{5}y + \frac{1}{5}y + \frac{2}{5} - \frac{1}{10}$$
$$= \frac{10}{5}y + \frac{4}{10} - \frac{1}{10}$$
$$= 2y + \frac{3}{10}$$

- **68.** 8 + 4(3x 4) = 8 + 12x 16 = -8 + 12x
- **70.** 0.2(k+8) 0.1k = 0.2k + 1.6 0.1k = 0.1k + 1.6
- **72.** 14 11(5m + 3n) = 14 55m 33n
- 74. 7(2x+5) 4(x+2) 20x = 14x + 35 4x 8 20x= 14x - 4x - 20x + 35 - 8= -10x + 27

**76.** 
$$\frac{1}{3}(9x-6) - (x-2) = 3x - 2 - x + 2$$
  
= 2x

The difference divided

78. of a number and 2  
and 2  

$$\downarrow$$
  $\downarrow$   $\downarrow$   $\downarrow$   
 $(x-2)$   $\div$   $5 = \frac{x-2}{5}$ 

- 82. Eleven increased two-thirds of by a number  $\downarrow \qquad \downarrow \qquad \downarrow$ 11 +  $\frac{2}{3}x$
- 84. 9 times a number subtract 3 times the number and 10  $\downarrow$   $\downarrow$   $\downarrow$   $\downarrow$ 9x - (3x+10) 9x - (3x + 10) = 9x - 3x - 10 = 6x - 10

the difference 86. Six times of a number and 5  $\downarrow$  $\downarrow$  $\downarrow$ 6 . (x - 5)6(x-5) = 6x - 30Half a the product of minus 88. number the number and 8  $\downarrow$  $\downarrow$  $\downarrow$  $\frac{1}{2}x$  – 8*x*  $\frac{1}{2}x - 8x = -7.5x$ **90.** Twice a added -1 added 5 times the added number to to number to  $\downarrow$  $\downarrow$  $\downarrow$  $\downarrow$  $\downarrow$  $\downarrow$ 2x+ -1 + 5*x* + 2x + (-1) + 5x + (-12) = 7x - 13**92.**  $gh - h^2 = 0(-4) - (-4)^2 = 0 - 16 = -16$ **94.**  $x^3 - x^2 + 4 = (-3)^3 - (-3)^2 + 4$ = -27 - 9 + 4 = -32**96.**  $x^3 - x^2 - x = (-2)^3 - (-2)^2 - (-2)$ = -8 - 4 + 2= -10**98.** 5 + (3x - 1) + (2x + 5) = 5 + 3x - 1 + 2x + 5= 5x + 9The perimeter is (5x + 9) centimeters. 2 cylinders 0 3 cubes 100. 2 cubes + 2 cubes 0 3 cubes4 cubes = 3 cubes: Not balanced **102.** 1 cylinder 0 1 cone +1 cube 2 cubes 0 1 cube +1 cube 2 cubes = 2 cubes: Balanced 104. answers may vary **106.** 5x + 10(3x) + 25(30x - 1) = 5x + 30x + 750x - 25=785x-25The total value is  $(785x - 25)\phi$ . **108.** no; answers may vary

-12

 $\downarrow$ 

-12

110. 
$$4m^4p^2 + m^4p^2 - 5m^2p^4 = 5m^4p^2 - 5m^2p^4$$
  
112.  $9y^2 - (6xy^2 - 5y^2) - 8xy^2$   
 $= 9y^2 - 6xy^2 + 5y^2 - 8xy^2$   
 $= 14y^2 - 14xy^2$ 

**114.** 
$$-(7c^3d - 8c) - 5c - 4c^3d$$
  
=  $-7c^3d + 8c - 5c - 4c^3d$   
=  $-11c^3d + 3c$ 

# Section 2.2 Practice Exercises

1. 
$$x+3=-5$$
  
 $x+3-3=-5-3$   
 $x=-8$   
Check:  $x+3=-5$   
 $-8+30-5$   
 $-5=-5$   
The solution is  $-8$ .

2. 
$$y-0.3 = -2.1$$
  
 $y-0.3+0.3 = -2.1+0.3$   
 $y = -1.8$   
Check:  $y-0.3 = -2.1$   
 $-1.8-0.3 \ 0 -2.1$   
 $-2.1 = -2.1$   
The solution is  $-1.8$ .

3. 
$$\frac{2}{5} = x + \frac{3}{10}$$
$$\frac{2}{5} - \frac{3}{10} = x + \frac{3}{10} - \frac{3}{10}$$
$$\frac{2}{2} \cdot \frac{2}{5} - \frac{3}{10} = x$$
$$\frac{4}{10} - \frac{3}{10} = x$$
$$\frac{1}{10} = x$$
Check: 
$$\frac{2}{5} = x + \frac{3}{10}$$
$$\frac{2}{5} 0 \frac{1}{10} + \frac{3}{10}$$
$$\frac{2}{5} = \frac{2}{5}$$
The solution is  $\frac{1}{10}$ .

4. 
$$4t + 7 = 5t - 3$$
  
 $4t + 7 - 4t = 5t - 3 - 4t$   
 $7 = t - 3$   
 $7 + 3 = t - 3 + 3$   
 $10 = t$   
Check:  $4t + 7 = 5t - 3$   
 $4(10) + 70 5(10) - 3$   
 $40 + 70 50 - 3$   
 $47 = 47$   
The solution is 10.  
5.  $8x - 5x - 3 + 9 = x + x + 3 - 7$   
 $3x + 6 = 2x - 4$   
 $3x + 6 - 2x = 2x - 4 - 2x$   
 $x + 6 = -4$   
 $x + 6 - 6 = -4 - 6$   
 $x = -10$   
Check:  
 $8x - 5x - 3 + 9 = x + x + 3 - 7$   
 $8(-10) - 5(-10) - 3 + 90 - 10 + (-10) + 3 - 7$   
 $-80 + 50 - 3 + 90 - 10 + (-10) + 3 - 7$   
 $-24 = -24$   
The solution is -10.  
6.  $4(2a - 3) - (7a + 4) = 2$   
 $4(2a) + 4(-3) - 7a - 4 = 2$   
 $8a - 12 - 7a - 4 = 2$   
 $8a - 12 - 7a - 4 = 2$   
 $a - 16 + 16 = 2 + 16$   
 $a = 18$   
Check by replacing *a* with 18 in the original equation.  
7.  $12 - x = 20$   
 $12 - x - 12 = 20 - 12$   
 $-x = 8$   
 $x = -8$   
Check:  $12 - x = 20$   
 $12 - (-8) 0 20$   
 $20 = 20$   
The solution is  $-8$ .  
8. **a.** The other number is  $9 - 2 = 7$ .

**b.** The other number is 9 - x.

- **c.** The other piece has length (9 x) feet.
- **9.** The speed of the French TGV is (s 67.2) mph.

# Vocabulary, Readiness & Video Check 2.2

- 1. The difference between an equation and an expression is that an <u>equation</u> contains an equal sign, whereas an <u>expression</u> does not.
- 2. <u>Equivalent</u> equations are equations that have the same solution.
- **3.** A value of the variable that makes the equation a true statement is called a <u>solution</u> of the equation.
- **4.** The process of finding the solution of an equation is called <u>solving</u> the equation for the variable.
- 5. By the <u>addition</u> property of equality, x = -2 and x + 10 = -2 + 10 are equivalent equations.
- 6. The equations  $x = \frac{1}{2}$  and  $\frac{1}{2} = x$  are equivalent equations. The statement is true.
- 7. The addition property of equality means that if we have an equation, we can add the same real number to <u>both sides</u> of the equation and have an equivalent equation.
- **8.** To confirm our solution, we replace the variable with the solution in the original equation to make sure we have a true statement.

9. 
$$\frac{1}{7}x$$

# **Exercise Set 2.2**

```
2. x+14 = 25

x+14-14 = 25-14

x = 11

Check: x+14 = 25

11+140 \ 25

25 = 25

The solution is 11.

4. y-9=1

y-9+9=1+9

y = 10
```

Check: y-9=1 10-901 1=1The solution is 10. 6. -17 = x + 3 -17 - 3 = x + 3 - 3 -20 = xCheck: -17 = x + 3  $-17 \ 0 - 20 + 3$  -17 = -17The solution is -20.

8. 
$$t-9.2 = -6.8$$
  
 $5-9.2+9.2 = -6.8+9.2$   
 $t = 2.4$   
Check:  $t-9.2 = -6.8$   
 $2.4-9.2 \ 0 - 6.8$   
 $-6.8 = -6.8$   
The solution is 2.4.

10. 
$$\frac{3}{8} = c + \frac{1}{6}$$
$$\frac{3}{8} - \frac{1}{6} = c + \frac{1}{6} - \frac{1}{6}$$
$$\frac{9}{24} - \frac{4}{24} = c$$
$$\frac{5}{24} = c$$
Check: 
$$\frac{3}{8} = c + \frac{1}{6}$$
$$\frac{3}{8} 0 \frac{5}{24} + \frac{1}{6}$$
$$\frac{3}{8} 0 \frac{5}{24} + \frac{4}{24}$$
$$\frac{3}{8} 0 \frac{9}{24}$$
$$\frac{3}{8} = \frac{3}{8}$$
The solution is 
$$\frac{5}{24}$$
.  
12. 
$$9x + 5.5 = 10x$$
$$9x - 9x + 5.5 = 10x - 9x$$
$$5.5 = x$$
Check: 
$$9x + 5.5 = 10x$$
$$9(5.5) + 5.5 0 10(5.5)$$
$$49.5 + 5.5 0 55$$
$$55 = 55$$
The solution is 5.5.

14. 18x - 9 = 19x18x - 18x - 9 = 19x - 18x-9 = xCheck: 18x - 9 = 19x18(-9) - 90 19(-9)-162-90 -171 -171 = 171The solution is -9.  $z + \frac{9}{19} = -\frac{2}{19}$ 16.  $z + \frac{9}{19} - \frac{9}{19} = -\frac{2}{19} - \frac{9}{19}$  $z = -\frac{11}{10}$ Check:  $z + \frac{9}{19} = -\frac{2}{19}$  $-\frac{11}{19} + \frac{9}{19} = -\frac{2}{19} = -\frac{2}{19}$ The solution is  $-\frac{11}{19}$ **18.** 3n + 2n = 7 + 4n5n = 7 + 4n5n - 4n = 7 + 4n - 4nn = 7Check: 3n + 2n = 7 + 4n3(7) + 2(7) 0 7 + 4(7)21+1407+2835 = 35The solution is 7. **20.**  $\frac{13}{11}y - \frac{2}{11}y = -3$  $\frac{11}{11}y = -3$ v = -3Check:  $\frac{13}{11}y - \frac{2}{11}y = -3$  $\frac{13}{11}(-3) - \frac{2}{11}(-3) 0 - 3$  $-\frac{39}{11} + \frac{6}{11}0 - 3$ -3 = -3

```
The solution is -3.
```

22. 4x - 4 = 10x - 7x4x - 4 = 3x4x - 3x - 4 = 3x - 3xx - 4 = 0x - 4 + 4 = 0 + 4x = 4Check: 4x - 4 = 10x - 7x4(4) - 40 10(4) - 7(4)16 - 40 40 - 2812 = 12The solution is 4. 24. -4(z-3) = 2-3z-4z + 12 = 2 - 3z-4z + 4z + 12 = 2 - 3z + 4z12 = 2 + z12 - 2 = 2 - 2 + z10 = zCheck: -4(z-3) = 2-3z-4(10-3)02-3(10)-4(7) 0 2 - 30-28 = -28The solution is 10.  $\frac{1}{5}x-1=-\frac{4}{5}x-13$ 26.  $\frac{1}{5}x - 1 + \frac{4}{5}x = -\frac{4}{5}x - 13 + \frac{4}{5}x$  $\frac{5}{5}x - 1 = -13$ x - 1 + 1 = -13 + 1x = -12Check:  $\frac{1}{5}x - 1 = -\frac{4}{5}x - 13$  $\frac{1}{5}(-12) - 10 - \frac{4}{5}(-12) - 13$  $-\frac{12}{5}-\frac{5}{5}0$   $\frac{48}{5}-\frac{65}{5}$  $-\frac{17}{5} = -\frac{17}{5}$ The solution is -12.

28. 
$$2x + 7 = x - 10$$
  
 $2x + 7 - x = x - 10 - x$   
 $x + 7 = -10$   
 $x + 7 - 7 = -10 - 7$   
 $x = -17$ 

Check: 2x + 7 = x - 102(-17) + 70(-17) - 10-34 + 70 - 27-27 = -27The solution is -17. 4p-11-p=2+2p-2030. 3p-11 = 2p-183p - 2p - 11 = 2p - 2p - 18p - 11 = -18p - 11 + 11 = -18 + 11p = -74p - 11 - p = 2 + 2p - 20Check: 4(-7) - 11 - (-7) 0 2 + 2(-7) - 20-28 - 11 + 702 - 14 - 20-32 = -32The solution is -7. 32. -2(x-1) = -3x-2x + 2 = -3x-2x + 2 + 2x = -3x + 2x2 = -xx = -2Check: -2(x-1) = -3x-2(-2-1)0 - 3(-2)-2(-3) 0 6 6 = 6The solution is -2. 34.  $\frac{2}{5}x - \frac{1}{12} = -\frac{3}{5}x - \frac{3}{4}$  $\frac{2}{5}x + \frac{3}{5}x - \frac{1}{12} = -\frac{3}{5}x + \frac{3}{5}x - \frac{3}{4}$  $\frac{5}{5}x - \frac{1}{12} = -\frac{3}{4}$  $x - \frac{1}{12} + \frac{1}{12} = -\frac{3}{4} + \frac{1}{12}$  $x = -\frac{9}{12} + \frac{1}{12}$  $x = -\frac{8}{12}$  $x = -\frac{2}{3}$ 

Check: 
$$\frac{2}{5}x - \frac{1}{12} = -\frac{3}{5}x - \frac{3}{4}$$
  
 $\frac{2}{5}\left(-\frac{2}{3}\right) - \frac{1}{12} \ 0 \ -\frac{3}{5}\left(-\frac{2}{3}\right) - \frac{3}{4}$   
 $-\frac{4}{15} - \frac{1}{12} \ 0 \ \frac{6}{15} - \frac{3}{4}$   
 $-\frac{16}{60} - \frac{5}{60} \ 0 \ \frac{24}{60} - \frac{45}{60}$   
 $-\frac{21}{60} = -\frac{21}{60}$   
The solution is  $-\frac{2}{3}$ .  
**36.**  $3(y+7) = 2y - 5$   
 $3y+21 = 2y - 5$   
 $3y-2y+21 = 2y - 2y - 5$   
 $y+21 = -5$   
 $y+21 = -5$   
 $y+21 = -5$   
 $y+21 = -5$   
 $y+21 = 2x - 5$   
 $3(-26+7) \ 0 \ 2(-26) - 5$   
 $3(-26+7) \ 0 \ 2(-26) - 5$   
 $3(-19) \ 0 - 52 - 5$   
 $-57 = -57$   
The solution is  $-26$ .  
**38.**  $5(3+z) - (8z+9) = -4z$   
 $15+5z - 8z - 9 = -4z$   
 $6-3z + 4z = -4z + 4z$   
 $6-3z + 4z = -4z + 4z$   
 $6-3z + 4z = -4z + 4z$   
 $6-6 + z = -6$   
 $z = -6$   
Check:  $5(3+z) - (8z+9) = -4z$   
 $5(3+(-6)) - (8(-6)+9) \ 0 - 4(-6)$   
 $5(-3) - (-48+9) \ 0 \ 24$   
 $-15 - (-39) \ 0 \ 24$   
 $24 = 24$   
The solution is  $-6$ .  
**40.**  $-5(x+1) + 4(2x-3) = 2(x+2) - 8$   
 $-5x - 5 + 8x - 12 - 2x + 4 - 8$ 

$$-5x-5+8x-12 = 2x+4-8$$
  

$$3x-17 = 2x-4$$
  

$$3x-2x-17 = 2x-2x-4$$
  

$$x-17 = -4$$
  

$$x-17+17 = -4+17$$
  

$$x = 13$$

Check: -5(x+1) + 4(2x-3) = 2(x+2) - 8  $-5(13+1) + 4(2(13) - 3) \ 0 \ 2(13+2) - 8$   $-5(14) + 4(26-3) \ 0 \ 2(15) - 8$   $-70 + 4(23) \ 0 \ 30 - 8$   $-70 + 92 \ 0 \ 22$  22 = 22The solution is 13.

42. -8 = 8 + z-8 - 8 = 8 + z - 8

$$-16 = z$$
44.  $y - \frac{4}{7} = -\frac{3}{14}$ 
 $y - \frac{4}{7} + \frac{4}{7} = -\frac{3}{14} + \frac{4}{7}$ 
 $y = -\frac{3}{14} + \frac{8}{14}$ 
 $y = \frac{5}{14}$ 

46. 
$$7y+2 = 6y+2$$
  
 $7y-6y+2 = 6y-6y+2$   
 $y+2 = 2$   
 $y+2-2 = 2-2$   
 $y = 0$ 

**48.** 
$$15x + 20 - 10x - 9 = 25x + 8 - 21x - 7$$
  
 $5x + 11 = 4x + 1$   
 $5x + 11 - 4x = 4x + 1 - 4x$   
 $x + 11 = 1$   
 $x + 11 - 11 = 1 - 11$   
 $x = -10$ 

50. 6(5+c) = 5(c-4) 30+6c = 5c-20 30+6c-5c = 5c-5c-20 30+c = 20 30-30+c = -20-30c = -50

52. 
$$m+2=7.1$$
  
 $m+2-2=7.1-2$   
 $m=5.1$ 

54. 
$$15 - (6 - 7k) = 2 + 6k$$
  
 $15 - 6 + 7k = 2 + 6k$   
 $9 + 7k = 2 + 6k$   
 $9 + 7k - 6k = 2 + 6k - 6k$   
 $9 + k = 2$   
 $9 - 9 + k = 2 - 9$   
 $k = -7$   
56.  $\frac{1}{11} = y + \frac{10}{11} - \frac{10}{11}$   
 $-\frac{9}{11} = y$   
58.  $-1.4 - 7x - 3.6 - 2x = -8x + 4.4$   
 $-9x - 5.0 = -8x + 4.4$   
 $-9x - 5.0 = -8x + 4.4$   
 $-9x + 9x - 5.0 = -8x + 4.4$   
 $-5.0 = x + 4.4$   
 $-5.0 = x + 4.4$   
 $-5.0 = x + 4.4$   
 $-5.0 - 4.4 = x + 4.4 - 4.4$   
 $-9.4 = x$   
60.  $-2\left(x - \frac{1}{7}\right) = -3x$   
 $-2x + \frac{2}{7} = -3x + 3x$   
 $x + \frac{2}{7} = 0$   
 $x + \frac{2}{7} - \frac{2}{7} = 0 - \frac{2}{7}$   
 $x = -\frac{2}{7}$   
62.  $-4(x - 1) - 5(2 - x) = -6$   
 $-4x + 4 - 10 + 5x = -6$   
 $x - 6 = -6$   
 $x - 6 = -6 + 6$   
 $x = 0$   
64.  $0.6v + 0.4(0.3 + v) = 2.34$   
 $0.6v + 0.12 + 0.4v = 2.34$   
 $1v + 0.12 = 2.34$   
 $v + 0.12 - 0.12 = 2.34 - 0.12$   
 $v = 2.22$ 

**66.** The other number is 13 - y.

**68.** The length of the other piece is (5 - x) feet.

- **70.** The complement of the angle  $x^{\circ}$  is  $(90 x)^{\circ}$ .
- 72. If the length of I-80 is *m* miles and the length of I-90 is 178.5 miles longer than I-80, the length of I-90 is m + 178.5.
- **74.** The weight of the Hoba West meteorite is 3*y* kilograms.
- **76.** The reciprocal of  $\frac{7}{6}$  is  $\frac{6}{7}$  since  $\frac{7}{6} \cdot \frac{6}{7} = 1$ .
- **78.** The reciprocal of 5 is  $\frac{1}{5}$  since  $5 \cdot \frac{1}{5} = 1$ .
- **80.** The reciprocal of  $-\frac{3}{5}$  is  $-\frac{5}{3}$  since  $-\frac{3}{5} \cdot -\frac{5}{3} = 1$ .
- **82.**  $\frac{-2y}{-2} = y$
- $84. \quad 7\left(\frac{1}{7}r\right) = r$
- **86.**  $\frac{9}{2}\left(\frac{2}{9}x\right) = x$
- **88.** 360 (x + 3x + 5x) = 360 (9x) = 360 9xThe fourth angle is  $(360 - 9x)^\circ$ .
- 90. answers may vary
- 92. answers may vary
- 94. 100 + 250 + 500 + x = 1000 850 + x = 1000 850 + x - 850 = 1000 - 850 x = 150The fluid needed by the patient is 150 ml.
- 96. answers may vary.

**98.** a+9=15a+9+(-9)=15+(-9)a=6The answer is -9.

**100.** answers may vary

- **102.** Check y = 1.2: 8.13 + 5.85y = 20.05y 8.91 $8.13 + 5.85(1.2) \ 0 \ 20.05(1.2) - 8.91$  $8.13 + 7.02 \ 0 \ 24.06 - 8.91$ 15.15 = 15.15Solution
- **104.** Check z = 4.8: 7(z-1.7)+9.5 = 5(z+3.2)-9.2  $7(4.8-1.7)+9.5 \ 0 \ 5(4.8+3.2)-9.2$   $7(3.1)+9.55 \ 0 \ 5(8.0)-9.2$   $21.7+9.55 \ 0 \ 40.0-9.2$   $31.2 \neq 30.8$ Not a solution

#### Section 2.3 Practice Exercises

 $\frac{4}{5}x = 16$ 1.  $\frac{5}{4} \cdot \frac{4}{5}x = \frac{5}{4} \cdot 16$  $\left(\frac{5}{4} \cdot \frac{4}{5}\right)x = \frac{5}{4} \cdot 16$ 1x = 20x = 20Check:  $\frac{4}{5}x = 16$  $\frac{4}{5} \cdot 200 \, 16$ 16 = 16The solution is 20. **2.** 8x = -96 $\frac{8x}{-96} = \frac{-96}{-96}$  $\frac{1}{8} = \frac{1}{8}$ x = -12Check: 8x = -968(-12) 0 -96 -96 = -96The solution is -12. 3.  $\frac{x}{5} = 13$  $5 \cdot \frac{x}{5} = 5 \cdot 13$ x = 65Check:  $\frac{x}{5} = 13$  $\frac{65}{5}$  0 13 13 = 13

4. 2.7x = 4.05  $\frac{2.7x}{2.7} = \frac{4.05}{2.7}$  x = 1.5The solution is 1.5. Check by replacing *x* with 1.5 in the original equation. 5.  $-\frac{5}{3}x = \frac{4}{7}$  $-\frac{3}{5} \cdot -\frac{5}{3}x = -\frac{3}{5} \cdot \frac{4}{7}$ 

 $x = -\frac{12}{35}$ Check by replacing x with  $-\frac{12}{35}$  in the original equation. The solution is  $-\frac{12}{35}$ .

$$-y+3 = -8$$
  
-y+3-3 = -8-3  
-y = -11  
$$\frac{-y}{-1} = \frac{-11}{-1}$$
  
y = 11

6.

To check, replace *y* with 11 in the original equation. The solution is 11.

7. 
$$6b-11b = 18+2b-6+9$$
  
 $-5b = 21+2b$   
 $-5b-2b = 21+2b-2b$   
 $-7b = 21$   
 $\frac{-7b}{-7} = \frac{21}{-7}$   
 $b = -3$ 

Check by replacing *b* with -3 in the original equation. The solution is -3.

8. 10x - 4 = 7x + 1410x - 4 - 7x = 7x + 14 - 7x3x - 4 = 143x - 4 + 4 = 14 + 43x = 18 $\frac{3x}{3} = \frac{18}{3}$ x = 6

To check, replace *x* with 6 in the original equation to see that a true statement results. The solution is 6.

9. 
$$4(3x-2) = -1+4$$
  
 $4(3x) - 4(2) = -1+4$   
 $12x - 8 = 3$   
 $12x - 8 + 8 = 3 + 8$   
 $12x = 11$   
 $\frac{12x}{12} = \frac{11}{12}$   
 $x = \frac{11}{12}$   
To check, replace x with  $\frac{11}{12}$  in the original equation to see that a true statement results. The solution is  $\frac{11}{12}$ .

10. Let x = first integer. x + 2 = second even integer. x + 4 = third even integer. x + (x + 2) + (x + 4) = 3x + 6

### Vocabulary, Readiness & Video Check 2.3

- 1. By the <u>multiplication</u> property of equality,  $y = \frac{1}{2}$ and  $5 \cdot y = 5 \cdot \frac{1}{2}$  are equivalent equations.
- 2. The equations  $\frac{z}{4} = 10$  and  $4 \cdot \frac{z}{4} = 10$  are not equivalent equations. The statement is false.
- 3. The equations -7x = 30 and  $\frac{-7x}{-7} = \frac{30}{7}$  are not equivalent equations. The statement is false.
- 4. By the <u>multiplication</u> property of equality, 9x = -63 and  $\frac{9x}{9} = \frac{-63}{9}$  are equivalent equations.
- 5. We can multiply both sides of an equation by the <u>same</u> nonzero number and have an equivalent equation.
- **6.** addition property; multiplication property; answers may vary
- 7. (x+1) + (x+3) = 2x + 4

2 = 2

0 = 0

Check:  $\frac{1}{4} = \frac{1}{8}v$  $\frac{1}{4}0 \frac{1}{8}(2)$  $\frac{1}{4} = \frac{1}{4}$ **Exercise Set 2.3 2.** -7x = -49 $\frac{-7x}{-7} = \frac{-49}{-7}$ x = 7Check: -7x = -49The solution is 2. -7(7)0 - 49-49 = -49 $\frac{d}{15} = 2$ 12. The solution is 7.  $15\left(\frac{d}{15}\right) = 15(2)$ **4.** 2x = 0 $\frac{2x}{2} = \frac{0}{2}$ d = 30Check:  $\frac{d}{15} = 2$ x = 0Check: 2x = 0 $\frac{30}{15}$  0 2 2(0) 0 0 0 = 0The solution is 0. The solution is 30. **6.** -y = 8 $\frac{-y}{-1} = \frac{8}{-1}$  $\frac{f}{-5} = 0$ 14.  $-5\left(\frac{f}{-5}\right) = -5(0)$ f = 0y = -8Check: -y = 8-(-8) 0 8 Check:  $\frac{f}{-5} = 0$ 8 = 8 The solution is -8.  $\frac{0}{-5}$  0 0 8.  $\frac{3}{4}n = -15$  $\frac{4}{3}\left(\frac{3}{4}n\right) = \frac{4}{3}(-15)$ The solution is 0. **16.** 19.55 = 8.5 y $\frac{19.55}{8.5} = \frac{8.5\,y}{8.5}$ Check:  $\frac{3}{4}n = -15$ 2.3 = y $\frac{3}{4}(-20)$  0 -15 Check: 19.55 = 8.5y19.55 0 8.5(2.3) -15 = -1519.55 = 19.55The solution is -20. The solution is 2.3. **10.**  $\frac{1}{4} = \frac{1}{8}v$ 18. 3x - 1 = 263x - 1 + 1 = 26 + 1 $8\left(\frac{1}{4}\right) = 8\left(\frac{1}{8}v\right)$ 3x = 27 $\frac{3x}{3} = \frac{27}{3}$ x = 9

Check: 3x - 1 = 263(9) - 102627-10 26 26 = 26The solution is 9. 20. -x + 4 = -24-x + 4 - 4 = -24 - 4-x = -28x = 28Check: -x + 4 = -24-(28) + 40 - 24-28 + 40 - 24-24 = -24The solution is 28. 22. 8t + 5 = 58t + 5 - 5 = 5 - 58t = 0 $\frac{8t}{8} = \frac{0}{8}$ t = 0Check: 8t + 5 = 58(0) + 5050+5055 = 5The solution is 0. **24.**  $\frac{b}{4} - 1 = -7$  $\frac{b}{4} - 1 + 1 = -7 + 1$  $\frac{b}{4} = -6$   $4\left(\frac{b}{4}\right) = 4(-6)$  b = -24

Check:  $\frac{b}{4} - 1 = -7$ 

The solution is -24.

 $\frac{-24}{4}$  - 10 - 7

-6 - 10 - 7-7 = -7

4a + a = -1 + 3a - 1 - 226. 5a = 3a - 45a - 3a = 3a - 4 - 3a2a = -4 $\frac{2a}{2} = \frac{-4}{2}$ a = -2Check: 4a + a = -1 + 3a - 1 - 24(-2) + (-2) 0 - 1 + 3(-2) - 1 - 2-8 - 20 - 1 - 6 - 1 - 2-10 = -10The solution is -2. 28. 19 = 0.4x - 0.9x - 619 = -0.5x - 619 + 6 = -0.5x - 6 + 625 = -0.5x $\frac{25}{1} = \frac{-0.5x}{1}$ -0.5 -0.5 -50 = xCheck: 19 = 0.4x - 0.9x - 6 $190 \ 0.4(-50) - 0.9(-50) - 6$ 190 - 20 + 45 - 619 = 19The solution is -50.  $\frac{3}{5}x - 14 = -8$ 30.  $\frac{3}{5}x - 14 + 14 = -8 + 14$  $\frac{3}{5}x = 6$  $\frac{5}{3} \cdot \frac{3}{5} x = \frac{5}{3} \cdot 6$ x = 10Check:  $\frac{3}{5}x - 14 = -8$  $\frac{3}{5} \cdot 10 - 140 - 8$ 6-140 -8 -8 = -8The solution is 10.

32. 
$$\frac{2}{7}z - \frac{1}{5} = \frac{1}{2}$$
$$\frac{2}{7}z - \frac{1}{5} + \frac{1}{5} = \frac{1}{2} + \frac{1}{5}$$
$$\frac{2}{7}z = \frac{7}{10}$$
$$\frac{2}{7}z = \frac{7}{2} \cdot \frac{7}{10}$$
$$z = \frac{49}{20}$$
Check: 
$$\frac{2}{7}z - \frac{1}{5} = \frac{1}{2}$$
$$\frac{2}{7}\left(\frac{49}{20}\right) - \frac{1}{5} 0 \frac{1}{2}$$
$$\frac{7}{10} - \frac{1}{5} 0 \frac{1}{2}$$
$$\frac{5}{10} 0 \frac{1}{2}$$
$$\frac{1}{2} = \frac{1}{2}$$
The solution is  $\frac{49}{20}$ .  
34. 
$$\frac{11x + 13 = 9x + 9}{11x + 13 - 9x = 9x + 9 - 9x}$$
$$\frac{2x + 13 = 9}{2x + 13 - 13 = 9 - 13}$$
$$\frac{2x = -4}{\frac{2x}{2}} = \frac{-4}{2}$$
$$x = -2$$
  
36. 
$$2(4x + 1) = -12 + 6$$
$$8x + 2 = -6$$
$$8x + 2 - 2 = -6 - 2$$
$$8x = -8$$
$$\frac{8x}{8} = \frac{-8}{8}$$
$$x = -1$$
  
38. 
$$6x - 4 = -2x - 10$$
$$6x - 4 + 2x = -2x - 10 + 2x$$
$$8x - 4 = -10$$
$$8x - 4 + 4 = -10 + 4$$
$$8x = -6$$
$$\frac{8x}{8} = \frac{-6}{8}$$
$$x = -\frac{3}{4}$$

40. 
$$8+4 = -6(5x-2)$$
  
 $12 = -30x + 12$   
 $12 - 12 = -30x + 12 - 12$   
 $0 = -30x$   
 $\frac{0}{-30} = \frac{-30x}{-30}$   
 $0 = x$   
42.  $-17z - 4 = -16z - 20$   
 $-17z - 4 + 17z = -16z - 20 + 17z$   
 $-4 = z - 20$   
 $-4 + 20 = z - 20 + 20$   
 $16 = z$   
44.  $\frac{1}{3}(3x-1) = -\frac{1}{10} - \frac{2}{10}$   
 $x - \frac{1}{3} = -\frac{3}{10} + \frac{1}{3}$   
 $x = -\frac{9}{-30} + \frac{10}{30}$   
 $x = \frac{1}{30}$   
46.  $-14y - 1.8 = -24y + 3.9$   
 $-14y - 1.8 + 24y = -24y + 3.9 + 24y$   
 $10y - 1.8 = 3.9$   
 $10y - 1.8 + 1.8 = 3.9 + 1.8$   
 $10y = 5.7$   
 $\frac{10y}{10} = \frac{5.7}{10}$   
 $y = 0.57$   
48.  $-3x + 15 = 3x - 15$   
 $-3x + 15 + 3x = 3x - 15 + 3x$   
 $15 = 6x - 15$   
 $15 + 15 = 6x - 15 + 15$   
 $30 = 6x$   
 $\frac{30}{6} = \frac{6x}{6}$   
 $5 = x$   
50.  $81 = 3x$   
 $\frac{81}{3} = \frac{3x}{3}$   
 $27 = x$ 

52. 6.3 = -0.6x $\frac{6.3}{-0.6} = \frac{-0.6x}{-0.6}$ -10.5 = x54. 10y + 15 = -510y + 15 - 15 = -5 - 1510y = -20 $\frac{10y}{10} = \frac{-20}{10} \\ y = -2$ 2 - 0.4 p = 256. 2 - 2 - 0.4 p = 2 - 2-0.4 p = 0 $\frac{-0.4\,p}{-0.4} = \frac{0}{-0.4}$ p = 058. 20x - 20 = 16x - 40. 20x - 20 - 16x = 16x - 40 - 16x4x - 20 = -404x - 20 + 20 = -40 + 204x = -20 $\frac{4x}{4} = \frac{-20}{4}$ x = -57(2x+1) = 18x - 19x60. 14x + 7 = -x14x + 7 - 14x = -x - 14x7 = -15x $\frac{7}{-15} = \frac{-15x}{-15}$  $-\frac{7}{15} = x$ **62.**  $-\frac{4}{5}r = -5$  $-\frac{5}{4}\left(-\frac{4}{5}r\right) = -\frac{5}{4}(-5)$  $r = \frac{25}{4}$  $-\frac{10}{3}x = 30$ 64.  $-\frac{3}{10}\left(-\frac{10}{3}x\right) = -\frac{3}{10}(30)$ x = -9

 $-3n - \frac{1}{3} = \frac{8}{3}$ 66.  $-3n - \frac{1}{3} + \frac{1}{3} = \frac{8}{3} + \frac{1}{3}$  $-3n = \frac{9}{3}$ -3n = 3 $\frac{-3n}{-3} = \frac{3}{-3}$ n = -1**68.** 12 = 3j - 412 + 4 = 3j - 4 + 416 = 3i $\frac{16}{3} = \frac{3j}{3}$  $\frac{16}{3} = j$ **70.** 12x + 30 + 8x - 6 = 1020x + 24 = 1020x + 24 - 24 = 10 - 2420x = -14 $\frac{20x}{20} = \frac{-14}{20}$  $x = -\frac{7}{10}$ 72. t - 6t = -13 + t - 3t-5t = -2t - 13-5t + 2t = -2t + 2t - 13-3t = -13 $\frac{-3t}{-3} = \frac{-13}{-3}$  $t = \frac{13}{3}$ 

ISM: Beginning Algebra

74. 
$$x + \frac{3}{7} = -x + \frac{1}{3} + \frac{4}{7}$$
$$x + \frac{3}{7} = -x + \frac{19}{21}$$
$$x + \frac{3}{7} + x = -x + \frac{19}{21} + x$$
$$2x + \frac{3}{7} - \frac{3}{7} = \frac{19}{21}$$
$$2x + \frac{3}{7} - \frac{3}{7} = \frac{19}{21} - \frac{3}{7}$$
$$2x = \frac{10}{21}$$
$$\frac{1}{2} \cdot 2x = \frac{1}{2} \cdot \frac{10}{21}$$
$$x = \frac{5}{21}$$
76. 
$$-19 + 74 = -5(x + 3)$$

- **6.** -19 + 74 = -5(x+3) 55 = -5x - 15 55 + 15 = -5x - 15 + 15 70 = -5x  $\frac{70}{-5} = \frac{-5x}{-5}$ -14 = x
- 78. Sum = first integer + second integer + third integer + fourth integer. Sum = x + (x+2) + (x+4) + (x+6)= x + x + 2 + x + 4 + x + 6= 4x + 12
- 80. Sum = 20 + second integer. Sum = 20 + (x + 1) = 20 + x + 1 = x + 21
- 82. Let x be an odd integer. Then x + 2 is the next odd integer. x + (x + 2) + x + (x + 2) = 4x + 4

84. 
$$-7y+2y-3(y+1) = -7y+2y-3 \cdot y - 3 \cdot 1$$
  
=  $-7y+2y-3y-3$   
=  $-8y-3$ 

**86.** 
$$8(z-6)+7z-1=8\cdot z+8\cdot (-6)+7z-1$$
  
 $=8z-48+7z-1$   
 $=15z-49$ 

**88.** 
$$-(x-1) + x = -x + 1 + x = -x + x + 1 = 1$$

90. 
$$(-2)^{4} = (-2)(-2)(-2)(-2) = 16$$
$$-2^{4} = -2 \cdot 2 \cdot 2 \cdot 2 = -16$$
$$(-2)^{4} > -2^{4}$$
  
92. 
$$(-4)^{3} = (-4)(-4)(-4) = -64$$
$$-4^{3} = -4 \cdot 4 \cdot 4 = -64$$
$$(-4)^{3} = -4^{3}$$
  
94. 
$$\underbrace{x = 10}_{-\frac{1}{2}} = 10$$
$$\underbrace{-\frac{1}{2} \cdot 2 = 10 \cdot 2}_{-\frac{1}{2}} = 20$$

- **100.** 9x = 13.5 $\frac{9x}{9} = \frac{13.5}{9}$ x = 1.5Each dose should be 1.5 milliliters.
- **102.** 4.95y = -31.185 $\frac{4.95y}{4.95} = \frac{-31.185}{4.95}$ y = -6.3
- 104. 0.06y + 2.63 = 2.55620.06y + 2.63 2.63 = 2.5562 2.630.06y = -0.0738 $\frac{0.06y}{0.06} = \frac{-0.0738}{0.06}$ y = -1.23

# Section 2.4 Practice Exercises

1. 
$$2(4a-9)+3=5a-6$$
  
 $8a-18+3=5a-6$   
 $8a-15=5a-6$   
 $8a-15-5a=5a-6-5a$   
 $3a-15=-6$   
 $3a-15+15=-6+15$   
 $3a=9$   
 $\frac{3a}{3}=\frac{9}{3}$   
 $a=3$ 

Check: 
$$2(4a-9)+3 = 5a-6$$
  
 $2[4(3)-9]+3 = 5(3)-6$   
 $2(12-9)+3 = 5(3)-6$   
 $2(3)+3 = 0 = 9$   
 $6+3 = 0 = 9$   
 $9=1$   
The solution is 3 or the solution set is {3}.  
2.  $7(x-3) = -6x$   
 $7x-21 = -6x$   
 $7x-21 = -6x = 7x$   
 $-21 = -13x$   
 $\frac{-21}{-13} = \frac{-13x}{-13}$   
 $\frac{21}{-13} = x$   
Check:  $7(x-3) = -6x$   
 $7\left(\frac{21}{13}-3\right) = -2x$   
 $7\left($ 

3.

$$5^{x^{-2}-3} = 3^{x^{-1}}$$

$$15\left(\frac{3}{5}x-2\right) = 15\left(\frac{2}{3}x-1\right)$$

$$15\left(\frac{3}{5}x\right) - 15(2) = 15\left(\frac{2}{3}x\right) - 15(1)$$

$$9x - 30 = 10x - 15$$

$$9x - 30 - 9x = 10x - 15 - 9x$$

$$-30 = x - 15$$

$$-30 + 15 = x - 15 + 15$$

$$-15 = x$$
Check:
$$\frac{3}{5}x - 2 = \frac{2}{3}x - 1$$

$$\frac{3}{5} \cdot -15 - 20 \quad \frac{2}{3} \cdot -15 - 1$$

$$-9 - 20 \quad -10 - 1$$

$$-11 = -11$$
The solution is -15.

4. 
$$\frac{4(y+3)}{3} = 5y-7$$
$$3 \cdot \frac{4(y+3)}{3} = 3 \cdot (5y-7)$$
$$4(y+3) = 3(5y-7)$$
$$4y+12 = 15y-21$$
$$4y+12-4y = 15y-21-4y$$
$$12 = 11y-21$$
$$12+21 = 11y-21+21$$
$$33 = 11y$$
$$\frac{33}{11} = \frac{11y}{11}$$
$$3 = y$$

To check, replace y with 3 in the original equation. The solution is 3.

5. 
$$0.35x + 0.09(x + 4) = 0.30(12)$$
$$100[0.35x + 0.09(x + 4)] = 100[0.03(12)]$$
$$35x + 9(x + 4) = 3(12)$$
$$35x + 9x + 36 = 36$$
$$44x + 36 = 36$$
$$44x + 36 - 36 = 36 - 36$$
$$44x = 0$$
$$\frac{44x}{44} = \frac{0}{44}$$
$$x = 0$$

To check, replace x with 0 in the original equation. The solution is 0.

- 6. 4(x+4) x = 2(x+11) + x4x + 16 - x = 2x + 22 + x3x + 16 = 3x + 223x + 16 - 3x = 3x + 22 - 3x16 = 22There is no solution.
- 7. 12x - 18 = 9(x - 2) + 3x12x - 18 = 9x - 18 + 3x12x - 18 = 12x - 1812x - 18 + 18 = 12x - 18 + 1812x = 12x12x - 12x = 12x - 12x0 = 0The solution is all real numbers.

# **Calculator Explorations**

- **1.** Solution (-24 = -24)
- **2.** Solution (-4 = -4)
- **3.** Not a solution  $(19.4 \neq 10.4)$

- **4.** Not a solution  $(-11.9 \neq -60.1)$
- **5.** Solution (17,061 = 17,061)
- **6.** Solution (-316 = -316)

# Vocabulary, Readiness & Video Check 2.4

- 1. x = -7 is an equation.
- **2.** x 7 is an expression.
- **3.** 4y 6 + 9y + 1 is an expression.
- **4.** 4y 6 = 9y + 1 is an equation.
- 5.  $\frac{1}{x} \frac{x-1}{8}$  is an expression.
- 6.  $\frac{1}{x} \frac{x-1}{8} = 6$  is an equation.
- **7.** 0.1x + 9 = 0.2x is an equation.
- 8.  $0.1x^2 + 9y 0.2x^2$  is an expression.
- **9.** 3; distributive property, addition property of equality, multiplication property of equality
- **10.** Because both sides have more than one term, you need to apply the distributive property to make sure you multiply every single term in the equation by the LCD.
- **11.** The number of decimal places in each number helps you determine what power of 10 you can multiply through by so you are no longer dealing with decimals.
- **12.** When solving a linear equation and all variable terms, subtract out:
  - **a.** If you have a true statement, then the equation has <u>all real numbers as a</u> solution.
  - **b.** If you have a false statement, then the equation has <u>no</u> solution.

# Exercise Set 2.4

2. 
$$-3x + 1 = -2(4x + 2)$$
$$-3x + 1 = -8x - 4$$
$$-3x + 1 - 1 = -8x - 4 - 1$$
$$-3x = -8x - 5$$
$$-3x + 8x = -8x - 5 + 8x$$
$$5x = -5$$
$$\frac{5x}{5} = \frac{-5}{5}$$
$$x = -1$$
4. 
$$15x - 5 = 7 + 12x$$
$$15x - 5 + 5 = 7 + 12x + 5$$
$$15x = 12 + 12x$$
$$15x - 12x = 12 + 12x - 12x$$
$$3x = 12$$
$$\frac{3x}{3} = \frac{12}{3}$$
$$x = 4$$
6. 
$$-(5x - 10) = 5x$$
$$-5x + 10 = 5x$$
$$-5x + 10 = 5x$$
$$10 = 10x$$
$$\frac{10}{10} = \frac{10x}{10}$$
$$\frac{10}{10} = \frac{10x}{10}$$
$$1 = x$$
8. 
$$3(2 - 5x) + 4(6x) = 12$$
$$6 - 15x + 24x = 12$$
$$6 + 9x = 12 - 6$$
$$9x = 6$$
$$\frac{9x}{9} = \frac{6}{9}$$
$$x = \frac{2}{3}$$
10. 
$$-4(n - 4) - 23 = -7$$
$$-4n - 7 = -7$$
$$-4n = 0$$
$$\frac{-4n}{-4} = \frac{0}{-4}$$
$$n = 0$$

12. 
$$5-6(2+b) = b-14$$
  
 $5-12-6b = b-14$   
 $-7-6b = b-14$   
 $-7-6b-b = b-b-14$   
 $-7-7b = -14$   
 $-7+7-7b = -14+7$   
 $-7b = -7$   
 $\frac{-7b}{-7} = \frac{-7}{-7}$   
 $b = 1$   
14.  $6y-8 = -6+3y+13$   
 $6y-8 = 3y+7$   
 $6y-3y-8 = 3y-3y+7$   
 $3y-8 = 7$   
 $3y-8+8 = 7+8$   
 $3y = 15$   
 $\frac{3y}{3} = \frac{15}{3}$   
 $y = 5$   
16.  $-7n+5 = 8n-10$   
 $-7n+5-5 = 8n-10-5$   
 $-7n = 8n-15$   
 $-7n = 8n-15$   
 $-7n = 8n = 15$   
 $-7n = 8n = 15$   
 $-15n = -15$   
 $\frac{-15n}{-15} = \frac{-15}{-15}$   
 $n = 1$   
18.  $\frac{4}{5}x - \frac{8}{5} = -\frac{16}{5}$   
 $5\left(\frac{4}{5}x - \frac{8}{5}\right) = 5\left(-\frac{16}{5}\right)$   
 $4x-8 = -16$   
 $4x-8+8 = -16+8$   
 $4x = -8$   
 $\frac{4x}{4} = \frac{-8}{4}$   
 $x = -2$ 

20. 
$$\frac{2}{9}x - \frac{1}{3} = 1$$
$$9\left(\frac{2}{9}x - \frac{1}{3}\right) = 9(1)$$
$$2x - 3 = 9$$
$$2x - 3 + 3 = 9 + 3$$
$$2x = 12$$
$$\frac{2x}{2} = \frac{12}{2}$$
$$x = 6$$
  
22. 
$$0.40x + 0.06(30) = 9.8$$
$$100[0.40x + 0.06(30)] = 100(9.8)$$
$$40x + 6(30) = 980$$
$$40x + 180 = 980$$
$$40x + 180 - 180 = 980 - 180$$
$$40x = 800$$
$$\frac{40x}{40} = \frac{800}{40}$$
$$\frac{40x}{40} = \frac{800}{40}$$
$$\frac{40x}{40} = \frac{800}{40}$$
$$x = 20$$
  
24. 
$$\frac{3(y + 3)}{5} = 2y + 6$$
$$3(y + 3) = 10y + 30$$
$$3y + 9 = 10y + 30$$
$$3y + 9 = 10y + 30$$
$$3y + 9 = 10y - 10y + 30$$
$$-7y + 9 = 30 - 9$$
$$-7y + 9 - 9 = 30 - 9$$
$$-7y = 21$$
$$\frac{-7y}{-7} = \frac{21}{-7}$$
$$y = -3$$
  
26. 
$$\frac{5}{2}x - 1 = x + \frac{1}{4}$$
$$4\left(\frac{5}{2}x - 1\right) = 4\left(x + \frac{1}{4}\right)$$
$$10x - 4 = 4x + 1$$
$$10x - 4x - 4 = 4x - 4x + 1$$
$$6x - 4 = 1 + 4$$
$$6x = 5$$
$$\frac{6x}{6} = \frac{5}{6}$$
$$x = \frac{5}{6}$$

28. 
$$0.60(z - 300) + 0.05z = 0.70z - 205$$
$$100[0.60(z - 300) + 0.05z] = 100[0.70z - 205]$$
$$60(z - 300) + 5z = 70z - 20,500$$
$$60z - 18,000 + 5z = 70z - 20,500$$
$$65z - 18,000 = 70z - 20,500$$
$$65z - 70z - 18,000 = 70z - 70z - 20,500$$
$$-5z - 18,000 = -20,500$$
$$-5z - 18,000 + 18,000 = -20,500 + 18,000$$
$$-5z = -2500$$
$$\frac{-5z}{-5} = \frac{-2500}{-5}$$
$$z = 500$$

30. 
$$14x+7 = 7(2x+1)$$
  
 $14x+7 = 14x+7$   
 $14x+7-14x = 14x+7-14x$   
 $7 = 7$   
All real numbers are solutions.

32. 
$$\frac{x}{3} - 2 = \frac{x}{3}$$
$$3\left(\frac{x}{3} - 2\right) = 3\left(\frac{x}{3}\right)$$
$$x - 6 = x$$
$$x - x - 6 = x - x$$
$$-6 = 0$$
There is no solution.

34. 
$$2(x-5) = 2x + 10$$
$$2x - 10 = 2x + 10$$
$$2x - 2x - 10 = 2x - 2x + 10$$
$$-10 = 10$$
There is no solution.

36. 
$$-5(4y-3) + 2 = -20y + 17$$
$$-20y + 15 + 2 = -20y + 17$$
$$-20y + 17 = -20y + 17$$
$$-20y + 17 + 20y = -20y + 17 + 20y$$
$$17 = 17$$
All real numbers are solutions.

38. 
$$\frac{4(5-w)}{3} = -w$$
$$3\left[\frac{4(5-w)}{3}\right] = 3(-w)$$
$$4(5-w) = -3w$$
$$20 - 4w = -3w$$
$$20 - 4w + 4w = -3w + 4w$$
$$20 = w$$

40. 
$$-(4a-7)-5a = 10 + a$$
$$-4a+7-5a = 10 + a$$
$$-9a+7 = 10 + a$$
$$-9a-a+7 = 10 + a - a$$
$$-10a+7 = 10$$
$$-10a+7-7 = 10-7$$
$$-10a = 3$$
$$\frac{-10a}{-10} = \frac{3}{-10}$$
$$a = -\frac{3}{10}$$
  
42. 
$$9x+3(x-4) = 10(x-5)+7$$
$$9x+3x-12 = 10x-50+7$$
$$12x-12 = 10x-43$$
$$12x-12+12 = 10x-43+12$$
$$12x = 10x-31$$
$$12x-10x = 10x-31-10x$$
$$2x = -31$$
$$\frac{2x}{2} = \frac{-31}{2}$$
$$x = -\frac{31}{2}$$
$$x = -\frac{31}{2}$$
$$4\left[\frac{5(x-1)}{4}\right] = 4\left[\frac{3(x+1)}{2}\right]$$
$$5(x-1) = 6(x+1)$$
$$5x-5 = 6x+6$$
$$5x-6x-5 = 6x-6x+6$$
$$-x-5 = 6$$
$$-x-5+5 = 6+5$$
$$-x = 11$$
$$\frac{-x}{-1} = \frac{11}{-1}$$
$$x = -11$$
  
46. 
$$0.9x-4.1 = 0.4$$
$$10(0.9x-4.1) = 10(0.4)$$
$$9x-41 = 4$$
$$9x-41+41 = 4+41$$
$$9x = 45$$
$$\frac{9x}{9} = \frac{45}{9}$$
$$x = 5$$

**48.** 3(2x-1)+5=6x+26x - 3 + 5 = 6x + 26x + 2 = 6x + 26x - 6x + 2 = 6x - 6x + 22 = 2All real numbers are solutions. 50. 4(4y+2) = 2(1+6y)+816y + 8 = 2 + 12y + 816y + 8 = 10 + 12y16y + 8 - 8 = 10 + 12y - 816y = 2 + 12y16y - 12y = 2 + 12y - 12y4v = 2 $\frac{4y}{4} = \frac{2}{4}$  $y = \frac{1}{2}$  $\frac{7}{8}x + \frac{1}{4} = \frac{3}{4}x$ 52.  $8\left(\frac{7}{8}x+\frac{1}{4}\right) = 8\left(\frac{3}{4}x\right)$ 7x + 2 = 6x7x + 2 - 7x = 6x - 7x2 = -x $\frac{2}{-1} = \frac{-x}{-1}$ -2 = x $\frac{x}{5} - 7 = \frac{x}{3} - 5$ 54.  $15\left(\frac{x}{5}-7\right) = 15\left(\frac{x}{3}-5\right)$ 3x - 105 = 5x - 753x - 105 - 3x = 5x - 75 - 3x-105 = 2x - 75-105 + 75 = 2x - 75 + 75-30 = 2x $\frac{-30}{2} = \frac{2x}{2}$ -15 = x**56.** 4(2+x)+1=7x-3(x-2)8 + 4x + 1 = 7x - 3x + 69 + 4x = 4x + 69+4x-4x = 4x-4x+69 = 6There is no solution.

-0.01(5x+4) = 0.04 - 0.01(x+4)58. 100[-0.01(5x+4)] = 100[0.04 - 0.01(x+4)]-(5x+4) = 4 - 1(x+4)-5x-4 = 4 - x - 4-5x - 4 = -x-5x + x - 4 = -x + x-4x - 4 = 0-4x - 4 + 4 = 0 + 4-4x = 4 $\frac{-4x}{-4} = \frac{4}{-4}$ x = -1 $3 - \frac{1}{2}x = 5x - 8$ 60.  $2\left(3-\frac{1}{2}x\right) = 2(5x-8)$ 6 - x = 10x - 166 - x + x = 10x - 16 + x6 = 11x - 166+16=11x-16+1622 = 11x $\frac{22}{11} = \frac{11x}{11}$ 2 = x7n + 5 = 10n - 1062. 7n + 5 - 5 = 10n - 10 - 57n = 10n - 157n - 10n = 10n - 15 - 10n-3n = -15 $\frac{-3n}{-3} = \frac{-15}{-3}$ n = 564. 0.2x - 0.1 = 0.6x - 2.110(0.2x - 0.1) = 10(0.6x - 2.1)2x-1=6x-212x - 6x - 1 = 6x - 6x - 21-4x - 1 = -21-4x - 1 + 1 = -21 + 1-4x = -20 $\frac{-4x}{-4} = \frac{-20}{-4}$ *x* = 5

66. 0.03(2m+7) = 0.06(5+m) - 0.09100[0.03(2m+7)] = 100[0.06(5+m) - 0.09]3(2m+7) = 6(5+m) - 96m + 21 = 30 + 6m - 96m + 21 = 21 + 6m6m - 6m + 21 = 21 + 6m - 6m21 = 21All real numbers are solutions.

**68.** 3 times a number  $\downarrow$  $\downarrow$  $\downarrow$ 3 . =3xx

twice **70.** 8 minus a number

 $\downarrow$ 

$$\begin{array}{cccc} \downarrow & \downarrow & \downarrow \\ 8 & - & 2x \end{array}$$

72. the quotient of -12 and of a number  

$$\downarrow \qquad \downarrow \qquad \downarrow \qquad \downarrow \qquad \downarrow \qquad \downarrow \qquad \downarrow \qquad -12 \qquad \div \qquad (x-3) = \frac{-12}{x-3}$$

- **74.** x + (7x 9) = x + 7x 9 = 8x 9The total length is (8x - 9) feet.
- 76. a. x + 3 = x + 5x + 3 - x = x + 5 - x3 = 5There is no solution.
  - **b.** answers may vary
  - **c.** answers may vary

78. 3x + 1 = 3x + 23x + 1 - 3x = 3x + 2 - 3x1 = 2

There is no solution. The answer is B.

80. 
$$x-11x-3 = -10x-1-2$$
  
 $-10x-3 = -10x-3$   
 $-10x-3+10x = -10x-3+10x$   
 $-3 = -3$   
All real numbers are solutions. The answer is A.

82. 
$$-x+15 = x+15$$
  
 $-x+15+x = x+15+x$   
 $15 = 2x+15$   
 $15-15 = 2x+15-15$   
 $0 = 2x$   
 $\frac{0}{2} = \frac{2x}{2}$   
 $0 = x$   
The answer is C.

- 84. answers may vary
- **86. a.** Since the perimeter is the sum of the lengths of the sides, x + (2x + 1) + (3x - 2) = 35.

**b.** 
$$x+2x+1+3x-2=35$$
  
 $6x-1=35$   
 $6x-1+1=35+1$   
 $6x=36$   
 $\frac{6x}{6}=\frac{36}{6}$   
 $x=6$   
**c.**  $2x+1=2(6)+1=13$   
 $3x-2=3(6)-2=16$   
The lengths are  $x=6$  meters,

- 2x + 1 = 13 meters and 3x 2 = 16 meters.
- **88.** answers may vary

90. 
$$1000(x+40) = 100(16+7x)$$
$$1000x+40,000 = 1600+700x$$
$$1000x+40,000-700x = 1600+700x-700x$$
$$300x+40,000 = 1600$$
$$300x+40,000-40,000 = 1600-40,000$$
$$300x = -38,400$$
$$\frac{300x}{300} = \frac{-38,400}{300}$$
$$x = -128$$

92. 
$$0.127x - 2.685 = 0.027x - 2.38$$
$$1000(0.127x - 2.685) = 1000(0.027x - 2.38)$$
$$127x - 2685 = 27x - 2380$$
$$127x - 27x - 2685 = 27x - 27x - 2380$$
$$100x - 2685 = -2380$$
$$100x - 2685 + 2685 = -2380 + 2685$$
$$100x = 305$$
$$\frac{100x}{100} = \frac{305}{100}$$
$$x = 3.05$$

94. 
$$t^{2}-6t = t(8+t)$$
$$t^{2}-6t = 8t + t^{2}$$
$$t^{2}-t^{2}-6t = 8t + t^{2} - t^{2}$$
$$-6t = 8t$$
$$-6t + 6t = 8t + 6t$$
$$0 = 14t$$
$$\frac{0}{14} = \frac{14t}{14}$$
$$0 = t$$
96. 
$$y^{2}-4y+10 = y(y-5)$$
$$y^{2}-4y+10 = y^{2}-5y$$
$$y^{2}-y^{2}-4y+10 = y^{2}-5y$$
$$-4y+10 = -5y$$
$$-4y+5y+10 = -5y + 5y$$
$$y+10 = 0$$
$$y+10-10 = -10$$
$$y = -10$$

# **Integrated Review**

1. 
$$x-10 = -4$$
  
 $x-10+10 = -4+10$   
 $x = 6$   
2.  $y+14 = -3$   
 $y+14-14 = -3-14$   
 $y = -17$ 

3. 
$$9y = 108$$
  
 $\frac{9y}{9} = \frac{108}{9}$   
 $y = 12$ 

4. 
$$-3x = 78$$
  
 $\frac{-3x}{-3} = \frac{78}{-3}$   
 $x = -26$ 

5. 
$$-6x + 7 = 25$$
  
 $-6x + 7 - 7 = 25 - 7$   
 $-6x = 18$   
 $\frac{-6x}{-6} = \frac{18}{-6}$   
 $x = -3$ 

6. 
$$5y-42 = -47$$
  
 $5y-42+42 = -47+42$   
 $5y = -5$   
 $\frac{5y}{5} = \frac{-5}{5}$   
 $y = -1$   
7.  $\frac{2}{3}x = 9$   
 $\frac{3}{2}(\frac{2}{3}x) = \frac{3}{2}(9)$   
 $x = \frac{27}{2}$   
8.  $\frac{4}{5}z = 10$   
 $\frac{5}{4}(\frac{4}{5}z) = \frac{5}{4}(10)$   
 $z = \frac{25}{2}$   
9.  $\frac{r}{-4} = -2$   
 $-4(\frac{r}{-4}) = -4(-2)$   
 $r = 8$   
10.  $\frac{y}{-8} = 8$   
 $-8(\frac{y}{-8}) = -8(8)$   
 $y = -64$   
11.  $6-2x+8 = 10$   
 $-2x+14 = 10$   
 $-2x+14 = 10$   
 $-2x + 14 = 10 - 14$   
 $-2x = -4$   
 $\frac{-2x}{-2} = \frac{-4}{-2}$   
 $x = 2$   
12.  $-5-6y+6 = 19$   
 $-6y+1 = 19$   
 $-6y+1 = 19$   
 $-6y = 18$   
 $\frac{-6y}{-6} = \frac{18}{-6}$   
 $y = -3$ 

13. 
$$2x-7 = 2x-27$$
  
 $2x-2x-7 = 2x-2x-27$   
 $-7 = -27$   
There is no solution.  
14.  $3+8y = 8y-2$   
 $3+8y-8y = 8y-8y-2$   
 $3 = -2$   
There is no solution.  
15.  $-3a+6+5a = 7a-8a$   
 $2a+6=-a$   
 $2a-2a+6=-a-2a$   
 $6=-3a$   
 $\frac{6}{-3} = \frac{-3a}{-3}$   
 $-2 = a$   
16.  $4b-8-b = 10b-3b$   
 $3b-8 = 7b$   
 $3b-3b-8 = 7b-3b$   
 $-8 = 4b$   
 $\frac{-8}{4} = \frac{4b}{4}$   
 $-2 = b$   
17.  $-\frac{2}{3}x = \frac{5}{9}$   
 $-\frac{3}{2}\left(-\frac{2}{3}x\right) = -\frac{3}{2}\left(\frac{5}{9}\right)$   
 $x = -\frac{5}{6}$   
18.  $-\frac{3}{8}y = -\frac{1}{16}$   
 $-\frac{8}{3}\left(-\frac{3}{8}y\right) = -\frac{8}{3}\left(-\frac{1}{16}\right)$   
 $y = \frac{1}{6}$   
19.  $10 = -6n + 16$   
 $10-16 = -6n + 16 - 16$   
 $-6 = -6n$   
 $\frac{-6}{-6} = \frac{-6n}{-6}$   
 $1 = n$ 

20. 
$$-5 = -2m + 7$$
$$-5 - 7 = -2m + 7 - 7$$
$$-12 = -2m$$
$$\frac{-12}{-2} = \frac{-2m}{-2}$$
$$6 = m$$
  
21. 
$$3(5c - 1) - 2 = 13c + 3$$
$$15c - 3 - 2 = 13c + 3$$
$$15c - 3 - 2 = 13c + 3$$
$$15c - 13c - 5 = 13c - 13c + 3$$
$$2c - 5 = 3$$
$$2c - 5 + 5 = 3 + 5$$
$$2c = 8$$
$$\frac{2c}{2} = \frac{8}{2}$$
$$c = 4$$
  
22. 
$$4(3t + 4) - 20 = 3 + 5t$$
$$12t + 16 - 20 = 3 + 5t$$
$$12t + 16 - 20 = 3 + 5t$$
$$12t - 4 = 3 + 5t - 5t$$
$$7t - 4 = 3$$
$$7t - 4 + 4 = 3 + 4$$
$$7t = 7$$
$$\frac{7t}{7} = \frac{7}{7}$$
$$t = 1$$
  
23. 
$$\frac{2(z + 3)}{3} = 5 - z$$
$$3\left[\frac{2(z + 3)}{3}\right] = 3(5 - z)$$
$$2z + 6 = 15 - 3z$$
$$2z + 3z + 6 = 15 - 3z + 3z$$
$$5z + 6 = 15$$
$$5z + 6 - 6 = 15 - 6$$
$$5z = 9$$
$$\frac{5z}{5} = \frac{9}{5}$$
$$z = \frac{9}{5}$$

24. 
$$\frac{3(w+2)}{4} = 2w+3$$
$$4\left[\frac{3(w+2)}{4}\right] = 4(2w+3)$$
$$3w+6 = 8w+12$$
$$3w-8w+6 = 8w-8w+12$$
$$-5w+6 = 12$$
$$-5w+6-6 = 12-6$$
$$-5w = 6$$
$$\frac{-5w}{-5} = \frac{6}{-5}$$
$$w = -\frac{6}{5}$$

25. 
$$-2(2x-5) = -3x+7-x+3$$
  
 $-4x+10 = -4x+10$   
 $-4x+4x+10 = -4x+4x+10$   
 $10 = 10$   
All real numbers are solutions.

26. 
$$-4(5x-2) = -12x + 4 - 8x + 4$$
$$-20x + 8 = -20x + 8$$
$$-20x + 20x + 8 = -20x + 20x + 8$$
$$8 = 8$$
All real numbers are solutions.

27. 
$$0.02(6t-3) = 0.04(t-2) + 0.02$$
$$100[0.02(6t-3)] = 100[0.04(t-2) + 0.02]$$
$$2(6t-3) = 4(t-2) + 2$$
$$12t-6 = 4t-8 + 2$$
$$12t-6 = 4t-6$$
$$12t-4t-6 = 4t-4t-6$$
$$8t-6 = -6$$
$$8t-6 + 6 = -6 + 6$$
$$8t = 0$$
$$\frac{8t}{8} = \frac{0}{8}$$
$$t = 0$$

28. 
$$0.03(m+7) = 0.02(5-m) + 0.03$$
$$100[0.03(m+7)] = 100[0.02(5-m) + 0.03]$$
$$3(m+7) = 2(5-m) + 3$$
$$3m+21 = 10-2m+3$$
$$3m+21 = 13-2m$$
$$3m+2m+21 = 13-2m$$
$$5m+21 = 13-21$$
$$5m = -8$$
$$\frac{5m}{5} = \frac{-8}{5}$$
$$m = -\frac{8}{5} = -1.6$$
  
29. 
$$-3y = \frac{4(y-1)}{5}$$
$$5(-3y) = 5\left[\frac{4(y-1)}{5}\right]$$
$$-15y = 4y - 4$$
$$-15y - 4y = 4y - 4y - 4$$
$$-19y = -4$$
$$\frac{-19y}{-19} = \frac{-4}{-19}$$
$$y = \frac{4}{19}$$
  
30. 
$$-4x = \frac{5(1-x)}{6}$$
$$6(-4x) = 6\left[\frac{5(1-x)}{6}\right]$$
$$-24x = 5-5x$$
$$-19x = 5$$
$$-\frac{19x}{5} = \frac{5}{19}$$
$$x = -\frac{5}{19}$$
$$31. \qquad \frac{5}{3}x - \frac{7}{3} = x$$
$$3\left(\frac{5}{3}x - \frac{7}{3}\right) = 3(x)$$
$$5x - 7 = 3x$$
$$5x - 7 = 3x$$
$$5x - 7 = 3x - 5x$$
$$-7 = -2x$$
$$\frac{-7}{-2} = \frac{-2x}{-2}$$
$$\frac{7}{2} = x$$

32. 
$$\frac{7}{5}n + \frac{3}{5} = -n$$
  

$$5\left(\frac{7}{5}n + \frac{3}{5}\right) = 5(-n)$$
  

$$7n + 3 = -5n$$
  

$$7n - 7n + 3 = -5n - 7n$$
  

$$3 = -12n$$
  

$$\frac{3}{-12} = \frac{-12n}{-12}$$
  

$$-\frac{1}{4} = n$$
  
33. 
$$9(3x - 1) = -4 + 49$$
  

$$27x - 9 = 45$$
  

$$27x - 9 + 9 = 45 + 9$$
  

$$27x = 54$$
  

$$\frac{27x}{27} = \frac{54}{27}$$
  

$$x = 2$$
  
34. 
$$12(2x + 1) = -6 + 66$$
  

$$24x + 12 = 60$$
  

$$24x + 12 = 60$$
  

$$24x + 12 = 60 - 12$$
  

$$24x = 48$$
  

$$\frac{24x}{24} = \frac{48}{24}$$
  

$$x = 2$$
  
35. 
$$\frac{1}{10}(3x - 7) = \frac{3}{10}x + 10$$

$$10\left\lfloor \frac{1}{10}(3x-7) \right\rfloor = 10\left(\frac{3}{10}x+5\right)$$
$$3x-7 = 3x+50$$
$$3x-7-3x = 3x+50-3x$$
$$-7 = 50$$
There is no solution.

5

36. 
$$\frac{1}{7}(2x-5) = \frac{2}{7}x+1$$
$$7\left[\frac{1}{7}(2x-5)\right] = 7\left(\frac{2}{7}x+1\right)$$
$$2x-5 = 2x+7$$
$$2x-5-2x = 2x+7-2x$$
$$-5 = 7$$
There is no solution.

37. 
$$5+2(3x-6) = -4(6x-7)$$
  
 $5+6x-12 = -24x+28$   
 $6x-7 = -24x+28$   
 $6x-7+24x = -24x+28+24x$   
 $30x-7=28$   
 $30x-7+7 = 28+7$   
 $30x = 35$   
 $\frac{30x}{30} = \frac{35}{30}$   
 $x = \frac{7}{6}$   
38.  $3+5(2x-4) = -7(5x+2)$   
 $3+10x-20 = -35x-14$   
 $10x-17 = -35x-14$   
 $10x-17 = -35x-14$   
 $10x-17 + 35x = -35x - 14 + 35x$   
 $45x-17 = -14$   
 $45x-17+17 = -14+17$   
 $45x = 3$   
 $\frac{45x}{45} = \frac{3}{45}$   
 $x = \frac{1}{15}$ 

Section 2.5 Practice Exercises

1. Let 
$$x =$$
 the number.  
 $3x-6=2x+3$   
 $3x-6-2x=2x+3-2x$   
 $x-6=3$   
 $x-6+6=3+6$   
 $x=9$   
The number is 9.

2. Let x = the number. 3x-4 = 2(x-1) 3x-4 = 2x-2 3x-4-2x = 2x-2-2x x-4 = -2 x-4+4 = -2+4 x = 2The number is 2.

- **3.** Let x = the length of short piece,
  - then 4x = the length of long piece. x + 4x = 45
    - 5x = 45
    - $\frac{5x}{5x} = \frac{45}{45}$
    - $\frac{3x}{5} = \frac{43}{5}$
    - x = 9
  - 4x = 4(9) = 36

The short piece is 9 inches and the long piece is 36 inches.

4. Let x = number of Republican governors, then x - 7 = number of Democratic governors.

$$x + x - 7 = 49$$
  

$$2x - 7 = 49$$
  

$$2x - 7 + 7 = 49 + 7$$
  

$$2x = 56$$
  

$$\frac{2x}{2} = \frac{56}{2}$$
  

$$x = 28$$
  

$$x - 7 = 28 - 7 = 21$$
  
There are 28 Bound 1

There were 28 Republican and 21 Democratic governors.

- 5. x = degree measure of first angle 3x = degree measure of second angle x + 55 = degree measure of third angle x + 3x + (x + 55) = 180 5x + 55 = 180 5x + 55 - 55 = 180 - 55 5x = 125 5x = 125  $\frac{5x}{5} = \frac{125}{5}$  x = 25 3x = 3(25) = 75 x + 55 = 25 + 55 = 80The measures of the angles are 25°, 75°, and 80°.
- **6.** Let x = the first even integer, then
  - x + 2 = the second even integer, and x + 4 = the third even integer. x + (x + 2) + (x + 4) = 144 3x + 6 = 144 3x + 6 - 6 = 144 - 6 3x = 138  $\frac{3x}{3} = \frac{138}{3}$ x = 46 x + 2 = 46 + 2 = 48 x + 4 = 46 + 4 = 50 The integers are 46, 48, and 50.

### Vocabulary, Readiness & Video Check 2.5

1. 2x; 2x - 312. 3x; 3x + 173. x + 5; 2(x + 5)4. x - 11; 7(x - 11)

5. 
$$20 - y; \frac{20 - y}{3}$$
 or  $(20 - y) \div 3$ 

6. 
$$-10 + y; \frac{-10 + y}{9}$$
 or  $(-10 + y) \div 9$ 

- 7. in the statement of the application
- 8. The original application asks for the measure of two supplementary angles. The solution of x = 43 only gives us the measure of one of the angles.
- **9.** That the 3 angle measures are consecutive even integers and that they sum to 180°.

### Exercise Set 2.5

2. Let 
$$x =$$
 the number.  

$$3x-1=2x$$

$$3x-1-3x = 2x-3x$$

$$3x-1-3x = 2x-3x$$

$$-1 = -x$$

$$\frac{-1}{-1} = \frac{-x}{-1}$$

$$1 = x$$
The number is 1.

4. Let x = the number.

4x + (-2) = 5x + (-2) 4x - 2 = 5x - 2 4x - 2 + 2 = 5x - 2 + 2 4x = 5x 4x - 4x = 5x - 4x 0 = xThe number is 0.

- 6. Let x = the number. 5[x + (-1)] = 6(x - 5) 5x + 5(-1) = 6x + 6(-5) 5x - 5 = 6x - 30 5x - 5x - 5 = 6x - 5x - 30 -5 = x - 30 -5 + 30 = x - 30 + 30 25 = xThe number is 25.
- 8. Let x = the number.

$$2(x-4) = x - \frac{1}{4}$$

$$2x-8 = x - \frac{1}{4}$$

$$4(2x-8) = 4\left(x - \frac{1}{4}\right)$$

$$8x - 32 = 4x - 1$$

$$8x - 4x - 32 = 4x - 4x - 1$$

$$4x - 32 = -1$$

$$4x - 32 + 32 = -1 + 32$$

$$4x = 31$$

$$\frac{4x}{4} = \frac{31}{4}$$
The number is  $\frac{31}{4}$ .

10. The sum of the three lengths is 46 feet. r+3r+2+7r-46

$$x + 3x + 2 + 7x = 46$$

$$11x + 2 = 46$$

$$11x + 2 - 2 = 46 - 2$$

$$11x = 44$$

$$\frac{11x}{11} = \frac{44}{11}$$

$$x = 4$$

$$3x = 3(4) = 12$$

$$2 + 7x = 2 + 7(4) = 2 + 28 = 30$$
The lengths are 4 feet, 12 feet, and 30 feet.

12. Let x be the length of the shorter piece. Then 3x is the length of the 2nd piece and the 3rd piece. The sum of the lengths is 21 feet. x+3x+3x=21

$$3x + 3x = 21$$
$$7x = 21$$
$$\frac{7x}{7} = \frac{21}{7}$$
$$x = 3$$

$$3x = 3(3) = 9$$

The shorter piece is 3 feet and the longer pieces are each 9 feet.

14. 
$$x + x + 39,771 = 43,265$$
  
 $2x + 39,771 = 43,265$   
 $2x + 39,771 = 43,265 - 39,771$   
 $2x = 3494$   
 $\frac{2x}{2} = \frac{3494}{2}$   
 $x = 1747$ 

16. Let *x* be the measure of the smaller angle. Then 2x - 15 is the measure of the larger angle. The sum of the four angles is  $360^{\circ}$ . 2x + 2(2x - 15) = 360 2x + 4x - 30 = 3606x - 30 = 360

$$6x-30 + 30 = 360 + 30$$
  

$$6x - 30 + 30 = 360 + 30$$
  

$$6x = 390$$
  

$$\frac{6x}{6} = \frac{390}{6}$$
  

$$x = 65$$
  

$$2x - 15 = 2(65) - 15 = 130 - 15 = 115$$
  
Two angles measure 65° and two angles measure  
115°.

- **18.** Three consecutive integers: Integer: xNext integers: x + 1, x + 2Sum of the second and third consecutive integers, simplified: (x + 1) + (x + 2) = 2x + 3
- **20.** Three consecutive odd integers: Odd integer: xNext integers: x + 2, x + 4Sum of the three consecutive odd integers, simplified: x + (x + 2) + (x + 4) = 3x + 6
- 22. Four consecutive integers: Integer: x Next integers: x + 1, x + 2, x + 3Sum of the first and fourth consecutive integers, simplified: x + (x + 3) = 2x + 3
- 24. Three consecutive even integers: Even integer: xNext integers: x + 2, x + 4Sum of the three consecutive even integers, simplified: x + (x + 2) + (x + 4) = 3x + 6

26. Let x = the number of one room and x + 2 = the number of the other. x + x + 2 = 6542x + 2 = 6542x + 2 - 2 = 654 - 22x = 652 $\frac{2x}{2} = \frac{652}{2}$ 

> x + 2 = 326 + 2 = 328The room numbers are 326 and 328.

x = 326

- 28. Let x = code for Mali Republic, x + 2 = code for Cote d'Ivoire, and x + 4 = code for Niger. x + x + 2 + x + 4 = 675 3x + 6 = 675 3x + 6 = 675 - 6 3x = 669  $\frac{3x}{3} = \frac{669}{3}$ x = 223 x + 2 = 223 + 2 = 225 x + 4 = 223 + 4 = 227 The codes are: 223 for Mali, 225 for Cote d'Ivoire, 227 for Niger.
- **30.** Let *x* represent the weight of the Armanty meteorite. Then 3x represents the weight of the Hoba West meteorite.
  - x + 3x = 88 4x = 88  $\frac{4x}{4} = \frac{88}{4}$  x = 22 3x = 3(22) = 66

The Armanty meteorite weighs 22 tons and the Hoba West meteorite weighs 66 tons.

32. Let x be the measure of the shorter piece. Then 5x + 1 is the measure of the longer piece. The measures sum to 25 feet.

x+5x+1 = 25 6x+1 = 25 6x+1-1 = 25-1 6x = 24  $\frac{6x}{6} = \frac{24}{6}$  x = 4 5x+1 = 5(4) + 1 = 20 + 1 = 21The pieces measure 4 feet and 21 feet.

**34.** Let x = the number. 9 = 2x - 109+10 = 2x - 10 + 1019 = 2x $\frac{19}{2} = \frac{2x}{2}$  $\frac{19}{2} = x$ The number is  $\frac{19}{2}$ . **36.** Let x = species of grasshoppers, then 20x = species of beetles. x + 20x = 420,00021x = 420,000 $\frac{21x}{21} = \frac{420,000}{21}$ 21 21 x = 20,00020x = 20(20,000) = 400,000There are 400,000 species of beetles and 20,000 species of grasshoppers. **38.** Let x = the measure of the smallest angle,

5. Let x = the measure of the smallest angle x + 2 = the measure of the second, x + 4 = the measure of the third, and x + 6 = the measure of the fourth. x + x + 2 + x + 4 + x + 6 = 360 4x + 12 = 360 4x + 12 = 360 4x + 12 = 360 - 12 4x = 348  $\frac{4x}{4} = \frac{348}{4}$  x = 87 x + 2 = 87 + 2 = 89 x + 4 = 87 + 4 = 91 x + 6 = 87 + 6 = 93The angles are  $87^\circ$ ,  $89^\circ$ ,  $91^\circ$ , and  $93^\circ$ .

40. Let x = first odd integer, then x + 2 = next odd integer, and x + 4 = third consecutive odd integer. x + (x + 2) + (x + 4) = 51 3x + 6 = 51 3x + 6 - 6 = 51 - 6 3x = 45  $\frac{3x}{3} = \frac{45}{3}$ x = 15 x + 2 = 15 + 2 = 17 x + 4 = 15 + 4 = 19 The code is 15, 17, 19.

- 42. Let x = the number. 2(x+6) = 3(x+4) 2x+12 = 3x+12 2x+12-12 = 3x+12-12 2x = 3x 2x-2x = 3x-2x 0 = xThe number is 0.
- 44. Let x = the measure of the first angle then 2x - 3 = the measure of the other. x + 2x - 3 = 90
  - 3x-3 = 90 3x-3+3 = 90+3 3x = 93  $\frac{3x}{3} = \frac{93}{3}$  x = 31 2x-3 = 2(31) - 3 = 59The angles are 31° and 59°.

46. 
$$\frac{1}{5} + 2x = 3x - \frac{4}{5}$$
$$\frac{1}{5} + 2x - 2x = 3x - \frac{4}{5} - 2x$$
$$\frac{1}{5} = x - \frac{4}{5}$$
$$\frac{1}{5} + \frac{4}{5} = x - \frac{4}{5} + \frac{4}{5}$$
$$\frac{5}{5} = x$$
$$1 = x$$
The number is 1.

**48.** Let x = the number.

$$\frac{3}{4} + 3x = 2x - \frac{1}{2}$$

$$4\left(\frac{3}{4} + 3x\right) = 4\left(2x - \frac{1}{2}\right)$$

$$3 + 12x = 8x - 2$$

$$3 + 12x - 8x = 8x - 2 - 8x$$

$$3 + 4x = -2$$

$$3 + 4x - 3 = -2 - 3$$

$$4x = -5$$

$$\frac{4x}{4} = \frac{-5}{4}$$

$$x = -\frac{5}{4}$$
The number is  $-\frac{5}{4}$ .

- **50.** Let x = floor space of Empire State Building,
  - then 3x = floor space of Emple State 24 then 3x = floor space of the Pentagon. x + 3x = 8700 4x = 8700  $\frac{4x}{4} = \frac{8700}{4}$  x = 2175 3x = 3(2175) = 6525The Empire State Building has
  - 2175 thousand square feet and the Pentagon has 6525 thousand square feet.
- **52.** Let x = the number.

$$\frac{7}{8} \cdot x = \frac{1}{2}$$
$$\frac{8}{7} \cdot \frac{7}{8} x = \frac{8}{7} \cdot \frac{1}{2}$$
$$x = \frac{4}{7}$$
The number is  $\frac{4}{7}$ .

54. Let x = first integer (smallest piece) then x + 2 = second integer (middle piece) and x + 4 = third integer (longest piece) x + (x + 2) + (x + 4) = 48 3x + 6 = 48 3x + 6 - 6 = 48 - 6 3x = 42  $\frac{3x}{3} = \frac{42}{3}$ x = 14 x + 2 = 14 + 2 = 16 x + 4 = 14 + 4 = 18 The pieces measure 14 inches, 16 inches, and 18 inches.

**56.** Let x = smallest angle, then 4x = largest angles. x + 4x + 4x = 180

$$9x = 180$$
  

$$\frac{9x}{9} = \frac{180}{9}$$
  

$$x = 20$$
  

$$4x = 4(20) = 80$$
  
The angles measure 20°, 80°, and 80°.

- 58. Let x = length of first piece, then 5x = length of second piece, and 6x = length of third piece. x + 5x + 6x = 4812x = 48 $\frac{12x}{12} = \frac{48}{12}$ x = 45x = 5(4) = 206x = 6(4) = 24The first piece is 4 feet, the second piece is 20 feet, and the third piece is 24 feet.
- **60.** The bars ending between 3 and 5 represent the games Destiny and Grand Theft Auto V, so those games sold between 3 and 5 million copies in 2014.
- **62.** Let *x* represent the sales of Minecraft, in millions. Then x + 0.6 represents the sales of Grand Theft Auto V.

$$x + x + 0.6 = 6$$
  

$$2x + 0.6 = 6$$
  

$$2x + 0.6 - 0.6 = 6 - 0.6$$
  

$$2x = 5.4$$
  

$$\frac{2x}{2} = \frac{5.4}{2}$$
  

$$x = 2.7$$
  

$$x + 0.6 = 2.7 + 0.6 = 3.3$$
  
Minecraft sold 2.7 million copies and Grand  
Theft Auto V sold 3.3 million copies.

- 64. answers may vary
- **66.** Replace *B* by 14 and *h* by 22.

$$\frac{1}{2}Bh = \frac{1}{2}(14)(22) = 7(22) = 154$$

- **68.** Replace *r* by 15 and *t* by 2.  $r \cdot t = 15 \cdot 2 = 30$
- **70.** Let *x* be the measure of the first angle. Then 2x is the measure of the second angle and 5x is the measure of the third angle. The measures sum to  $180^{\circ}$ .

x + 2x + 5x = 180 8x = 180  $\frac{8x}{8} = \frac{180}{8}$  x = 22.5 2x = 2(22.5) = 45 5x = 5(22.5) = 112.5Yes, the triangle exists and has angles that measure 22.5°, 45°, and 112.5°. **72.** One blink every 5 seconds is  $\frac{1 \text{ blink}}{5 \text{ sec}}$ .

There are  $60 \cdot 60 = 3600$  seconds in one hour.

 $\frac{1 \text{ blink}}{5 \text{ sec}} \cdot 3600 \text{ sec} = 720 \text{ blinks}$ The average eye blinks 720 times each hour.  $16 \cdot 720 = 11,520$ The average eye blinks 11,520 times while awake for a 16-hour day.  $11,520 \cdot 365 = 4,204,800$ The average eye blinks 4,204,800 times in one year.

- 74. answers may vary
- 76. answers may vary
- **78.** Measurements may vary. Rectangle (b) best approximates the shape of a golden rectangle.

### Section 2.6 Practice Exercises

1. Let d = 580 and r = 5.  $d = r \cdot t$  580 = 5t  $\frac{580}{5} = \frac{5t}{5}$  116 = tIt takes 116 seconds or 1 minute 56 seconds.

2. Let 
$$l = 40$$
 and  $P = 98$ .  
 $P = 2l + 2w$   
 $98 = 2 \cdot 40 + 2w$   
 $98 = 80 + 2w$   
 $98 - 80 = 80 + 2w - 80$   
 $18 = 2w$   
 $\frac{18}{2} = \frac{2w}{2}$   
 $9 = w$ 

The dog run is 9 feet wide.

3. Let 
$$C = 8$$
.  
 $F = \frac{9}{5}C + 32$   
 $F = \frac{9}{5} \cdot 8 + 32$   
 $F = \frac{72}{5} + \frac{160}{5}$   
 $F = \frac{232}{5} = 46.4$ 

The equivalent temperature is 46.4°F.

4. Let w = width of sign, then 5w + 3 = length of sign. P = 2l + 2w 66 = 2(5w + 3) + 2w 66 = 10w + 6 + 2w 66 = 12w + 6 66 - 6 = 12w + 6 - 6 60 = 12w  $\frac{60}{12} = \frac{12w}{12}$  5 = w 5w + 3 = 5(5) + 3 = 28The sign has length 28 inches and width 5 inches.

5. 
$$I = PRT$$
$$\frac{I}{PT} = \frac{PRT}{PT}$$
$$\frac{I}{PT} = R \text{ or } R = \frac{I}{PT}$$

6. 
$$H = 5as + 10a H - 10a = 5as + 10a - 10a H - 10a = 5as \frac{H - 10a}{5a} = \frac{5as}{5a} \frac{H - 10a}{5a} = s \text{ or } s = \frac{H - 10a}{5a}$$

7. 
$$N = F + d(n-1)$$
  
 $N - F = F + d(n-1) - F$   
 $N - F = d(n-1)$   
 $\frac{N - F}{n-1} = \frac{d(n-1)}{n-1}$   
 $\frac{N - F}{n-1} = d \text{ or } d = \frac{N - F}{n-1}$ 

8. 
$$A = \frac{1}{2}a(b+B)$$
$$2 \cdot A = 2 \cdot \frac{1}{2}a(b+B)$$
$$2A = a(b+B)$$
$$2A = ab + aB$$
$$2A - ab = ab + aB - ab$$
$$2A - ab = aB$$
$$\frac{2A - ab}{a} = \frac{aB}{a}$$
$$\frac{2A - ab}{a} = B \text{ or } B = \frac{2A - ab}{a}$$

### Vocabulary, Readiness & Video Check 2.6

- **1.** A formula is an equation that describes known relationships among quantities.
- 2. This is a distance, rate, and time problem. The distance is given in miles and the time is given in hours, so the rate that we are finding must be in miles per hour (mph).
- 3. To show that the process of solving this equation for *x*—dividing both sides by 5, the coefficient of *x*—is the same process used to solve a formula for a specific variable. Treat whatever is multiplied by that specific variable as the coefficient—the coefficient is all the factors except that specific variable.

# Exercise Set 2.6

2. Let 
$$d = 195$$
 and  $t = 3$ .  
 $d = rt$   
 $195 = r(3)$   
 $\frac{195}{3} = \frac{3r}{3}$   
 $65 = r$   
4. Let  $l = 14$ ,  $w = 8$ , and  $h$ 

4. Let *l* = 14, *w* = 8, and *h* = 3. *V* = *lwh V* = 14(8)(3) *V* = 336

6. Let 
$$A = 60$$
,  $B = 7$ , and  $b = 3$ .  
 $A = \frac{1}{2}h(B+b)$   
 $60 = \frac{1}{2}h(7+3)$   
 $2(60) = 2\left[\frac{1}{2}h(10)\right]$   
 $120 = 10h$   
 $\frac{120}{10} = \frac{10h}{10}$   
 $12 = h$ 

8. Let 
$$V = 45$$
, and  $h = 5$ .  
 $V = \frac{1}{3}Ah$   
 $45 = \frac{1}{3}A(5)$   
 $3(45) = 3\left[\frac{1}{3}(5A)\right]$   
 $135 = 5A$   
 $\frac{135}{5} = \frac{5A}{5}$   
 $27 = A$ 

**10.** Let r = 4.5, and  $\pi \approx 3.14$ .  $A = \pi r^2$   $A \approx 3.14(4.5)^2$  $A \approx 3.14(20.25)$ 

 $A \approx 63.6$ 

12. Let I = 1,056,000, R = 0.055, and T = 6. I = PRT 1,056,000 = P(0.055)(6) 1,056,000 = 0.33P  $\frac{1,056,000}{0.33} = \frac{0.33P}{0.33}$ 3,200,000 = P

**14.** Let r = 3 and  $\pi \approx 3.14$ .

$$V = \frac{4}{3}\pi r^{3}$$

$$V \approx \frac{4}{3}(3.14)(3)^{3}$$

$$V \approx \frac{4}{3}(3.14)(27)$$

$$V \approx \frac{4}{3}(84.78)$$

$$V \approx 113.0$$

$$(V \approx 113.1 \text{ using a calculator.})$$

16.  $A = \pi ab$  $\frac{A}{\pi a} = \frac{\pi ab}{\pi a}$  $\frac{A}{\pi a} = b$ 

**18.** T = mnr $\frac{T}{mr} = \frac{mnr}{mr}$  $\frac{T}{mr} = n$ 

20. 
$$-x + y = 13$$
$$-x + x + y = 13 + x$$
$$y = 13 + x$$
$$y = 13 + x$$
  
22. 
$$A = P + PRT$$
$$A - P = P - P + PRT$$
$$A - P = PRT$$
$$\frac{A - P}{PR} = \frac{PRT}{PR}$$
$$\frac{A - P}{PR} = T$$
  
24. 
$$D = \frac{1}{4} fk$$
$$4D = 4\left(\frac{1}{4} fk\right)$$
$$4D = fk$$
$$\frac{4D}{f} = \frac{fk}{f}$$
$$\frac{4D}{f} = k$$

26. PR = x + y + z + w PR - (x + y + w) = x + y + z + w - (x + y + w) PR - x - y - w = x + y + z + w - x - y - wPR - x - y - w = z

28. 
$$S = 4lw + 2wh$$
$$S - 4lw = 4lw - 4lw + 2wh$$
$$S - 4lw = 2wh$$
$$\frac{S - 4lw}{2w} = \frac{2wh}{2w}$$
$$\frac{S - 4lw}{2w} = h$$

30. Use A = lw when A = 52,400 and l = 400. A = lw  $52,400 = 400 \cdot w$   $\frac{52,400}{400} = \frac{400w}{400}$  131 = wThe width of the sign is 131 feet.

**32.** a. 
$$A = \frac{1}{2}bh$$
  
 $P = l_1 + l_2 + l_3$   
 $P = 27 + 36 + 45$   
 $A = \frac{1}{2} \cdot 36 \cdot 27$   
 $P = 108$   
 $A = 486$   
The area is 486 square feet and the perimeter  
is 108 feet.

- **b.** The fence has to do with perimeter because it is located around the edge of the property. The grass seed has to do with area because it is located in the middle of the property.
- **34.** a. A = bh A = 9.3(7) A = 65.1  $P = 2l_1 + 2l_2$  P = 2(11.7) + 2(9.3) P = 42The same is 65.1 server fact and the

The area is 65.1 square feet and the perimeter is 42 feet.

- **b.** The border has to do with the perimeter because it surrounds the edge. The paint has to do with the area because it covers the wall.
- **36.** Let C = -5.

$$F = \frac{9}{5}(-5) + 32 = -9 + 32 = 23$$

The equivalent temperature is 23°F.

38. Let 
$$P = 400$$
 and  $l = 2w - 10$ .  
 $P = 2l + 2w$   
 $400 = 2(2w - 10) + 2w$   
 $400 = 4w - 20 + 2w$   
 $400 = 6w - 20$   
 $400 + 20 = 6w - 20 + 20$   
 $420 = 6w$   
 $\frac{420}{6} = \frac{6w}{6}$   
 $70 = w$   
 $l = 2w - 10 = 2(70) - 10 = 140 - 10 = 130$   
The length is 130 meters

The length is 130 meters.

40. Let x = the measure of each of the two equal sides, and x - 2 = the measure of the third. x + x + x - 2 = 223x - 2 = 223x - 2 + 2 = 22 + 2

$$3x = 24$$
$$\frac{3x}{3} = \frac{24}{3}$$
$$x = 8$$
$$x - 2 = 8 - 2 = 6$$
The shortest side is 6 feet.

42. Let 
$$d = 700$$
 and  $r = 55$ .  
 $d = rt$   
 $700 = 55t$   
 $\frac{700}{55} = \frac{55t}{55}$   
 $\frac{700}{55} = t$   
 $t = \frac{700}{55} = \frac{140}{11} = 12\frac{8}{11}$   
The trip will take  $12\frac{8}{11}$  hours.

44. Let r = 4 and h = 3. Use  $\pi \approx 3.14$ .  $V = \pi r^2 h$   $V \approx (3.14)(4)^2(3)$   $\approx (3.14)(16)(3)$   $\approx 150.72$ Let x = number of goldfish and volume per fish = 2. 150.72 = 2x  $\frac{150.72}{2} = \frac{2x}{2}$  75.36 = x75 goldfish can be placed in the tank.

46. Use 
$$N = 94$$
.  
 $T = 50 + \frac{N - 40}{4}$   
 $T = 50 + \frac{94 - 40}{4}$   
 $T = 50 + \frac{54}{4}$   
 $T = 50 + 13.5$   
 $T = 63.5$   
The temperature is 63.5° Fahrenheit.

**48.** Use 
$$T = 65$$

$$T = 50 + \frac{N - 40}{4}$$
  

$$65 = 50 + \frac{N - 40}{4}$$
  

$$65 - 50 = 50 + \frac{N - 40}{4} - 50$$
  

$$15 = \frac{N - 40}{4}$$
  

$$4 \cdot 15 = 4 \cdot \frac{N - 40}{4}$$
  

$$60 = N - 40$$
  

$$60 + 40 = N - 40 + 40$$
  

$$100 = N$$
  
There are 100 chirps per minute

There are 100 chirps per minute.

**50.** As the air temperature of their environment decreases, the number of cricket chirps per minute <u>decreases</u>.

**52.** Let 
$$A = 20$$
, and  $b = 5$ .

$$A = \frac{1}{2}bh$$
$$20 = \frac{1}{2}(5)h$$
$$2(20) = 2\left(\frac{5}{2}h\right)$$
$$40 = 5h$$
$$\frac{40}{5} = \frac{5h}{5}$$
$$8 = h$$

The height is 8 feet.

54. Let r = 4000. Use  $\pi \approx 3.14$ .  $C = 2\pi r \approx 2(3.14)(4000)$  $C \approx 25,120$ 

The length of rope is 25,120 miles.

56. 
$$x + (2x-8) + (3x-12) = 82$$
  
 $6x - 20 = 82$   
 $6x - 20 + 20 = 82 + 20$   
 $6x = 102$   
 $\frac{6x}{6} = \frac{102}{6}$   
 $x = 17$   
 $2x - 8 = 2(17) - 8 = 26$   
 $3x - 12 = 3(17) - 12 = 39$   
The lengths are 17 feet, 26 feet, and 39 feet.

58. A = 3990 and w = 57. A = lw  $3990 = l \cdot 57$   $\frac{3990}{57} = \frac{57l}{57}$  70 = lThe length is 70 feet. 60. Let x = the length of a side of the square and 2x - 15 = the length of a side of the triangle. P(triangle) = P(square) 3(2x-15) = 4x 6x - 45 = 4x 6x - 45 = 4x - 4x 2x - 45 = 0 2x - 45 + 45 = 45 2x = 45  $\frac{2x}{2} = \frac{45}{2}$  x = 22.5 2x - 15 = 2(22.5) - 15 = 45 - 15 = 30The side of the triangle is 30 units and the side of

62. Let *d* = 150 and *r* = 45.

$$d = rt$$

$$150 = 45t$$

$$\frac{150}{45} = \frac{45t}{45}$$

$$\frac{150}{45} = t$$

$$t = \frac{150}{45} = \frac{10}{3}$$
The trip will take  $\frac{10}{3} = 3\frac{1}{3}$  hours or 3 hours
20 minutes.

He should arrive at 7:20 A.M.

**64.** Let 
$$F = 78$$
.

$$F = \frac{5}{5}C + 32$$
  

$$78 = \frac{9}{5}C + 32$$
  

$$5(78) = 5\left(\frac{9}{5}C + 32\right)$$
  

$$390 = 9C + 160$$
  

$$390 - 160 = 9C + 160 - 160$$
  

$$230 = 9C$$
  

$$\frac{230}{9} = 9C$$
  

$$\frac{230}{9} = C$$
  

$$C = \frac{230}{9} = 25\frac{5}{9}$$
  
The equivalent temperature is  $25\frac{5}{9}$ °C.

ISM: Beginning Algebra

66. Let C = -10.  $F = \frac{9}{5}C + 32$   $= \frac{9}{5}(-10) + 32$  = -18 + 32= 14

The equivalent temperature is 14°F

**68.** Let F = -227.

$$C = \frac{5}{9}(F - 32)$$
$$C = \frac{5}{9}(-227 - 32) \approx -144$$

The equivalent temperature is -144°C.

70. Use 
$$V = \frac{4}{3}\pi r^3$$
 when  $r = \frac{30}{2} = 15$  and  $\pi = 3.14$ .  
 $V = \frac{4}{3}\pi r^3 = \frac{4}{3}(3.14)(15)^3 = 14,130$ 

The volume of the sphere is 14,130 cubic inches.

- **72.** 8% = 0.08
- **74.** 0.5% = 0.005
- **76.** 0.03 = 0.03(100%) = 3%
- **78.** 5 = 5(100%) = 500%
- **80.** Use A = bh. If the base is doubled, the new base is 2*b*. If the height is doubled, the new height is 2*h*.

 $A = (2b)(2h) = 2 \cdot 2 \cdot b \cdot h = 4bh$ The area is multiplied by 4. 82. Let x be the temperature. Use  $F = \frac{9}{5}C + 32$ 

when 
$$F = C = x$$
.  
 $F = \frac{9}{5}C + 32$   
 $x = \frac{9}{5}x + 32$   
 $x - \frac{9}{5}x = \frac{9}{5}x + 32 - \frac{9}{5}x$   
 $\frac{5}{5}x - \frac{9}{5}x = 32$   
 $-\frac{4}{5}x = 32$   
 $-\frac{5}{4} \cdot \left(-\frac{4}{5}x\right) = -\frac{5}{4} \cdot 32$   
 $x = -40$ 

They are the same when the temperature is  $-40^{\circ}$ .

84. 
$$B = \frac{F}{P-V}$$
$$B(P-V) = \frac{F}{P-V}(P-V)$$
$$B(P-V) = F$$
$$BP-BV = F$$
$$BP-BV - BP = F - BP$$
$$-BV = F - BP$$
$$-BV = F - BP$$
$$\frac{-BV}{-B} = \frac{F - BP}{-B}$$
$$V = \frac{BP - F}{B}$$
$$V = \frac{BP - F}{B}$$
$$V = P - \frac{F}{B}$$
86. Title:  
f3.eps  
Creator:  
Adobe Illustrator(R) 11  
Proviour

**88.** Let d = 238,860 and r = 186,000. d = rt 238,860 = 186,000t  $\frac{238,860}{186,000} = \frac{186,000t}{186,000}$   $1.3 \approx t$ It will take 1.3 seconds.

- 90. 20  $\frac{\text{miles}}{\text{hour}}$ = 20  $\frac{\text{miles}}{\text{hour}} \left(\frac{5280 \text{ feet}}{1 \text{ mile}}\right) \left(\frac{1 \text{ hour}}{3600 \text{ seconds}}\right)$ =  $\frac{88}{3}$  feet/second Let d = 1300 and  $r = \frac{88}{3}$ . d = rt  $1300 = \frac{88}{3}t$   $\frac{3}{88}(1300) = \frac{3}{88}\left(\frac{88}{3}\right)t$   $44.3 \approx t$ It will take about 44.3 seconds.
- **92.** Use d = rt when d = 25,000 and r = 3800. d = rt  $25,000 = 3800 \cdot t$   $\frac{25,000}{3800} = \frac{3800t}{3800}$   $6.58 \approx t$ 6 hr and  $0.58(60) \approx 35$  min It would take the Boeing X-51 6 hours 35 minutes to travel around Earth.

94. Let d = 2 then r = 1. 15 feet  $= \frac{15 \text{ feet}}{1} \cdot \frac{12 \text{ inches}}{1 \text{ foot}} = 180$  inches, so h = 180.  $V = \pi r^2 h$   $V = (\pi)(1)^2 (180) = 180\pi \approx 565.5$ The volume of the column is 565.5 cubic inches.

### Section 2.7 Practice Exercises

1. Let x = the unknown percent.  $35 = x \cdot 56$   $\frac{35}{56} = \frac{56x}{56}$  0.625 = xThe number 35 is 62.5% of 56. 2. Let x = the unknown number.

 $198 = 55\% \cdot x$  198 = 0.55x  $\frac{198}{0.55} = \frac{0.55x}{0.55}$  360 = xThe number 198 is 55% of 360.

- **3. a.** From the circle graph, we see that 41% of pets owned are freshwater fish and 3% are saltwater fish; thus 41% + 3% = 44% of pets owned are freshwater fish or saltwater fish.
  - **b.** The circle graph percents have a sum of 100%; thus the percent of pets that are not equines is 100% 3% = 97%.
  - c. To find the number of dogs owned, we find 19% of 396.12
    = (0.19)(396.12)
    = 75.2628
    ≈ 75.3
    Thus, about 75.3 million dogs are owned in the United States.
- **4.** Let x =discount.
  - $x = 85\% \cdot 480$   $x = 0.85 \cdot 480$  x = 408The discount is \$408. New price = \$480 - \$408 = \$72
- 5. Increase = 2710 1900 = 810Let *x* = percent of increase.  $810 = x \cdot 1900$  $\frac{810}{1900} = \frac{1900x}{1900}$  $0.426 \approx x$ The percent of increase is 42.6%.
- 6. Let x = number of digital 3D screens in 2012. x + 0.07x = 15,782
  - $\frac{1.07x = 15,782}{1.07x} = \frac{15,782}{1.07}$  $\frac{15,782}{1.07}$  $x \approx 14,750$

There were 14,750 digital 3D screens in 2012.

7. Let x = number of liters of 2% solution.

Eyewash	No. of gallons	. Acid Strength	=	Amt. of Acid
2%	x	2%		0.02 <i>x</i>
5%	6 – <i>x</i>	5%		0.05(6 - x)
Mix: 3%	6	3%		0.03(6)

0.02x + 0.05(6 - x) = 0.03(6) 0.02x + 0.3 - 0.05x = 0.18 -0.03x + 0.3 = 0.18 -0.03x + 0.3 - 0.3 = 0.18 - 0.3 -0.03x = -0.12  $\frac{-0.03x}{-0.03} = \frac{-0.12}{-0.03}$  x = 46 - x = 6 - 4 = 2

She should mix 4 liters of 2% eyewash with 2 liters of 5% eyewash.

## Vocabulary, Readiness & Video Check 2.7

- 1. No,  $25\% + 25\% + 40\% = 90\% \neq 100\%$ .
- **2.** No,  $30\% + 30\% + 30\% = 90\% \neq 100\%$ .
- **3.** Yes, 25% + 25% + 25% + 25% = 100%.
- 4. Yes, 40% + 50% + 10% = 100%.
- **5. a.** equals; =
  - **b.** multiplication; ·
  - c. Drop the percent symbol and move the decimal point two places to the left.
- 6. a. You also find a discount amount by multiplying the (discount) percent by the original price.
  - **b.** For discount, the new price is the original price minus the discount amount, so you *subtract* from the original price rather than *add* as with mark-up.
- 7. You must first find the actual amount of increase in price by subtracting the original price from the new price.

8.	Alloy	Ounces	Copper Strength	Amount of Copper
	10%	x	0.10	0.10 <i>x</i>
	30%	400	0.30	0.30(400)
	20%	x + 400	0.20	0.20(x + 400)

0.10x + 0.30(400) = 0.20(x + 400)

Exercise Set 2.7

- 2. Let *x* be the unknown number.  $x = 88\% \cdot 1000$   $x = 0.88 \cdot 1000$  x = 880880 is 88% of 1000.
- 4. Let x be the unknown percent.  $87.2 = x \cdot 436$   $\frac{87.2}{436} = \frac{436x}{436}$  0.2 = x 20% = xThe number 87.2 is 20% of 436.
- 6. Let x be the unknown number.  $126 = 35\% \cdot x$   $126 = 0.35 \cdot x$   $\frac{126}{0.35} = \frac{0.35x}{0.35}$ 360 = x

126 is 35% of 360.

- 8. 21% + 10% + 20% = 51%
  51% of Earth's land area is in Asia, Antarctica, or Africa.
- 10. The land area of Africa is 20% of Earth's land area. 20% of  $56.4 = 20\% \cdot 56.4 = 0.20 \cdot 56.4 = 11.28$ The land area of Africa is 11.28 million square areas.
- 12. Let x = amount of discount.  $x = 25\% \cdot 12.50$   $x = 0.25 \cdot 12.50$   $x = 3.125 \approx 3.13$ New price = 12.50 - 3.13 = 9.37The discount was \$3.13 and the new price is \$9.37.
- 14. Let x = tip.  $x = 20\% \cdot 65.40$   $x = 0.2 \cdot 65.4$  x = 13.08Total = 65.40 + 13.08 = 78.48 The total cost is \$78.48.

**16.** Decrease = 314 - 290 = 24Let x = percent.  $24 = x \cdot 314$  $\frac{24}{24} = \frac{314x}{24}$ 314 314  $0.076\approx x$ The percent of decrease is 7.6%. **18.** Decrease = 100 - 81 = 11Let x = percent.  $11 = x \cdot 100$  $\frac{11}{100x} = \frac{100x}{100x}$ 100 100 0.11 = xThe percent of decrease is 11%. **20.** Let x = original price and 0.25x = increase. x + 0.25x = 801.25x = 801.25x80

$$\frac{1.25}{1.25} = \frac{1.25}{1.25}$$
  
 $x = 64$ 

The original price was \$64.

**22.** Let x = last year's salary, and 0.03x = increase.x + 0.03x = 55,620

$$\frac{1.03x = 55,620}{\frac{1.03x}{1.03} = \frac{55,620}{1.03}}$$
  
x = 54,000  
Last year's salary was \$54,000.

**24.** Let x = the amount of 25% solution.

$\frac{\text{No. of}}{\text{cu cm}} \cdot \text{Strength} = \frac{\text{Amt. of}}{\text{Antibiotic}}$					
25%	x	0.25	0.25 <i>x</i>		
60%	10	0.6	10(0.6)		
30%	<i>x</i> + 10	0.3	0.3(x+10)		

$$0.25x + 10(0.6) = 0.3(x + 10)$$
  

$$0.25x + 6 = 0.3x + 3$$
  

$$0.25x - 0.25x + 6 = 0.3x - 0.25x + 3$$
  

$$6 = 0.05x + 3$$
  

$$6 - 3 = 0.05x + 3 - 3$$
  

$$3 = 0.05x$$
  

$$\frac{3}{0.05} = \frac{0.05x}{0.05}$$
  

$$60 = x$$
  
Add 60 cc of 25% solution.

**26.** Let x = the pounds of cashew nuts.

No. of $lb \cdot Cost/lb = Value$					
Peanuts	20	3	3(20)		
Cashews	x	5	5 <i>x</i>		
Mix	<i>x</i> + 20	3.50	3.50(x+20)		

 Mix
 x + 20 3.50 3.3 

 3(20) + 5x = 3.50(x + 20) 60 + 5x = 3.5x + 70 60 + 5x = 3.5x + 70 

 60 + 5x = 3.5x = 3.5x - 3.5x + 70 60 + 1.5x = 70 60 - 60 + 1.5x = 70 - 60 

 1.5x = 10 x = 10 x = 10

 $\frac{1.5x}{1.5} = \frac{10}{1.5}$  $x = 6\frac{2}{3}$ 

Add  $6\frac{2}{3}$  pounds of cashews.

**28.** Let x = the number.  $x = 140\% \cdot 86$ 

> $x = 1.4 \cdot 86$ x = 120.4140% of 86 is 120.4.

- 30. Let x = the number.  $56.25 = 45\% \cdot x$  56.25 = 0.45x  $\frac{56.25}{0.45} = \frac{0.45x}{0.45}$ 
  - 125 = x56.25 is 45% of 125.
- 32. Let x = the percent.  $42 = x \cdot 35$   $\frac{42}{35} = \frac{35x}{35}$  1.2 = x42 is 120% of 35.
- **34.** From the graph, the height of the bar is about 23. Therefore, the average American spends about 23 minutes on Internet browsers.
- **36.** 17 is what percent of 162?

 $17 = x \cdot 162$   $\frac{17}{162} = \frac{162x}{162}$   $0.105 \approx x$  10.5% of online time is spent following news.

Copyright © 2017 Pearson Education, Inc.

38.	Unit Case Volume for Coca-Cola (in billions of cases)						
	World Region	Case Volume	Percent of Total (rounded to nearest percent)				
	North America	5.9	$\frac{5.9}{28.2} \approx 21\%$				
	Latin America	8.2	$\frac{8.2}{28.2} \approx 29\%$				
	Europe	3.9	$\frac{3.9}{28.2} \approx 14\%$				
	Eurasia and Africa	4.3	$\frac{4.3}{28.2} \approx 15\%$				
	Pacific	5.9	$\frac{5.9}{28.2} \approx 21\%$				
	Total	28.2	100%				

**40.** Let x = the decrease in price.  $x = 0.15(0.95) = 0.1425 \approx 0.14$ The decrease in price is \$0.14. The new price is 0.95 - 0.14 = \$0.81.

42. Increase = 1.49 - 1.19 = 0.30Let x = the percent.  $0.3 = x \cdot 1.19$  $\frac{0.3}{1.19} = \frac{1.19x}{1.19}$  $0.252 \approx x$ The percent of increase was 25.2%.

**44.** Let *x* represent the amount Charles paid for the car.

 $x + 20\% \cdot x = 4680$ x + 0.20x = 46801.2x = 4680 $\frac{1.2x}{1.2} = \frac{4680}{1.2}$ x = 3900

Charles paid \$3900 for the car.

46. percent of increase =  $\frac{\text{amount of increase}}{\text{original amount}}$ =  $\frac{24-6}{6}$ =  $\frac{18}{6}$ = 3

The area increased by 300%.

**48.** Let *x* be the gallons of water.

	gallons	concentration	amount
water	x	0%	0x = 0
70% antifreeze	30	70%	0.7(30)
60% antifreeze	<i>x</i> + 30	60%	0.6(x + 30)

The amount of antifreeze being combined must be the same as that in the mixture.

0+0.7(30) = 0.6(x+30) 21 = 0.6x+18 21-18 = 0.6x+18-18 3 = 0.6x  $\frac{3}{0.6} = \frac{0.6x}{0.6}$ 5 = x

Thus, 5 gallons of water should be used.

50. percent of increase = 
$$\frac{\text{amount of increase}}{\text{original amount}}$$
  
=  $\frac{88 - 72}{72}$   
=  $\frac{16}{72}$   
 $\approx 0.222$   
The number of decisions by the Supreme (

The number of decisions by the Supreme Court increased 22.2%.

**52.** Let *x* be the average number of children per woman in 1920.

x - 0.44x = 1.9 0.56x = 1.9  $\frac{0.56x}{0.56} = \frac{1.9}{0.56}$  $x \approx 3.4$ 

There were 3.4 children per woman in 1920.

**54.**  $64\% \cdot 9800 = 0.64 \cdot 9800 = 6272$ 

You would expect 6272 post-secondary institutions to have Internet access in their classrooms.

**56.** Let *x* be the pounds of chocolate-covered peanuts.

	pounds	cost (\$)	value
chocolate-covered	x	5	5 <i>x</i>
granola bites	10	2	2(10)
trail mix	<i>x</i> + 10	3	3(x + 10)

The value of those being combined must be the same as the value as the mixture.

5x + 2(10) = 3(x + 10) 5x + 20 = 3x + 30 5x + 20 - 3x = 3x + 30 - 3x 2x + 20 = 30 2x + 20 - 20 = 30 - 20 2x = 10  $\frac{2x}{2} = \frac{10}{2}$ x = 5

Therefore, 5 pounds of chocolate-covered peanuts should be used.

**58.** Let *x* be the length of Christian's throw.

x = 148.00 + 0.689(148.00)= 148.00 + 101.972 = 249.972  $\approx 250$ 

Christian Sandstrom's world record throw was 250 meters.

**60.** 
$$\frac{12}{3} = 2^2$$

**62.**  $-3^3 = (-3)^3$ 

- **64.** |−2| = 2; −|−2| = −2 |−2| > −|−2|
- **66.** answers may vary
- **68. a.** yes; answers may vary
  - **b.** no; answers may vary

70. 23 g is what percent of 300 g? Let y represent the unknown percent.

 $y \cdot 300 = 23$  $\frac{300 y}{300} = \frac{23}{300}$  $y = 0.07\overline{6}$ 

This food contains 7.7% of the daily value of total carbohydrate in one serving.

**72.**  $6g \cdot 9$  calories/gram = 54 calories 54 of the 280 calories come from fat.

$$\frac{54}{280} \approx 0.193$$

19.3% of the calories in this food come from fat.

74. answers may vary

## Section 2.8 Practice Exercises

1. Let x = time down, then x + 1 = time up.

	Rate	· Time =	= Distance
Up	1.5	<i>x</i> + 1	1.5(x + 1)
Down	4	x	4x
$ \begin{array}{r} 1.5(x+1) \\ 1.5x+1.5 \\ 1.5 \\ \underline{1.5} \\ 2.5 \\ 0.6 \end{array} $	$= 4x$ $= 2.5x$ $= \frac{2.5x}{2.5}$ $= x$	1 + x = 0.	6 + 1 + 0.6 = 2.2
The entire hike took 2.2 hours.			

2. Let x = speed of eastbound train, then x - 10 = speed of westbound train.

	r	t t	= $d$
East	x	1.5	1.5 <i>x</i>
West	<i>x</i> – 10	1.5	1.5(x - 10)

1.5x + 1.5(x - 10) = 171 1.5x + 1.5x - 15 = 171 3x - 15 = 171 3x = 186  $\frac{3x}{3} = \frac{186}{3}$  x = 62x - 10 = 62 - 10 = 52

The eastbound train is traveling at 62 mph and the westbound train is traveling at 52 mph.

3. Let x = the number of \$20 bills, then x + 47 = number of \$5 bills.

Denomination	Number	Value		
\$5 bills	<i>x</i> + 47	5(x + 47)		
\$20 bills	x	20 <i>x</i>		
5(x+47) + 20x = 1710				
5x + 235 + 20x = 1	710			
235 + 25x = 1	710			
25x = 1	475			
x = 59				
x + 47 = 59 + 47 = 106				
There are 106 \$5 bills and 59 \$20 bills.				

# ISM: Beginning Algebra

4. Let x = amount invested at 11.5%, then 30,000 - x = amount invested at 6%.

	Principal ·	Rate	· Time	= Interest
11.5%	x	0.115	1	<i>x</i> (0.115)(1)
6%	30,000 - x	0.06	1	0.06(30,000 - x)(1)
Total	30,000			2790

0.115x + 0.06(30,000 - x) = 27900.115x + 1800 - 0.06x = 27901800 + 0.055x = 27900.055x = 990 $\frac{0.055x}{0.055x} = \frac{990}{0.055x}$ 0.055 0.055 x = 18,000

30,000 - x = 30,000 - 18,000 = 12,000She invested \$18,000 at 11.5% and \$12,000 at 6%.

# Vocabulary, Readiness & Video Check 2.8

1.

	r	t =	d
bus	55	x	55 <i>x</i>
car	50	<i>x</i> + 3	50(x + 3)

55x = 50(x + 3)

2. The important thing is to remember the difference between the *number* of bills you have and the *value* of the bills.

3.  $P \quad \cdot \quad R \quad \cdot \quad T =$ 

P ·	R	$\cdot T =$	= I
x	0.06	1	0.06 <i>x</i>
36,000 – <i>x</i>	0.04	1	0.04(36,000 - x)

0.06x = 0.04(36,000 - x)

### **Exercise Set 2.8**

**2.** Let x = the time traveled by the bus.

Rate	•	Time	=	Distance
------	---	------	---	----------

Bus	60	x	60 <i>x</i>
Car	40	<i>x</i> + 1.5	40(x + 1.5)

d = d 60x = 40(x + 1.5) 60x = 40x + 60 20x = 60  $\frac{20x}{20} = \frac{60}{20}$ x = 3

It will take the bus 3 hours to overtake the car.

4. Let x = the time to get to Disneyland and 7.2 - x = the time to return

	Rate	$\cdot$ Time =	Distance
Going	50	x	50 <i>x</i>
Returning	40	7.2 - x	40(7.2 - x)

d = d 50x = 40(7.2 - x) 50x = 288 - 40x 90x = 288  $\frac{90x}{90} = \frac{288}{90}$  x = 3.2It took 3.2 hours to get to Disneyland. d = rt d = 50(3.2) = 160The distance to Disneyland is 160 miles.

- 6. The value of z quarters is 0.25z.
- 8. The value of (20 z) half-dollars is 0.50(20 z).
- **10.** The value of 97*z* \$100 bills is 100(97*z*) or 9700*z*.
- **12.** The value of (15 y) \$10 bills is 10(15 y).
- 14. Let x = number of \$50 bills, then 6x = number of \$20 bills.

Number of BillsValue of Bills\$20 bills6x20(6x)\$50 billsx50xTotal3910

$$20(6x) + 50x = 3910$$

$$120x + 50x = 3910$$

$$170x = 3910$$

$$x = 23$$

$$6x = 6(23) = 138$$
There are 138 \$20 bills and 23 \$50 bills.

16. Let x = the amount invested at 9% for one year.

	Principal	· Rate =	= Interest
9%	x	0.09	0.09 <i>x</i>
10%	x + 250	0.10	0.10(x + 250)
Total			101

$$0.09x + 0.10(x + 250) = 101$$
  

$$0.09x + 0.10x + 25 = 101$$
  

$$0.19x + 25 = 101$$
  

$$0.19x = 76$$
  

$$\frac{0.19x}{0.19} = \frac{76}{0.19}$$
  

$$x = 400$$
  

$$x + 250 = 400 + 250 = 650$$

She invested \$650 at 10% and \$400 at 9%.

**18.** Let x = the amount invested at 10% for one year.

	Principal	· Rate =	= Interest
10%	x	0.10	0.10x
12%	2x	0.12	0.12(2x)
Total			2890

0.10x + 0.12(2x) = 2890 0.10x + 0.24x = 2890 0.34x = 2890  $\frac{0.34x}{0.34} = \frac{2890}{0.34}$ x = 8500

2*x* = 2(8500) = 17,000 He invested \$17,000 at 12% and \$8500 at 10%.

**20.** Let x = number of adult tickets, then 732 - x = number of child tickets.

	Number	$\cdot$ Rate =	= Cost
Adult	x	22	22 <i>x</i>
Child	732 <i>- x</i>	15	15(732 - x)
Total	732		12,912

Copyright © 2017 Pearson Education, Inc.

22x + 15(732 - x) = 12,912 22x + 10,980 - 15x = 12,912 10,980 + 7x = 12,912 7x = 1932 x = 276 732 - x = 732 - 276 = 456Sales included 276 adult tickets and 456 child tickets.

**22.** Let x = the time traveled

	Rate	$\cdot$ Time =	Distance
Car A	65	x	65 <i>x</i>
Car B	41	x	41 <i>x</i>

The total distance is 530 miles.

65x + 41x = 530 106x = 530  $\frac{106x}{106} = \frac{530}{106}$ x = 5

The two cars will be 530 miles apart in 5 hours.

**24.** Let x = the amount invested at 12% for one year.

	Principal	· Rate =	= Interest
12%	x	0.12	0.12 <i>x</i>
4%	20,000 – <i>x</i>	-0.04	-0.04(20,000 - x)

0.12x - 0.04(20,000 - x) = 0 0.12x - 800 + 0.04x = 0 0.16x - 800 = 0 0.16x = 800  $\frac{0.16x}{0.16} = \frac{800}{0.16}$  x = 500020,000 - x = 20,000 - 5000 = 15,000

She invested \$15,000 at 4% and \$5000 at 12%.

**26.** Let x = the time they are able to talk.

Rate  $\cdot$  Time = Distance

Cade	5	x	5 <i>x</i>
Kathleen	4	x	4x
Total			20

5x + 4x = 2 9x = 20  $\frac{9x}{9} = \frac{20}{9}$   $x = 2\frac{2}{9}$ They can talk for  $2\frac{2}{9}$  hours.

**28.** Let x = the speed of the slower train.

Rate  $\cdot$  Time = Distance

Train A	x	1.5	1.5 <i>x</i>
Train B	<i>x</i> + 8	1.5	1.5(x + 8)

The total distance is 162 miles.

1.5x + 1.5(x + 8) = 162 1.5x + 1.5x + 12 = 162 3x + 12 = 162 3x = 150  $\frac{3x}{3} = \frac{150}{3}$  x = 50 x + 8 = 58The speeds of the trains are 50 m

The speeds of the trains are 50 mph and 58 mph.

**30.** Let x = number of quarters, then 5x = number of dimes.

Number	Value
--------	-------

Quarters	x	0.25 <i>x</i>
Dimes	5 <i>x</i>	0.10(5x)
Total		27.75

0.25x + 0.10(5x) = 27.75 0.25x + 0.5x = 27.75 0.75x = 27.75 x = 375x = 5(37) = 185

The collection has 37 quarters and 185 dimes.

**32.** Let x = the time traveled.

	Rate	$\cdot$ Time =	Distance
Car A	65	x	65 <i>x</i>
Car B	45	x	45 <i>x</i>

The total distance is 330.

65x + 45x = 330 110x = 330  $\frac{110x}{110} = \frac{330}{110}$  x = 3

They will be 330 miles apart in 3 hours.

**34.** Let x = the time traveled.

Rate  $\cdot$  Time = Distance

Car A	40	x	40 <i>x</i>
Car B	50	x	50 <i>x</i>

If two cars are traveling in the same direction, so find the difference in their distances traveled.

50x - 40x = 20 10x = 20  $\frac{10x}{10} = \frac{20}{10}$  x = 2They will be 20 miles apart in 2 hours.

**36.** Let x = the amount invested at 9% for one year.

	Principa	l · Rate =	= Interest
9%	x	0.09	0.09 <i>x</i>
10%	2x	0.10	0.1(2x)
11%	3 <i>x</i>	0.11	0.11(3x)
Total			2790

0.09x + 0.1(2x) + 0.11(3x) = 2790 0.09x + 0.2x + 0.33x = 2790 0.62x = 2790  $\frac{0.62x}{0.62} = \frac{2790}{0.62}$  x = 4500 2x = 2(4500) = 9000 3x = 3(4500) = 13,500She invested \$4500 at 9%, \$9000 at 10% and \$13,500 at 11%.

**38.** Let x = the time it takes them to meet.

Rate ·	Time $= 1$	Distance
--------	------------	----------

Nedra	3	x	3 <i>x</i>
Latonya	4	x	4x
Total			12

3x + 4x = 12 7x = 12  $\frac{7x}{7} = \frac{12}{7}$   $x = 1\frac{5}{7}$ They meet in  $1\frac{5}{7}$  hours.

**40.** Let x = the time before getting stopped.

Rate  $\cdot$  Time = Distance

Before	70	x	70 <i>x</i>		
After	60	4 - x	60(4 - x)		
Total			255		
70x + 60(4 - x) = 255					
70x + 240 - 60x = 255					
10x + 240 = 255					
10x = 15					
$10x \ 15$					
$\frac{10}{10} - \frac{10}{10}$					
<i>x</i> = 1.5					
Un durante 1	x = 1.5				

He drove 1.5 hours before getting stopped.

**42.** (-2) + (-8) = -10

- **44.** -11 + 2.9 = -8.1
- **46.** -12 3 = -12 + (-3) = -15
- **48.** Let x = number of quarters, then 136 + x = number of dimes, 8x = number of nickels, 16x + 32 = number of pennies.

	Number	Value
Quarters	x	0.25 <i>x</i>
Dimes	136 + <i>x</i>	0.10(136 + x)
Nickels	8 <i>x</i>	0.05(8x)
Pennies	16x + 32	0.01(16x + 32)
Total		44.86

 $\begin{array}{l} 0.25x + 0.10(136 + x) + 0.05(8x) + 0.01(16x + 32) = 44.86 \\ 0.25x + 13.6 + 0.1x + 0.4x + 0.16x + 0.32 = 44.86 \\ 0.91x + 13.92 = 44.86 \\ 0.91x = 30.94 \\ x = 34 \end{array}$ 

136 + x = 136 + 34 = 170 8x = 8(34) = 272 16x + 32 = 16(34) + 32 = 576There were 34 quarters, 170 dimes, 272 nickels, and 576 pennies.

R = C 60x = 50x + 5000 10x = 5000  $\frac{10x}{10} = \frac{5000}{10}$  x = 500Should sell 500 boards to break even. C = R = 60x = 60(500) = 30,000It costs \$30,000 to produce the break-even number of boards.

52.

50.

$$105x = 875 + 70x$$
  

$$105x - 70x = 875 + 70x - 70x$$
  

$$35x = 875$$
  

$$\frac{35x}{35} = \frac{875}{35}$$
  

$$x = 25$$
  
They should sell 25 monitors to break even

## Section 2.9 Practice Exercises

R = C

**1.** x < 5

Place a parenthesis at 5 since the inequality symbol is <. Shade to the left of 5. The solution set is  $(-\infty, 5)$ . Title: EMG\_BA5\_HC\_02\_00\_D

3].

2. 
$$x+11 \ge 6$$
  

$$x+11-11 \ge 6-11$$
  

$$x \ge -5$$
  
The solution set is  $[-5, \infty)$ .  
Title:  
Title:

3. 
$$-5x \ge -15$$
$$\frac{-5x}{-5} \le \frac{-15}{-5}$$
$$x \le 3$$
The solution set is  $(-\infty)$ .  
Title:

**4.** 3x > -9 $\frac{3x}{3} > \frac{-9}{3}$ x > -3The solution set is  $(-3, \infty)$ . Title: EMC BAS HC 02 00 D 5.  $45 - 7x \le -4$  $45 - 7x - 45 \le -4 - 45$  $-7x \le -49$  $\frac{-7x}{-7} \ge \frac{-49}{-7}$  $x \ge 7$ The solution set is  $[7, \infty)$ . Title:  $3x + 20 \le 2x + 13$ 6.  $3x + 20 - 2x \le 2x + 13 - 2x$  $x + 20 \le 13$  $x + 20 - 20 \le 13 - 20$  $x \leq -7$ The solution set is  $(-\infty, -7]$ . Title: ENAC DAE LIC 00 00 7. 6-5x > 3(x-4)6-5x > 3x-126-5x-3x > 3x-12-3x6 - 8x > -126 - 8x - 6 > -12 - 6-8x > -18 $\frac{-8x}{-8} < \frac{-18}{-8}$  $x < \frac{9}{4}$ The solution set is  $\left(-\infty, \frac{9}{4}\right)$ Title: EMG-BA5-HC-02-09-P Creator:

8. 
$$3(x-4) - 5 \le 5(x-1) - 12$$
$$3x - 12 - 5 \le 5x - 5 - 12$$
$$3x - 17 \le 5x - 17$$
$$3x - 17 - 5x \le 5x - 17 - 5x$$
$$-2x - 17 \le -17$$
$$-2x - 17 + 17 \le -17 + 17$$
$$-2x \le 0$$
$$\frac{-2x}{-2} \ge \frac{0}{-2}$$
$$x \ge 0$$
The solution set is  $[0, \infty)$ .  
Title:

**9.**  $-3 \le x < 1$ 

Graph all numbers greater than or equal to -3 and less than 1. Place a bracket at -3 and a parenthesis at 1. The solution set is [-3, 1). Title:

**10.** 
$$-4 < 3x + 2 \le 8$$
  
 $-4 - 2 < 3x + 2 - 2 \le 8 - 2$   
 $-6 < 3x \le 6$   
 $\frac{-6}{3} < \frac{3x}{3} \le \frac{6}{3}$   
 $-2 < x \le 2$   
The solution set is (-2, 2].

11. 
$$1 < \frac{3}{4}x + 5 < 6$$
  

$$4(1) < 4\left(\frac{3}{4}x + 5\right) < 4(6)$$
  

$$4 < 3x + 20 < 24$$
  

$$4 - 20 < 3x + 20 - 20 < 24 - 20$$
  

$$-16 < 3x < 4$$
  

$$-\frac{16}{3} < \frac{3x}{3} < \frac{4}{3}$$
  

$$-\frac{16}{3} < x < \frac{4}{3}$$
  
The solution set is  $\left(-\frac{16}{3}, \frac{4}{3}\right)$ .  
Title:  
EMG-BA5-HC-02-09-P  
Creator:  
Addition of the line transformed (D) 44

12. Let x = the number. 35-2x > 15 35-2x-35 > 15-35 -2x > -20  $\frac{-2x}{-2} < \frac{-20}{-2}$  x < 10All numbers less than 10. 13. Let x = number of classes.  $300 + 375x \le 1500$   $300 + 375x - 300 \le 1500 - 300$   $375x \le 1200$   $\frac{375x}{375} \le \frac{1200}{375}$   $x \le 3.2$ Kasonga can afford at most 3 com

Kasonga can afford at most 3 community college classes this semester.

## Vocabulary, Readiness & Video Check 2.9

- 1. 6x 7(x + 9) is an expression.
- **2.** 6x = 7(x + 9) is an equation.
- 3. 6x < 7(x+9) is an inequality.
- 4.  $5y 2 \ge -38$  is an inequality.
- **5.** -5 is not a solution to  $x \ge -3$ .
- **6.** |-6| = 6 is not a solution to x < 6.
- 7. The graph of Example 1 is shaded from -∞ to and including -1, as indicated by a bracket. To write interval notation, you write down what is shaded for the inequality from left to right. A parenthesis is always used with -∞, so from the graph, the interval notation is (-∞, -1].
- 8. Step 5 is where you apply the multiplication property of inequality. If a negative number is multiplied or divided when applying this property, you need to make sure you remember to reverse the direction of the inequality symbol.
- You would divide the left, middle, and right by -3 instead of 3, which would reverse the directions of both inequality symbols.
- **10.** no greater than;  $\leq$

Exercise Set 2.9

2. 
$$(-3, \infty), x > -3$$
  
Title:  
EMG\_BAF\_HC\_02\_00\_2  
4.  $(-\infty, 4], x \le 4$   
Title:  
EMG\_BAF\_HC\_02\_00\_4  
6.  $y < 0, (-\infty, 0)$   
Title:  
EMG\_BAF\_HC\_02\_00\_4  
8.  $z < -\frac{2}{3}, (-\infty, -\frac{2}{3})$   
Title:  
EMG\_BA5-HC-02-09-0  
Creator:  
10.  $x > 3, (3, \infty)$   
Title:  
EMG\_BAF\_HC\_02\_00\_4  
12.  $3x > -9$   
 $x > -3, (-3, \infty)$   
Title:  
EMG\_BAF\_HC\_02\_00\_4  
14.  $x + 4 \le 1$   
 $x \le -3, (-\infty, -3]$   
Title:  
EMG\_BAF\_HC\_02\_00\_4  
16.  $-5x < 20$   
 $\frac{-5x}{-5} > \frac{20}{-5}$   
 $x > -4, (-4, \infty)$   
Title:  
EMG\_BAF\_HC\_02\_00\_4  
18.  $3 - 7x \ge 10 - 8x$   
 $3 + x \ge 10$   
 $x \ge 7, [7, \infty)$   
Title:  
EMG\_BAF\_HC\_02\_00\_5  
20.  $7x + 3 < 9x - 3x$   
 $7x + 3 < 6x$   
 $x + 3 < 0$   
 $x < -3, (-\infty, -3)$   
Title:  
EMG\_BAF\_HC\_02\_00\_5  
21.  $7x + 3 < 9x - 3x$   
 $7x + 3 < 6x$   
 $x + 3 < 0$   
 $x < -3, (-\infty, -3)$   
Title:  
EMG\_BAF\_HC\_02\_00\_5  
21.  $7x + 3 < 9x - 3x$   
 $7x + 3 < 6x$   
 $x + 3 < 0$   
 $x < -3, (-\infty, -3)$   
Title:  
EMG\_BAF\_HC\_02\_00\_5  
21.  $7x + 3 < 9x - 3x$   
 $7x + 3 < 6x$   
 $x + 3 < 0$   
 $x < -3, (-\infty, -3)$ 

22. 
$$3x + 9 \le 5(x - 1)$$
  
 $3x + 9 \le 5x - 5$   
 $-2x \le -14$   
 $\frac{-2x}{-2} \ge \frac{-14}{-2}$   
 $x \ge 7, [7, \infty)$   
Title:  
EMGERATION COLOR  
24.  $-7x + 4 > 3(4 - x)$   
 $-7x + 4 > 12 - 3x$   
 $-4x + 4 > 12$   
 $-4x > 8$   
 $\frac{-4x}{-4} < \frac{8}{-4}$   
 $x < -2, (-\infty, -2)$   
Title:  
EMG\_BAS\_HC\_02\_00\_2  
26.  $3(5x - 4) \le 4(3x - 2)$   
 $15x - 12 \le 12x - 8$   
 $3x \le 4$   
 $x \le \frac{4}{3}, (-\infty, \frac{4}{3}]$   
Title:  
EMG-BA5-HC-02-09-2  
Creator  
28.  $7(x - 2) + x \le -4(5 - x) - 12$   
 $7x - 14 + x \le -20 + 4x - 12$   
 $8x - 14 \le -32 + 4x$   
 $4x - 14 \le -32$   
 $4x \le -18$   
 $x \le -\frac{9}{2}, (-\infty, -\frac{9}{2}]$   
Title:  
EMG-BA5-HC-02-09-2  
Creator  
30.  $-7x > 21$   
 $\frac{-7x}{-7} < \frac{21}{-7}$   
 $x < -3, (-\infty, -3)$   
Title:  
EMG-BA5-HC-02-09-2  
Creator  
32.  $y - 4 \le 1$   
 $y \le 5, (-\infty, 5]$   
Title:  
EMG\_BA5-HC-02-09-2  
Creator  
32.  $y - 4 \le 1$   
 $y \le 5, (-\infty, 5]$ 

Copyright © 2017 Pearson Education, Inc.

34. 
$$2x-1 \ge 4x-5$$
  
 $-2x-1 \ge -5$   
 $-2x \ge -4$   
 $\frac{-2x}{-2} \le \frac{-4}{-2}$   
 $x \le 2, (-\infty, 2]$   
Title:  
**EMC DAF LIC 02 00 0**  
36.  $4-x < 8x + 2x$   
 $4-x < 10x$   
 $4-11x < 0$   
 $-11x < -4$   
 $\frac{-11x}{-11} \ge \frac{-4}{-11}$   
 $x \ge \frac{4}{11}, (\frac{4}{11}, \infty)$   
Title:  
EMG-BA5-HC-02-09-3  
Creator:  
38.  $\frac{5}{6}x \ge -8$   
 $x \ge -\frac{48}{5}, [-\frac{48}{5}, \infty)$   
Title:  
EMG-BA5-HC-02-09-2  
Creator:  
40.  $5(x+4) < 4(2x+3)$   
 $5x + 20 < 8x + 12$   
 $-3x < -8$   
 $\frac{-3x}{-3} \ge \frac{-8}{-3}$   
 $x \ge \frac{8}{3}, (\frac{8}{3}, \infty)$   
Title:  
EMG-BA5-HC-02-09-3  
Creator:  
42.  $6(2-x) \ge 12$   
 $12 - 6x \ge 12$   
 $-6x \ge 0$   
 $\frac{-6x}{-6} \le \frac{0}{-6}$   
 $x \le 0, (\infty, 0]$ 

Title:

44. 
$$-6x + 2 < -3(x + 4)$$
  
 $-6x + 2 < -3x - 12$   
 $-3x + 2 < -12$   
 $-3x < -14$   
 $\frac{-3x}{-3} > \frac{-14}{-3}$   
 $x > \frac{14}{3}, (\frac{14}{3}, \infty)$   
Title:  
EMG-BA5-HC-02-09-4  
Creator:  
46.  $-5(1-x) + x \le -(6-2x) + 6$   
 $-5 + 5x + x \le -6 + 2x + 6$   
 $-5 + 5x + x \le -6 + 2x + 6$   
 $-5 + 6x \le 2x$   
 $-5 + 6x \le 2x$   
 $-5 + 4x \le 0$   
 $4x \le 5$   
 $x \le \frac{5}{4}, (-\infty, \frac{5}{4}]$   
Title:  
EMG-BA5-HC-02-09-4  
Creator:  
48.  $\frac{1}{3}(3x - 1) < \frac{1}{2}(x + 4)$   
 $6\left[\frac{1}{3}(3x - 1)\right] < 6\left[\frac{1}{2}(x + 4)\right]$   
 $2(3x - 1) < 3(x + 4)$   
 $6x - 2 < 3x + 12$   
 $6x - 2 + 2 < 3x + 12 + 2$   
 $6x < 3x + 14$   
 $6x - 3x < 3x - 3x + 14$   
 $6x - 3x < 3x - 3x + 14$   
 $3x < 14$   
 $\frac{3x}{3} < \frac{14}{3}$   
50.  $2 \le y \le 3, [2, 3]$   
Title:  
EMG-BA5-HC-02-00 5  
52.  $-1 \le x \le 4, [-1, 4]$   
Title:  
EMG-BA5-HC 02-00 5

Copyright © 2017 Pearson Education, Inc.

54. 
$$-5 < 2x < -2$$
  
 $-\frac{5}{2} < x < -1, \left(-\frac{5}{2}, -1\right)$   
Title:  
EMG-BA5-HC-02-09-5  
Creator:  
56.  $4 \le 5x - 6 \le 19$   
 $10 \le 5x \le 25$   
 $2 \le x \le 5, [2, 5]$   
Title:  
EMG-BA5-HC-02-00-6  
58.  $0 < 4(x + 5) \le 8$   
 $0 < 4x + 20 \le 8$   
 $-20 < 4x \le -12$   
 $-5 < x \le -3, (-5, -3]$   
Title:  
EMG-BA5-HC-02-09-6  
Creator:  
62.  $-5 \le 2(x + 4) < 8$   
 $-5 \le 2x + 8 < 8$   
 $-13 \le 2x < 0$   
 $-\frac{13}{2} \le x < 0, \left[-\frac{13}{2}, 0\right]$   
Title:  
EMG-BA5-HC-02-09-6  
Creator:  
64. Let x be the number.  
 $5x + 1 \le 10$   
 $5x + 1 - 1 \le 10 - 1$   
 $5x \le 9$   
 $\frac{5x}{5} \le \frac{9}{5}$   
 $x \le \frac{9}{5}$ 

All numbers less than or equal to  $\frac{9}{5}$  make this

statement true.

66. Use P = a + b + c when a = x, b = 3x, c = 12, and  $P \le 32$ .  $x + 3x + 12 \le 32$   $4x + 12 - 12 \le 32 - 12$   $4x \le 20$   $\frac{4x}{4} \le \frac{20}{4}$   $x \le 5$   $3x \le 3(5) = 15$ The maximum lengths of the other two sides are 5 inches and 15 inches.

**68.** Convert heights to inches.

$$6'8'' = 6 \cdot 12 + 8 = 80$$
  

$$6'6'' = 6 \cdot 12 + 6 = 78$$
  

$$6'0'' = 6 \cdot 12 + 0 = 72$$
  

$$5'9'' = 5 \cdot 12 + 9 = 69$$
  

$$6'5'' = 6 \cdot 12 + 5 = 77$$
  
Let x be the height of the center.  

$$\frac{x + 80 + 78 + 72 + 69}{5} \ge 77$$
  

$$\frac{x + 299}{5} \ge 77$$
  

$$5 \cdot \frac{x + 299}{5} \ge 5 \cdot 77$$
  

$$x + 299 \ge 385$$
  

$$x + 299 - 299 \ge 385 - 299$$
  

$$x \ge 86$$

The center should be at least 7'2".

**70.** Let *x* represent the number of people. Then the cost is 40 + 15x.

 $40 + 15x \le 860$   $40 + 15x - 40 \le 860 - 40$   $15x \le 820$   $\frac{15x}{15} \le \frac{820}{15}$  $x \le \frac{820}{15} \approx 54.7$ 

They can invite at most 54 people.

72. Let *x* represent the number of minutes.

$$5.3x \ge 200$$

$$\frac{5.3x}{5.3} \ge \frac{200}{5.3}$$

$$x \ge \frac{200}{5.3} \approx 38$$

The person must bicycle at least 38 minutes.

**74.** Let x = the unknown number.

$$2 < \frac{1}{2}x - 4 < 3$$
  

$$6 < \frac{1}{2}x < 7$$
  

$$12 < x < 14$$
  
All numbers between 12 and 14

**76.** 
$$(3)^3 = (3)(3)(3) = 27$$

- **78.**  $0^5 = (0)(0)(0)(0)(0) = 0$
- **80.**  $\left(\frac{2}{3}\right)^3 = \left(\frac{2}{3}\right)\left(\frac{2}{3}\right)\left(\frac{2}{3}\right) = \frac{8}{27}$
- 82. Since  $m \le n$ , then  $2m \le 2n$ .
- **84.** If -x < y, then x > -y.
- 86. Yes; answers may vary
- **88.** Let *x* be the score on her final exam. Since the final counts as two tests, her final course average 85+95+92+3x

is 
$$\frac{33+93+92+3x}{6}$$
.  
 $\frac{85+95+92+3x}{6} \ge 90$   
 $\frac{272+3x}{6} \ge 90$   
 $6\left(\frac{272+3x}{6}\right) \ge 6(90)$   
 $272+3x \ge 540$   
 $272+2x-272 \ge 540-272$   
 $3x \ge 268$   
 $\frac{3x}{3} \ge \frac{268}{3}$   
 $x \ge 89.\overline{3}$ 

Her final exam score must be at least 89.3 for her to get an A.

- 90. answers may vary
- 92. answers may vary
- **94.** *C* = 3.14*d*

 $118 \le 3.14d \le 122$ 37.58  $\le d \le 38.85$ The diameter must be between 37.58 mm and 38.85 mm.

96. 
$$x(x-3) \ge x^2 - 5x - 8$$
  
 $x^2 - 3x \ge x^2 - 5x - 8$   
 $-3x \ge -5x - 8$   
 $2x \ge -8$   
 $x \ge -4, [-4, \infty)$   
Title:  
FMO PAGE LIG 00 00 0  
98.  $x^2 - 4x + 8 < x(x+8)$   
 $x^2 - 4x + 8 < x^2 + 8x$   
 $-4x + 8 < 8x$   
 $-12x + 8 < 0$   
 $-12x < -8$   
 $\frac{-12x}{-12} > \frac{-8}{-12}$   
 $x > \frac{2}{3}, (\frac{2}{3}, \infty)$   
Title:  
EMG-BA5-HC-02-09-4  
Creator:

#### **Chapter 2 Vocabulary Check**

- **1.** Terms with the same variables raised to exactly the same powers are called <u>like terms</u>.
- 2. If terms are not like terms, they are <u>unlike terms</u>.
- 3. A <u>linear equation in one variable</u> can be written in the form ax + b = c.
- 4. A <u>linear inequality in one variable</u> can be written in the form ax + b < c, (or >,  $\leq$ ,  $\geq$ ).
- **5.** Inequalities containing two inequality symbols are called <u>compound inequalities</u>.
- **6.** An equation that describes a known relationship among quantities is called a <u>formula</u>.
- 7. The <u>numerical coefficient</u> of a term is its numerical factor.
- **8.** Equations that have the same solution are called <u>equivalent equations</u>.
- 9. The solutions to the equation x + 5 = x + 5 are <u>all</u> real numbers.
- 10. The solution to the equation x + 5 = x + 4 is <u>no</u> solution.

- **11.** If both sides of an inequality are multiplied or divided by the same positive number, the direction of the inequality symbol is <u>the same</u>.
- **12.** If both sides of an inequality are multiplied by the same negative number, the direction of the inequality symbol is <u>reversed</u>.

# **Chapter 2 Review**

**1.** 
$$5x - x + 2x = 6x$$

$$2. 0.2z - 4.6x - 7.4z = -4.6x - 7.2z$$

- 3.  $\frac{1}{2}x + 3 + \frac{7}{2}x 5 = \frac{8}{2}x 2 = 4x 2$
- 4.  $\frac{4}{5}y+1+\frac{6}{5}y+2=\frac{10}{5}y+3=2y+3$
- 5. 2(n-4) + n 10 = 2n 8 + n 10 = 3n 18
- 6. 3(w+2) (12 w) = 3w + 6 12 + w = 4w 6
- 7. (x+5) (7x-2) = x + 5 7x + 2 = -6x + 7
- 8. (y-0.7) (1.4y-3) = y 0.7 1.4y + 3= -0.4y + 2.3
- 9. Three times a number decreased by 7 is 3x 7.
- 10. Twice the sum of a number and 2.8 added to 3 times the number is 2(x + 2.8) + 3x.

11. 
$$8x + 4 = 9x$$
  
 $8x + 4 - 8x = 9x - 8x$   
 $4 = x$ 

12. 
$$5y-3 = 6y$$
  
 $5y-3-5y = 6y-5y$   
 $-3 = y$ 

**13.** 
$$\frac{2}{7}x + \frac{5}{7}x = 6$$
  
 $\frac{7}{7}x = 6$   
 $x = 6$ 

**14.** 3x-5=4x+1-5=x+1-6=x

15. 
$$2x-6 = x-6$$
  
 $x-6 = -6$   
 $x = 0$   
16.  $4(x+3) = 3(1+x)$   
 $4x+12 = 3+3x$   
 $x+12 = 3$   
 $x = -9$   
17.  $6(3+n) = 5(n-1)$   
 $18+6n = 5n-5$   
 $18+n = -5$   
 $n = -23$   
18.  $5(2+x)-3(3x+2) = -5(x-6)+2$   
 $10+5x-9x-6 = -5x+30+2$   
 $-4x+4 = -5x+32$   
 $x+4 = 32$   
 $x = 28$   
19.  $x-5=3$   
 $x-5+5=3+5$   
 $x = 8$   
20.  $x+9 = -2$   
 $x+9-9 = -2-9$   
 $x = -11$   
21.  $10-x$ ; choice b.

- **22.** x 5; choice a.
- **23.** Complementary angles sum to 90°.  $(90 x)^\circ$ ; choice b.
- 24. Supplementary angles sum to  $180^{\circ}$ . 180 - (x + 5) = 180 - x - 5 = 175 - x $(175 - x)^{\circ}$ ; choice c.

25. 
$$\frac{3}{4}x = -9$$
  
 $\frac{4}{3}\left(\frac{3}{4}x\right) = \frac{4}{3}(-9)$   
 $x = -12$ 

$$26. \qquad \frac{x}{6} = \frac{2}{3}$$
$$6 \cdot \frac{x}{6} = 6 \cdot \frac{2}{3}$$
$$x = 4$$

27. 
$$-5x = 0$$
 35.  $-5x + \frac{3}{7} = \frac{10}{7}$ 
 $\frac{-5x}{-5} = \frac{0}{-5}$ 
 $7\left(-5x + \frac{3}{7}\right) = 7 \cdot \frac{10}{7}$ 

 28.  $-y = 7$ 
 $-35x + 3 = 10$ 
 $\frac{-y}{1} = \frac{7}{-1}$ 
 $-35x + 3 = 10$ 
 $\frac{-y}{y} = 7$ 
 $x = -\frac{1}{5}$ 

 29.  $0.2x = 0.15$ 
 $36. 5x + x = 9 + 4x - 1 + 6$ 
 $0.2x = 0.15$ 
 $x = -\frac{1}{5}$ 
 $0.2x = 0.15$ 
 $x = -\frac{1}{5}$ 
 $0.2x = 0.15$ 
 $x = -3$ 
 $30. -\frac{\pi}{3} = -3 \cdot 1$ 
 $x = -3$ 
 $x = -3$ 
 $x = -3$ 
 $31. -3x + 1 = 19$ 
 $x = -3$ 
 $-3x = 18$ 
 $x = -5$ 
 $\frac{-3x}{x} = -\frac{1}{-3}$ 
 $x = -6$ 
 $32. 5x + 25 = 20$ 
 $5x = -5$ 
 $x = -1$ 
 $37.$  Let  $x = 16$  first integer, then  $x + 2 = 16$  second integer, and  $x + 2 = 16$  bind integer  $x + 6 = 16$  fourth integer  $x + 6 = 16$ 
 $32. 5x + 25 = 20$ 
 $5x = -5$ 
 $5x - 7 - 7 + 9 = 5x$ 
 $7(-7 + 9 = 5x)$ 
 $7x - 7 + 9 = 5x$ 
 $7x + 2 = 5x$ 
 $2x - 4 = x$ 
 $2x - 4 =$ 

Copyright © 2017 Pearson Education, Inc.

3 3

- 42. -4(2x+1) = -5x+5 -8x-4 = -5x+5 -3x-4 = 5 -3x = 9x = -3
- 43. -6(2x-5) = -3(9+4x)-12x+30 = -27-12x30 = -27There is no solution.
- 44. 3(8y-1) = 6(5+4y) 24y-3 = 30+24y -3 = 30There is no solution.

45. 
$$\frac{3(2-z)}{5} = z$$
$$3(2-z) = 5z$$
$$6-3z = 5z$$
$$6 = 8z$$
$$\frac{6}{8} = z$$
$$\frac{3}{4} = z$$

**46.** 
$$\frac{4(n+2)}{5} = -n$$
$$4(n+2) = -5n$$
$$4n+8 = -5n$$
$$8 = -9n$$
$$-\frac{8}{9} = n$$

47. 
$$0.5(2n-3)-0.1 = 0.4(6+2n)$$
  
 $10[0.5(2n-3)-0.1] = 10[0.4(6+2n)]$   
 $5(2n-3)-1 = 4(6+2n)$   
 $10n-15-1 = 24 + 8n$   
 $10n-16 = 24 + 8n$   
 $2n-16 = 24$   
 $2n = 40$   
 $n = 20$   
48.  $-9-5a = 3(6a-1)$   
 $-9-5a = 18a-3$   
 $-9 = 23a-3$   
 $-6 = 23a$   
 $6$ 

$$-\frac{6}{23} = a$$

49. 
$$\frac{5(c+1)}{6} = 2c-3$$
  

$$5(c+1) = 6(2c-3)$$
  

$$5c+5 = 12c-18$$
  

$$-7c+5 = -18$$
  

$$-7c = -23$$
  

$$c = \frac{23}{7}$$
  
50. 
$$\frac{2(8-a)}{3} = 4-4a$$
  

$$2(8-a) = 3(4-4a)$$
  

$$16-2a = 12-12a$$
  

$$10a = -4$$
  

$$a = -\frac{4}{10}$$
  

$$a = -\frac{2}{5}$$
  
51. 
$$200(70x-3560) = -179(150x-19,300)$$
  

$$14,000x - 712,000 = -26,850x + 3,454,700$$
  

$$40,850x - 712,000 = 3,454,700$$
  

$$40,850x = 4,166,700$$
  

$$x = 102$$
  
52. 
$$1.72y - 0.04y = 0.42$$
  

$$1.68y = 0.42$$
  

$$y = 0.25$$
  
53. Let x = length of a side of the square, then  

$$50.5 + 10x = \text{the height.}$$
  

$$x + (50.5 + 10x) = 7327$$
  

$$11x + 50.5 = 7327$$
  

$$11x = 7276.5$$
  

$$x = 661.5$$
  

$$50.5 + 10x = 50.5 + 10(661.5) = 6665.5$$
  
The height is 6665.5 inches.

54. Let x = the length of the shorter piece and 2x = the length of the other. x + 2x = 12 3x = 12 x = 4 2x = 2(4) = 8The lengths are 4 feet and 8 feet. **55.** Let x = the number of Target Canada stores, then 14x - 69 = the number of Target US stores. x + (14x - 69) = 192615x - 69 = 192615x = 1995x = 13314x - 69 = 14(133) - 69 = 1862 - 69 = 1793There were 133 Target Canada stores and 1793 Target US stores. **56.** Let x = first integer, then x + 1 = second integer, and x + 2 = third integer. x + (x + 1) + (x + 2) = -1143x + 3 = -1143x = -117x = -39x + 1 = -39 + 1 = -38x + 2 = -39 + 2 = -37The integers are -39, -38, -37. 57. Let x = the unknown number.  $\frac{x}{3} = x - 2$  $3 \cdot \frac{x}{3} = 3(x-2)$ x = 3x - 6-2x = -6x = 3The number is 3. **58.** Let x = the unknown number. 2(x+6) = -x2x + 12 = -x12 = -3x-4 = xThe number is -4. **59.** Let P = 46 and l = 14. P = 2l + 2w46 = 2(14) + 2w46 = 28 + 2w18 = 2w9 = w**60.** Let V = 192, l = 8, and w = 6. V = lwh192 = 8(6)h192 = 48h4 = h

61. 
$$y = mx + b$$
  
 $y - b = mx$   
 $\frac{y - b}{x} = m$   
62.  $r = vst - 5$   
 $r + 5 = vst$   
 $\frac{r + 5}{vt} = s$   
63.  $2y - 5x = 7$   
 $-5x = -2y + 7$   
 $x = \frac{-2y + 7}{-5}$   
 $x = \frac{2y - 7}{-5}$   
 $x = \frac{2y - 7}{-5}$   
64.  $3x - 6y = -2$   
 $-6y = -3x - 2$   
 $y = \frac{-3x - 2}{-6}$   
 $y = \frac{-3x - 2}{-6}$   
 $y = \frac{3x + 2}{-6}$   
65.  $C = \pi D$   
 $\frac{C}{D} = \pi$   
66.  $C = 2\pi r$   
 $\frac{C}{2r} = \pi$   
67. Let  $V = 900, l = 20$ , and  $h = 3$ .  
 $V = lwh$   
 $900 = 20w(3)$   
 $900 = 60w$   
 $15 = w$   
The width is 15 meters.  
68. Let  $x =$  width, then  $x + 6 =$  length.  
 $60 = 2x + 2(x + 6)$   
 $60 = 2x + 2(x + 6)$   
 $60 = 2x + 2(x + 6)$   
 $60 = 2x + 2x + 12$   
 $60 = 4x + 12$   
 $48 = 4x$   
 $12 = x$   
 $x + 6 = 12 + 6 = 18$   
The dimensions are 18 feet by 12 feet.

69. Let d = 10,000 and r = 125. d = rt 10,000 = 125t 80 = tIt will take 80 minutes or 1 hour and 20 minutes.

**70.** Let F = 104.

$$C = \frac{5}{9}(F - 32)$$
  
=  $\frac{5}{9}(104 - 32)$   
=  $\frac{5}{9}(72)$   
= 40

The temperature was 40°C.

**71.** Let x = the percent.

$$9 = x \cdot 45$$
  
$$\frac{9}{45} = \frac{45x}{45}$$
  
$$0.2 = x$$
  
9 is 20% of 45.

72. Let x = the percent.  $59.5 = x \cdot 85$   $\frac{59.5}{85} = \frac{85x}{85}$ 0.7 = x

59.5 is 70% of 85.

73. Let x = the number.  $137.5 = 125\% \cdot x$  137.5 = 1.25x  $\frac{137.5}{1.25} = \frac{1.25x}{1.25}$  110 = x137.5 is 125% of 110.

**74.** Let x = the number. 768 = 60%  $\cdot x$ 

768 = 0.6x $\frac{768}{0.6} = \frac{0.6x}{0.6}$ 1280 = x768 is 60% of 1280.

**75.** Let x = mark-up.  $x = 11\% \cdot 1900$   $x = 0.11 \cdot 1900$  x = 209New price = 1900 + 209 = 2109 The mark-up is \$209 and the new price is \$2109.

- 76. Find 79% of 76,000.
  0.79 · 76,000 = 60,040
  We would expect 60,040 people in that city to use the Internet.
- **77.** Let x = gallons of 40% solution.

Strength	gallons	Concentration	
40%	x	0.4	0.4 <i>x</i>
10%	30 - x	0.1	0.1(30 - x)
20%	30	0.2	0.2(30)

0.4x + 0.1(30 - x) = 0.2(30)

0.4x + 3 - 0.1x = 6 0.3x + 3 = 6 0.3x = 3 x = 1030 - x = 30 - 10 = 20

Mix 10 gallons of 40% acid solution with 20 gallons of 10% acid solution.

**78.** Increase = 21.0 - 20.7 = 0.3

Let x = percent.  $0.3 = x \cdot 20.7$   $\frac{0.3}{20.7} = \frac{20.7x}{20.7}$   $0.0145 \approx x$ The percent of increase is 1.45%.

- 79. From the graph, the height of 'Almost hit a car' is 18%.
- 80. Choose the tallest bar. The most common effect is swerving into another lane.
- 81. Find 21% of 4600.
  0.21 · 4600 = 966
  We would expect 966 customers to have cut someone off.
- 82. Find 41% of 4600.
  0.41 · 4600 = 1886
  We would expect 1886 customers to have sped up.

83. percent of decrease = 
$$\frac{\text{amount of decrease}}{\text{original amount}}$$
  
=  $\frac{250 - 170}{250}$   
=  $\frac{80}{250}$   
= 0.32  
The percent of decrease is 32%.

**84.** Let x = original price.x - 0.20x = 19.20

$$x = -0.20x = 19.20$$
  

$$0.80x = 19.20$$
  

$$\frac{0.80x}{0.80} = \frac{19.20}{0.80}$$
  

$$x = 24$$
  
The original price was \$24.

**85.** Let x = time up, then 3 - x = time down.

Rate  $\cdot$  Time = Distance

Up	10	x	10 <i>x</i>	
Down	50	3-x	50(3 - x)	
L				
d = d				
10x = 50(3)	(-r)			
`				
10x = 150	-50x			
60x = 150				
x = 2.5				
Total dista	nce =	10x + 50	(3 - x)	
=10(2.5)+50(3-2.5)				
= 25 + 50(0.5)				
= 25 + 25				
= 50				

The distance traveled was 50 km.

**86.** Let x = the amount invested at 10.5% for one year.

Principal $\cdot$ Rate =			Interest
10.5%	x	0.105	0.105
8.5%	50,000 – <i>x</i>	0.085	0.085(50,000 - x)
Total	50,000		4550

 $\begin{array}{l} 0.105x + 0.085(50,000 - x) = 4550\\ 0.105x + 4250 - 0.085x = 4550\\ 0.02x + 4250 = 4550\\ 0.02x = 300\\ x = 15,000\\ 50,000 - x = 50,000 - 15,000 = 35,000 \end{array}$ 

Invest \$35,000 at 8.5% and \$15,000 at 10.5%.

87. Let x = the number of dimes, 2x = the number of quarters, and

500 - x - 2x the number of nickels.

	No. of Coins	· Value	= Amt. of Money
Dimes	x	0.1	0.1 <i>x</i>
Quarters	2x	0.25	0.25(2x)
Nickels	500 - 3x	0.05	0.05(500 - 3x)
Total	500		88

 $\begin{array}{l} 0.1x + 0.25(2x) + 0.05(500 - 3x) = 88\\ 0.1x + 0.5x + 25 - 0.15x = 88\\ 0.45x + 25 = 88\\ 0.45x = 63\\ x = 140\\ 500 - 3x = 500 - 3(140) = 500 - 420 = 80 \end{array}$ 

There were 80 nickels in the pay phone.

**88.** Let x = the time traveled by the Amtrak train.

Rate ·	Time	=	Distance
--------	------	---	----------

Amtrak	60	x	60 <i>x</i>
Freight	45	<i>x</i> + 1.5	45(x + 1.5)

$$d = d$$
  

$$60x = 45(x+1.5)$$
  

$$60x = 45x + 67.5$$
  

$$15x = 67.5$$
  

$$x = 4.5$$
  
It will take 4.5 hours.

**89.**  $x > 0, (0, \infty)$ 

- **90.**  $x \le -2, (-\infty, -2]$
- **91.**  $0.5 \le y < 1.5$ , [0.5, 1.5)
- **92.** -1 < x < 1, (-1, 1)

93. 
$$-3x > 12$$
  
 $\frac{-3x}{-3} < \frac{12}{-3}$   
 $x < -4, (-\infty, -4)$   
94.  $-2x \ge -20$   
 $\frac{-2x}{-2} \le \frac{-20}{-2}$   
 $x \le 10, (-\infty, 10]$   
95.  $x + 4 \ge 6x - 16$   
 $-5x + 4 \ge -16$   
 $-5x \ge -20$   
 $\frac{-5x}{-5} \le \frac{-20}{-5}$   
 $x \le 4, (-\infty, 4]$   
96.  $5x - 7 > 8x + 5$   
 $-3x - 7 > 5$   
 $-3x > 12$   
 $\frac{-3x}{-3} < \frac{12}{-3}$   
 $x < -4, (-\infty, -4)$   
97.  $-3 < 4x - 1 < 2$   
 $-2 < 4x < 3$   
 $-\frac{1}{2} < x < \frac{3}{4}, \left(-\frac{1}{2}, \frac{3}{4}\right)$   
 $\frac{-3x}{-3} < \frac{12}{-3}, \frac{3}{4}$   
98.  $2 \le 3x - 4 < 6$ 

$$6 \le 3x < 10$$
$$2 \le x < \frac{10}{3}, \left[2, \frac{10}{3}\right]$$

99. 
$$4(2x-5) \le 5x-1$$
$$8x-20 \le 5x-1$$
$$3x-20 \le -1$$
$$3x \le 19$$
$$x \le \frac{19}{3}, \left(-\infty, \frac{19}{3}\right]$$
  
100. 
$$-2(x-5) > 2(3x-2)$$
$$-2x+10 > 6x-4$$
$$-8x+10 > -4$$
$$-8x > -14$$
$$\frac{-8x}{-8} < \frac{-14}{-8}$$
$$x < \frac{7}{4}, \left(-\infty, \frac{7}{4}\right)$$

**101.** Let x = the amount of sales then 0.05x = her commission.  $175 + 0.05x \ge 300$   $0.05x \ge 125$   $x \ge 2500$ Sales must be at least \$2500.

102. Let x = her score on the fourth round.  $\frac{76+82+79+x}{4} < 80$  237+x < 320 x < 83Her score must be less than 83.

**103.** 
$$6x + 2x - 1 = 5x + 11$$
  
 $8x - 1 = 5x + 11$   
 $3x - 1 = 11$   
 $3x = 12$   
 $x = 4$   
**104.**  $2(3y - 4) = 6 + 7y$   
 $6y - 8 = 6 + 7y$   
 $-8 = 6 + y$   
 $-14 = y$ 

Copyright © 2017 Pearson Education, Inc.

**105.** 4(3-a) - (6a+9) = -12a12 - 4a - 6a - 9 = -12a3 - 10a = -12a3 = -2a $-\frac{3}{2}=a$ **106.**  $\frac{x}{3} - 2 = 5$  $\frac{x}{3} = 7$  $3 \cdot \frac{x}{3} = 3 \cdot 7$ x = 21**107.** 2(y+5) = 2y+102y + 10 = 2y + 1010 = 10All real numbers are solutions. **108.** 7x - 3x + 2 = 2(2x - 1)4x + 2 = 4x - 22 = -2There is no solution. **109.** Let x = the number. 6 + 2x = x - 76 + x = -7x = -13The number is -13. **110.** Let x = length of shorter piece, then 4x + 3 = length of longer piece. x + (4x + 3) = 235x + 3 = 235x = 20x = 44x + 3 = 4(4) + 3 = 19The shorter piece is 4 inches and the longer piece is 19 inches. **111.**  $V = \frac{1}{3}Ah$ 

$$3 \cdot V = 3 \cdot \frac{1}{3}Ah$$
$$3V = Ah$$
$$\frac{3V}{A} = \frac{Ah}{A}$$
$$\frac{3V}{A} = h$$

**112.** Let x = the number.  $x = 26\% \cdot 85$  $x = 0.26 \cdot 85$ x = 22.122.1 is 26% of 85. **113.** Let x = the number.  $72 = 45\% \cdot x$ 72 = 0.45x72 - 0.45x0.45 0.45 160 = x72 is 45% of 160. **114.** Increase = 282 - 235 = 47Let x = percent.  $47 = x \cdot 235$  $\frac{47}{235x}$ 235 235 0.2 = xThe percent of increase is 20%. **115.** 4x - 7 > 3x + 2x - 7 > 2 $x > 9, (9, \infty)$ Title: EMG-BA5-HC-02-00-1 **116.** -5x < 20 $\frac{-5x}{-5} > \frac{20}{-5}$  $x > -4, (-4, \infty)$ Title: EMG\_BA5\_HC\_02\_REV 117.  $-3(1+2x) + x \ge -(3-x)$  $-3 - 6x + x \ge -3 + x$  $-3 - 5x \ge -3 + x$  $-5x \ge x$  $-6x \ge 0$  $\frac{-6x}{-6} \le \frac{0}{-6}$  $x \leq 0, (-\infty, 0]$ Title: 

#### **Chapter 2 Getting Ready for the Test**

1. There is no equal sign, so this is not an equation that can be solved. Also, there is only one term that cannot be further simplified. Thus the best direction is to identify the numerical coefficient; C.

#### ISM: Beginning Algebra

- 2. This is an equation that can be solved; A.
- **3.** Two terms are given, so the best direction is to determine whether the given terms are like or unlike terms; D.
- 4. There is no equal sign, so this is not an equation that can be solved—it is an expression that can be simplified; B.
- 5. Subtracting 100z from 8m translates to 8m 100z; B.
- 6. Subtracting 7x 1 from 9y translates to 9y (7x 1); C.
- 7. 7x+6 = 7x+97x-7x+6 = 7x-7x+96 = 9 False The equation has no solution; B.

8. 
$$2y-5=2y-5$$
  
 $2y-2y-5=2y-2y-5$   
 $-5=-5$  True

The equation has all real numbers as solutions; A.

9. 
$$11x-13 = 10x-13$$
  
 $11x-10x-13 = 10x-10x-13$   
 $x-13 = -13$   
 $x-13+13 = -13+13$   
 $x = 0$   
The solution is 0; C.

x + 15 = -x + 15

$$x + x + 15 = -x + x + 15$$
  

$$2x + 15 = 15$$
  

$$2x + 15 - 15 = 15 - 15$$
  

$$2x = 0$$
  

$$\frac{2x}{2} = \frac{0}{2}$$
  

$$x = 0$$

The solution is 0; C.

11. 
$$5(3x-2) = 5 \cdot 3x - 5 \cdot 2 = 15x - 10$$
  
 $-(x+20) = -1(x+20)$   
 $= -1 \cdot x + (-1) \cdot 20$   
 $= -x - 20$   
The resulting equation is  $15x - 10 = -x - 20$ ; B.

12. 
$$30\left(\frac{8x}{3}+1\right) = 30 \cdot \frac{8x}{3} + 30 \cdot 1$$
  
=  $10 \cdot 8x + 30$   
=  $80x + 30$   
 $30\left(\frac{x-2}{10}\right) = 3(x-2) = 3 \cdot x - 3 \cdot 2 = 3x - 6$ 

The simplified equation is 80x + 30 = 3x - 6; D.

# **Chapter 2 Test**

1. 
$$2y-6-y-4 = y-10$$
  
2.  $2.7x + 6.1 + 3.2x - 4.9 = 5.9x + 1.2$   
3.  $4(x-2)-3(2x-6) = 4x-8-6x+18$   
 $= -2x+10$   
4.  $7+2(5y-3) = 7+10y-6 = 10y+1$   
5.  $-\frac{4}{5}x = 4$   
 $-\frac{5}{4} \cdot \left(-\frac{4}{5}x\right) = -\frac{5}{4} \cdot 4$   
 $x = -5$   
6.  $4(n-5) = -(4-2n)$   
 $4n-20 = -4+2n$   
 $2n-20 = -4$   
 $2n = 16$   
 $n = 8$   
7.  $5y-7+y = -(y+3y)$   
 $6y-7 = -4y$   
 $-7 = -10y$   
 $\frac{7}{10} = y$   
8.  $4z+1-z = 1+z$   
 $3z+1 = 1+z$   
 $2z = 0$   
 $z = 0$   
9.  $\frac{2(x+6)}{3} = x-5$   
 $2(x+6) = 3(x-5)$   
 $2x+12 = 3x-15$   
 $12 = x-15$   
 $27 = x$ 

10. 
$$\frac{1}{2} - x + \frac{3}{2} = x - 4$$
  

$$2\left(\frac{1}{2} - x + \frac{3}{2}\right) = 2(x - 4)$$
  

$$1 - 2x + 3 = 2x - 8$$
  

$$-2x + 4 = 2x - 8$$
  

$$-4x + 4 = -8$$
  

$$-4x = -12$$
  

$$x = 3$$
  
11. 
$$-0.3(x - 4) + x = 0.5(3 - x)$$
  

$$10[-0.3(x - 4) + x] = 10[0.5(3 - x)]$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 15 - 5x$$
  

$$12x + 12 = 15 - 5x$$
  

$$12x + 12 = 15$$
  

$$12x = 3$$
  

$$x = \frac{3}{12} = \frac{1}{4} = 0.25$$
  
12. 
$$-4(a + 1) - 3a = -7(2a - 3)$$
  

$$-4a - 4 - 3a = -14a + 21$$
  

$$-7a - 4 = -14a + 21$$
  

$$7a - 4 = 21$$
  

$$7a - 4 = 21$$
  

$$7a - 4 = 25$$
  

$$a = \frac{25}{7}$$
  
13. 
$$-2(x - 3) = x + 5 - 3x$$
  

$$-2x + 6 = -2x + 5$$
  

$$6 = 5$$
  
There is no solution.  
14. Let  $y = -14$ ,  $m = -2$ , and  $b = -2$ .  

$$y = mx + b$$
  

$$-14 = -2x - 2$$
  

$$-12 = -2x$$
  

$$6 = x$$
  
15.  $V = \pi r^{2}h$ 

$$y = \frac{-3x + 10}{-4}$$

$$y = \frac{3x - 10}{4}$$

$$y = \frac{3x - 10}{4}$$
17.  $3x - 5 \ge 7x + 3$ 

$$-4x - 5 \ge 3$$

$$-4x \ge 8$$

$$\frac{-4x}{-4} \le \frac{8}{-4}$$

$$x \le -2, (-\infty, -2]$$
18.  $x + 6 > 4x - 6$ 

$$-3x + 6 > -6$$

$$-3x + 6 > -6$$

$$-3x + 6 > -6$$

$$-3x - 12$$

$$\frac{-3x}{-3} < \frac{-12}{-3}$$

$$x < 4, (-\infty, 4)$$
4
19.  $-2 < 3x + 1 < 8$ 

$$-3 < 3x < 7$$

$$-1 < x < \frac{7}{3}, \left(-1, \frac{7}{3}\right)$$

$$\frac{2(5x + 1)}{3} > 2$$
20.  $\frac{2(5x + 1)}{3} > 2$ 

$$2(5x + 1) > 6$$

$$10x + 2 > 6$$

$$10x > 4$$

$$x > \frac{4}{10} = \frac{2}{5}, \left(\frac{2}{5}, \infty\right)$$

**16.** 3x - 4y = 10

-4y = -3x + 10

5. 
$$V = \pi r^{2} h$$
$$\frac{V}{\pi r^{2}} = \frac{\pi r^{2} h}{\pi r^{2}}$$
$$\frac{V}{\pi r^{2}} = h$$

Copyright © 2017 Pearson Education, Inc.

**21.** Let x = the number.

$$x + \frac{2}{3}x = 35$$
$$3\left(x + \frac{2}{3}x\right) = 3(35)$$
$$3x + 2x = 105$$
$$5x = 105$$
$$x = 21$$
The number is 21.

- 22. Let x = width, then x + 2 = length. P = 2w + 2l 252 = 2x + 2(x + 2) 252 = 2x + 2x + 4 252 = 4x + 4 252 - 4 = 4x + 4 - 4 248 = 4x  $\frac{248}{4} = \frac{4x}{4}$  62 = x 64 = x + 2The dimensions of the deck are 62 feet by
  - 64 feet.
- 23. Let x = one area code, then 2x = other area code. x + 2x = 1203 3x = 1203  $\frac{3x}{3} = \frac{1203}{3}$  x = 401 2x = 2(401) = 802The area codes are 401 and 802.
- **24.** Let x = the amount invested at 10% for one year.

Principal  $\cdot$  Rate = Interest

10%	x	0.10	0.1 <i>x</i>
12%	2x	0.12	0.12(2 <i>x</i> )
Total			2890

 $\begin{array}{l} 0.1x + 0.12(2x) = 2890 \\ 0.1x + 0.24x = 2890 \\ 0.34x = 2890 \\ x = 8500 \\ 2x = 2(8500) = 17,000 \\ \text{He invested $$8500 at 10\% and $$17,000 at 12\%. } \end{array}$ 

**25.** Let x = the time they travel.

Rate  $\cdot$  Time = Distance

Train 1	50	x	50 <i>x</i>
Train 2	64	x	64 <i>x</i>
Total			285

$$50x + 64x = 285$$

$$114x = 285$$

$$x = 2\frac{1}{2}$$
They must travel for  $2\frac{1}{2}$  hours.

- 26. From the graph, 69% are classified as weak. Find 69% of 800.
  69% · 800 = 0.69 · 800 = 552
  You would expect 552 of the 800 to be classified as weak.
- **27.** Let x be the unknown percent.

$$72 = x \cdot 180$$
  
$$\frac{72}{180} = \frac{180x}{180}$$
  
$$0.4 = x$$
  
$$72 \text{ is } 40\% \text{ of } 180.$$

**28.** percent of decrease =  $\frac{\text{amount of decrease}}{\text{original amount}}$ 

$$=\frac{225-189}{225}$$
$$=\frac{36}{225}$$
$$=0.16$$

The percent of decrease is 16%.

**Chapter 2 Cumulative Review** 

- **1. a.** The natural numbers are 11 and 112.
  - **b.** The whole numbers are 0, 11, and 112.
  - **c.** The integers are -3, -2, 0, 11, and 112.
  - **d.** The rational numbers are  $-3, -2, -1.5, 0, \frac{1}{4}, 11, \text{ and } 112.$
  - e. The irrational number is  $\sqrt{2}$ .
  - **f.** All the numbers in the given set are real numbers.

- **2. a.** The natural numbers are 2, 7, and 8.
  - **b.** The whole numbers are 0, 2, 7, and 8.
  - **c.** The integers are -185, 0, 2, 7, and 8.
  - **d.** The rational numbers are -185,  $-\frac{1}{5}$ , 0, 2, 7, and 8.
  - **e.** The irrational number is  $\sqrt{3}$ .
  - **f.** All the numbers in the given set are real numbers.
- **3. a.** |4| = 4
  - **b.** |-5| = 5
  - **c.** |0| = 0
  - **d.**  $\left|-\frac{1}{2}\right| = \frac{1}{2}$
  - **e.** |5.6| = 5.6
- **4. a.** |5| = 5
  - **b.** |-8| = 8
  - **c.**  $\left| -\frac{2}{3} \right| = \frac{2}{3}$
- **5. a.**  $40 = 2 \cdot 2 \cdot 2 \cdot 5$ 
  - **b.**  $63 = 3 \cdot 3 \cdot 7$
- **6. a.**  $44 = 2 \cdot 2 \cdot 11$

**b.**  $90 = 2 \cdot 3 \cdot 3 \cdot 5$ 

7.  $\frac{2}{5} = \frac{2}{5} \cdot \frac{4}{4} = \frac{8}{20}$ 

8.  $\frac{2}{3} = \frac{2}{3} \cdot \frac{8}{8} = \frac{16}{24}$ 

9. 3[4+2(10-1)] = 3[4+2(9)]= 3[4+18]= 3[22]= 66

**10.** 5[16-4(2+1)] = 5[16-4(3)]= 5[16 - 12]= 5[4]= 20 **11.** Let x = 2. 3x + 10 = 8x3(2)+100 8(2) 6+10**0**16 16 = 162 is a solution of the equation. **12.** Let x = 3. 5x - 2 = 4x5(3) - 204(3)15 - 20 1213 ≠ 12 3 is not a solution of the equation. **13.** -1 + (-2) = -3**14.** (-2) + (-8) = -10**15.** -4 + 6 = 2**16.** -3 + 10 = 7**17. a.** -(-10) = 10**b.**  $-\left(-\frac{1}{2}\right) = \frac{1}{2}$ **c.** -(-2x) = 2x**d.** -|-6| = -(6) = -6**18. a.** -(-5) = 5**b.**  $-\left(-\frac{2}{3}\right) = \frac{2}{3}$ **c.** -(-a) = a**d.** -|-3| = -(3) = -3**19. a.** 5.3 - (-4.6) = 5.3 + 4.6 = 9.9

**b.** 
$$-\frac{3}{10} - \frac{5}{10} = -\frac{3}{10} + \left(-\frac{5}{10}\right)$$
  
 $= \frac{-3-5}{10}$   
 $= -\frac{8}{10}$   
 $= -\frac{4}{5}$   
**c.**  $-\frac{2}{3} - \left(-\frac{4}{5}\right) = -\frac{2}{3} \cdot \frac{5}{5} + \frac{4}{5} \cdot \frac{3}{3}$   
 $= -\frac{10}{15} + \frac{12}{15}$   
 $= \frac{2}{15}$ 

**20. a.** 
$$-2.7 - 8.4 = -2.7 + (-8.4) = -11.1$$
  
**b.**  $-\frac{4}{5} - \left(-\frac{3}{5}\right) = -\frac{4}{5} + \frac{3}{5} = \frac{-4+3}{5} = -\frac{1}{5}$ 

- **c.**  $\frac{1}{4} \left(-\frac{1}{2}\right) = \frac{1}{4} + \frac{1}{2} \cdot \frac{2}{2} = \frac{1}{4} + \frac{2}{4} = \frac{3}{4}$
- **21.** a. x = 90 38 = 90 + (-38) = 52The complementary angle is 52°.
  - **b.** y = 180 62 = 180 + (-62) = 118The supplementary angle is  $118^{\circ}$ .
- **22.** a. x = 90 72 = 90 + (-72) = 18The complementary angle is 18°.
  - **b.** y = 180 47 = 180 + (-47) = 133The supplementary angle is 133°.
- **23. a.** (-1.2)(0.05) = -0.06

**b.** 
$$\frac{2}{3} \cdot \left(-\frac{7}{10}\right) = -\frac{2 \cdot 7}{3 \cdot 10} = -\frac{14}{30} = -\frac{7}{15}$$
  
**c.**  $\left(-\frac{4}{5}\right)(-20) = \frac{4 \cdot 20}{5} = \frac{80}{5} = 16$ 

**24. a.** 
$$(4.5)(-0.08) = -0.36$$
  
**b.**  $-\frac{3}{4} \cdot \left(-\frac{8}{17}\right) = \frac{3 \cdot 8}{4 \cdot 17} = \frac{24}{68} = \frac{6}{17}$ 

Chapter 2: Equations, Inequalities, and Problem Solving

25. a. 
$$\frac{-24}{-4} = 6$$
  
b.  $\frac{-36}{3} = -12$   
c.  $\frac{2}{3} \div \left(-\frac{5}{4}\right) = \frac{2}{3}\left(-\frac{4}{5}\right) = -\frac{8}{15}$   
d.  $-\frac{3}{2} \div 9 = -\frac{3}{2} \div \frac{9}{1} = -\frac{3}{2} \cdot \frac{1}{9} = -\frac{3}{18} = -\frac{1}{6}$   
26. a.  $\frac{-32}{8} = -4$   
b.  $\frac{-108}{-12} = 9$   
c.  $-\frac{5}{7} \div \left(\frac{-9}{2}\right) = -\frac{5}{7}\left(-\frac{2}{9}\right) = \frac{10}{63}$   
27. a.  $x + 5 = 5 + x$   
b.  $3 \cdot x = x \cdot 3$   
28. a.  $y + 1 = 1 + y$   
b.  $y \cdot 4 = 4 \cdot y$   
29. a.  $8 \cdot 2 + 8 \cdot x = 8(2 + x)$   
b.  $7s + 7t = 7(s + t)$   
30. a.  $4 \cdot y + 4 \cdot \frac{1}{3} = 4\left(y + \frac{1}{3}\right)$   
b.  $0.10x + 0.10y = 0.10(x + y)$   
31.  $(2x - 3) - (4x - 2) = 2x - 3 - 4x + 2 = -2x - 1$   
32.  $(-5x + 1) - (10x + 3) = -5x + 1 - 10x - 3$   
 $= -15x - 2$   
33.  $\frac{1}{2} = x - \frac{3}{4}$   
 $4\left(\frac{1}{2}\right) = 4(x) - 4\left(\frac{3}{4}\right)$   
 $2 = 4x - 3$   
 $5 = 4x$   
 $\frac{5}{4} = x$ 

Copyright © 2017 Pearson Education, Inc.

 $\frac{5}{6} + x = \frac{2}{3}$   $6\left(\frac{5}{6}\right) + 6(x) = 6\left(\frac{2}{3}\right)$  5 + 6x = 434. 6x = -1 $x = -\frac{1}{6}$ **35.** 6(2a-1) - (11a+6) = 712a - 6 - 11a - 6 = 7a - 12 = 7a = 19**36.** -3x+1-(-4x-6)=10-3x + 1 + 4x + 6 = 10x + 7 = 10x = 3**37.**  $\frac{y}{7} = 20$ y = 140**38.**  $\frac{x}{4} = 18$ x = 72**39.** 4(2x-3)+7=3x+58x - 12 + 7 = 3x + 58x - 5 = 3x + 55x - 5 = 55x = 10x = 2**40.** 6x + 5 = 4(x + 4) - 16x + 5 = 4x + 16 - 16x + 5 = 4x + 152x + 5 = 152x = 10*x* = 5

41. Let 
$$x = a$$
 number.  
 $2(x+4) = 4x - 12$   
 $2x+8 = 4x - 12$   
 $2x+8 = 4x - 12$   
 $20 = 2x$   
 $10 = x$   
The number is 10.  
42. Let  $x = a$  number.  
 $x+4 = 3x - 8$   
 $4 = 2x - 8$   
 $12 = 2x$   
 $6 = x$   
The number is 6.  
43.  $V = lwh$   
 $\frac{V}{wh} = \frac{lwh}{wh}$   
 $\frac{V}{wh} = l$   
44.  $C = 2\pi r$   
 $\frac{C}{2\pi} = \frac{2\pi r}{2\pi}$   
 $\frac{C}{2\pi} = r$   
45.  $x+4 \le -6$   
 $x \le -10, (-\infty, -10]$   
Title:  
EMG\_RAF\_HC\_02\_REM

Simplifying Algebraic Expressions

#### Learning Objectives:

- 1. Identify terms, like terms, and unlike terms.
- 2. Combine like terms.
- 3. Use the distributive property to remove parentheses.
- 4. Write word phrases as algebraic expressions.

### **Examples**

- 1. Identify the numerical coefficient of each term.
  - a) 9x b) -3y c) -x d)  $2.7x^2y$

Indicate whether the terms in each list are like or unlike.

e) 
$$6x, -3x$$
 f)  $-xy^2, -x^2y$  g)  $5ab, -\frac{1}{2}ba$  h)  $2x^3yz^2, -x^3yz^3$ 

- 2. Simplify each expression by combining any like terms.
  - a) 7x 2x + 4 b) -9y + 2 1 + 6 + y 7 c)  $1.6x^5 + 0.9x^2 0.3x^5$

3. Simplify each expression. Use the distributive property to remove any parentheses.

a) 
$$3(x+6)$$
 b)  $-(-5m+6n-2p)$  c)  $\frac{1}{3}(6x-9)$ 

Remove parentheses and simplify each expression.

- d) 14(2x+6)-4 e) 10a-5-2(a-3) f) 3(2x-5)-(x+7)
- 4. Write each phrase as an algebraic expression. Simplify if possible.
  - a) Add -4y + 3 to 6y 9b) Subtract 2x - 1 from 3x + 7
  - c) Triple a number, decreased by six d) Six times the sum of a number and two

### **Teaching Notes:**

- Students will need repeated practice with identifying terms and like terms.
- Some students do not know that a variable without a numerical coefficient actually has a coefficient of 1.
- Some students will forget to distribute the minus sign in 3b), 3e), and 3f). Some students might need to write a 1 in front of the parentheses in 3b) and 3f).

<u>Answers:</u> 1a) 9; 1b) -3; 1c) -1; 1d) 2.7; 1e) like; 1f) unlike; 1g) like; 1h) unlike; 2a) 5x+4; 2b) -8y; 2c)  $1.3x^5+0.9x^2$ ; 3a) 3x+18; 3b) 5m-6n+2p; 3c) 2x-3; 3d) 28x+80; 3e) 8a+1; 3f) 5x-22; 4a) (-4y+3) + (6y-9) = 2y-6; 4b) (3x+7) - (2x-1) = x + 8; 4c) 3x-6; 4d) 6(x + 2)

The Addition Property of Equality

#### **Learning Objectives:**

- 1. Define linear equations and use the addition property of equality to solve linear equations.
- 2. Write word phrases as algebraic expressions.

#### Examples:

1. Solve each equation. Check each solution.

a) y-6=18 b) -18=t-5 c) 8.1+y=13.9 d)  $a+\frac{2}{3}=-\frac{3}{4}$ 

Solve each equation. If possible, be sure to first simplify each side of the equation. Check each solution.

- e) 5(y+2) = 6(y-3)f) 10x = 4x + 9 + 5x
- g) -8z + 5 + 6z = -3z + 10h) -5x + 4 + 6x = 15 - 28
- i)  $-\frac{1}{6}x \frac{1}{3} = \frac{5}{6}x + \frac{1}{2}$  j) -14.9 + 4a 2.7 + 2a = 5.1 + 7a + 1.5
- 2. Write each algebraic expression described.

a) Two numbers have a sum of 72. If one number is z, express the other number in terms of z.

b) During a recent marathon, Tom ran 8 more miles than Judy ran. If Judy ran *x* miles, how many miles did Tom run?

c) On a recent car trip, Raymond drove x miles on day one. On day two, he drove 170 miles more than he did on day one. How many miles, in terms of x, did Raymond drive for both days combined?

### **Teaching Notes:**

- Some students need a quick review of "like terms."
- Advise students to write out each step until they have mastered this concept. Avoid shortcuts!
- Some students need to be taught how to work a problem in sequential order showing each step.
- Encourage students to take their time and organize their work. This will help when the problems become more complex.

<u>Answers:</u> 1a) 24; 1b) -13; 1c) 5.8; 1d) -17/12; 1e) 28; 1f) 9; 1g) 5; 1h) -17; 1i) -5/6; 1j) 11; 2a) 72 - z; 2b) x+8; 2c) 2x+170

The Multiplication Property of Equality

#### **Learning Objectives:**

- 1. Use the multiplication property of equality to solve linear equations.
- 2. Use both the addition and multiplication properties of equality to solve linear equations.
- 3. Write word phrases as algebraic expressions.

#### Examples:

- 1. Use the multiplication property of equality to solve the following linear equations. Check each solution.
  - a) -8x = -24 b) 7x = 0 c) -z = 19 d) 3x = -22e)  $\frac{2}{5}a = 12$  f)  $\frac{y}{-11} = 2.5$  g)  $\frac{-3}{8}b = 0$  h) -10.2 = -3.4c
- 2. Use the addition property of equality and the multiplication property of equality to solve the following linear equations. Check each solution.
  - a) 5x + 6 = 46 b)  $\frac{a}{9} 7 = 11$  c) -24 = -3x 9 d)  $\frac{1}{3}y \frac{1}{3} = -6$ e) -5.8z + 1.9 = -32.5 - 1.5z f) 8y + 7 = 6 - 2y - 10y g) 4(4x - 1) = (-8) - (-24)
- 3. Write each algebraic expression described. Simplify if possible.
  - a) If z represents the first of two consecutive even integers, express the sum of the two integers in terms of z.
  - b) If *x* represents the first of three consecutive even integers, express the sum of the first and third integer in terms of *x*.
  - c) Houses on one side of a street are all numbered using consecutive odd integers. If the first house on the street is numbered x, write an expression in x for the sum of five house numbers in a row.

### **Teaching Notes:**

- Review "like terms" with students.
- Many students do not combine like terms before using one of the properties.
- Encourage students to always take the time to check their solution.

<u>Answers:</u> 1a) 3; 1b) 0; 1c) -19; 1d) -22/3; 1e) 30; 1f) -27.5; 1g) 0; 1h) 3; 2a) 8; 2b) 162; 2c) 5; 2d) -17; 2e) 8; 2f) -1/20; 2g) 5/4; 3a) 2z+2; 3b) 2x+4; 3c) 5x+20

Solving Linear Equations

### Learning Objectives:

- 1. Apply a general strategy for solving a linear equation.
- 2. Solve equations containing fractions.
- 3. Solve equations containing decimals.
- 4. Recognize identities and equations with no solution.

### Examples:

1. Solve the following linear equations.

a) 6a - (5a - 1) = 4 b) 4(3b - 1) = 16 c) 4z = 8(2z + 9)

d) 
$$2(x+8) = 3(x-5)$$
 e)  $3(2a-3) = 5(a+4)$  f)  $12(4c-2) = 3c-4$ 

2. Solve each equation containing fractions.

a) 
$$\frac{y}{6} - 4 = 1$$
 b)  $\frac{1}{4}x - \frac{3}{8}x = 5$  c)  $\frac{-6x + 5}{4} + 1 = -\frac{5x}{4}$ 

Solve each equation containing decimals.

d) 
$$0.05x + 0.06(x - 1,500) = 570$$
  
e)  $0.4(x + 7) - 0.1(3x + 6) = -0.8$ 

3. Solve each equation. Indicate if it is an identity or an equation with no solution.

a) 
$$6(z+7) = 6z + 42$$
  
b)  $3 + 12x - 1 = 8x + 4x - 1$   
c)  $\frac{x}{3} - 3 = \frac{2x}{6} + 1$ 

## **Teaching Notes:**

- Refer students to the beginning of this section in the textbook for steps: Solving Linear Equations in One Variable.
- Most students find solving equations with fractions or decimals difficult.
- Common error: When multiplying equations with fractions by the LCD, some students multiply only the terms with fractions instead of all terms.
- Common error: When solving equations with decimals and parentheses (examples 2d and 2e), some students multiply terms both inside parentheses and outside parentheses by a power of 10.

<u>Answers:</u> 1a) 3; 1b) 5/3; 1c) -6; 1d) 31; 1e) 29; 1f) 4/9; 2a) 30; 2b) -40; 2c) 9; 2d) 6,000 2e) -30; 3a) identity; 3b) no solution; 3c) no solution

An Introduction to Problem Solving

#### **Learning Objectives:**

#### Apply the steps for problem solving as we

- 1. Solve problems involving direct translations.
- 2. Solve problems involving relationships among unknown quantities.
- 3. Solve problems involving consecutive integers.

#### Examples:

- 1. Solve.
  - a) Eight is added to a number and the sum is doubled, the result is 11 less than the number. Find the number.
  - b) Three times the difference of a number and 2 is equal to 8 subtracted from twice a number. Find the integers.
- 2. Solve.
  - a) A college graduating class is made up of 450 students. There are 206 more girls than boys. How many boys are in the class?
  - b) A 22-ft pipe is cut into two pieces. The shorter piece is 7 feet shorter than the longer piece. What is the length of the longer piece?
  - c) A triangle has three angles, A, B, and C. Angle C is 18° greater than angle B. Angle A is 4 times angle B. What is the measure of each angle? (Hint: The sum of the angles of a triangle is 180°).
- 3. Solve.
  - a) The room numbers of two adjacent hotel rooms are two consecutive odd numbers. If their sum is 1380, find the hotel room numbers.
  - b) When you open a book, the left and right page numbers are two consecutive natural numbers. The sum of their page numbers is 349. What is the number of the page that comes first?

### **Teaching Notes:**

- Many students find application problems challenging.
- Encourage students, whenever possible, to draw diagrams, charts, etc.
- Encourage students to use algebra to solve a problem even though they may be able to solve without it.
- Refer students to *General Strategy for Problem Solving* section 2.5, page 111.

<u>Answers:</u> 1a) -27; 1b) 21, 63; 2a) 122 boys; 2b) 14.5 feet; 2c)  $A=108^{\circ}$ ,  $B=27^{\circ}$ ,  $C=45^{\circ}$ ; 3a) 689, 691; 3b) 174

Formulas and Problem Solving

### Learning Objectives:

- 1. Use formulas to solve problems.
- 2. Solve a formula or equation for one of its variables.

### **Examples:**

- 1. Substitute the given values into each given formula and solve for the unknown variable. If necessary, round to one decimal place.
  - a) Distance Formula d = rt; t = 9, d = 63b) Perimeter of a rectangle P = 2l + 2w; P = 32, w = 7
  - c) Volume of a pyramid  $V = \frac{1}{3}Bh; V = 40, h = 8$  d) Simple interest I = prt; I = 23, p = 230, r = 0.02

e) Convert the record high temperature of 102°F to Celsius. ( $F = \frac{9}{5}C + 32$ )

f) You have decided to fence an area of your backyard for your dog. The length of the area is 1 meter less than twice the width. If the perimeter of the area is 70 meters, find the length and width of the rectangular area.

g) For the holidays, Chris and Alicia drove 476 miles. They left their house at 7 a.m. and arrived at their destination at 4 p.m. They stopped for 1 hour to rest and re-fuel. What was their average rate of speed?

- 2. Solve each formula for the specified variable.
  - a) Area of a triangle  $A = \frac{1}{2}bh$  for b  $P = s_1 + s_2 + s_3$  for  $s_3$
  - c) Surface area of a special rectangular box S = 4lw + 2wh for ld) Circumference of a circle  $C = 2\pi r$  for r

## **Teaching Notes:**

- Most students will only need algebra reminders when working with a formula given values.
- Refer students to *Solving Equations for a Specified Variable* chart in the textbook, page 127.
- Most students have problems with applications. Refer them back to section 2.5 and the *General Strategy for Problem Solving* in the textbook, page 111.

<u>Answers:</u> 1a) 7; 1b) 9; 1c) 15; 1d) 5; 1e)  $38.9^{\circ}C$ ; 1f) l=23, w=12; 1g) 59.5 mph; 2a)  $b=\frac{2A}{h}$ ;

2b) 
$$s_3 = P - s_1 - s_2;$$
 2c)  $\frac{S - 2wh}{4w};$  2d)  $r = \frac{C}{2\pi}$ 

Percent and Mixture Problem Solving

### **Learning Objectives:**

- 1. Solve percent equations.
- 2. Solve discount and mark-up problems.
- 3. Solve percent of increase and percent of decrease problems.
- 4. Solve mixture problems.

#### Examples:

1. Find each number described.

a) 5% of 300 is what number?	b) 207 is 90% of what number?
c) 15 is 1% of what number?	d) What percent of 350 is 420?

2. Solve the following discount and mark-up problems. If needed, round answers to the nearest cent.

a) A "Going-Out-Of-Business" sale advertised a 75% discount on all merchandise. Find the discount and the sale price of an item originally priced at \$130.

b) Recently, an anniversary dinner cost \$145.23 excluding tax. Find the total cost if a 15% tip is added to the cost.

3. Solve the following percent increase and decrease problems.

a) The number of minutes on a cell phone bill went from 1200 minutes in March to1600 minutes in April. Find the percent increase. Round to the nearest whole percent.

b) In 2004, a college campus had 8,900 students enrolled. In 2005, the same college campus had 7,600 students enrolled. Find the percent decrease. Round to the nearest whole percent.

- c) Find the original price of a pair of boots if the sale price is \$120 after a 20% discount.
- 4. How much pure acid should be mixed with 4 gallons of a 30% acid solution in order to get a 80% acid solution? Use the following table to model the situation.

	Number of Gallons $\cdot$ Acid Strength = Amount of Acid		
Pure Acid			
30% Acid Solution			
80% Acid Solution Needed			

### **Teaching Notes:**

• Most students find problem solving challenging. Encourage students to make a list of all appropriate formulas.

<u>Answers:</u> 1a) 15; 1b) 230; 1c) 1500; 1d) 120%; 2a) discount - \$97.50, sale price - \$32.50; 2b) \$167.01; 3a) 33%; 3b) 15%; 3c) \$150; 4) 10 gallons

Further Problem Solving

### Learning Objectives:

- 1. Solve problems involving distance.
- 2. Solve problems involving money.
- 3. Solve problems involving interest.

### Examples:

1. How long will it take a car traveling 60 miles per hour to overtake an activity bus traveling 45miles per hour if the activity bus left 2 hours before the car?

	r	D	t
Car	60 mph	60 <i>x</i>	x
Activity Bus	45 mph	45(x+2)	x + 2

2. A collection of dimes and quarters and nickels are emptied from a drink machine. There were four times as many dimes as quarters, and there were ten less nickels than there were quarters. If the value of the coins was \$19.50, find the number of quarters, the number of dimes, and the number of nickels.

	Number	Value of each	Total value	
Quarters	x	0.25	0.25 <i>x</i>	40 @ 0.25=\$10.00
Dimes	2x	0.10	0.10(2x)	80 @ 0.10=\$\$8.00
Nickels	<i>x</i> - 10	0.05	0.05(x-10)	30 @ 0.05=\$1.50
<b>Entire Collection</b>			\$19.50	\$19.50

3. Jeff received a year end bonus of \$80,000. He invested some of this money at 8% and the rest at 10%. If his yearly earned income was \$7,300, how much did Jeff invest at 10%? Use the following table to model the situation.

	Principal	· Rate	· Time	= Interest
8% Fund	x	0.08	1	0.08 <i>x</i>
10% Fund	80,000 - <i>x</i>	0.1	1	0.01(50,000 - x)
Total	80,000			7,300

### **Teaching Notes:**

• Most students find problem solving challenging. Encourage students to make a list of all appropriate formulas.

Answers: 1) 6 hours; 2) Number of Quarters = 40, Number of dimes = 80, number of nickels = 303; 3) \$45,000

Solving Linear Inequalities

### Learning Objectives:

- 1. Define linear inequality in one variable, graph solution sets on a number line, and use interval notation.
- 2. Solve linear inequalities.
- 3. Solve compound inequalities.
- 4. Solve inequality applications.

### Examples:

1. Graph each inequality on a number line and write it in interval notation.

a) 
$$x \ge -5$$
 b)  $y < 7$  c)  $-\frac{3}{2} \ge m$  d)  $x > -\frac{2}{5}$ 

2. Using the addition property of inequality, solve each inequality. Graph the solution set and write it in interval notation.

a) 
$$x + 7 \le 12$$
 b)  $x - 10 > -3$  c)  $-4z - 2 > -5z + 1$  d)  $18 - 2x \le -3x + 24$ 

Using the multiplication property of inequality, solve each inequality. Graph the solution set and write it in interval notation.

e) 
$$-8 \ge \frac{x}{3}$$
 f)  $3x < 73$  g)  $0 < \frac{y}{8}$  h)  $-\frac{3}{5}z \le 9$ 

Using both properties, solve each inequality.

i) 
$$3(3x-16) < 12(x-2)$$
 j)  $-18(z-2) \ge -21z + 24$  k)  $\frac{8}{21}(x+2) > \frac{1}{7}(x+3)$ 

- 3. Solve each inequality. Graph the solution set and write it in interval notation. a) $-5 < t \le 0$  b)  $-12 \le 2x < -8$  c)  $3 \le 4x - 9 \le 7$
- 4. Solve the following.

a) Eight more than twice a number is less than negative twelve. Find all numbers that make this statement true.

b) One side of a triangle is six times as long as another side and the third side is 8 inches long. If the perimeter can be no more than 106 inches, find the maximum lengths of the other two sides.

#### **Teaching Notes:**

- Remind students to reverse the direction of the inequality symbol when multiplying or dividing by a negative number.
- Suggest students keep the coefficient of the variable positive whenever possible.

<u>Answers:</u> (For all graphs, see Mini-Lecture Graphing Answers starting on page M-63): 1a)  $[-5,\infty)$ ; 1b)  $(\infty,7)$ ; 1c)  $[-3/2,\infty)$ ; 1d)  $(-2/5,\infty)$ ; 2a)  $(-\infty,5]$ ; 2b)  $(7,\infty)$ ; 2c)  $(3,\infty)$ ; 2d)  $(-\infty,6]$ ; 2e)  $(-\infty,-24]$ ; 2f)  $(-\infty,24\frac{1}{3})$ ; 2g)  $(0,\infty)$ ; 2h)  $[-15,\infty)$ ; 2i)  $(-8,\infty)$ ; 2j)  $[-4,\infty)$ ; 2k)  $(7/5,\infty)$ ; 3a) (-5,0]; 3b) [-6,4); 3c) [3,4]; 4a) x < -10; 4b) 14, 84

## **Chapter 2**

#### Section 2.1 Practice Exercises

- 1. a. The numerical coefficient of *t* is 1, since *t* is 1*t*.
  - **b.** The numerical coefficient of -7x is -7.
  - c. The numerical coefficient of  $-\frac{w}{5}$  is  $-\frac{1}{5}$ , since  $-\frac{w}{5}$  means  $-\frac{1}{5} \cdot w$ .
  - **d.** The numerical coefficient of  $43x^4$  is 43.
  - **e.** The numerical coefficient of -b is -1, since -b is -1b.
- **2. a.** -4xy and 5yx are like terms, since xy = yx by the commutative property.
  - **b.** 5q and  $-3q^2$  are unlike terms, since the exponents on q are not the same.
  - **c.**  $3ab^2$ ,  $-2ab^2$ , and  $43ab^2$  are like terms, since each variable and its exponent match.
  - **d.**  $y^5$  and  $\frac{y^5}{2}$  are like terms, since the exponents on y are the same.

**3. a.** 
$$-3y + 11y = (-3 + 11)y = 8y$$

**b.** 
$$4x^2 + x^2 = 4x^2 + 1x^2 = (4+1)x^2 = 5x^2$$


- **c.**  $5x 3x^2 + 8x^2 = 5x + (-3 + 8)x^2 = 5x + 5x^2$
- **d.**  $20y^2 + 2y^2 y^2 = 20y^2 + 2y^2 1y^2$ =  $(20 + 2 - 1)y^2$ =  $21y^2$

- 4. a. 3y+8y-7+2 = (3+8)y+(-7+2) = 11y-5
  - **b.** 6x-3-x-3 = 6x-1x + (-3-3)= (6-1)x + (-3-3)= 5x-6

**c.** 
$$\frac{3}{4}t - t = \frac{3}{4}t - 1t = \left(\frac{3}{4} - 1\right)t = -\frac{1}{4}t$$

- **d.** 9y+3.2y+10+3 = (9+3.2)y+(10+3)= 12.2y+13
- e.  $5z-3z^4$ These two terms cannot be combined because they are unlike terms.
- **5.** a. 3(2x 7) = 3(2x) + 3(-7) = 6x 21
  - **b.** -5(x 0.5z 5)= -5(x) + (-5)(-0.5z) + (-5)(-5)= -5x + 2.5z + 25
  - c. -(2x y + z 2)= -1(2x - y + z - 2)= -1(2x) - 1(-y) - 1(z) - 1(-2)= -2x + y - z + 2
- 6. a. 4(9x + 1) + 6 = 36x + 4 + 6 = 36x + 10
  - **b.** -7(2x-1) (6-3x) = -14x + 7 6 + 3x= -11x + 1
  - c. 8 5(6x + 5) = 8 30x 25 = -30x 17
- 7. "Subtract 7x 1 from 2x + 3" translates to (2x+3) - (7x-1) = 2x + 3 - 7x + 1 = -5x + 4

8. a.	Three	added to	double a number
	$\downarrow$	$\downarrow$	$\downarrow$
	3	+	2x
	or $2x + 3$		



#### Vocabulary, Readiness & Video Check 2.1

- 1.  $23y^2 + 10y 6$  is called an <u>expression</u> while  $23y^2$ , 10y, and -6 are each called a <u>term</u>.
- **2.** To simplify x + 4x, we <u>combine like terms</u>.
- 3. The term *y* has an understood <u>numerical coefficient</u> of 1.
- 4. The terms 7z and 7y are <u>unlike</u> terms and the terms 7z and -z are <u>like</u> terms.
- 5. For the term  $-\frac{1}{2}xy^2$ , the number  $-\frac{1}{2}$  is the <u>numerical coefficient</u>.
- 6. 5(3x y) equals 15x 5y by the <u>distributive</u> property.
- 7. Although these terms have exactly the same variables, the exponents on each are not exactly the same—the exponents on x differ in each term.
- 8. distributive property
- **9.** -1

10. The sum of 5 times a number and -2, added to 7 times the number; 5x + (-2) + 7x; because there are like terms.

#### **Exercise Set 2.1**

**2.** The numerical coefficient of 3x is 3.

#### Chapter 2: Equations, Inequalities and Problem Solving

ISM: Beginning Algebra

- 4. The numerical coefficient of -y is -1, since -y = -1y.
- **6.** The numerical coefficient of 1.2*xyz* is 1.2.
- 8.  $-2x^2y$  and 6xy are unlike terms, since the exponents on x are not the same.
- 10.  $ab^2$  and  $-7ab^2$  are like terms, since each variable and its exponent match.
- 12.  $7.4p^3q^2$  and  $6.2p^3q^2r$  are unlike terms, since the exponents on *r* are not the same.
- 14. 3x + 2x = (3 + 2)x = 5x
- **16.** c 7c + 2c = (1 7 + 2)c = -4c

**18.** 
$$6g+5-3g-7 = 6g-3g+5-7$$
  
=  $(6-3)g-2$   
=  $3g-2$ 

**20.** 
$$a + 3a - 2 - 7a = a + 3a - 7a - 2$$
  
=  $(1 + 3 - 7)a - 2$   
=  $-3a - 2$ 

22. 
$$8p+4-8p-15 = (8p-8p)+(4-15)$$
  
=  $(8-8)p+(-11)$   
=  $0p-11$   
=  $-11$ 

24. 
$$7.9y - 0.7 - y + 0.2 = 7.9y - y - 0.7 + 0.2$$
  
=  $(7.9 - 1)y - 0.5$   
=  $6.9y - 0.5$ 

**26.** 8h+13h-6+7h-h=8h+13h+7h-h-6= (8+13+7-1)h-6= 27h-6

**28.** 
$$8x^3 + x^3 - 11x^3 = (8+1-11)x^3 = -2x^3$$

**30.** 
$$0.4y - 6.7 + y - 0.3 - 2.6y$$
  
=  $0.4y + y - 2.6y - 6.7 - 0.3$   
=  $(0.4 + 1 - 2.6)y - 7.0$   
=  $-1.2y - 7$ 

**32.** 
$$7(r-3) = 7(r) - 7(3) = 7r - 21$$

**34.** 
$$-4(y+6) = -4(y) + (-4)(6) = -4y - 24$$

- **36.** 9(z + 7) 15 = 9z + 63 15 = 9z + 48**38.** -2(4x-3z-1) = -2(4x) - (-2)(3z) - (-2)(1)=-8x+6z+2**40.** -(y + 5z - 7) = -y - 5z + 7**42.** 4(2x-3)-2(x+1)=8x-12-2x-2= 6x - 14added **44.** 3y-5y+16 to  $\downarrow$  $\downarrow$  $\downarrow$ (3y-5)(y+16) = 3y + y - 5 + 16+=4y+11**46.** 12 + x minus 4x - 7 $\downarrow$  $\downarrow$  $\downarrow$ (4x-7) = 12 + x - 4x + 7(12+x)\_ =12+7+x-4x=19-3x2m-6 minus 48. m-3 $\downarrow$  $\downarrow$  $\downarrow$ (m-3) = 2m-6-m+3(2m-6)\_ = 2m - m - 6 + 3= m - 3**50.** 7c - 8 - c = 7c - c - 8 = (7 - 1)c - 8 = 6c - 8**52.** 5y-14+7y-20y = 5y+7y-20y-14=(5+7-20)y-14= -8y - 1454. -3(2x+5)-6x = -3(2x)+(-3)(5)-6x=-6x-15-6x=-6x-6x-15= -12x - 15**56.** 2(6x-1)-(x-7) = 12x-2-x+7=11x+5**58.** 8y-2-3(y+4) = 8y-2-3y-12 = 5y-14**60.** -11c - (4 - 2c) = -11c - 4 + 2c = -9c - 4**62.** (8-5y)-(4+3y)=8-5y-4-3y=-8y+4
- **64.** 2.8w 0.9 0.5 2.8w = 2.8w 2.8w 0.9 0.5= -1.4

66. 
$$\frac{1}{5}(9y+2) + \frac{1}{10}(2y-1) = \frac{9}{5}y + \frac{2}{5} + \frac{2}{10}y - \frac{1}{10}$$
$$= \frac{9}{5}y + \frac{1}{5}y + \frac{2}{5} - \frac{1}{10}$$
$$= \frac{10}{5}y + \frac{4}{10} - \frac{1}{10}$$
$$= 2y + \frac{3}{10}$$

- **68.** 8 + 4(3x 4) = 8 + 12x 16 = -8 + 12x
- **70.** 0.2(k+8) 0.1k = 0.2k + 1.6 0.1k = 0.1k + 1.6
- **72.** 14 11(5m + 3n) = 14 55m 33n
- 74. 7(2x+5)-4(x+2)-20x = 14x+35-4x-8-20x= 14x-4x-20x+35-8= -10x+27

**76.** 
$$\frac{1}{3}(9x-6) - (x-2) = 3x-2-x+2$$
  
= 2x

The difference divided

78. of a number and 2  

$$\downarrow$$
  $\downarrow$   $\downarrow$   $\downarrow$   $\downarrow$   
 $(x-2)$   $\div$   $5 = \frac{x-2}{5}$ 

- 80. 8 more than triple a number  $\downarrow \qquad \downarrow \qquad \downarrow \qquad \downarrow$ 8 + 3x
- 82. Eleven increased two-thirds of by a number  $\downarrow \qquad \downarrow \qquad \downarrow \qquad \downarrow$ 11 +  $\frac{2}{3}x$
- 84. 9 times a number subtract 3 times the number and 10  $\downarrow$   $\downarrow$   $\downarrow$  9x - (3x+10)9x - (3x + 10) = 9x - 3x - 10 = 6x - 10

the difference 86. Six times of a number and 5  $\downarrow$  $\downarrow$  $\downarrow$ 6 . (x-5)6(x-5) = 6x - 30Half a the product of minus 88. number the number and 8  $\downarrow$  $\downarrow$  $\downarrow$  $\frac{1}{2}x$  – 8*x*  $\frac{1}{2}x - 8x = -7.5x$ **90.** Twice a added -1 added 5 times the added number to to number to  $\downarrow$  $\downarrow$  $\downarrow$  $\downarrow$  $\downarrow$  $\downarrow$ 2x + -1 +5*x* + 2x + (-1) + 5x + (-12) = 7x - 13**92.**  $gh - h^2 = 0(-4) - (-4)^2 = 0 - 16 = -16$ **94.**  $x^3 - x^2 + 4 = (-3)^3 - (-3)^2 + 4$ = -27 - 9 + 4= -32**96.**  $x^3 - x^2 - x = (-2)^3 - (-2)^2 - (-2)$ = -8 - 4 + 2= -10**98.** 5+(3x-1)+(2x+5)=5+3x-1+2x+5= 5x + 9The perimeter is (5x + 9) centimeters. 2 cylinders  $\stackrel{?}{=}$  3 cubes 100. 2 cubes + 2 cubes  $\stackrel{?}{=} 3$  cubes 4 cubes = 3 cubes: Not balanced **102.** 1 cylinder  $\stackrel{?}{=}$  1 cone +1 cube 2 cubes  $\stackrel{?}{=}$  1 cube +1 cube 2 cubes = 2 cubes: Balanced **104.** answers may vary **106.** 5x + 10(3x) + 25(30x - 1) = 5x + 30x + 750x - 25=785x-25The total value is  $(785x - 25)\phi$ . 108. no; answers may vary

-12

 $\downarrow$ 

-12

110. 
$$4m^4p^2 + m^4p^2 - 5m^2p^4 = 5m^4p^2 - 5m^2p^4$$
  
112.  $9y^2 - (6xy^2 - 5y^2) - 8xy^2$   
 $= 9y^2 - 6xy^2 + 5y^2 - 8xy^2$   
 $= 14y^2 - 14xy^2$ 

**114.** 
$$-(7c^{3}d - 8c) - 5c - 4c^{3}d$$
  
=  $-7c^{3}d + 8c - 5c - 4c^{3}d$   
=  $-11c^{3}d + 3c$ 

### Section 2.2 Practice Exercises

1. 
$$x+3=-5$$
  
 $x+3-3=-5-3$   
 $x=-8$   
Check:  $x+3=-5$   
 $-8+3 \ge -5$   
 $-5=-5$   
The solution is  $-8$ .

2. 
$$y-0.3 = -2.1$$
  
 $y-0.3+0.3 = -2.1+0.3$   
 $y = -1.8$   
Check:  $y-0.3 = -2.1$   
 $-1.8-0.3 \stackrel{?}{=} -2.1$   
 $-2.1 = -2.1$   
The solution is  $-1.8$ .

3. 
$$\frac{2}{5} = x + \frac{3}{10}$$
$$\frac{2}{5} - \frac{3}{10} = x + \frac{3}{10} - \frac{3}{10}$$
$$\frac{2}{5} - \frac{3}{10} = x$$
$$\frac{4}{10} - \frac{3}{10} = x$$
$$\frac{4}{10} - \frac{3}{10} = x$$
$$\frac{1}{10} = x$$
Check: 
$$\frac{2}{5} = x + \frac{3}{10}$$
$$\frac{2}{5} = \frac{2}{10} + \frac{3}{10}$$
$$\frac{2}{5} = \frac{2}{5}$$
The solution is  $\frac{1}{10}$ .

4. 
$$4t+7=5t-3$$
  
 $4t+7-4t=5t-3-4t$   
 $7=t-3$   
 $7+3=t-3+3$   
 $10=t$   
Check:  $4t+7=5t-3$   
 $4(10)+7 \stackrel{?}{=} 5(10)-3$   
 $40+7 \stackrel{?}{=} 50-3$   
 $47=47$   
The solution is 10.  
5.  $8x-5x-3+9=x+x+3-7$   
 $3x+6=2x-4$   
 $3x+6-2x=2x-4-2x$   
 $x+6=-4$   
 $x+6-6=-4-6$   
 $x=-10$   
Check:  
 $8x-5x-3+9=x+x+3-7$   
 $8(-10)-5(-10)-3+9\stackrel{?}{=} -10+(-10)+3-7$   
 $-80+50-3+9\stackrel{?}{=} -10+(-10)+3-7$   
 $-24=-24$   
The solution is -10.  
6.  $4(2a-3)-(7a+4)=2$   
 $4(2a)+4(-3)-7a-4=2$   
 $8a-12-7a-4=2$   
 $a-16=2$   
 $a-16+16=2+16$   
 $a=18$   
Check by replacing *a* with 18 in the original equation.  
7.  $12-x=20$   
 $12-x-12=20-12$   
 $-x=8$   
 $x=-8$   
Check:  $12-x=20$   
 $12-(-8)\stackrel{?}{=} 20$   
 $20=20$   
The solution is -8.

- 8. a. The other number is 9 2 = 7.
  - **b.** The other number is 9 x.
  - **c.** The other piece has length (9 x) feet.
- **9.** The speed of the French TGV is (s 67.2) mph.

#### Vocabulary, Readiness & Video Check 2.2

- 1. The difference between an equation and an expression is that an <u>equation</u> contains an equal sign, whereas an <u>expression</u> does not.
- 2. <u>Equivalent</u> equations are equations that have the same solution.
- **3.** A value of the variable that makes the equation a true statement is called a <u>solution</u> of the equation.
- 4. The process of finding the solution of an equation is called <u>solving</u> the equation for the variable.
- 5. By the <u>addition</u> property of equality, x = -2 and x + 10 = -2 + 10 are equivalent equations.
- 6. The equations  $x = \frac{1}{2}$  and  $\frac{1}{2} = x$  are equivalent equations. The statement is true.
- 7. The addition property of equality means that if we have an equation, we can add the same real number to <u>both sides</u> of the equation and have an equivalent equation.
- **8.** To confirm our solution, we replace the variable with the solution in the original equation to make sure we have a true statement.

**9.** 
$$\frac{1}{7}x$$

#### **Exercise Set 2.2**

2. 
$$x+14 = 25$$
  
 $x+14-14 = 25-14$   
 $x = 11$   
Check:  $x+14 = 25$   
 $11+14 \stackrel{?}{=} 25$   
 $25 = 25$   
The solution is 11.

4. 
$$y-9=1$$
  
 $y-9+9=1+9$   
 $y=10$   
Check:  $y-9=1$   
 $10-9 \ge 1$   
 $1=1$   
The solution is 10.

6. -17 = x + 3 -17 - 3 = x + 3 - 3 -20 = xCheck: -17 = x + 3  $-17 \stackrel{?}{=} -20 + 3$  -17 = -17The solution is -20.

8. 
$$t-9.2 = -6.8$$
  
 $5-9.2+9.2 = -6.8+9.2$   
 $t = 2.4$   
Check:  $t-9.2 = -6.8$   
 $2.4-9.2 \stackrel{?}{=} -6.8$   
 $-6.8 = -6.8$   
The solution is 2.4.

10. 
$$\frac{3}{8} = c + \frac{1}{6}$$
$$\frac{3}{8} - \frac{1}{6} = c + \frac{1}{6} - \frac{1}{6}$$
$$\frac{9}{24} - \frac{4}{24} = c$$
$$\frac{5}{24} = c$$
Check: 
$$\frac{3}{8} = c + \frac{1}{6}$$
$$\frac{3}{8} \stackrel{?}{=} \frac{5}{24} + \frac{1}{6}$$
$$\frac{3}{8} \stackrel{?}{=} \frac{5}{24} + \frac{4}{24}$$
$$\frac{3}{8} \stackrel{?}{=} \frac{9}{24}$$
$$\frac{3}{8} = \frac{3}{8}$$
The solution is 
$$\frac{5}{24}$$
.  
12. 
$$9x + 5.5 = 10x$$
$$9x - 9x + 5.5 = 10x - 9x$$
$$5.5 = x$$
Check: 
$$9x + 5.5 = 10x$$
$$9(5.5) + 5.5 \stackrel{?}{=} 10(5.5)$$
$$49.5 + 5.5 \stackrel{?}{=} 55$$

The solution is 5.5.

14. 18x - 9 = 19x18x - 18x - 9 = 19x - 18x-9 = xCheck: 18x - 9 = 19x18(-9) - 9 - 19(-9) -162-9 ≟ -171 -171 = 171The solution is -9.  $z + \frac{9}{19} = -\frac{2}{19}$ 16.  $z + \frac{9}{19} - \frac{9}{19} = -\frac{2}{19} - \frac{9}{19}$  $z = -\frac{11}{19}$ Check:  $z + \frac{9}{19} = -\frac{2}{19}$  $-\frac{11}{19} + \frac{9}{19} \stackrel{?}{=} -\frac{2}{19}$  $-\frac{2}{19} = -\frac{2}{19}$ The solution is  $-\frac{11}{19}$ . **18.** 3n + 2n = 7 + 4n5n = 7 + 4n5n - 4n = 7 + 4n - 4n*n* = 7 Check: 3n + 2n = 7 + 4n $3(7) + 2(7) \stackrel{?}{=} 7 + 4(7)$ 21+14 2 7+28 35 = 35The solution is 7. **20.**  $\frac{13}{11}y - \frac{2}{11}y = -3$  $\frac{11}{11}y = -3$ y = -3Check:  $\frac{13}{11}y - \frac{2}{11}y = -3$  $\frac{13}{11}(-3) - \frac{2}{11}(-3) \stackrel{?}{=} -3$  $-\frac{39}{11} + \frac{6}{11} \stackrel{?}{=} -3$ -3 = -3

22. 
$$4x-4 = 10x-7x$$
  
 $4x-4 = 3x$   
 $4x-3x-4 = 3x-3x$   
 $x-4 = 0$   
 $x-4+4 = 0+4$   
 $x = 4$   
Check:  $4x-4 = 10x-7x$   
 $4(4)-4 \stackrel{?}{=} 10(4)-7(4)$   
 $16-4 \stackrel{?}{=} 40-28$   
 $12 = 12$   
The solution is 4.  
24.  $-4(z-3) = 2-3z$   
 $-4z+12 = 2-3z + 4z$   
 $12 = 2 + z$   
 $12-2 = 2-2+z$   
 $10 = z$   
Check:  $-4(z-3) = 2-3z$   
 $-4(10-3) \stackrel{?}{=} 2-3(10)$   
 $-4(7) \stackrel{?}{=} 2-30$   
 $-28 = -28$   
The solution is 10.  
26.  $\frac{1}{5}x-1=-\frac{4}{5}x-13$   
 $\frac{1}{5}x-1+\frac{4}{5}x=-\frac{4}{5}x-13+\frac{4}{5}x$   
 $\frac{5}{5}x-1=-13$   
 $x-1+1=-13+1$   
 $x=-12$   
Check:  $\frac{1}{5}x-1=-\frac{4}{5}x-13$   
 $\frac{1}{5}(-12)-1\stackrel{?}{=}-\frac{4}{5}(-12)-13$   
 $-\frac{12}{5}-\frac{5}{5}\stackrel{?}{=}\frac{48}{5}-\frac{65}{5}$   
 $-\frac{17}{5}=-\frac{17}{5}$   
The solution is -12.  
28.  $2x+7=x-10$   
 $2x+7-x=x-10-x$   
 $x+7=-10$   
 $x+7-7=-10-7$   
 $x=-17$ 

The solution is -3.

Check: 2x + 7 = x - 10 $2(-17) + 7 \stackrel{?}{=} (-17) - 10$ -34+7 ≟ -27 -27 = -27The solution is -17. 4p-11-p=2+2p-2030. 3p-11 = 2p-183p - 2p - 11 = 2p - 2p - 18p - 11 = -18p-11+11 = -18+11p = -74p - 11 - p = 2 + 2p - 20Check:  $4(-7) - 11 - (-7) \stackrel{?}{=} 2 + 2(-7) - 20$  $-28 - 11 + 7 \stackrel{?}{=} 2 - 14 - 20$ -32 = -32The solution is -7. 32. -2(x-1) = -3x-2x + 2 = -3x-2x + 2 + 2x = -3x + 2x2 = -xx = -2Check: -2(x-1) = -3x $-2(-2-1) \stackrel{?}{=} -3(-2)$  $-2(-3) \stackrel{?}{=} 6$ 6 = 6The solution is -2.  $\frac{2}{5}x - \frac{1}{12} = -\frac{3}{5}x - \frac{3}{4}$  $\frac{2}{5}x + \frac{3}{5}x - \frac{1}{12} = -\frac{3}{5}x + \frac{3}{5}x - \frac{3}{4}$  $\frac{5}{5}x - \frac{1}{12} = -\frac{3}{4}$  $x - \frac{1}{12} + \frac{1}{12} = -\frac{3}{4} + \frac{1}{12}$  $x = -\frac{9}{12} + \frac{1}{12}$  $x = -\frac{8}{12}$  $x = -\frac{2}{3}$ 34.

Check: 
$$\frac{2}{5}x - \frac{1}{12} = -\frac{3}{5}x - \frac{3}{4}$$
  
 $\frac{2}{5}\left(-\frac{2}{3}\right) - \frac{1}{12} \stackrel{?}{=} -\frac{3}{5}\left(-\frac{2}{3}\right) - \frac{3}{4}$   
 $-\frac{4}{-15} - \frac{1}{12} \stackrel{?}{=} \frac{6}{15} - \frac{3}{4}$   
 $-\frac{16}{-60} - \frac{5}{60} \stackrel{?}{=} \frac{24}{60} - \frac{45}{60}$   
 $-\frac{21}{60} = -\frac{21}{60}$   
The solution is  $-\frac{2}{3}$ .  
**36.**  $3(y+7) = 2y - 5$   
 $3y+21 = 2y - 5$   
 $3y+21 = 2y - 5$   
 $3y-2y+21 = 2y - 2y - 5$   
 $y+21 = -5$   
 $y+21 = -5$   
 $y+21 = -5 - 21$   
 $y = -26$   
Check:  $3(y+7) = 2x - 5$   
 $3(-26+7) \stackrel{?}{=} 2(-26) - 5$   
 $3(-26+7) \stackrel{?}{=} 2(-26) - 5$   
 $3(-19) \stackrel{?}{=} -52 - 5$   
 $-57 = -57$   
The solution is  $-26$ .  
**38.**  $5(3+z) - (8z+9) = -4z$   
 $15+5z - 8z - 9 = -4z$   
 $6-3z + 4z = -4z + 4z$   
 $6-3z + 4z = -4z + 4z$   
 $6-3z + 4z = -4z + 4z$   
 $6-5(z + 1) - (8(-6) + 9) \stackrel{?}{=} -4(-6)$   
 $5(-3) - (-48 + 9) \stackrel{?}{=} 24$   
 $-15 - (-39) \stackrel{?}{=} 24$   
 $24 = 24$   
The solution is  $-6$ .  
**40.**  $-5(x+1) + 4(2x-3) = 2(x+2) - 8$   
 $-5x - 5 + 8x - 12 = 2x + 4 - 8$ 

$$-5x-5+8x-12 = 2x+4-8$$
  

$$3x-17 = 2x-4$$
  

$$3x-2x-17 = 2x-2x-4$$
  

$$x-17 = -4$$
  

$$x-17+17 = -4+17$$
  

$$x = 13$$

Check: 
$$-5(x+1)+4(2x-3) = 2(x+2)-8$$
  
 $-5(13+1)+4(2(13)-3) \stackrel{?}{=} 2(13+2)-8$   
 $-5(14)+4(26-3) \stackrel{?}{=} 2(15)-8$   
 $-70+4(23) \stackrel{?}{=} 30-8$   
 $-70+92 \stackrel{?}{=} 22$   
 $22 = 22$ 

The solution is 13.

**42.** 
$$-8 = 8 + z$$
  
 $-8 - 8 = 8 + z - 8$   
 $-16 = z$ 

44. 
$$y - \frac{4}{7} = -\frac{3}{14}$$
  
 $y - \frac{4}{7} + \frac{4}{7} = -\frac{3}{14} + \frac{4}{7}$   
 $y = -\frac{3}{14} + \frac{8}{14}$   
 $y = \frac{5}{14}$ 

46. 
$$7y+2=6y+2$$
  
 $7y-6y+2=6y-6y+2$   
 $y+2=2$   
 $y+2-2=2-2$   
 $y=0$ 

**48.** 
$$15x + 20 - 10x - 9 = 25x + 8 - 21x - 7$$
  
 $5x + 11 = 4x + 1$   
 $5x + 11 - 4x = 4x + 1 - 4x$   
 $x + 11 = 1$   
 $x + 11 - 11 = 1 - 11$   
 $x = -10$ 

50. 6(5+c) = 5(c-4) 30+6c = 5c-20 30+6c-5c = 5c-5c-20 30+c = 20 30-30+c = -20-30c = -50

52. 
$$m+2=7.1$$
  
 $m+2-2=7.1-2$   
 $m=5.1$ 

54. 
$$15-(6-7k) = 2+6k$$
  
 $15-6+7k = 2+6k$   
 $9+7k = 2+6k$   
 $9+7k - 6k = 2+6k - 6k$   
 $9+k = 2$   
 $9-9+k = 2-9$   
 $k = -7$   
56.  $\frac{1}{11} = y + \frac{10}{11} - \frac{10}{11}$   
 $-\frac{9}{11} = y$   
58.  $-1.4-7x - 3.6 - 2x = -8x + 4.4$   
 $-9x - 5.0 = -8x + 4.4$   
 $-9x - 5.0 = -8x + 4.4$   
 $-9x + 9x - 5.0 = -8x + 4.4$   
 $-5.0 = -8x + 9x + 4.4$   
 $-9.4 = x$   
60.  $-2\left(x - \frac{1}{7}\right) = -3x$   
 $-2x + \frac{2}{7} = -3x + 3x$   
 $x + \frac{2}{7} = 0$   
 $x + \frac{2}{7} - \frac{2}{7} = 0 - \frac{2}{7}$   
 $x = -\frac{2}{7}$   
62.  $-4(x-1)-5(2-x) = -6$   
 $-4x + 4 - 10 + 5x = -6$   
 $x - 6 = -6$   
 $x - 6 = -6 + 6$   
 $x = 0$   
64.  $0.6v + 0.4(0.3 + v) = 2.34$   
 $0.6v + 0.12 + 0.4v = 2.34$   
 $1v + 0.12 = 2.34$   
 $v + 0.12 - 0.12 = 2.34 - 0.12$   
 $v = 2.22$ 

**66.** The other number is 13 - y.

**68.** The length of the other piece is (5 - x) feet.

- **70.** The complement of the angle  $x^{\circ}$  is  $(90 x)^{\circ}$ .
- 72. If the length of I-80 is m miles and the length of I-90 is 178.5 miles longer than I-80, the length of I-90 is m + 178.5.
- **74.** The weight of the Hoba West meteorite is 3*y* kilograms.
- **76.** The reciprocal of  $\frac{7}{6}$  is  $\frac{6}{7}$  since  $\frac{7}{6} \cdot \frac{6}{7} = 1$ .
- **78.** The reciprocal of 5 is  $\frac{1}{5}$  since  $5 \cdot \frac{1}{5} = 1$ .
- **80.** The reciprocal of  $-\frac{3}{5}$  is  $-\frac{5}{3}$  since  $-\frac{3}{5} \cdot -\frac{5}{3} = 1$ .
- **82.**  $\frac{-2y}{-2} = y$
- $84. \quad 7\left(\frac{1}{7}r\right) = r$
- **86.**  $\frac{9}{2}\left(\frac{2}{9}x\right) = x$
- **88.** 360 (x + 3x + 5x) = 360 (9x) = 360 9xThe fourth angle is  $(360 - 9x)^{\circ}$ .
- 90. answers may vary
- 92. answers may vary
- 94. 100 + 250 + 500 + x = 1000 850 + x = 1000 850 + x - 850 = 1000 - 850 x = 150The fluid needed by the patient is 150 ml.
- **96.** answers may vary.

**98.** 
$$a+9=15$$
  
 $a+9+(-9)=15+(-9)$   
 $a=6$   
The answer is -9.

**100.** answers may vary

- **102.** Check y = 1.2: 8.13 + 5.85y = 20.05y 8.91 $8.13 + 5.85(1.2) \stackrel{?}{=} 20.05(1.2) - 8.91$  $8.13 + 7.02 \stackrel{?}{=} 24.06 - 8.91$ 15.15 = 15.15Solution
- **104.** Check z = 4.8: 7(z-1.7)+9.5 = 5(z+3.2)-9.2  $7(4.8-1.7)+9.5 \stackrel{?}{=} 5(4.8+3.2)-9.2$   $7(3.1)+9.55 \stackrel{?}{=} 5(8.0)-9.2$   $21.7+9.55 \stackrel{?}{=} 40.0-9.2$   $31.2 \neq 30.8$ Not a solution

#### Section 2.3 Practice Exercises

 $\frac{4}{5}x = 16$ 1.  $\frac{5}{4} \cdot \frac{4}{5}x = \frac{5}{4} \cdot 16$  $\left(\frac{5}{4} \cdot \frac{4}{5}\right)x = \frac{5}{4} \cdot 16$ 1x = 20x = 20Check:  $\frac{4}{5}x = 16$  $\frac{4}{5} \cdot 20 \stackrel{?}{=} 16$ 16 = 16The solution is 20. **2.** 8x = -96 $\frac{8x}{8} = \frac{-96}{8}$ x = -12Check: 8x = -968(-12) = -96 -96 = -96The solution is -12. 3.  $\frac{x}{5} = 13$  $5 \cdot \frac{x}{5} = 5 \cdot 13$ x = 65Check:  $\frac{x}{5} = 13$  $\frac{65}{5} \stackrel{?}{=} 13$ 13 = 13

```
The solution is 65.
```

4. 2.7x = 4.05  $\frac{2.7x}{2.7} = \frac{4.05}{2.7}$  x = 1.5The solution is 1.5. Check by replacing x with 1.5 in the original equation. 5.  $-\frac{5}{3}x = \frac{4}{7}$   $-\frac{3}{5} \cdot -\frac{5}{3}x = -\frac{3}{5} \cdot \frac{4}{7}$   $x = -\frac{12}{35}$ Check by replacing x with  $-\frac{12}{35}$  in the original equation. The solution is  $-\frac{12}{35}$ .

6. -y+3 = -8-y+3-3 = -8-3-y = -11 $\frac{-y}{-1} = \frac{-11}{-1}$ y = 11

To check, replace *y* with 11 in the original equation. The solution is 11.

7. 
$$6b-11b = 18+2b-6+9$$
  
 $-5b = 21+2b$   
 $-5b-2b = 21+2b-2b$   
 $-7b = 21$   
 $\frac{-7b}{-7} = \frac{21}{-7}$   
 $b = -3$ 

Check by replacing b with -3 in the original equation. The solution is -3.

8. 10x - 4 = 7x + 1410x - 4 - 7x = 7x + 14 - 7x3x - 4 = 143x - 4 + 4 = 14 + 43x = 18 $\frac{3x}{3} = \frac{18}{3}$ x = 6

To check, replace x with 6 in the original equation to see that a true statement results. The solution is 6.

9. 
$$4(3x-2) = -1+4$$
  
 $4(3x) - 4(2) = -1+4$   
 $12x-8=3$   
 $12x-8+8=3+8$   
 $12x = 11$   
 $\frac{12x}{12} = \frac{11}{12}$   
 $x = \frac{11}{12}$   
To check, replace x with  $\frac{11}{12}$  in the original equation to see that a true statement results. The solution is  $\frac{11}{12}$ .

10. Let x = first integer. x + 2 = second even integer. x + 4 = third even integer. x + (x + 2) + (x + 4) = 3x + 6

#### Vocabulary, Readiness & Video Check 2.3

- 1. By the <u>multiplication</u> property of equality,  $y = \frac{1}{2}$  and  $5 \cdot y = 5 \cdot \frac{1}{2}$  are equivalent equations.
- 2. The equations  $\frac{z}{4} = 10$  and  $4 \cdot \frac{z}{4} = 10$  are not equivalent equations. The statement is false.
- 3. The equations -7x = 30 and  $\frac{-7x}{-7} = \frac{30}{7}$  are not equivalent equations. The statement is false.
- 4. By the <u>multiplication</u> property of equality, 9x = -63 and  $\frac{9x}{9} = \frac{-63}{9}$  are equivalent equations.
- 5. We can multiply both sides of an equation by the <u>same</u> nonzero number and have an equivalent equation.
- **6.** addition property; multiplication property; answers may vary

7. 
$$(x + 1) + (x + 3) = 2x + 4$$

Check:  $\frac{1}{4} = \frac{1}{8}v$  $\frac{1}{4} \stackrel{?}{=} \frac{1}{8}(2)$  $\frac{1}{4} = \frac{1}{4}$ **Exercise Set 2.3 2.** -7x = -49 $\frac{-7x}{-7} = \frac{-49}{-7}$ x = 7Check: -7x = -49-7(7) ≟ -49 -49 = -4912. The solution is 7. **4.** 2x = 0 $\frac{2x}{2} = \frac{0}{2}$ x = 0Check: 2x = 02(0)  $\stackrel{?}{=} 0$ 0 = 0The solution is 0. **6.** -y = 8 $\frac{-y}{-1} = \frac{8}{-1}$ 14. y = -8Check: -y = 8-(-8) ≟ 8 8 = 8The solution is -8. 8.  $\frac{3}{4}n = -15$  $\frac{4}{3} \left( \frac{3}{4}n \right) = \frac{4}{3} (-15)$ n = -20Check:  $\frac{3}{4}n = -15$  $\frac{3}{4}(-20) \stackrel{?}{=} -15$ -15 = -15The solution is -20. **10.**  $\frac{1}{4} = \frac{1}{8}v$ 10  $8\left(\frac{1}{4}\right) = 8\left(\frac{1}{8}v\right)$ 

The solution is 2.  $\frac{d}{15} = 2$  $15\left(\frac{d}{15}\right) = 15(2)$ d = 30Check:  $\frac{d}{15} = 2$  $\frac{30}{15} \stackrel{?}{=} 2$ 2 = 2The solution is 30.  $\frac{f}{-5} = 0$  $-5\left(\frac{f}{-5}\right) = -5(0)$ f = 0Check:  $\frac{f}{-5} = 0$  $\frac{0}{-5} \stackrel{?}{=} 0$ 0 = 0The solution is 0. **16.** 19.55 = 8.5 y $\frac{19.55}{8.5} = \frac{8.5\,y}{8.5}$ 2.3 = yCheck: 19.55 = 8.5y19.55 2 8.5(2.3) 19.55 = 19.55The solution is 2.3. 2. 1 26

18. 
$$3x - 1 = 26$$
$$3x - 1 + 1 = 26 + 1$$
$$3x = 27$$
$$\frac{3x}{3} = \frac{27}{3}$$
$$x = 9$$

Check: 3x - 1 = 26 $3(9) - 1 \stackrel{?}{=} 26$ 27 −1 ≟ 26 26 = 26The solution is 9. 20. -x + 4 = -24-x + 4 - 4 = -24 - 4-x = -28x = 28Check: -x + 4 = -24-(28)+4 = -24-28+4 ≟ -24 -24 = -24The solution is 28. 22. 8t + 5 = 58t + 5 - 5 = 5 - 58t = 0 $\frac{8t}{8} = \frac{0}{8}$ t = 0Check: 8t + 5 = 5 $8(0) + 5 \stackrel{?}{=} 5$  $0+5 \stackrel{?}{=} 5$ 5 = 5The solution is 0. 24.  $\frac{b}{4} - 1 = -7$  $\frac{b}{4} - 1 + 1 = -7 + 1$  $\frac{b}{4} = -6$  $4\left(\frac{b}{4}\right) = 4(-6)$ b = -24Check:  $\frac{b}{4} - 1 = -7$  $\frac{-24}{4} - 1 \stackrel{?}{=} -7$ 

**26.** 4a + a = -1 + 3a - 1 - 25a = 3a - 45a - 3a = 3a - 4 - 3a2a = -4 $\frac{2a}{2} = \frac{-4}{2}$ a = -2Check: 4a + a = -1 + 3a - 1 - 2 $4(-2) + (-2) \stackrel{?}{=} -1 + 3(-2) - 1 - 2$  $-8-2 \stackrel{?}{=} -1-6-1-2$ -10 = -10The solution is -2.

28. 
$$19 = 0.4x - 0.9x - 6$$
  

$$19 = -0.5x - 6$$
  

$$19 + 6 = -0.5x - 6 + 6$$
  

$$25 = -0.5x$$
  

$$\frac{25}{-0.5} = \frac{-0.5x}{-0.5}$$
  

$$-50 = x$$
  
Check: 
$$19 = 0.4x - 0.9x - 6$$
  

$$19 \stackrel{?}{=} 0.4(-50) - 0.9(-50) - 6$$
  

$$19 \stackrel{?}{=} -20 + 45 - 6$$
  

$$19 = 19$$
  
The solution is -50.

30. 
$$\frac{3}{5}x - 14 = -8$$
$$\frac{3}{5}x - 14 + 14 = -8 + 14$$
$$\frac{3}{5}x = 6$$
$$\frac{5}{3} \cdot \frac{3}{5}x = \frac{5}{3} \cdot 6$$
$$x = 10$$
Check: 
$$\frac{3}{5}x - 14 = -8$$
$$\frac{3}{5} \cdot 10 - 14 \stackrel{?}{=} -8$$
$$-8 = -8$$
The solution is 10.

The solution is -24.

 $-6 - 1 \stackrel{?}{=} -7$ -7 = -7

32. 
$$\frac{2}{7}z - \frac{1}{5} = \frac{1}{2}$$
$$\frac{2}{7}z - \frac{1}{5} + \frac{1}{5} = \frac{1}{2} + \frac{1}{5}$$
$$\frac{2}{7}z - \frac{7}{10} + \frac{1}{5} = \frac{1}{2} + \frac{1}{5}$$
$$\frac{2}{7}z - \frac{7}{2} - \frac{7}{10} + \frac{2}{2} + \frac{2}{7}z - \frac{7}{5} = \frac{1}{2}$$
$$\frac{2}{7}z - \frac{1}{5} = \frac{1}{2}$$
$$\frac{2}{7}(\frac{49}{20}) - \frac{1}{5} = \frac{2}{12}$$
$$\frac{7}{10} - \frac{1}{5} = \frac{2}{12}$$
$$\frac{1}{2} = \frac{1}{2}$$
$$\frac{2}{7}z - \frac{1}{5} = \frac{1}{2}$$
$$\frac{2}{7}z - \frac{1}{5} = \frac{1}{2}$$
$$\frac{1}{2} = \frac{1}{2}$$
$$\frac{1}{2} = \frac{1}{2}$$
$$\frac{1}{2} = \frac{1}{2}$$
$$\frac{1}{2} = \frac{1}{2}$$
$$\frac{2}{2}z - 4$$
$$\frac{2}{2}z = -4$$
$$\frac{2}{2}z = -2$$
$$36. \quad 2(4x+1) = -12 + 6$$
$$8x + 2 = -6$$
$$8x - 4 = -2x - 10$$
$$6x - 4 + 2x = -2x - 10 + 2x$$
$$8x - 4 = -10$$
$$8x - 4 + 4 = -10 + 4$$
$$8x = -6$$
$$\frac{8}{8}z = -\frac{6}{8}$$
$$x = -\frac{3}{4}$$

40. 
$$8+4 = -6(5x-2)$$
  
 $12 = -30x + 12$   
 $12 - 12 = -30x + 12 - 12$   
 $0 = -30x$   
 $\frac{0}{-30} = \frac{-30x}{-30}$   
 $0 = x$   
42.  $-17z - 4 = -16z - 20$   
 $-17z - 4 + 17z = -16z - 20 + 17z$   
 $-4 = z - 20$   
 $-4 + 20 = z - 20 + 20$   
 $16 = z$   
44.  $\frac{1}{3}(3x-1) = -\frac{1}{10} - \frac{2}{10}$   
 $x - \frac{1}{3} = -\frac{3}{10}$   
 $x - \frac{1}{3} = -\frac{3}{10} + \frac{1}{3}$   
 $x = -\frac{9}{30} + \frac{10}{30}$   
 $x = \frac{1}{30}$   
46.  $-14y - 1.8 = -24y + 3.9$   
 $-14y - 1.8 + 24y = -24y + 3.9 + 24y$   
 $10y - 1.8 = 3.9$   
 $10y - 1.8 + 1.8 = 3.9 + 1.8$   
 $10y = 5.7$   
 $\frac{10y}{10} = \frac{5.7}{10}$   
 $y = 0.57$   
48.  $-3x + 15 = 3x - 15$   
 $-3x + 15 + 3x = 3x - 15 + 3x$   
 $15 = 6x - 15$   
 $15 + 15 = 6x - 15 + 15$   
 $30 = 6x$   
 $\frac{30}{6} = \frac{6x}{6}$   
 $5 = x$   
50.  $81 = 3x$   
 $\frac{81}{3} = \frac{3x}{3}$   
 $27 = x$ 

6.3 = -0.6x52.  $\frac{6.3}{-0.6} = \frac{-0.6x}{-0.6}$ -10.5 = x10v + 15 = -554. 10y + 15 - 15 = -5 - 1510y = -20 $\frac{10y}{10} = \frac{-20}{10}$ y = -2 56. 2 - 0.4 p = 22 - 2 - 0.4 p = 2 - 2-0.4 p = 0 $\frac{-0.4\,p}{-0.4} = \frac{0}{-0.4}$ p = 058. 20x - 20 = 16x - 40. 20x - 20 - 16x = 16x - 40 - 16x4x - 20 = -404x - 20 + 20 = -40 + 204x = -20 $\frac{4x}{4} = \frac{-20}{4}$ x = -5**60**. 7(2x+1) = 18x - 19x14x + 7 = -x14x + 7 - 14x = -x - 14x7 = -15x $\frac{7}{-15} = \frac{-15x}{-15} \\ -\frac{7}{15} = x$ **62.**  $-\frac{4}{5}r = -5$  $-\frac{5}{4}\left(-\frac{4}{5}r\right) = -\frac{5}{4}(-5)$  $r = \frac{25}{4}$  $-\frac{10}{3}x = 30$ 64.  $-\frac{3}{10}\left(-\frac{10}{3}x\right) = -\frac{3}{10}(30)$ x = -9

 $-3n - \frac{1}{3} = \frac{8}{3}$ 66.  $-3n - \frac{1}{3} + \frac{1}{3} = \frac{8}{3} + \frac{1}{3}$  $-3n = \frac{9}{3}$ -3n = 3 $\frac{-3n}{-3} = \frac{3}{-3}$ n = -168. 12 = 3i - 412 + 4 = 3j - 4 + 416 = 3j $\frac{16}{3} = \frac{3j}{3}$  $\frac{16}{3} = j$ **70.** 12x + 30 + 8x - 6 = 1020x + 24 = 1020x + 24 - 24 = 10 - 2420x = -14 $\frac{20x}{20} = \frac{-14}{20}$  $x = -\frac{7}{10}$ 72. t - 6t = -13 + t - 3t-5t = -2t - 13-5t + 2t = -2t + 2t - 13-3t = -13 $\frac{-3t}{-3} = \frac{-13}{-3}$  $t = \frac{13}{3}$ 

ISM: Beginning Algebra

74. 
$$x + \frac{3}{7} = -x + \frac{1}{3} + \frac{4}{7}$$
$$x + \frac{3}{7} = -x + \frac{19}{21}$$
$$x + \frac{3}{7} = -x + \frac{19}{21}$$
$$x + \frac{3}{7} + x = -x + \frac{19}{21} + x$$
$$2x + \frac{3}{7} - \frac{3}{7} = \frac{19}{21}$$
$$2x + \frac{3}{7} - \frac{3}{7} = \frac{19}{21} - \frac{3}{7}$$
$$2x = \frac{10}{21}$$
$$\frac{1}{2} \cdot 2x = \frac{1}{2} \cdot \frac{10}{21}$$
$$x = \frac{5}{21}$$

76. 
$$-19+74 = -5(x+3)$$
  
 $55 = -5x-15$   
 $55+15 = -5x-15+15$   
 $70 = -5x$   
 $\frac{70}{-5} = \frac{-5x}{-5}$   
 $-14 = x$ 

- 78. Sum = first integer + second integer + third integer + fourth integer. Sum = x + (x+2) + (x+4) + (x+6)= x + x + 2 + x + 4 + x + 6= 4x + 12
- 80. Sum = 20 + second integer. Sum = 20 + (x + 1) = 20 + x + 1 = x + 21
- 82. Let x be an odd integer. Then x + 2 is the next odd integer. x + (x + 2) + x + (x + 2) = 4x + 4

84. 
$$-7y+2y-3(y+1) = -7y+2y-3 \cdot y - 3 \cdot 1$$
  
=  $-7y+2y-3y-3$   
=  $-8y-3$ 

86. 
$$8(z-6) + 7z - 1 = 8 \cdot z + 8 \cdot (-6) + 7z - 1$$
  
=  $8z - 48 + 7z - 1$   
=  $15z - 49$ 

**88.** 
$$-(x-1) + x = -x + 1 + x = -x + x + 1 = 1$$

90. 
$$(-2)^4 = (-2)(-2)(-2)(-2) = 16$$
  
 $-2^4 = -2 \cdot 2 \cdot 2 \cdot 2 = -16$   
 $(-2)^4 > -2^4$   
92.  $(-4)^3 = (-4)(-4)(-4) = -64$   
 $-4^3 = -4 \cdot 4 \cdot 4 = -64$   
 $(-4)^3 = -4^3$   
94.  $x = 10$   
 $\frac{1}{-4} = 10$ 

$$\frac{1}{2} = 10$$

$$\frac{1}{2} \cdot 2 = 10 \cdot 2$$

$$\frac{1}{2} \cdot 2 = 10 \cdot 2$$

$$= 20$$

- 96. answers may vary
- **98.** answers may vary
- **100.** 9x = 13.5 $\frac{9x}{9} = \frac{13.5}{9}$ x = 1.5Each dose should be 1.5 milliliters.
- **102.** 4.95y = -31.185 $\frac{4.95y}{4.95} = \frac{-31.185}{4.95}$ y = -6.3
- 104. 0.06y + 2.63 = 2.55620.06y + 2.63 2.63 = 2.5562 2.630.06y = -0.0738 $\frac{0.06y}{0.06} = \frac{-0.0738}{0.06}$ y = -1.23

#### Section 2.4 Practice Exercises

1. 
$$2(4a-9)+3 = 5a-6$$
  
 $8a-18+3 = 5a-6$   
 $8a-15 = 5a-6$   
 $8a-15-5a = 5a-6-5a$   
 $3a-15 = -6$   
 $3a-15+15 = -6+15$   
 $3a = 9$   
 $\frac{3a}{3} = \frac{9}{3}$   
 $a = 3$ 

Check: 
$$2(4a-9)+3 = 5a-6$$
  
 $2[4(3)-9]+3 \stackrel{?}{=} 5(3)-6$   
 $2(12-9)+3 \stackrel{?}{=} 15-6$   
 $2(3)+3 \stackrel{?}{=} 9$   
 $6+3 \stackrel{?}{=} 9$   
 $9=1$   
The solution is 3 or the solution set is {3}.

2. 
$$7(x-3) = -6x$$
$$7x-21 = -6x$$
$$7x-21 = -6x$$
$$7x-21 - 7x = -6x - 7x$$
$$-21 = -13x$$
$$\frac{-21}{-13} = \frac{-13x}{-13}$$
$$\frac{21}{13} = x$$
Check: 
$$7(x-3) = -6x$$
$$7\left(\frac{21}{13} - 3\right) \stackrel{?}{=} -6\left(\frac{21}{13}\right)$$
$$7\left(\frac{21}{13} - \frac{39}{13}\right) \stackrel{?}{=} -\frac{126}{13}$$
$$7\left(-\frac{18}{13}\right) \stackrel{?}{=} -\frac{126}{13}$$
$$-\frac{126}{13} = -\frac{126}{13}$$
The solution is  $\frac{21}{13}$ .

3.

$$\frac{3}{5}x - 2 = \frac{2}{3}x - 1$$

$$15\left(\frac{3}{5}x - 2\right) = 15\left(\frac{2}{3}x - 1\right)$$

$$15\left(\frac{3}{5}x\right) - 15(2) = 15\left(\frac{2}{3}x\right) - 15(1)$$

$$9x - 30 = 10x - 15$$

$$9x - 30 - 9x = 10x - 15 - 9x$$

$$-30 = x - 15$$

$$-30 + 15 = x - 15 + 15$$

$$-15 = x$$
Check:
$$\frac{3}{5}x - 2 = \frac{2}{3}x - 1$$

$$\frac{3}{5} \cdot -15 - 2 \stackrel{?}{=} \frac{2}{3} \cdot -15 - 1$$

$$-9 - 2 \stackrel{?}{=} -10 - 1$$

$$-11 = -11$$
The solution is -15.

4. 
$$\frac{4(y+3)}{3} = 5y-7$$
$$3 \cdot \frac{4(y+3)}{3} = 3 \cdot (5y-7)$$
$$4(y+3) = 3(5y-7)$$
$$4y+12 = 15y-21$$
$$4y+12-4y = 15y-21-4y$$
$$12 = 11y-21$$
$$12+21 = 11y-21+21$$
$$33 = 11y$$
$$\frac{33}{11} = \frac{11y}{11}$$
$$3 = y$$

To check, replace *y* with 3 in the original equation. The solution is 3.

5. 
$$0.35x + 0.09(x + 4) = 0.30(12)$$
$$100[0.35x + 0.09(x + 4)] = 100[0.03(12)]$$
$$35x + 9(x + 4) = 3(12)$$
$$35x + 9x + 36 = 36$$
$$44x + 36 = 36$$
$$44x + 36 - 36 = 36 - 36$$
$$44x = 0$$
$$\frac{44x}{44} = \frac{0}{44}$$
$$x = 0$$

To check, replace x with 0 in the original equation. The solution is 0.

- 6. 4(x+4) x = 2(x+11) + x 4x + 16 - x = 2x + 22 + x 3x + 16 = 3x + 22 3x + 16 - 3x = 3x + 22 - 3x 16 = 22There is no solution.
- 7. 12x-18 = 9(x-2)+3x12x-18 = 9x-18+3x12x-18 = 12x-1812x-18+18 = 12x-18+1812x = 12x12x-12x = 12x-12x0 = 0The solution is all real numbers.

#### **Calculator Explorations**

- **1.** Solution (-24 = -24)
- **2.** Solution (-4 = -4)
- **3.** Not a solution  $(19.4 \neq 10.4)$

- **4.** Not a solution  $(-11.9 \neq -60.1)$
- **5.** Solution (17,061 = 17,061)
- **6.** Solution (-316 = -316)

### Vocabulary, Readiness & Video Check 2.4

- 1. x = -7 is an equation.
- 2. x 7 is an expression.
- **3.** 4y 6 + 9y + 1 is an expression.
- **4.** 4y 6 = 9y + 1 is an equation.
- 5.  $\frac{1}{x} \frac{x-1}{8}$  is an expression.
- 6.  $\frac{1}{x} \frac{x-1}{8} = 6$  is an equation.
- 7. 0.1x + 9 = 0.2x is an equation.
- 8.  $0.1x^2 + 9y 0.2x^2$  is an expression.
- **9.** 3; distributive property, addition property of equality, multiplication property of equality
- **10.** Because both sides have more than one term, you need to apply the distributive property to make sure you multiply every single term in the equation by the LCD.
- **11.** The number of decimal places in each number helps you determine what power of 10 you can multiply through by so you are no longer dealing with decimals.
- **12.** When solving a linear equation and all variable terms, subtract out:
  - **a.** If you have a true statement, then the equation has <u>all real numbers as a</u> solution.
  - **b.** If you have a false statement, then the equation has <u>no</u> solution.

### Exercise Set 2.4

2. 
$$-3x + 1 = -2(4x + 2)$$
$$-3x + 1 = -8x - 4$$
$$-3x + 1 - 1 = -8x - 4 - 1$$
$$-3x = -8x - 5$$
$$-3x + 8x = -8x - 5 + 8x$$
$$5x = -5$$
$$\frac{5x}{5} = \frac{-5}{5}$$
$$x = -1$$
4. 
$$15x - 5 = 7 + 12x$$
$$15x - 5 + 5 = 7 + 12x + 5$$
$$15x = 12 + 12x$$
$$15x - 12x = 12 + 12x - 12x$$
$$3x = 12$$
$$\frac{3x}{3} = \frac{12}{3}$$
$$x = 4$$

6. 
$$-(5x-10) = 5x$$
$$-5x+10 = 5x$$
$$-5x+10+5x = 5x+5x$$
$$10 = 10x$$
$$\frac{10}{10} = \frac{10x}{10}$$
$$1 = x$$

8. 
$$3(2-5x) + 4(6x) = 12$$
  

$$6-15x + 24x = 12$$
  

$$6+9x = 12$$
  

$$6-6+9x = 12-6$$
  

$$9x = 6$$
  

$$\frac{9x}{9} = \frac{6}{9}$$
  

$$x = \frac{2}{3}$$

**10.** 
$$-4(n-4) - 23 = -7$$
  
 $-4n + 16 - 23 = -7$   
 $-4n - 7 = -7$   
 $-4n - 7 + 7 = -7 + 7$   
 $-4n = 0$   
 $\frac{-4n}{-4} = \frac{0}{-4}$   
 $n = 0$ 

12. 
$$5-6(2+b) = b-14$$
  
 $5-12-6b = b-14$   
 $-7-6b = b-14$   
 $-7-6b - b = b - b-14$   
 $-7-7b = -14$   
 $-7+7-7b = -14+7$   
 $-7b = -7$   
 $\frac{-7b}{-7} = \frac{-7}{-7}$   
 $b = 1$   
14.  $6y-8 = -6+3y+13$   
 $6y-8 = 3y+7$   
 $6y-3y-8 = 3y-3y+7$   
 $3y-8 = 7$   
 $3y-8 + 8 = 7 + 8$   
 $3y = 15$   
 $\frac{3y}{3} = \frac{15}{3}$   
 $y = 5$   
16.  $-7n+5 = 8n-10$   
 $-7n+5-5 = 8n-10-5$   
 $-7n = 8n-15$   
 $-7n = 8n - 15$   
 $-7n - 8n = 8n - 15 - 8n$   
 $-15n = -15$   
 $\frac{-15n}{15} = \frac{-15}{15}$ 

$$-15 -15 n = 1$$
**18.** 
$$\frac{4}{5}x - \frac{8}{5} = -\frac{16}{5}$$

$$5\left(\frac{4}{5}x - \frac{8}{5}\right) = 5\left(-\frac{16}{5}\right)$$

$$4x - 8 = -16$$

$$4x - 8 + 8 = -16 + 8$$

$$4x = -8$$

$$\frac{4x}{4} = -\frac{8}{4}$$

$$x = -2$$

20. 
$$\frac{2}{9}x - \frac{1}{3} = 1$$
  

$$9\left(\frac{2}{9}x - \frac{1}{3}\right) = 9(1)$$
  

$$2x - 3 = 9$$
  

$$2x - 3 + 3 = 9 + 3$$
  

$$2x = 12$$
  

$$\frac{2x}{2} = \frac{12}{2}$$
  

$$x = 6$$
  
22. 
$$0.40x + 0.06(30) = 9.8$$
  

$$100[0.40x + 0.06(30)] = 100(9.8)$$
  

$$40x + 6(30) = 980$$
  

$$40x + 180 = 980$$
  

$$40x + 180 = 980$$
  

$$40x + 180 = 180 = 980 - 180$$
  

$$40x = 800$$
  

$$\frac{40x}{40} = \frac{800}{40}$$
  

$$x = 20$$
  
24. 
$$3(y + 3) = 2 + 6$$

24. 
$$\frac{3(y+3)}{5} = 2y+6$$
  

$$5\left[\frac{3(y+3)}{5}\right] = 5[2y+6]$$
  

$$3(y+3) = 10y+30$$
  

$$3y+9 = 10y+30$$
  

$$3y-10y+9 = 10y-10y+30$$
  

$$-7y+9 = 30$$
  

$$-7y+9-9 = 30-9$$
  

$$-7y = 21$$
  

$$\frac{-7y}{-7} = \frac{21}{-7}$$
  

$$y = -3$$

26. 
$$\frac{5}{2}x - 1 = x + \frac{1}{4}$$
$$4\left(\frac{5}{2}x - 1\right) = 4\left(x + \frac{1}{4}\right)$$
$$10x - 4 = 4x + 1$$
$$10x - 4x - 4 = 4x - 4x + 1$$
$$6x - 4 = 1$$
$$6x - 4 = 1 + 4$$
$$6x = 5$$
$$\frac{6x}{6} = \frac{5}{6}$$
$$x = \frac{5}{6}$$

28. 
$$0.60(z-300) + 0.05z = 0.70z - 205$$
  
 $100[0.60(z-300) + 0.05z] = 100[0.70z - 205]$   
 $60(z-300) + 5z = 70z - 20,500$   
 $60z - 18,000 + 5z = 70z - 20,500$   
 $65z - 18,000 = 70z - 20,500$   
 $65z - 70z - 18,000 = 70z - 70z - 20,500$   
 $-5z - 18,000 = -20,500$   
 $-5z - 18,000 + 18,000 = -20,500 + 18,000$   
 $-5z = -2500$   
 $\frac{-5z}{-5} = \frac{-2500}{-5}$   
 $z = 500$ 

30. 
$$14x+7 = 7(2x+1)$$
  
 $14x+7 = 14x+7$   
 $14x+7-14x = 14x+7-14x$   
 $7 = 7$   
All real numbers are solutions.

32. 
$$\frac{x}{3} - 2 = \frac{x}{3}$$
$$3\left(\frac{x}{3} - 2\right) = 3\left(\frac{x}{3}\right)$$
$$x - 6 = x$$
$$x - x - 6 = x - x$$
$$-6 = 0$$
There is no solution.

34. 
$$2(x-5) = 2x+10$$
$$2x-10 = 2x+10$$
$$2x-2x-10 = 2x-2x+10$$
$$-10 = 10$$
There is no solution.

36. 
$$-5(4y-3)+2 = -20y+17$$
$$-20y+15+2 = -20y+17$$
$$-20y+17 = -20y+17$$
$$-20y+17+20y = -20y+17+20y$$
$$17 = 17$$

All real numbers are solutions.

38. 
$$\frac{4(5-w)}{3} = -w$$
$$3\left[\frac{4(5-w)}{3}\right] = 3(-w)$$
$$4(5-w) = -3w$$
$$20 - 4w = -3w$$
$$20 - 4w + 4w = -3w + 4w$$
$$20 = w$$

40. 
$$-(4a-7)-5a = 10 + a$$
  
  $-4a+7-5a = 10 + a$   
  $-9a+7 = 10 + a - a$   
  $-10a+7 = 10$   
  $-10a+7-7 = 10-7$   
  $-10a = 3$   
  $\frac{-10a}{-10} = \frac{3}{-10}$   
  $a = -\frac{3}{10}$   
42.  $9x+3(x-4) = 10(x-5)+7$   
  $9x+3x-12 = 10x-50+7$   
  $12x-12 = 10x-43$   
  $12x-12+12 = 10x-43+12$   
  $12x-12+12 = 10x-43+12$   
  $12x = 10x-31$   
  $12x-10x = 10x-31-10x$   
  $2x = -31$   
  $\frac{2x}{2} = \frac{-31}{2}$   
  $x = -\frac{31}{2}$   
  $x = -\frac{31}{2}$   
  $x = -\frac{31}{2}$   
  $x = -\frac{31}{2}$   
  $44.$   $\frac{5(x-1)}{4} = 4\left[\frac{3(x+1)}{2}\right]$   
  $5(x-1) = 6(x+1)$   
  $5x-5 = 6x+6$   
  $5x-6x-5 = 6x-6x+6$   
  $-x-5 = 6$   
  $-x-5+5 = 6+5$   
  $-x = 11$   
  $\frac{-x}{-1} = \frac{11}{-1}$   
  $x = -11$   
46.  $0.9x-4.1 = 0.4$   
  $10(0.9x-4.1) = 10(0.4)$   
  $9x-41 = 4$   
  $9x-41+41 = 4+41$   
  $9x = 45$   
  $\frac{9x}{9} = \frac{45}{9}$   
  $x = 5$ 

**48.** 3(2x-1)+5=6x+26x - 3 + 5 = 6x + 26x + 2 = 6x + 26x - 6x + 2 = 6x - 6x + 22 = 2All real numbers are solutions. **50.** 4(4y+2) = 2(1+6y)+816y + 8 = 2 + 12y + 816y + 8 = 10 + 12y16y + 8 - 8 = 10 + 12y - 816y = 2 + 12y16y - 12y = 2 + 12y - 12y4y = 2 $\frac{4y}{4} = \frac{2}{4}$  $y = \frac{1}{2}$ **52.**  $\frac{7}{8}x + \frac{1}{4} = \frac{3}{4}x$  $8\left(\frac{7}{8}x + \frac{1}{4}\right) = 8\left(\frac{3}{4}x\right)$ 7x + 2 = 6x7x + 2 - 7x = 6x - 7x2 = -x $\frac{2}{-1} = \frac{-x}{-1}$ -2 = x $\frac{x}{5} - 7 = \frac{x}{3} - 5$ 54.  $15\left(\frac{x}{5}-7\right) = 15\left(\frac{x}{3}-5\right)$ 3x - 105 = 5x - 753x - 105 - 3x = 5x - 75 - 3x-105 = 2x - 75-105 + 75 = 2x - 75 + 75-30 = 2x $\frac{-30}{2} = \frac{2x}{2}$ -15 = x**56.** 4(2+x)+1=7x-3(x-2)8+4x+1=7x-3x+69 + 4x = 4x + 69 + 4x - 4x = 4x - 4x + 69 = 6

There is no solution.

58. 
$$-0.01(5x+4) = 0.04 - 0.01(x+4)$$
$$100[-0.01(5x+4)] = 100[0.04 - 0.01(x+4)]$$
$$-(5x+4) = 4 - 1(x+4)$$
$$-5x-4 = 4 - x - 4$$
$$-5x-4 = -x$$
$$-5x+x-4 = -x + x$$
$$-4x-4 = 0$$
$$-4x-4 + 4 = 0 + 4$$
$$-4x = 4$$
$$\frac{-4x}{-4} = \frac{4}{-4}$$
$$x = -1$$
  
60. 
$$3 - \frac{1}{2}x = 5x - 8$$
$$2\left(3 - \frac{1}{2}x\right) = 2(5x-8)$$
$$6 - x = 10x - 16$$
$$6 - x + x = 10x - 16 + x$$
$$6 = 11x - 16$$
$$6 + 16 = 11x - 16 + 16$$
$$22 = 11x$$
$$\frac{22}{11} = \frac{11x}{11}$$
$$2 = x$$
  
62. 
$$7n + 5 = 10n - 10$$
$$7n + 5 - 5 = 10n - 10 - 5$$
$$7n = 10n - 15$$
$$7n - 10n = 10n - 15 - 10n$$
$$-3n = -15$$
$$\frac{-3n}{-3} = \frac{-15}{-3}$$
$$n = 5$$
  
64. 
$$0.2x - 0.1 = 0.6x - 2.1$$
$$10(0.2x - 0.1) = 10(0.6x - 2.1)$$
$$2x - 1 = 6x - 21$$
$$2x - 6x - 1 = 6x - 6x - 21$$
$$-4x - 1 = -21$$
$$-4x - 1 + 1 = -21 + 1$$
$$-4x = -20$$
$$\frac{-4x}{-4} = \frac{-20}{-4}$$
$$x = 5$$

66. 0.03(2m+7) = 0.06(5+m) - 0.09 100[0.03(2m+7)] = 100[0.06(5+m) - 0.09] 3(2m+7) = 6(5+m) - 9 6m+21 = 30 + 6m - 9 6m+21 = 21 + 6m 6m-6m+21 = 21 + 6m - 6m 21 = 21All real numbers are solutions.

68. 3 times a number  $\downarrow \quad \downarrow \quad \downarrow \quad \downarrow$  $3 \quad \cdot \quad x = 3x$ 

**70.** 8 minus twice a number

$$\begin{array}{cccc} \downarrow & \downarrow & \downarrow \\ 8 & - & 2x \end{array}$$

72. the quotient  
of -12 and be and the difference  
of a number  
and 3  
$$\downarrow \qquad \downarrow \qquad \downarrow \qquad \downarrow$$
  
 $-12 \qquad \div \qquad (x-3) \qquad = \frac{-12}{x-3}$ 

- 74. x + (7x 9) = x + 7x 9 = 8x 9The total length is (8x - 9) feet.
- 76. a. x+3 = x+5x+3-x = x+5-x3 = 5There is no solution.
  - **b.** answers may vary
  - **c.** answers may vary
- **78.** 3x+1 = 3x+23x+1-3x = 3x+2-3x1 = 2

There is no solution. The answer is B.

80. 
$$x-11x-3 = -10x-1-2$$
  
 $-10x-3 = -10x-3$   
 $-10x-3+10x = -10x-3+10x$   
 $-3 = -3$   
All real numbers are solutions. The answer is A.

82. 
$$-x+15 = x+15$$
  
 $-x+15+x = x+15+x$   
 $15 = 2x+15$   
 $15-15 = 2x+15-15$   
 $0 = 2x$   
 $\frac{0}{2} = \frac{2x}{2}$   
 $0 = x$   
The answer is C.

- 84. answers may vary
- 86. a. Since the perimeter is the sum of the lengths of the sides, x + (2x + 1) + (3x 2) = 35.

**b.** 
$$x + 2x + 1 + 3x - 2 = 35$$
  
 $6x - 1 = 35$   
 $6x - 1 + 1 = 35 + 1$   
 $6x = 36$   
 $\frac{6x}{6} = \frac{36}{6}$   
 $x = 6$   
**c.**  $2x + 1 = 2(6) + 1 = 13$ 

- 3x 2 = 3(6) 2 = 16The lengths are x = 6 meters, 2x + 1 = 13 meters and 3x - 2 = 16 meters.
- **88.** answers may vary

90. 
$$1000(x+40) = 100(16+7x)$$
$$1000x+40,000 = 1600+700x$$
$$1000x+40,000-700x = 1600+700x-700x$$
$$300x+40,000 = 1600$$
$$300x+40,000-40,000 = 1600-40,000$$
$$300x = -38,400$$
$$\frac{300x}{300} = \frac{-38,400}{300}$$
$$x = -128$$

92. 
$$0.127x - 2.685 = 0.027x - 2.38$$
$$1000(0.127x - 2.685) = 1000(0.027x - 2.38)$$
$$127x - 2685 = 27x - 2380$$
$$127x - 27x - 2685 = 27x - 27x - 2380$$
$$100x - 2685 = -2380$$
$$100x - 2685 + 2685 = -2380 + 2685$$
$$100x = 305$$
$$\frac{100x}{100} = \frac{305}{100}$$
$$x = 3.05$$

94. 
$$t^{2}-6t = t(8+t)$$
$$t^{2}-6t = 8t + t^{2}$$
$$t^{2}-t^{2}-6t = 8t + t^{2} - t^{2}$$
$$-6t = 8t$$
$$-6t + 6t = 8t + 6t$$
$$0 = 14t$$
$$\frac{0}{14} = \frac{14t}{14}$$
$$0 = t$$
96. 
$$y^{2}-4y+10 = y(y-5)$$
$$y^{2}-4y+10 = y^{2}-5y$$
$$y^{2}-4y+10 = y^{2} - 5y$$
$$-4y+10 = -5y$$
$$-4y+10 = -5y$$
$$-4y+5y+10 = -5y+5y$$
$$y+10 = 0$$
$$y+10-10 = -10$$
$$y = -10$$

### **Integrated Review**

1. 
$$x-10 = -4$$
  
 $x-10+10 = -4+10$   
 $x = 6$ 

2. 
$$y+14 = -3$$
  
 $y+14-14 = -3-14$   
 $y = -17$ 

3. 
$$9y = 108$$
  
 $\frac{9y}{9} = \frac{108}{9}$   
 $y = 12$ 

4. 
$$-3x = 78$$
  
 $\frac{-3x}{-3} = \frac{78}{-3}$   
 $x = -26$ 

5. 
$$-6x + 7 = 25$$
  
 $-6x + 7 - 7 = 25 - 7$   
 $-6x = 18$   
 $\frac{-6x}{-6} = \frac{18}{-6}$   
 $x = -3$ 

6. 
$$5y-42 = -47$$
  
 $5y-42+42 = -47+42$   
 $5y = -5$   
 $\frac{5y}{5} = \frac{-5}{5}$   
 $y = -1$   
7.  $\frac{2}{3}x = 9$   
 $\frac{3}{2}(\frac{2}{3}x) = \frac{3}{2}(9)$   
 $x = \frac{27}{2}$   
8.  $\frac{4}{5}z = 10$   
 $\frac{5}{4}(\frac{4}{5}z) = \frac{5}{4}(10)$   
 $z = \frac{25}{2}$   
9.  $\frac{r}{-4} = -2$   
 $-4(\frac{r}{-4}) = -4(-2)$   
 $r = 8$   
10.  $\frac{y}{-8} = 8$   
 $-8(\frac{y}{-8}) = -8(8)$   
 $y = -64$   
11.  $6-2x+8 = 10$   
 $-2x+14 = 10$   
 $-2x+14 = 10$   
 $-2x + 14 = 10$   
 $-2x = -4$   
 $\frac{-2x}{-2} = \frac{-4}{-2}$   
 $x = 2$   
12.  $-5-6y+6 = 19$   
 $-6y+1 = 19$   
 $-6y+1 = 19$   
 $-6y = 18$   
 $\frac{-6y}{-6} = \frac{18}{-6}$   
 $y = -3$ 

13. 2x - 7 = 2x - 272x - 2x - 7 = 2x - 2x - 27-7 = -27There is no solution. 14. 3 + 8y = 8y - 23 + 8y - 8y = 8y - 8y - 23 = -2There is no solution. **15.** -3a+6+5a=7a-8a2a + 6 = -a2a - 2a + 6 = -a - 2a6 = -3a $\frac{6}{-3} = \frac{-3a}{-3}$ -2 = a**16.** 4b - 8 - b = 10b - 3b3b - 8 = 7b3b - 3b - 8 = 7b - 3b-8 = 4b $\frac{-8}{4} = \frac{4b}{4}$ -2 = b17.  $-\frac{2}{3}x = \frac{5}{9}$  $-\frac{3}{2}\left(-\frac{2}{3}x\right) = -\frac{3}{2}\left(\frac{5}{9}\right)$  $x = -\frac{5}{6}$  $-\frac{3}{8}y = -\frac{1}{16}$ 18.  $-\frac{8}{3}\left(-\frac{3}{8}y\right) = -\frac{8}{3}\left(-\frac{1}{16}\right)$  $y = \frac{1}{6}$ 10 = -6n + 1619. 10 - 16 = -6n + 16 - 16

$$-6 = -6n$$
$$\frac{-6}{-6} = \frac{-6n}{-6}$$
$$1 = n$$

20. 
$$-5 = -2m + 7$$
$$-5 - 7 = -2m + 7 - 7$$
$$-12 = -2m$$
$$\frac{-12}{-2} = \frac{-2m}{-2}$$
$$6 = m$$
21. 
$$3(5c - 1) - 2 = 13c + 3$$
$$15c - 3 - 2 = 13c + 3$$
$$15c - 3 - 2 = 13c + 3$$
$$15c - 13c - 5 = 13c - 13c + 3$$
$$2c - 5 = 3$$
$$2c - 5 + 5 = 3 + 5$$
$$2c = 8$$
$$\frac{2c}{2} = \frac{8}{2}$$
$$c = 4$$
22. 
$$4(3t + 4) - 20 = 3 + 5t$$
$$12t + 16 - 20 = 3 + 5t$$
$$12t - 4 = 3 + 5t$$
$$12t - 4 = 3 + 5t$$
$$12t - 5t - 4 = 3 + 5t - 5t$$
$$7t - 4 = 3$$
$$7t - 4 + 4 = 3 + 4$$
$$7t = 7$$
$$\frac{7t}{7} = \frac{7}{7}$$
$$t = 1$$
23. 
$$\frac{2(z + 3)}{3} = 5 - z$$
$$3\left[\frac{2(z + 3)}{3}\right] = 3(5 - z)$$
$$2z + 6 = 15 - 3z$$
$$2z + 3z + 6 = 15 - 3z + 3z$$
$$5z + 6 = 15$$
$$5z + 6 - 6 = 15 - 6$$
$$5z = 9$$
$$\frac{5z}{5} = \frac{9}{5}$$

 $z = \frac{9}{5}$ 

24. 
$$\frac{3(w+2)}{4} = 2w+3$$
$$4\left[\frac{3(w+2)}{4}\right] = 4(2w+3)$$
$$3w+6 = 8w+12$$
$$3w-8w+6 = 8w-8w+12$$
$$-5w+6 = 12$$
$$-5w+6-6 = 12-6$$
$$-5w = 6$$
$$\frac{-5w}{-5} = \frac{6}{-5}$$
$$w = -\frac{6}{5}$$

25. 
$$-2(2x-5) = -3x+7-x+3$$
  
 $-4x+10 = -4x+10$   
 $-4x+4x+10 = -4x+4x+10$   
 $10 = 10$   
All real numbers are solutions.

26. 
$$-4(5x-2) = -12x + 4 - 8x + 4$$
$$-20x + 8 = -20x + 8$$
$$-20x + 20x + 8 = -20x + 20x + 8$$
$$8 = 8$$
All real numbers are solutions.

27. 
$$0.02(6t-3) = 0.04(t-2) + 0.02$$
$$100[0.02(6t-3)] = 100[0.04(t-2) + 0.02]$$
$$2(6t-3) = 4(t-2) + 2$$
$$12t-6 = 4t - 8 + 2$$
$$12t-6 = 4t - 6$$
$$12t - 4t - 6 = 4t - 4t - 6$$
$$8t - 6 = -6$$
$$8t - 6 + 6 = -6 + 6$$
$$8t = 0$$
$$\frac{8t}{8} = \frac{0}{8}$$
$$t = 0$$

28. 
$$0.03(m+7) = 0.02(5-m)+0.03$$
$$100[0.03(m+7)] = 100[0.02(5-m)+0.03]$$
$$3(m+7) = 2(5-m)+3$$
$$3m+21 = 10-2m+3$$
$$3m+21 = 13-2m$$
$$3m+2m+21 = 13-2m+2m$$
$$5m+21 = 13$$
$$5m+21-21 = 13-21$$
$$5m = -8$$
$$\frac{5m}{5} = \frac{-8}{5}$$
$$m = -\frac{8}{5} = -1.6$$
  
29. 
$$-3y = \frac{4(y-1)}{5}$$
$$5(-3y) = 5\left[\frac{4(y-1)}{5}\right]$$
$$-15y = 4y - 4$$
$$-15y - 4y = 4y - 4y - 4$$
$$-19y = -4$$
$$\frac{-19y}{-19} = \frac{-4}{-19}$$
$$y = \frac{4}{19}$$
  
30. 
$$-4x = \frac{5(1-x)}{6}$$
$$6(-4x) = 6\left[\frac{5(1-x)}{6}\right]$$
$$-24x = 5-5x$$
$$-24x + 5x = 5-5x + 5x$$
$$-19x = 5$$
$$\frac{-19x}{-19} = \frac{-5}{-19}$$
$$x = -\frac{5}{19}$$
  
31. 
$$\frac{5}{3}x - \frac{7}{3} = x$$
$$3\left(\frac{5}{3}x - \frac{7}{3}\right) = 3(x)$$
$$5x - 7 = 3x$$
$$5x - 5x - 7 = 3x - 5x$$
$$-7 = -2x$$
$$\frac{-7}{-2} = \frac{-2x}{-2}$$
$$\frac{7}{2} = x$$

32. 
$$\frac{7}{5}n + \frac{3}{5} = -n$$
$$5\left(\frac{7}{5}n + \frac{3}{5}\right) = 5(-n)$$
$$7n + 3 = -5n$$
$$7n - 7n + 3 = -5n - 7n$$
$$3 = -12n$$
$$\frac{3}{-12} = \frac{-12n}{-12}$$
$$-\frac{1}{4} = n$$
  
33. 
$$9(3x - 1) = -4 + 49$$
$$27x - 9 = 45$$
$$27x - 9 + 9 = 45 + 9$$
$$27x = 54$$
$$\frac{27x}{27} = \frac{54}{27}$$
$$x = 2$$
  
34. 
$$12(2x + 1) = -6 + 66$$
$$24x + 12 = 60$$
$$24x + 12 = 60$$
$$24x + 12 = 60$$
$$24x = 48$$
$$\frac{24x}{24} = \frac{48}{24}$$
$$x = 2$$

35. 
$$\frac{1}{10}(3x-7) = \frac{3}{10}x+5$$
$$10\left[\frac{1}{10}(3x-7)\right] = 10\left(\frac{3}{10}x+5\right)$$
$$3x-7 = 3x+50$$
$$3x-7-3x = 3x+50-3x$$
$$-7 = 50$$
There is no solution.

36. 
$$\frac{1}{7}(2x-5) = \frac{2}{7}x+1$$
$$7\left[\frac{1}{7}(2x-5)\right] = 7\left(\frac{2}{7}x+1\right)$$
$$2x-5 = 2x+7$$
$$2x-5-2x = 2x+7-2x$$
$$-5 = 7$$
There is no solution.

37. 
$$5+2(3x-6) = -4(6x-7)$$
  
 $5+6x-12 = -24x+28$   
 $6x-7 = -24x+28$   
 $6x-7+24x = -24x+28+24x$   
 $30x-7 = 28$   
 $30x-7+7 = 28+7$   
 $30x = 35$   
 $\frac{30x}{30} = \frac{35}{30}$   
 $x = \frac{7}{6}$   
38.  $3+5(2x-4) = -7(5x+2)$   
 $3+10x-20 = -35x-14$   
 $10x-17 = -35x-14$   
 $10x-17+35x = -35x-14+35x$   
 $45x-17 = -14$   
 $45x-17+17 = -14+17$   
 $45x = 3$   
 $\frac{45x}{45} = \frac{3}{45}$   
 $x = \frac{1}{15}$ 

Section 2.5 Practice Exercises

1. Let x = the number.  

$$3x-6=2x+3$$
  
 $3x-6-2x=2x+3-2x$   
 $x-6=3$   
 $x-6+6=3+6$   
 $x=9$   
The number is 9.

2. Let x = the number. 3x-4 = 2(x-1) 3x-4 = 2x-2 3x-4-2x = 2x-2-2x x-4 = -2 x-4+4 = -2+4 x = 2The number is 2.

Copyright © 2017 Pearson Education, Inc.

- 3. Let x = the length of short piece, then 4x = the length of long piece.
  - x + 4x = 45
    - 5x = 45
    - $\frac{5x}{45} = \frac{45}{45}$
    - $\frac{-}{5} = \frac{-}{5}$
  - *x* = 9
  - 4x = 4(9) = 36

The short piece is 9 inches and the long piece is 36 inches.

4. Let x = number of Republican governors, then x - 7 = number of Democratic governors.

$$x + x - 7 = 49$$
  

$$2x - 7 = 49$$
  

$$2x - 7 + 7 = 49 + 7$$
  

$$2x = 56$$
  

$$\frac{2x}{2} = \frac{56}{2}$$
  

$$x = 28$$
  

$$x - 7 = 28 - 7 = 21$$
  
There were 28 Republic

There were 28 Republican and 21 Democratic governors.

- 5. x = degree measure of first angle 3x = degree measure of second angle x + 55 = degree measure of third angle x + 3x + (x + 55) = 180 5x + 55 = 180 5x + 55 - 55 = 180 - 55 5x = 125 5x = 125  $\frac{5x}{5} = \frac{125}{5}$  x = 25 3x = 3(25) = 75 x + 55 = 25 + 55 = 80The measures of the angles are  $25^{\circ}$ ,  $75^{\circ}$ , and  $80^{\circ}$ .
- 6. Let x = the first even integer, then x + 2 = the second even integer, and x + 4 = the third even integer. x + (x + 2) + (x + 4) = 144 3x + 6 = 144 3x + 6 = 144 3x + 6 = 6 = 144 - 6 3x = 138  $\frac{3x}{3} = \frac{138}{3}$ x = 46 x + 2 = 46 + 2 = 48 x + 4 = 46 + 4 = 50 The integers are 46, 48, and 50.

#### Vocabulary, Readiness & Video Check 2.5

- 2x; 2x 31
   3x; 3x + 17
- 3. x + 5; 2(x + 5)
- **4.** x 11; 7(x 11)

5. 
$$20 - y; \frac{20 - y}{3}$$
 or  $(20 - y) \div 3$ 

6. 
$$-10 + y; \frac{-10 + y}{9}$$
 or  $(-10 + y) \div 9$ 

- 7. in the statement of the application
- 8. The original application asks for the measure of two supplementary angles. The solution of x = 43 only gives us the measure of one of the angles.
- **9.** That the 3 angle measures are consecutive even integers and that they sum to 180°.

#### Exercise Set 2.5

2. Let 
$$x =$$
 the number.  

$$3x-1=2x$$

$$3x-1-3x = 2x-3x$$

$$3x-1-3x = 2x-3x$$

$$-1 = -x$$

$$\frac{-1}{-1} = \frac{-x}{-1}$$

$$1 = x$$
The number is 1.

4. Let x = the number.

4x + (-2) = 5x + (-2) 4x - 2 = 5x - 2 4x - 2 + 2 = 5x - 2 + 2 4x = 5x 4x - 4x = 5x - 4x 0 = xThe number is 0.

- 6. Let x = the number. 5[x+(-1)] = 6(x-5) 5x+5(-1) = 6x+6(-5) 5x-5 = 6x-30 5x-5x-5 = 6x-5x-30 -5 = x-30 -5 + 30 = x-30+30 25 = xThe number is 25.
- 8. Let x = the number.

$$2(x-4) = x - \frac{1}{4}$$

$$2x-8 = x - \frac{1}{4}$$

$$4(2x-8) = 4\left(x - \frac{1}{4}\right)$$

$$8x-32 = 4x - 1$$

$$8x-4x-32 = 4x - 4x - 1$$

$$4x-32 = -1$$

$$4x-32 + 32 = -1 + 32$$

$$4x = 31$$

$$\frac{4x}{4} = \frac{31}{4}$$
The number is  $\frac{31}{4}$ .

10. The sum of the three lengths is 46 feet. x + 3x + 2 + 7x = 46

$$x + 3x + 2 + 7x = 46$$

$$11x + 2 = 46$$

$$11x + 2 - 2 = 46 - 2$$

$$11x = 44$$

$$\frac{11x}{11} = \frac{44}{11}$$

$$x = 4$$

$$3x = 3(4) = 12$$

$$2 + 7x = 2 + 7(4) = 2 + 28 = 30$$
The lengths are 4 feet, 12 feet, and 30 feet.

12. Let x be the length of the shorter piece. Then 3x is the length of the 2nd piece and the 3rd piece. The sum of the lengths is 21 feet. x+3x+3x=21

$$x+3x = 21$$
  

$$7x = 21$$
  

$$\frac{7x}{7} = \frac{21}{7}$$
  

$$x = 3$$

$$3x = 3(3) = 9$$

The shorter piece is 3 feet and the longer pieces are each 9 feet.

14. 
$$x + x + 39,771 = 43,265$$
  
 $2x + 39,771 = 43,265$   
 $2x + 39,771 = 43,265 - 39,771$   
 $2x = 3494$   
 $\frac{2x}{2} = \frac{3494}{2}$   
 $x = 1747$   
In 2014, 1747 screens were analog.

- 16. Let *x* be the measure of the smaller angle. Then 2x - 15 is the measure of the larger angle. The sum of the four angles is  $360^{\circ}$ . 2x + 2(2x - 15) = 360 2x + 4x - 30 = 360 6x - 30 = 360 6x - 30 + 30 = 360 + 30 6x = 390  $\frac{6x}{6} = \frac{390}{6}$  x = 65 2x - 15 = 2(65) - 15 = 130 - 15 = 115Two angles measure  $65^{\circ}$  and two angles measure  $115^{\circ}$ .
- **18.** Three consecutive integers: Integer: xNext integers: x + 1, x + 2Sum of the second and third consecutive integers, simplified: (x + 1) + (x + 2) = 2x + 3
- **20.** Three consecutive odd integers: Odd integer: xNext integers: x + 2, x + 4Sum of the three consecutive odd integers, simplified: x + (x + 2) + (x + 4) = 3x + 6
- 22. Four consecutive integers: Integer: x Next integers: x + 1, x + 2, x + 3Sum of the first and fourth consecutive integers, simplified: x + (x + 3) = 2x + 3
- 24. Three consecutive even integers: Even integer: x Next integers: x + 2, x + 4Sum of the three consecutive even integers, simplified: x + (x + 2) + (x + 4) = 3x + 6

- 26. Let x = the number of one room and x + 2 = the number of the other. x + x + 2 = 6542x + 2 = 6542x + 2 - 2 = 654 - 22x = 652
  - $\frac{2x}{2} = \frac{652}{2}$ x = 326 x + 2 = 326 + 2 = 328 The room numbers are 326 and 328.
- 28. Let x = code for Mali Republic, x + 2 = code for Cote d'Ivoire, and x + 4 = code for Niger. x + x + 2 + x + 4 = 675 3x + 6 = 675 3x + 6 = 675 - 6 3x = 669  $\frac{3x}{3} = \frac{669}{3}$ x = 223 x + 2 = 223 + 2 = 225 x + 4 = 223 + 4 = 227 The codes are: 223 for Mali, 225 for Cote d'Ivoire, 227 for Niger.
- **30.** Let *x* represent the weight of the Armanty meteorite. Then 3*x* represents the weight of the Hoba West meteorite.
  - x + 3x = 88 4x = 88  $\frac{4x}{4} = \frac{88}{4}$  x = 22 3x = 3(22) = 66

The Armanty meteorite weighs 22 tons and the Hoba West meteorite weighs 66 tons.

**32.** Let *x* be the measure of the shorter piece. Then 5x + 1 is the measure of the longer piece. The measures sum to 25 feet.

x+5x+1 = 25 6x+1 = 25 6x+1-1 = 25-1 6x = 24  $\frac{6x}{6} = \frac{24}{6}$  x = 4 5x + 1 = 5(4) + 1 = 20 + 1 = 21The pieces measure 4 feet and 21 feet.

**34.** Let x = the number. 9 = 2x - 109+10 = 2x - 10 + 1019 = 2x $\frac{19}{2} = \frac{2x}{2}$  $\frac{\overline{19}}{2} = x$ The number is  $\frac{19}{2}$ . **36.** Let x = species of grasshoppers, then 20x = species of beetles. x + 20x = 420,00021x = 420,000 $\frac{21x}{21x} = \frac{420,000}{2100}$ 21 21 x = 20,00020x = 20(20,000) = 400,000There are 400,000 species of beetles and 20,000 species of grasshoppers. **38.** Let x = the measure of the smallest angle,

8. Let x = the measure of the smallest angle x + 2 = the measure of the second, x + 4 = the measure of the third, and x + 6 = the measure of the fourth. x + x + 2 + x + 4 + x + 6 = 360 4x + 12 = 360 4x + 12 = 360 - 12 4x = 348  $\frac{4x}{4} = \frac{348}{4}$  x = 87 x + 2 = 87 + 2 = 89 x + 4 = 87 + 4 = 91 x + 6 = 87 + 6 = 93The angles are  $87^\circ$ ,  $89^\circ$ ,  $91^\circ$ , and  $93^\circ$ .

40. Let x = first odd integer, then x + 2 = next odd integer, and x + 4 = third consecutive odd integer. x+(x+2)+(x+4) = 51 3x+6=51 3x+6=51-6 3x = 45  $\frac{3x}{3} = \frac{45}{3}$ x = 15 x+2 = 15 + 2 = 17 x+4 = 15 + 4 = 19 The code is 15, 17, 19.

- 42. Let x = the number. 2(x+6) = 3(x+4) 2x+12 = 3x+12 2x+12-12 = 3x+12-12 2x = 3x 2x-2x = 3x-2x 0 = xThe number is 0.
- 44. Let x = the measure of the first angle then 2x - 3 = the measure of the other. x + 2x - 3 = 90

3x-3 = 90 3x-3+3 = 90+3 3x = 93  $\frac{3x}{3} = \frac{93}{3}$  x = 31 2x - 3 = 2(31) - 3 = 59The angles are 31° and 59°.

46. 
$$\frac{1}{5} + 2x = 3x - \frac{4}{5}$$
$$\frac{1}{5} + 2x - 2x = 3x - \frac{4}{5} - 2x$$
$$\frac{1}{5} = x - \frac{4}{5}$$
$$\frac{1}{5} + \frac{4}{5} = x - \frac{4}{5} + \frac{4}{5}$$
$$\frac{5}{5} = x$$
$$1 = x$$

The number is 1.

**48.** Let x = the number.

$$\frac{3}{4} + 3x = 2x - \frac{1}{2}$$

$$4\left(\frac{3}{4} + 3x\right) = 4\left(2x - \frac{1}{2}\right)$$

$$3 + 12x = 8x - 2$$

$$3 + 12x - 8x = 8x - 2 - 8x$$

$$3 + 4x = -2$$

$$3 + 4x - 3 = -2 - 3$$

$$4x = -5$$

$$\frac{4x}{4} = -\frac{5}{4}$$

$$x = -\frac{5}{4}$$
The number is  $-\frac{5}{4}$ .

- **50.** Let x = floor space of Empire State Building,
  - then 3x = floor space of the Pentagon. x + 3x = 8700 4x = 8700  $\frac{4x}{4} = \frac{8700}{4}$ 
    - x = 2175x = 3(2175) = 6
  - 3x = 3(2175) = 6525The Empire State Building has
  - 2175 thousand square feet and the Pentagon has 6525 thousand square feet.
- **52.** Let x = the number.

$$\frac{\frac{7}{8} \cdot x = \frac{1}{2}}{\frac{8}{7} \cdot \frac{7}{8} x = \frac{8}{7} \cdot \frac{1}{2}}$$
$$x = \frac{4}{7}$$
The number is  $\frac{4}{7}$ 

54. Let x = first integer (smallest piece) then x + 2 = second integer (middle piece) and x + 4 = third integer (longest piece) x + (x + 2) + (x + 4) = 48 3x + 6 = 48 3x + 6 - 6 = 48 - 6 3x = 42  $\frac{3x}{3} = \frac{42}{3}$ x = 14 x + 2 = 14 + 2 = 16 x + 4 = 14 + 4 = 18 The pieces measure 14 inches, 16 inches, and 18 inches.

**56.** Let x = smallest angle, then 4x = largest angles. x + 4x + 4x = 180

$$9x = 180$$
  

$$9x = 180$$
  

$$\frac{9x}{9} = \frac{180}{9}$$
  

$$x = 20$$
  

$$4x = 4(20) = 80$$
  
The angles measure 20°, 80°, and 80°.

- 58. Let x = length of first piece, then 5x = length of second piece, and 6x = length of third piece. x + 5x + 6x = 4812x = 48
  - $\frac{12x}{12} = \frac{48}{12}$  x = 4 5x = 5(4) = 20 6x = 6(4) = 24The first piece is 4 feet, the second piece is 20 feet, and the third piece is 24 feet.
- **60.** The bars ending between 3 and 5 represent the games Destiny and Grand Theft Auto V, so those games sold between 3 and 5 million copies in 2014.
- 62. Let x represent the sales of Minecraft, in millions. Then x + 0.6 represents the sales of Grand Theft Auto V.

$$x + x + 0.6 = 6$$
  

$$2x + 0.6 = 6$$
  

$$2x + 0.6 - 0.6 = 6 - 0.6$$
  

$$2x = 5.4$$
  

$$\frac{2x}{2} = \frac{5.4}{2}$$
  

$$x = 2.7$$
  

$$x + 0.6 = 2.7 + 0.6 = 3.3$$
  
Minecraft sold 2.7 million copies and Grand  
Theft Auto V sold 3.3 million copies.

- 64. answers may vary
- **66.** Replace *B* by 14 and *h* by 22.

$$\frac{1}{2}Bh = \frac{1}{2}(14)(22) = 7(22) = 154$$

- **68.** Replace *r* by 15 and *t* by 2.  $r \cdot t = 15 \cdot 2 = 30$
- **70.** Let *x* be the measure of the first angle. Then 2x is the measure of the second angle and 5x is the measure of the third angle. The measures sum to  $180^{\circ}$ .

x+2x+5x = 180 8x = 180  $\frac{8x}{8} = \frac{180}{8}$  x = 22.5 2x = 2(22.5) = 45 5x = 5(22.5) = 112.5Yes, the triangle exists and has angles that measure 22.5°, 45°, and 112.5°. **72.** One blink every 5 seconds is  $\frac{1 \text{ blink}}{5 \text{ sec}}$ .

There are  $60 \cdot 60 = 3600$  seconds in one hour.

 $\frac{1 \text{ blink}}{5 \text{ sec}} \cdot 3600 \text{ sec} = 720 \text{ blinks}$ The average eye blinks 720 times each hour.  $16 \cdot 720 = 11,520$ The average eye blinks 11,520 times while awake for a 16-hour day.  $11,520 \cdot 365 = 4,204,800$ The average eye blinks 4,204,800 times in one year.

- 74. answers may vary
- 76. answers may vary
- **78.** Measurements may vary. Rectangle (b) best approximates the shape of a golden rectangle.

## Section 2.6 Practice Exercises

1. Let d = 580 and r = 5.  $d = r \cdot t$  580 = 5t  $\frac{580}{5} = \frac{5t}{5}$  116 = tIt takes 116 seconds or 1 minute 56 seconds.

2. Let 
$$l = 40$$
 and  $P = 98$ .  
 $P = 2l + 2w$   
 $98 = 2 \cdot 40 + 2w$   
 $98 = 80 + 2w$   
 $98 - 80 = 80 + 2w - 80$   
 $18 = 2w$   
 $\frac{18}{2} = \frac{2w}{2}$   
 $9 = w$ 

The dog run is 9 feet wide.

3. Let 
$$C = 8$$
.  
 $F = \frac{9}{5}C + 32$   
 $F = \frac{9}{5} \cdot 8 + 32$   
 $F = \frac{72}{5} + \frac{160}{5}$   
 $F = \frac{232}{5} = 46.4$ 

The equivalent temperature is 46.4°F.

4. Let w = width of sign, then 5w + 3 = length of sign. P = 2l + 2w 66 = 2(5w + 3) + 2w 66 = 10w + 6 + 2w 66 = 12w + 6 66 - 6 = 12w + 6 - 6 60 = 12w  $\frac{60}{12} = \frac{12w}{12}$  5 = w 5w + 3 = 5(5) + 3 = 28The sign has length 28 inches and width 5 inches.

5. 
$$I = PRT$$
$$\frac{I}{PT} = \frac{PRT}{PT}$$
$$\frac{I}{PT} = R \text{ or } R = \frac{I}{PT}$$

6. 
$$H = 5as + 10a$$
$$H - 10a = 5as + 10a - 10a$$
$$H - 10a = 5as$$
$$\frac{H - 10a}{5a} = \frac{5as}{5a}$$
$$\frac{H - 10a}{5a} = s \text{ or } s = \frac{H - 10a}{5a}$$

7. 
$$N = F + d(n-1)$$

$$N - F = F + d(n-1) - F$$

$$N - F = d(n-1)$$

$$\frac{N - F}{n-1} = \frac{d(n-1)}{n-1}$$

$$\frac{N - F}{n-1} = d \text{ or } d = \frac{N - F}{n-1}$$

8. 
$$A = \frac{1}{2}a(b+B)$$
$$2 \cdot A = 2 \cdot \frac{1}{2}a(b+B)$$
$$2A = a(b+B)$$
$$2A = ab + aB$$
$$2A - ab = ab + aB - ab$$
$$2A - ab = aB$$
$$\frac{2A - ab}{a} = \frac{aB}{a}$$
$$\frac{2A - ab}{a} = B \text{ or } B = \frac{2A - ab}{a}$$

#### Vocabulary, Readiness & Video Check 2.6

- 1. A formula is an equation that describes known relationships among quantities.
- 2. This is a distance, rate, and time problem. The distance is given in miles and the time is given in hours, so the rate that we are finding must be in miles per hour (mph).
- 3. To show that the process of solving this equation for *x*—dividing both sides by 5, the coefficient of *x*—is the same process used to solve a formula for a specific variable. Treat whatever is multiplied by that specific variable as the coefficient—the coefficient is all the factors except that specific variable.

## **Exercise Set 2.6**

2. Let 
$$d = 195$$
 and  $t = 3$ .  
 $d = rt$   
 $195 = r(3)$   
 $\frac{195}{3} = \frac{3r}{3}$   
 $65 = r$ 

- 4. Let l = 14, w = 8, and h = 3. V = lwh V = 14(8)(3)V = 336
- 6. Let A = 60, B = 7, and b = 3.  $A = \frac{1}{2}h(B+b)$   $60 = \frac{1}{2}h(7+3)$   $2(60) = 2\left[\frac{1}{2}h(10)\right]$  120 = 10h  $\frac{120}{10} = \frac{10h}{10}$ 12 = h

8. Let 
$$V = 45$$
, and  $h = 5$ .  
 $V = \frac{1}{3}Ah$   
 $45 = \frac{1}{3}A(5)$   
 $3(45) = 3\left[\frac{1}{3}(5A)\right]$   
 $135 = 5A$   
 $\frac{135}{5} = \frac{5A}{5}$   
 $27 = A$ 

**10.** Let r = 4.5, and  $\pi \approx 3.14$ .  $A = \pi r^2$   $A \approx 3.14(4.5)^2$  $A \approx 3.14(20.25)$ 

 $A \approx 63.6$ 

12. Let I = 1,056,000, R = 0.055, and T = 6. I = PRT 1,056,000 = P(0.055)(6) 1,056,000 = 0.33P  $\frac{1,056,000}{0.33} = \frac{0.33P}{0.33}$ 3,200,000 = P

**14.** Let r = 3 and  $\pi \approx 3.14$ .

$$V = \frac{4}{3}\pi r^{3}$$

$$V \approx \frac{4}{3}(3.14)(3)^{3}$$

$$V \approx \frac{4}{3}(3.14)(27)$$

$$V \approx \frac{4}{3}(84.78)$$

$$V \approx 113.0$$

$$(V \approx 113.1 \text{ using a calculator.})$$

16.  $A = \pi ab$  $\frac{A}{\pi a} = \frac{\pi ab}{\pi a}$  $\frac{A}{\pi a} = b$ 

18. T = mnr $\frac{T}{mr} = \frac{mnr}{mr}$  $\frac{T}{mr} = n$ 

20. 
$$-x + y = 13$$
$$-x + x + y = 13 + x$$
$$y = 13 + x$$
  
22. 
$$A = P + PRT$$
$$A - P = P - P + PRT$$
$$A - P = PRT$$
$$\frac{A - P}{PR} = \frac{PRT}{PR}$$
$$\frac{A - P}{PR} = T$$
  
24. 
$$D = \frac{1}{4} fk$$
$$4D = 4\left(\frac{1}{4} fk\right)$$
$$4D = fk$$
$$\frac{4D}{f} = \frac{fk}{f}$$
$$\frac{4D}{f} = k$$

26. PR = x + y + z + w PR - (x + y + w) = x + y + z + w - (x + y + w) PR - x - y - w = x + y + z + w - x - y - wPR - x - y - w = z

28. 
$$S = 4lw + 2wh$$
$$S - 4lw = 4lw - 4lw + 2wh$$
$$S - 4lw = 2wh$$
$$\frac{S - 4lw}{2w} = \frac{2wh}{2w}$$
$$\frac{S - 4lw}{2w} = h$$

30. Use A = lw when A = 52,400 and l = 400. A = lw  $52,400 = 400 \cdot w$   $\frac{52,400}{400} = \frac{400w}{400}$  131 = wThe width of the sign is 131 feet.

**32.** a. 
$$A = \frac{1}{2}bh$$
  
 $A = \frac{1}{2} \cdot 36 \cdot 27$   
 $A = 486$   
The area is 486 square feet and the perimeter is 108 feet.  
 $P = l_1 + l_2 + l_3$   
 $P = 27 + 36 + 45$   
 $P = 108$ 

- **b.** The fence has to do with perimeter because it is located around the edge of the property. The grass seed has to do with area because it is located in the middle of the property.
- **34.** a. A = bh A = 9.3(7) A = 65.1  $P = 2l_1 + 2l_2$  P = 2(11.7) + 2(9.3) P = 23.4 + 18.6P = 42

The area is 65.1 square feet and the perimeter is 42 feet.

- **b.** The border has to do with the perimeter because it surrounds the edge. The paint has to do with the area because it covers the wall.
- **36.** Let C = -5.

$$F = \frac{9}{5}(-5) + 32 = -9 + 32 = 23$$

The equivalent temperature is 23°F.

38. Let 
$$P = 400$$
 and  $l = 2w - 10$ .  
 $P = 2l + 2w$   
 $400 = 2(2w - 10) + 2w$   
 $400 = 4w - 20 + 2w$   
 $400 = 6w - 20$   
 $400 + 20 = 6w - 20 + 20$   
 $420 = 6w$   
 $\frac{420}{6} = \frac{6w}{6}$   
 $70 = w$   
 $l = 2w - 10 = 2(70) - 10 = 140 - 10 = 130$   
The length is 120 meters

The length is 130 meters.

- **40.** Let x = the measure of each of the two equal sides, and x 2 = the measure of the third. x + x + x 2 = 22
  - 3x 2 = 22 3x - 2 = 22 3x - 2 + 2 = 22 + 2 3x = 24  $\frac{3x}{3} = \frac{24}{3}$  x = 8 x - 2 = 8 - 2 = 6The shortest side is 6 feet.

42. Let 
$$d = 700$$
 and  $r = 55$ .  
 $d = rt$   
 $700 = 55t$   
 $\frac{700}{55} = \frac{55t}{55}$   
 $\frac{700}{55} = t$   
 $t = \frac{700}{55} = \frac{140}{11} = 12\frac{8}{11}$   
The trip will take  $12\frac{8}{11}$  hours.

44. Let r = 4 and h = 3. Use  $\pi \approx 3.14$ .  $V = \pi r^2 h$   $V \approx (3.14)(4)^2(3)$   $\approx (3.14)(16)(3)$   $\approx 150.72$ Let x = number of goldfish and volume per fish = 2. 150.72 = 2x  $\frac{150.72}{2} = \frac{2x}{2}$  75.36 = x75 goldfish can be placed in the tank.

46. Use 
$$N = 94$$
.  
 $T = 50 + \frac{N - 40}{4}$   
 $T = 50 + \frac{94 - 40}{4}$   
 $T = 50 + \frac{54}{4}$   
 $T = 50 + 13.5$   
 $T = 63.5$   
The temperature is  $63.5^{\circ}$  Fahrenheit.

**48.** Use T = 65.

$$T = 50 + \frac{N - 40}{4}$$
  

$$65 = 50 + \frac{N - 40}{4}$$
  

$$65 - 50 = 50 + \frac{N - 40}{4} - 50$$
  

$$15 = \frac{N - 40}{4}$$
  

$$4 \cdot 15 = 4 \cdot \frac{N - 40}{4}$$
  

$$60 = N - 40$$
  

$$60 + 40 = N - 40 + 40$$
  

$$100 = N$$
  
There are 100 chirps per minute.

Copyright © 2017 Pearson Education, Inc.

**50.** As the air temperature of their environment decreases, the number of cricket chirps per minute <u>decreases</u>.

**52.** Let 
$$A = 20$$
, and  $b = 5$ .

$$A = \frac{1}{2}bh$$
$$20 = \frac{1}{2}(5)h$$
$$2(20) = 2\left(\frac{5}{2}h\right)$$
$$40 = 5h$$
$$\frac{40}{5} = \frac{5h}{5}$$
$$8 = h$$

The height is 8 feet.

**54.** Let r = 4000. Use  $\pi \approx 3.14$ .  $C = 2\pi r \approx 2(3.14)(4000)$  $C \approx 25,120$ 

The length of rope is 25,120 miles.

56. 
$$x + (2x-8) + (3x-12) = 82$$
  
 $6x - 20 = 82$   
 $6x - 20 + 20 = 82 + 20$   
 $6x = 102$   
 $\frac{6x}{6} = \frac{102}{6}$   
 $x = 17$   
 $2x - 8 = 2(17) - 8 = 26$   
 $3x - 12 = 3(17) - 12 = 39$   
The lengths are 17 feet, 26 feet, and 39 feet.

58. A = 3990 and w = 57. A = lw  $3990 = l \cdot 57$   $\frac{3990}{57} = \frac{57l}{57}$  70 = lThe length is 70 feet. 60. Let x = the length of a side of the square and 2x - 15 = the length of a side of the triangle. P(triangle) = P(square) 3(2x-15) = 4x 6x - 45 = 4x 6x - 45 = 4x - 4x 2x - 45 = 0 2x - 45 + 45 = 45 2x = 45  $\frac{2x}{2} = \frac{45}{2}$  x = 22.52x - 15 = 2(22.5) - 15 = 45 - 15 = 30

The side of the triangle is 30 units and the side of the square is 22.5 units.

62. Let d = 150 and r = 45. d = rt

a = rt 150 = 45t  $\frac{150}{45} = \frac{45t}{45}$   $\frac{150}{45} = t$   $t = \frac{150}{45} = \frac{10}{3}$ The trip will take  $\frac{10}{3} = 3\frac{1}{3}$  hours or 3 hours 20 minutes.

He should arrive at 7:20 A.M.

**64.** Let F = 78.

$$F = \frac{9}{5}C + 32$$

$$78 = \frac{9}{5}C + 32$$

$$5(78) = 5\left(\frac{9}{5}C + 32\right)$$

$$390 = 9C + 160$$

$$390 - 160 = 9C + 160 - 160$$

$$230 = 9C$$

$$\frac{230}{9} = \frac{9C}{9}$$

$$\frac{230}{9} = C$$

$$C = \frac{230}{9} = 25\frac{5}{9}$$

The equivalent temperature is  $25\frac{5}{9}$  °C.

ISM: Beginning Algebra

66. Let C = -10.  $F = \frac{9}{5}C + 32$   $= \frac{9}{5}(-10) + 32$  = -18 + 32= 14

The equivalent temperature is 14°F

**68.** Let F = -227.

$$C = \frac{5}{9}(F - 32)$$
$$C = \frac{5}{9}(-227 - 32) \approx -144$$

The equivalent temperature is -144°C.

70. Use 
$$V = \frac{4}{3}\pi r^3$$
 when  $r = \frac{30}{2} = 15$  and  $\pi = 3.14$ .  
 $V = \frac{4}{3}\pi r^3 = \frac{4}{3}(3.14)(15)^3 = 14,130$ 

The volume of the sphere is 14,130 cubic inches.

- **72.** 8% = 0.08
- **74.** 0.5% = 0.005
- **76.** 0.03 = 0.03(100%) = 3%
- **78.** 5 = 5(100%) = 500%
- **80.** Use A = bh. If the base is doubled, the new base is 2*b*. If the height is doubled, the new height is 2*h*.

 $A = (2b)(2h) = 2 \cdot 2 \cdot b \cdot h = 4bh$ The area is multiplied by 4. 82. Let x be the temperature. Use  $F = \frac{9}{5}C + 32$ 

when 
$$F = C = x$$
.  
 $F = \frac{9}{5}C + 32$   
 $x = \frac{9}{5}x + 32$   
 $x - \frac{9}{5}x = \frac{9}{5}x + 32 - \frac{9}{5}x$   
 $\frac{5}{5}x - \frac{9}{5}x = 32$   
 $-\frac{4}{5}x = 32$   
 $-\frac{5}{4} \cdot \left(-\frac{4}{5}x\right) = -\frac{5}{4} \cdot 32$   
 $x = -40$ 

They are the same when the temperature is  $-40^{\circ}$ .

84. 
$$B = \frac{F}{P - V}$$
$$B(P - V) = \frac{F}{P - V}(P - V)$$
$$B(P - V) = F$$
$$BP - BV = F$$
$$BP - BV - BP = F - BP$$
$$-BV = F - BP$$
$$\frac{-BV}{-B} = \frac{F - BP}{-B}$$
$$V = \frac{BP - F}{-B}$$
$$V = \frac{BP - F}{B}$$
$$V = P - \frac{F}{B}$$
86.  $\bigcirc \cdot \Box + \triangle = \bigcirc$ 
$$\bigcirc \cdot \Box = \bigcirc - \triangle$$
$$\Box = \frac{\bigcirc - \triangle}{\bigcirc}$$
88. Let  $d = 238,860$  and  $r = 186,000$ .  
 $d = rt$ 
$$238,860 = 186,000t$$
$$\frac{238,860}{186,000} = \frac{186,000t}{186,000}$$

- 90. 20  $\frac{\text{miles}}{\text{hour}}$ = 20  $\frac{\text{miles}}{\text{hour}} \left(\frac{5280 \text{ feet}}{1 \text{ mile}}\right) \left(\frac{1 \text{ hour}}{3600 \text{ seconds}}\right)$ =  $\frac{88}{3}$  feet/second Let d = 1300 and  $r = \frac{88}{3}$ . d = rt  $1300 = \frac{88}{3}t$   $\frac{3}{88}(1300) = \frac{3}{88} \left(\frac{88}{3}\right)t$   $44.3 \approx t$ It will take about 44.3 seconds.
- **92.** Use d = rt when d = 25,000 and r = 3800. d = rt  $25,000 = 3800 \cdot t$   $\frac{25,000}{3800} = \frac{3800t}{3800}$   $6.58 \approx t$ 6 hr and  $0.58(60) \approx 35$  min It would take the Boeing X-51 6 hours 35 minutes to travel around Earth.

**94.** Let d = 2 then r = 1.  $15 \text{ feet} = \frac{15 \text{ feet}}{1} \cdot \frac{12 \text{ inches}}{1 \text{ foot}} = 180 \text{ inches, so}$  h = 180.  $V = \pi r^2 h$   $V = (\pi)(1)^2 (180) = 180\pi \approx 565.5$ The volume of the column is 565.5 cubic inches.

### Section 2.7 Practice Exercises

- 1. Let x = the unknown percent.  $35 = x \cdot 56$   $\frac{35}{56} = \frac{56x}{56}$  0.625 = xThe number 35 is 62.5% of 56.
- **2.** Let x = the unknown number.

 $198 = 55\% \cdot x$  198 = 0.55x  $\frac{198}{0.55} = \frac{0.55x}{0.55}$  360 = xThe number 198 is 55% of 360.

- 3. a. From the circle graph, we see that 41% of pets owned are freshwater fish and 3% are saltwater fish; thus 41% + 3% = 44% of pets owned are freshwater fish or saltwater fish.
  - **b.** The circle graph percents have a sum of 100%; thus the percent of pets that are not equines is 100% 3% = 97%.
  - c. To find the number of dogs owned, we find 19% of 396.12
    = (0.19)(396.12)
    = 75.2628
    ≈ 75.3
    Thus, about 75.3 million dogs are owned in the United States.
- **4.** Let x =discount.
  - $x = 85\% \cdot 480$   $x = 0.85 \cdot 480$  x = 408The discount is \$408. New price = \$480 - \$408 = \$72
- 5. Increase = 2710 1900 = 810Let *x* = percent of increase.  $810 = x \cdot 1900$  $\frac{810}{1900} = \frac{1900x}{1900}$  $0.426 \approx x$ The percent of increase is 42.6%.
- 6. Let x = number of digital 3D screens in 2012. x + 0.07x = 15,782 1.07x = 15,782  $\frac{1.07x}{1.07} = \frac{15,782}{1.07}$   $x \approx 14,750$ There were 14,750 digital 3D screens in 2012.

Copyright © 2017 Pearson Education, Inc.

7. Let x = number of liters of 2% solution.

Eyewash	No. of gallons	. Acid Strength	=	Amt. of Acid
2%	x	2%		0.02 <i>x</i>
5%	6 <i>- x</i>	5%		0.05(6 - x)
Mix: 3%	6	3%		0.03(6)

0.02x + 0.05(6 - x) = 0.03(6) 0.02x + 0.3 - 0.05x = 0.18 -0.03x + 0.3 = 0.18 - 0.3 -0.03x = -0.12  $\frac{-0.03x}{-0.03} = \frac{-0.12}{-0.03}$  x = 46 - x = 6 - 4 = 2

She should mix 4 liters of 2% eyewash with 2 liters of 5% eyewash.

## Vocabulary, Readiness & Video Check 2.7

- 1. No,  $25\% + 25\% + 40\% = 90\% \neq 100\%$ .
- **2.** No,  $30\% + 30\% + 30\% = 90\% \neq 100\%$ .
- **3.** Yes, 25% + 25% + 25% + 25% = 100%.
- 4. Yes, 40% + 50% + 10% = 100%.
- **5. a.** equals; =
  - **b.** multiplication; ·
  - c. Drop the percent symbol and move the decimal point two places to the left.
- 6. a. You also find a discount amount by multiplying the (discount) percent by the original price.
  - **b.** For discount, the new price is the original price minus the discount amount, so you *subtract* from the original price rather than *add* as with mark-up.
- 7. You must first find the actual amount of increase in price by subtracting the original price from the new price.

8.	Alloy	Ounces	Copper Strength	Amount of Copper
	10%	x	0.10	0.10 <i>x</i>
	30%	400	0.30	0.30(400)
	20%	x + 400	0.20	0.20(x + 400)

0.10x + 0.30(400) = 0.20(x + 400)

**Exercise Set 2.7** 

- 2. Let *x* be the unknown number.  $x = 88\% \cdot 1000$   $x = 0.88 \cdot 1000$  x = 880880 is 88% of 1000.
- 4. Let x be the unknown percent.  $87.2 = x \cdot 436$   $\frac{87.2}{436} = \frac{436x}{436}$  0.2 = x 20% = xThe number 87.2 is 20% of 436.
- 6. Let x be the unknown number.  $126 = 35\% \cdot x$   $126 = 0.35 \cdot x$   $\frac{126}{0.35} = \frac{0.35x}{0.35}$  360 = x126 is 35% of 360.
- 8. 21% + 10% + 20% = 51%
  51% of Earth's land area is in Asia, Antarctica, or Africa.
- 10. The land area of Africa is 20% of Earth's land area. 20% of  $56.4 = 20\% \cdot 56.4 = 0.20 \cdot 56.4 = 11.28$ The land area of Africa is 11.28 million square areas.
- 12. Let x = amount of discount.  $x = 25\% \cdot 12.50$   $x = 0.25 \cdot 12.50$   $x = 3.125 \approx 3.13$ New price = 12.50 - 3.13 = 9.37The discount was \$3.13 and the new price is \$9.37.
- 14. Let x = tip.  $x = 20\% \cdot 65.40$   $x = 0.2 \cdot 65.4$  x = 13.08Total = 65.40 + 13.08 = 78.48 The total cost is \$78.48.

**16.** Decrease = 314 - 290 = 24Let x = percent.  $24 = x \cdot 314$  $\frac{24}{24} = \frac{314x}{24}$ 314 314  $0.076 \approx x$ The percent of decrease is 7.6%. **18.** Decrease = 100 - 81 = 11Let x = percent.  $11 = x \cdot 100$  $\frac{11}{100x} = \frac{100x}{100x}$ 100 100 0.11 = xThe percent of decrease is 11%. **20.** Let x = original price and 0.25x = increase. x + 0.25x = 801.25x = 801.25x = 80

$$\frac{1.25x}{1.25} = \frac{80}{1.25}$$
$$x = 64$$

The original price was \$64.

**22.** Let x = 1 ast year's salary, and 0.03x = 1 increase. x + 0.03x = 55,620

$$\frac{1.03x = 55,620}{\frac{1.03x}{1.03} = \frac{55,620}{1.03}}$$
  
x = 54,000  
Last year's salary was \$54,000.

**24.** Let x = the amount of 25% solution.

	No. of . cu cm	Strength	= Amt. of Antibiotic
25%	x	0.25	0.25 <i>x</i>
60%	10	0.6	10(0.6)
30%	<i>x</i> + 10	0.3	0.3(x + 10)

0.25x + 10(0.6) = 0.3(x + 10) 0.25x + 6 = 0.3x + 3 0.25x - 0.25x + 6 = 0.3x - 0.25x + 3 6 = 0.05x + 3 6 - 3 = 0.05x + 3 - 3 3 = 0.05x  $\frac{3}{0.05} = \frac{0.05x}{0.05}$  60 = xAdd 60 cc of 25% solution.

**26.** Let x = the pounds of cashew nuts.

No. of $lb \cdot Cost/lb = Value$						
Peanuts	20	3	3(20)			
Cashews	x	5	5 <i>x</i>			
Mix	x + 20	3.50	3.50(x + 20)			

ът **X**7 1

3(20) + 5x = 3.50(x + 20)60 + 5x = 3.5x + 7060 + 5x - 3.5x = 3.5x - 3.5x + 7060 + 1.5x = 7060 - 60 + 1.5x = 70 - 601.5x = 10 $\frac{1.5x}{1.5} = \frac{10}{1.5}$  $x = 6\frac{2}{3}$ Add  $6\frac{2}{3}$  pounds of cashews.

**28.** Let x = the number.  $x = 140\% \cdot 86$  $x = 1.4 \cdot 86$ x = 120.4

140% of 86 is 120.4.

- **30.** Let x = the number.  $56.25 = 45\% \cdot x$ 56.25 = 0.45x56.25 0.45*x*  $\frac{1}{0.45} = \frac{1}{0.45}$ 125 = x56.25 is 45% of 125.
- **32.** Let x = the percent.

 $42 = x \cdot 35$  $\frac{42}{35x}$  $\overline{35}^{-}\overline{35}$ 1.2 = x42 is 120% of 35.

- 34. From the graph, the height of the bar is about 23. Therefore, the average American spends about 23 minutes on Internet browsers.
- **36.** 17 is what percent of 162?

 $17 = x \cdot 162$  $\frac{17}{162} = \frac{162x}{162}$  $0.105 \approx x$ 

10.5% of online time is spent following news.

38.	Unit Case Volume for Coca-Cola (in billions of cases)						
	World Region	Case Volume	Percent of Total (rounded to nearest percent)				
	North America	5.9	$\frac{5.9}{28.2} \approx 21\%$				
	Latin America	8.2	$\frac{8.2}{28.2} \approx 29\%$				
	Europe	3.9	$\frac{3.9}{28.2} \approx 14\%$				
	Eurasia and Africa	4.3	$\frac{4.3}{28.2} \approx 15\%$				
	Pacific	5.9	$\frac{5.9}{28.2} \approx 21\%$				
	Total	28.2	100%				

**40.** Let x = the decrease in price.  $x = 0.15(0.95) = 0.1425 \approx 0.14$ The decrease in price is \$0.14. The new price is 0.95 - 0.14 = \$0.81.

**42.** Increase = 1.49 - 1.19 = 0.30Let *x* = the percent.  $0.3 = x \cdot 1.19$ 

 $\frac{0.3}{1.19} = \frac{1.19x}{1.19}$  $0.252 \approx x$ The percent of increase was 25.2%.

**44.** Let *x* represent the amount Charles paid for the car.  $x + 20\% \cdot x = 4680$  x + 0.20x = 4680 1.2x = 46801.2x = 4680

$$\overline{1.2} = \overline{1.2}$$
  
 $x = 3900$ 

Charles paid \$3900 for the car.

46. percent of increase =  $\frac{\text{amount of increase}}{\text{original amount}}$ =  $\frac{24-6}{6}$ =  $\frac{18}{6}$ = 3

The area increased by 300%.

**48.** Let *x* be the gallons of water.

	gallons	concentration	amount
water	x	0%	0x = 0
70% antifreeze	30	70%	0.7(30)
60% antifreeze	x + 30	60%	0.6(x + 30)

The amount of antifreeze being combined must be the same as that in the mixture.

0+0.7(30) = 0.6(x+30) 21 = 0.6x+18 21-18 = 0.6x+18-18 3 = 0.6x  $\frac{3}{0.6} = \frac{0.6x}{0.6}$ 5 = x

Thus, 5 gallons of water should be used.

50. percent of increase = 
$$\frac{\text{amount of increase}}{\text{original amount}}$$
  
=  $\frac{88-72}{72}$   
=  $\frac{16}{72}$   
 $\approx 0.222$ 

The number of decisions by the Supreme Court increased 22.2%.

**52.** Let *x* be the average number of children per woman in 1920.

x - 0.44x = 1.9 0.56x = 1.9  $\frac{0.56x}{0.56} = \frac{1.9}{0.56}$  $x \approx 3.4$ 

There were 3.4 children per woman in 1920.

**54.**  $64\% \cdot 9800 = 0.64 \cdot 9800 = 6272$ 

You would expect 6272 post-secondary institutions to have Internet access in their classrooms.

56. Let *x* be the pounds of chocolate-covered peanuts.

	pounds	cost (\$)	value
chocolate-covered	x	5	5 <i>x</i>
granola bites	10	2	2(10)
trail mix	x + 10	3	3(x + 10)

The value of those being combined must be the same as the value as the mixture.

5x + 2(10) = 3(x+10) 5x + 20 = 3x + 30 5x + 20 - 3x = 3x + 30 - 3x 2x + 20 = 30 2x + 20 - 20 = 30 - 20 2x = 10  $\frac{2x}{2} = \frac{10}{2}$ x = 5

Therefore, 5 pounds of chocolate-covered peanuts should be used.

**58.** Let *x* be the length of Christian's throw.

x = 148.00 + 0.689(148.00)= 148.00 + 101.972 = 249.972  $\approx 250$ 

Christian Sandstrom's world record throw was 250 meters.

**60.** 
$$\frac{12}{3} = 2^2$$

**62.**  $-3^3 = (-3)^3$ 

- **64.** |−2| = 2; −|−2| = −2 |−2| > −|−2|
- 66. answers may vary
- **68. a.** yes; answers may vary
  - **b.** no; answers may vary

70. 23 g is what percent of 300 g? Let y represent the unknown percent.

 $y \cdot 300 = 23$  $\frac{300y}{300} = \frac{23}{300}$  $y = 0.07\overline{6}$ 

This food contains 7.7% of the daily value of total carbohydrate in one serving.

72.  $6g \cdot 9$  calories/gram = 54 calories 54 of the 280 calories come from fat.

$$\frac{54}{200} \approx 0.193$$

$$\frac{1}{280} \approx 0$$

19.3% of the calories in this food come from fat.

74. answers may vary

## Section 2.8 Practice Exercises

1. Let x = time down, then x + 1 = time up.

	Rate	Time =	= Distance			
Up	1.5	<i>x</i> + 1	1.5(x + 1)			
Down	4	x	4x			
d = d $1.5(x+1) = 4x$						
	1.5x + 1.5 = 4x					
1.5	1.5 = 2.5x					
$\frac{1.5}{1.5} = \frac{2.5x}{1.5}$						
$\frac{1}{2.5} = \frac{1}{2.5}$						
0.6 = x						
Total Time = $x + 1 + x = 0.6 + 1 + 0.6 = 2.2$						
The entire bills to als 0.0 hours						

The entire hike took 2.2 hours.

2. Let x = speed of eastbound train, then x - 10 = speed of westbound train.

	r	t t	= $d$
East	x	1.5	1.5 <i>x</i>
West	<i>x</i> – 10	1.5	1.5(x - 10)

```
1.5x + 1.5(x - 10) = 171

1.5x + 1.5x - 15 = 171

3x - 15 = 171

3x = 186

\frac{3x}{3} = \frac{186}{3}

x = 62

x - 10 = 62 - 10 = 52
```

The eastbound train is traveling at 62 mph and the westbound train is traveling at 52 mph.

3. Let x = the number of \$20 bills, then x + 47 = number of \$5 bills.

Denomination	Number	Value		
\$5 bills	x + 47	5(x + 47)		
\$20 bills	x	20 <i>x</i>		
5(x+47) + 20x = 1710				
5x + 235 + 20x = 1	1710			
235 + 25x = 1	1710			
25x = 1475				
x = 59				
x + 47 = 59 + 47 = 106				
There are 106 \$5 bills and 59 \$20 bills.				

4. Let x = amount invested at 11.5%, then 30,000 - x = amount invested at 6%.

	Principal ·	Rate	· Time	= Interest
11.5%	x	0.115	1	<i>x</i> (0.115)(1)
6%	30,000 - x	0.06	1	0.06(30,000 - x)(1)
Total	30,000			2790

0.115x + 0.06(30,000 - x) = 27900.115x + 1800 - 0.06x = 27901800 + 0.055x = 27900.055x = 990 $\frac{0.055x}{0.055x} = \frac{990}{0.055x}$ 0.055 - 0.055x = 18,00030,000 - x = 30,000 - 18,000 = 12,000

She invested \$18,000 at 11.5% and \$12,000 at 6%.

## Vocabulary, Readiness & Video Check 2.8

1.

	r	t =	d
bus	55	x	55 <i>x</i>
car	50	<i>x</i> + 3	50(x + 3)

55x = 50(x + 3)

2. The important thing is to remember the difference between the *number* of bills you have and the *value* of the bills.

3.  $P \cdot R \cdot T =$ 

P ·	R	· T =	= 1
x	0.06	1	0.06 <i>x</i>
36,000 - x	0.04	1	0.04(36,000 - x)

0.06x = 0.04(36,000 - x)

# Exercise Set 2.8

**2.** Let x = the time traveled by the bus.

Rate	•	Time	=	Distance
------	---	------	---	----------

Bus	60	x	60 <i>x</i>
Car	40	<i>x</i> + 1.5	40(x + 1.5)

d = d 60x = 40(x + 1.5) 60x = 40x + 60 20x = 60  $\frac{20x}{20} = \frac{60}{20}$ x = 3

It will take the bus 3 hours to overtake the car.

4. Let x = the time to get to Disneyland and 7.2 - x = the time to return

	Rate	$\cdot$ Time =	Distance
Going	50	x	50 <i>x</i>
Returning	40	7.2 - x	40(7.2 - x)
d = d			

50x = 40(7.2 - x) 50x = 288 - 40x 90x = 288  $\frac{90x}{90} = \frac{288}{90}$  x = 3.2It took 3.2 hours to get to Disneyland. d = rt d = 50(3.2) = 160The distance to Disneyland is 160 miles.

- **6.** The value of z quarters is 0.25z.
- 8. The value of (20 z) half-dollars is 0.50(20 z).
- **10.** The value of 97*z* \$100 bills is 100(97*z*) or 9700*z*.
- **12.** The value of (15 y) \$10 bills is 10(15 y).
- 14. Let x = number of \$50 bills, then 6x = number of \$20 bills.

NT 1

	Number of Bills	Value of Bills
\$20 bills	6 <i>x</i>	20(6 <i>x</i> )
\$50 bills	x	50 <i>x</i>
Total		3910

C D 11

**X**7 1

C D '11

$$20(6x) + 50x = 3910$$

$$120x + 50x = 3910$$

$$170x = 3910$$

$$x = 23$$

$$6x = 6(23) = 138$$
There are 138 \$20 bills and 23 \$50 bills.

16. Let x = the amount invested at 9% for one year.

	Principal	· Rate =	= Interest
9%	x	0.09	0.09 <i>x</i>
10%	x + 250	0.10	0.10(x + 250)
Total			101

$$0.09x + 0.10(x + 250) = 101$$
  

$$0.09x + 0.10x + 25 = 101$$
  

$$0.19x + 25 = 101$$
  

$$0.19x = 76$$
  

$$\frac{0.19x}{0.19} = \frac{76}{0.19}$$
  

$$x = 400$$
  

$$x + 250 = 400 + 250 = 650$$

She invested \$650 at 10% and \$400 at 9%.

**18.** Let x = the amount invested at 10% for one year.

	Principal	· Rate =	= Interest
10%	x	0.10	0.10 <i>x</i>
12%	2x	0.12	0.12(2x)
Total			2890

0.10x + 0.12(2x) = 2890 0.10x + 0.24x = 2890 0.34x = 2890  $\frac{0.34x}{0.34} = \frac{2890}{0.34}$ x = 8500

2*x* = 2(8500) = 17,000 He invested \$17,000 at 12% and \$8500 at 10%.

**20.** Let x = number of adult tickets, then 732 - x = number of child tickets.

	Number	· Rate =	= Cost
Adult	x	22	22 <i>x</i>
Child	732 <i>- x</i>	15	15(732 - x)
Total	732		12,912

Copyright © 2017 Pearson Education, Inc.

ISM: Beginning Algebra

22x + 15(732 - x) = 12,912 22x + 10,980 - 15x = 12,912 10,980 + 7x = 12,912 7x = 1932 x = 276 732 - x = 732 - 276 = 456Sales included 276 adult tickets and 456 child tickets.

**22.** Let x = the time traveled

	Rate	$\cdot$ Time =	Distance
Car A	65	x	65 <i>x</i>
Car B	41	X	41 <i>x</i>

The total distance is 530 miles.

65x + 41x = 530

$$\frac{106x = 530}{106} = \frac{530}{106}$$
$$x = 5$$

The two cars will be 530 miles apart in 5 hours.

**24.** Let x = the amount invested at 12% for one year.

	Principal	· Rate	=	Interest
12%	x	0.12		0.12 <i>x</i>
4%	20,000 - x	-0.04		-0.04(20,000 - x)

0.12x - 0.04(20,000 - x) = 0 0.12x - 800 + 0.04x = 0 0.16x - 800 = 0 0.16x = 800  $\frac{0.16x}{0.16} = \frac{800}{0.16}$  x = 500020,000 - x = 20,000 - 5000 = 15,000

She invested \$15,000 at 4% and \$5000 at 12%.

**26.** Let x = the time they are able to talk.

Rate  $\cdot$  Time = Distance

Cade	5	x	5 <i>x</i>
Kathleen	4	x	4x
Total			20

5x + 4x = 2 9x = 20  $\frac{9x}{9} = \frac{20}{9}$   $x = 2\frac{2}{9}$ They can talk for  $2\frac{2}{9}$  hours.

**28.** Let x = the speed of the slower train.

Rate $\cdot$ Time = Distance	
------------------------------	--

Train A	x	1.5	1.5 <i>x</i>
Train B	<i>x</i> + 8	1.5	1.5(x + 8)

The total distance is 162 miles.

1.5x + 1.5(x + 8) = 162 1.5x + 1.5x + 12 = 162 3x + 12 = 162 3x = 150  $\frac{3x}{3} = \frac{150}{3}$  x = 50 x + 8 = 58The sender of the trains are 50 mph on

The speeds of the trains are 50 mph and 58 mph.

**30.** Let x = number of quarters, then 5x = number of dimes.

Number	Value
--------	-------

Quarters	x	0.25 <i>x</i>
Dimes	5 <i>x</i>	0.10(5x)
Total		27.75

0.25x + 0.10(5x) = 27.75 0.25x + 0.5x = 27.75 0.75x = 27.75 x = 375x = 5(37) = 185

The collection has 37 quarters and 185 dimes.

**32.** Let x = the time traveled.

	Rate	$\cdot$ Time =	Distance
Car A	65	x	65 <i>x</i>
Car B	45	x	45 <i>x</i>

The total distance is 330.

65x + 45x = 330 110x = 330  $\frac{110x}{110} = \frac{330}{110}$  x = 3

They will be 330 miles apart in 3 hours.

**34.** Let x = the time traveled.

50

Car B

 $Rate \cdot Time = Distance$   $Car A \quad 40 \quad x \quad 40x$ 

х

If two cars are traveling in the same	direction, so find	the difference in t	heir distances traveled.

50*x* 

50x - 40x = 20 10x = 20  $\frac{10x}{10} = \frac{20}{10}$  x = 2They will be 20 miles apart in 2 hours.

**36.** Let x = the amount invested at 9% for one year.

	Principa	l·Rate =	= Interest
9%	x	0.09	0.09 <i>x</i>
10%	2x	0.10	0.1(2x)
11%	3 <i>x</i>	0.11	0.11(3x)
Total			2790

 $\begin{array}{l} 0.09x + 0.1(2x) + 0.11(3x) = 2790\\ 0.09x + 0.2x + 0.33x = 2790\\ 0.62x = 2790\\ \frac{0.62x}{0.62} = \frac{2790}{0.62}\\ x = 4500\\ 2x = 2(4500) = 9000\\ 3x = 3(4500) = 13,500\\ \text{She invested $4500 at 9\%, $9000 at 10\% and $13,500 at 11\%. \end{array}$ 

**38.** Let x = the time it takes them to meet.

Rate · T	ime = Distance
----------	----------------

Nedra	3	x	3 <i>x</i>
Latonya	4	x	4x
Total			12

3x + 4x = 12 7x = 12  $\frac{7x}{7} = \frac{12}{7}$   $x = 1\frac{5}{7}$ They meet in  $1\frac{5}{7}$  hours.

**40.** Let x = the time before getting stopped.

Rate  $\cdot$  Time = Distance

Before	70	x	70 <i>x</i>	
After	60	4 - x	60(4 - x)	
Total			255	
70x + 60(4)	(4-x) = 2	255		
70x + 240 - 60x = 255				
10x + 240 = 255				
10x = 15				
10x  15				
$\frac{10}{10} = \frac{10}{10}$				
x = 1.5				
He drove 1.5 hours before getting stopped.				

**42.** 
$$(-2) + (-8) = -10$$

**44.** 
$$-11 + 2.9 = -8.1$$

- **46.** -12 3 = -12 + (-3) = -15
- **48.** Let x = number of quarters, then 136 + x = number of dimes, 8x = number of nickels, 16x + 32 = number of pennies.

	Number	Value
Quarters	x	0.25 <i>x</i>
Dimes	136 + x	0.10(136 + x)
Nickels	8 <i>x</i>	0.05(8x)
Pennies	16x + 32	0.01(16x + 32)
Total		44.86

 $\begin{array}{l} 0.25x + 0.10(136 + x) + 0.05(8x) + 0.01(16x + 32) = 44.86 \\ 0.25x + 13.6 + 0.1x + 0.4x + 0.16x + 0.32 = 44.86 \\ 0.91x + 13.92 = 44.86 \\ 0.91x = 30.94 \\ x = 34 \end{array}$ 

136 + x = 136 + 34 = 170 8x = 8(34) = 272 16x + 32 = 16(34) + 32 = 576There were 34 quarters, 170 dimes, 272 nickels, and 576 pennies.

R = C 60x = 50x + 5000 10x = 5000  $\frac{10x}{10} = \frac{5000}{10}$  x = 500Should sell 500 boards to break even. C = R = 60x = 60(500) = 30,000It costs \$30,000 to produce the break-even number of boards.

52.

50.

$$R = C$$
  

$$105x = 875 + 70x$$
  

$$105x - 70x = 875 + 70x - 70x$$
  

$$35x = 875$$
  

$$\frac{35x}{35} = \frac{875}{35}$$
  

$$x = 25$$
  
They should sell 25 monitors to break even.

## Section 2.9 Practice Exercises

1. x < 5Place a parenthesis at 5 since the inequality symbol is <. Shade to the left of 5. The solution set is  $(-\infty, 5)$ . 2.  $x + 11 \ge 6$   $x + 11 - 11 \ge 6 - 11$   $x \ge -5$ The solution set is  $[-5, \infty)$ .  $\underbrace{-5}$ 3.  $-5x \ge -15$   $\frac{-5x}{-5} \le \frac{-15}{-5}$   $x \le 3$ The solution set is  $(-\infty, 3]$ .

4. 
$$3x > -9$$
  
 $\frac{3x}{3} > \frac{-9}{3}$   
 $x > -3$   
The solution set is  $(-3, \infty)$ .  
 $\underbrace{-3}$   
5.  $45 - 7x \le -4$   
 $45 - 7x - 45 \le -4 - 45$   
 $-7x \le -49$   
 $\frac{-7x}{-7} \ge \frac{-49}{-7}$   
 $x \ge 7$   
The solution set is  $[7, \infty)$ .  
 $\underbrace{-7}$   
6.  $3x + 20 \le 2x + 13$   
 $3x + 20 - 2x \le 2x + 13 - 2x$   
 $x + 20 \le 13$   
 $x + 20 - 20 \le 13 - 20$   
 $x \le -7$   
The solution set is  $(-\infty, -7]$ .  
 $\underbrace{-7}$   
7.  $6 - 5x > 3(x - 4)$   
 $6 - 5x - 3x - 12$   
 $6 - 5x - 3x > 3x - 12 - 3x$   
 $6 - 8x > -12$   
 $6 - 8x - 6 > -12 - 6$   
 $-8x > -18$   
 $\frac{-8x}{-8} < \frac{-18}{-8}$   
 $x < \frac{9}{4}$   
The solution set is  $\left(-\infty, \frac{9}{4}\right)$ .  
 $\underbrace{-\infty, \frac{9}{4}}$ 

8. 
$$3(x-4)-5 \le 5(x-1)-12$$
$$3x-12-5 \le 5x-5-12$$
$$3x-17 \le 5x-17$$
$$3x-17-5x \le 5x-17-5x$$
$$-2x-17 \le -17$$
$$-2x-17+17 \le -17+17$$
$$-2x \le 0$$
$$\frac{-2x}{-2} \ge \frac{0}{-2}$$
$$x \ge 0$$
The solution set is  $[0, \infty)$ .

**9.** 
$$-3 \le x < 1$$

21

Graph all numbers greater than or equal to -3and less than 1. Place a bracket at -3 and a parenthesis at 1. The solution set is [-3, 1). 

10. 
$$-4 < 3x + 2 \le 8$$
  
 $-4 - 2 < 3x + 2 - 2 \le 8 - 2$   
 $-6 < 3x \le 6$   
 $\frac{-6}{3} < \frac{3x}{3} \le \frac{6}{3}$   
 $-2 < x \le 2$   
The solution set is (-2, 2].

11. 
$$1 < \frac{3}{4}x + 5 < 6$$
  

$$4(1) < 4\left(\frac{3}{4}x + 5\right) < 4(6)$$
  

$$4 < 3x + 20 < 24$$
  

$$4 - 20 < 3x + 20 - 20 < 24 - 20$$
  

$$-16 < 3x < 4$$
  

$$-\frac{16}{3} < \frac{3x}{3} < \frac{4}{3}$$
  

$$-\frac{16}{3} < x < \frac{4}{3}$$
  
The solution set is  $\left(-\frac{16}{3}, \frac{4}{3}\right)$ .  

$$\frac{-\frac{16}{3}}{-\frac{16}{3}} = \frac{4}{3}$$
  

$$\frac{-16}{3} < \frac{4}{3} < \frac{4}{3}$$
  

$$\frac{-16}{3} < \frac{4}{3} <$$

35 - 2x > 1535 - 2x - 35 > 15 - 35-2x > -20 $\frac{-2x}{-2} < \frac{-20}{-2}$ x < 10All numbers less than 10. **13.** Let x = number of classes.  $300 + 375x \le 1500$  $300 + 375x - 300 \le 1500 - 300$  $375x \le 1200$  $\frac{375x}{375} \le \frac{1200}{375}$  $x \leq 3.2$ Kasonga can afford at most 3 community college classes this semester.

12. Let x = the number.

#### Vocabulary, Readiness & Video Check 2.9

- 1. 6x 7(x + 9) is an expression.
- 2. 6x = 7(x + 9) is an equation.
- 3. 6x < 7(x + 9) is an inequality.
- 4.  $5y 2 \ge -38$  is an inequality.
- **5.** -5 is not a solution to  $x \ge -3$ .
- **6.** |-6| = 6 is not a solution to x < 6.
- 7. The graph of Example 1 is shaded from  $-\infty$  to and including -1, as indicated by a bracket. To write interval notation, you write down what is shaded for the inequality from left to right. A parenthesis is always used with  $-\infty$ , so from the graph, the interval notation is  $(-\infty, -1]$ .
- 8. Step 5 is where you apply the multiplication property of inequality. If a negative number is multiplied or divided when applying this property, you need to make sure you remember to reverse the direction of the inequality symbol.
- 9. You would divide the left, middle, and right by -3 instead of 3, which would reverse the directions of both inequality symbols.
- **10.** no greater than;  $\leq$

**Exercise Set 2.9** 

2.  $(-3, \infty), x > -3$ 4.  $(-\infty, 4], x \le 4$  $\begin{array}{c} \mathbf{6.} \quad y < 0, \, (-\infty, \, 0) \\ & & \longrightarrow \\ 0 \end{array}$ **8.**  $z < -\frac{2}{3}, \left(-\infty, -\frac{2}{3}\right)$  $-\frac{2}{3}$ 10.  $x > 3, (3, \infty)$ **12.** 3x > -9 $\xrightarrow{x > -3, (-3, \infty)}_{\xrightarrow{-3}}$ **14.**  $x + 4 \le 1$  $x \leq -3, (-\infty, -3]$ **16.** -5x < 20 $\frac{-5x}{-5} > \frac{20}{-5}$   $x > -4, (-4, \infty)$   $\longleftarrow$ **18.**  $3 - 7x \ge 10 - 8x$  $3 + x \ge 10$  $x \ge 7, [7, \infty)$ **20.** 7x + 3 < 9x - 3x7x + 3 < 6xx + 3 < 0 $x < -3, (-\infty, -3)$ → -3

22. 
$$3x + 9 \le 5(x - 1)$$
  
 $3x + 9 \le 5x - 5$   
 $-2x + 9 \le -5$   
 $-2x \le -14$   
 $\frac{-2x}{-2} \ge \frac{-14}{-2}$   
 $x \ge 7, [7, \infty)$   
 $4x + 4 > 3(4 - x)$   
 $-7x + 4 > 12 - 3x$   
 $-4x + 4 > 12$   
 $-4x > 8$   
 $\frac{-4x}{-4} < \frac{8}{-4}$   
 $x < -2, (-\infty, -2)$   
 $4x < -2, (-\infty, -2)$   
 $3x - 12 \le -8$   
 $3x - 14 \le -32 + 4x$   
 $4x - 14 \le -32$   
 $4x \le -18$   
 $x \le -\frac{9}{2}, (-\infty, -\frac{9}{2}]$   
 $30. -7x > 21$   
 $\frac{-7x}{-7} < \frac{21}{-7}$   
 $x < -3, (-\infty, -3)$   
 $32. y - 4 \le 1$   
 $y \le 5, (-\infty, 5]$   
 $y \le 5, (-\infty, 5]$ 

Copyright © 2017 Pearson Education, Inc.

34. 
$$2x-1 \ge 4x-5$$
$$-2x-1 \ge -5$$
$$-2x \ge -4$$
$$\frac{-2x}{-2} \le \frac{-4}{-2}$$
$$x \le 2, (-\infty, 2]$$
  
36. 
$$4-x < 8x+2x$$
$$4-x < 10x$$
$$4-11x < 0$$
$$-11x < -4$$
$$\frac{-11x}{-11} > \frac{-4}{-11}$$
$$x > \frac{4}{11}, (\frac{4}{11}, \infty)$$
$$\frac{4}{11}$$
  
38. 
$$\frac{5}{6}x \ge -8$$
$$x \ge -\frac{48}{5}, [-\frac{48}{5}, \infty)$$
$$\frac{4}{-\frac{48}{5}}$$
  
40. 
$$5(x+4) < 4(2x+3)$$
$$5x+20 < 8x+12$$
$$-3x+20 < 12$$
$$-3x < -8$$
$$\frac{-3x}{-3} > \frac{-8}{-3}$$
$$x > \frac{8}{3}, (\frac{8}{3}, \infty)$$
$$\frac{-6x}{-6} \le 0$$

44. 
$$-6x + 2 < -3(x + 4)$$
$$-6x + 2 < -3x - 12$$
$$-3x + 2 < -12$$
$$-3x < -14$$
$$\frac{-3x}{-3} > \frac{-14}{-3}$$
$$x > \frac{14}{3}, \left(\frac{14}{3}, \infty\right)$$
  
$$\underbrace{\frac{14}{3}}$$
  
46. 
$$-5(1 - x) + x \le -(6 - 2x) + 6$$
$$-5 + 5x + x \le -6 + 2x + 6$$
$$-5 + 6x \le 2x$$
$$-5 + 4x \le 0$$
$$4x \le 5$$
$$x \le \frac{5}{4}, \left(-\infty, \frac{5}{4}\right]$$
  
$$\underbrace{\frac{5}{4}}$$
  
48. 
$$\frac{1}{3}(3x - 1) < \frac{1}{2}(x + 4)$$
$$6\left[\frac{1}{3}(3x - 1)\right] < 6\left[\frac{1}{2}(x + 4)\right]$$
$$2(3x - 1) < 3(x + 4)$$
$$6x - 2 < 3x + 12$$
$$6x - 2 + 2 < 3x + 12 + 2$$
$$6x < 3x + 14$$
$$6x - 3x < 3x - 3x + 14$$
$$3x < 14$$
$$\frac{3x}{3} < \frac{14}{3}$$
$$x < \frac{14}{3}, \left(-\infty, \frac{14}{3}\right)$$
$$\underbrace{\frac{14}{3}}_{x} < \frac{14}{3}, \left(-\infty, \frac{14}{3}\right)$$
$$\underbrace{\frac{14}{3}}_{x} < \frac{14}{3}, \left(-\infty, \frac{14}{3}\right)$$
$$\underbrace{\frac{14}{3}}_{x} < \frac{14}{3}, \left(-\infty, \frac{14}{3}\right)$$

Copyright © 2017 Pearson Education, Inc.

54. 
$$-5 < 2x < -2$$
  
 $-\frac{5}{2} < x < -1, \left(-\frac{5}{2}, -1\right)$   
 $\leftarrow -\frac{5}{2}$   $-1$ 

**56.** 
$$4 \le 5x - 6 \le 19$$
  
 $10 \le 5x \le 25$   
 $2 \le x \le 5, [2, 5]$ 

**58.** 
$$0 < 4(x+5) \le 8$$
  
 $0 < 4x+20 \le 8$   
 $-20 < 4x \le -12$   
 $-5 < x \le -3, (-5, -3]$   
 $\leftarrow -5$   
 $-5$   
 $-3$ 

$$\begin{array}{c} \textbf{60.} \quad 1 < 4 + 2x \le 7 \\ -3 < 2x \le 3 \\ -\frac{3}{2} < x \le \frac{3}{2}, \left(-\frac{3}{2}, \frac{3}{2}\right) \\ \hline \\ -\frac{3}{2} \qquad \frac{3}{2} \qquad \frac{3}{2} \end{array}$$

62. 
$$-5 \le 2(x+4) < 8$$
  
 $-5 \le 2x+8 < 8$   
 $-13 \le 2x < 0$   
 $-\frac{13}{2} \le x < 0, \left[-\frac{13}{2}, 0\right]$   
 $-\frac{13}{2} = 0$ 

64. Let x be the number.  $5x+1 \le 10$   $5x+1-1 \le 10-1$   $5x \le 9$   $\frac{5x}{5} \le \frac{9}{5}$   $x \le \frac{9}{5}$ All numbers less than or equal to  $\frac{9}{5}$  make this

statement true.

66. Use P = a + b + c when a = x, b = 3x, c = 12, and  $P \le 32$ .  $x + 3x + 12 \le 32$   $4x + 12 - 12 \le 32 - 12$   $4x \le 20$   $\frac{4x}{4} \le \frac{20}{4}$   $x \le 5$   $3x \le 3(5) = 15$ The maximum lengths of the other two sides are 5 inches and 15 inches.

**68.** Convert heights to inches.

$$6'8'' = 6 \cdot 12 + 8 = 80$$
  

$$6'6'' = 6 \cdot 12 + 6 = 78$$
  

$$6'0'' = 6 \cdot 12 + 0 = 72$$
  

$$5'9'' = 5 \cdot 12 + 9 = 69$$
  

$$6'5'' = 6 \cdot 12 + 5 = 77$$
  
Let x be the height of the center.  

$$\frac{x + 80 + 78 + 72 + 69}{5} \ge 77$$
  

$$\frac{x + 299}{5} \ge 77$$
  

$$5 \cdot \frac{x + 299}{5} \ge 5 \cdot 77$$
  

$$x + 299 \ge 385$$
  

$$x + 299 - 299 \ge 385 - 299$$
  

$$x \ge 86$$

The center should be at least 7'2".

**70.** Let *x* represent the number of people. Then the cost is 40 + 15x. 40 + 15x < 860

$$40+15x \le 860$$

$$40+15x-40 \le 860-40$$

$$15x \le 820$$

$$\frac{15x}{15} \le \frac{820}{15}$$

$$x \le \frac{820}{15} \approx 54.7$$

They can invite at most 54 people.

72. Let x represent the number of minutes.  $5.3x \ge 200$   $\frac{5.3x}{5.3} \ge \frac{200}{5.3}$ 

$$x \ge \frac{200}{5.3} \approx 38$$

The person must bicycle at least 38 minutes.

74. Let x = the unknown number.

$$2 < \frac{1}{2}x - 4 < 3$$
  
$$6 < \frac{1}{2}x < 7$$
  
$$12 < x < 14$$

All numbers between 12 and 14

**76.** 
$$(3)^3 = (3)(3)(3) = 27$$

- **78.**  $0^5 = (0)(0)(0)(0)(0) = 0$
- **80.**  $\left(\frac{2}{3}\right)^3 = \left(\frac{2}{3}\right)\left(\frac{2}{3}\right)\left(\frac{2}{3}\right) = \frac{8}{27}$
- 82. Since  $m \le n$ , then  $2m \le 2n$ .
- **84.** If -x < y, then x > -y.
- **86.** Yes; answers may vary
- **88.** Let *x* be the score on her final exam. Since the final counts as two tests, her final course average 85+95+92+3x

is 
$$\frac{83+93+92+3x}{6}$$
.  
 $\frac{85+95+92+3x}{6} \ge 90$   
 $\frac{272+3x}{6} \ge 90$   
 $6\left(\frac{272+3x}{6}\right) \ge 6(90)$   
 $272+3x \ge 540$   
 $272+2x-272 \ge 540-272$   
 $3x \ge 268$   
 $\frac{3x}{3} \ge \frac{268}{3}$   
 $x \ge 89.\overline{3}$ 

Her final exam score must be at least 89.3 for her to get an A.

- 90. answers may vary
- 92. answers may vary
- **94.** *C* = 3.14*d*

 $118 \le 3.14d \le 122$ 37.58  $\le d \le 38.85$ The diameter must be between 37.58 mm and 38.85 mm.

96. 
$$x(x-3) \ge x^{2} - 5x - 8$$

$$x^{2} - 3x \ge x^{2} - 5x - 8$$

$$-3x \ge -5x - 8$$

$$2x \ge -8$$

$$x \ge -4, [-4, \infty)$$
98. 
$$x^{2} - 4x + 8 < x(x+8)$$

$$x^{2} - 4x + 8 < x^{2} + 8x$$

$$-4x + 8 < 8x$$

$$-12x + 8 < 0$$

$$-12x < -8$$

$$\frac{-12x}{-12} > \frac{-8}{-12}$$

$$x > \frac{2}{3}, \left(\frac{2}{3}, \infty\right)$$

$$\frac{2}{3}$$

## **Chapter 2 Vocabulary Check**

- 1. Terms with the same variables raised to exactly the same powers are called <u>like terms</u>.
- 2. If terms are not like terms, they are <u>unlike terms</u>.
- 3. A <u>linear equation in one variable</u> can be written in the form ax + b = c.
- 4. A <u>linear inequality in one variable</u> can be written in the form ax + b < c, (or >,  $\leq$ ,  $\geq$ ).
- **5.** Inequalities containing two inequality symbols are called <u>compound inequalities</u>.
- **6.** An equation that describes a known relationship among quantities is called a <u>formula</u>.
- 7. The <u>numerical coefficient</u> of a term is its numerical factor.
- 8. Equations that have the same solution are called <u>equivalent equations</u>.
- 9. The solutions to the equation x + 5 = x + 5 are <u>all</u> real numbers.
- 10. The solution to the equation x + 5 = x + 4 is <u>no</u> solution.

- **11.** If both sides of an inequality are multiplied or divided by the same positive number, the direction of the inequality symbol is <u>the same</u>.
- **12.** If both sides of an inequality are multiplied by the same negative number, the direction of the inequality symbol is <u>reversed</u>.

## **Chapter 2 Review**

**1.** 
$$5x - x + 2x = 6x$$

$$2. 0.2z - 4.6x - 7.4z = -4.6x - 7.2z$$

3.  $\frac{1}{2}x + 3 + \frac{7}{2}x - 5 = \frac{8}{2}x - 2 = 4x - 2$ 

4. 
$$\frac{4}{5}y + 1 + \frac{6}{5}y + 2 = \frac{10}{5}y + 3 = 2y + 3$$

- 5. 2(n-4) + n 10 = 2n 8 + n 10 = 3n 18
- 6. 3(w+2) (12 w) = 3w + 6 12 + w = 4w 6
- 7. (x+5) (7x-2) = x + 5 7x + 2 = -6x + 7
- 8. (y-0.7) (1.4y-3) = y 0.7 1.4y + 3= -0.4y + 2.3
- 9. Three times a number decreased by 7 is 3x 7.
- 10. Twice the sum of a number and 2.8 added to 3 times the number is 2(x + 2.8) + 3x.

11. 
$$8x + 4 = 9x$$
$$8x + 4 - 8x = 9x - 8x$$
$$4 = x$$

12. 
$$5y-3 = 6y$$
  
 $5y-3-5y = 6y-5y$   
 $-3 = y$ 

**13.** 
$$\frac{2}{7}x + \frac{5}{7}x = 6$$
  
 $\frac{7}{7}x = 6$   
 $x = 6$ 

**14.** 3x - 5 = 4x + 1-5 = x + 1-6 = x

15. 
$$2x-6 = x-6$$
  
 $x-6 = -6$   
 $x = 0$   
16.  $4(x+3) = 3(1+x)$   
 $4x+12 = 3+3x$   
 $x+12 = 3$   
 $x = -9$   
17.  $6(3+n) = 5(n-1)$   
 $18+6n = 5n-5$   
 $18+n = -5$   
 $n = -23$   
18.  $5(2+x) - 3(3x+2) = -5(x-6) + 2$   
 $10+5x-9x-6 = -5x+30+2$   
 $-4x+4 = -5x+32$   
 $x+4 = 32$   
 $x = 28$   
19.  $x-5=3$   
 $x-5+5=3+5$   
 $x=8$   
20.  $x+9=-2$ 

$$x + 9 - 9 = -2 - 9 
 x + 9 - 9 = -2 - 9 
 x = -11$$

- **21.** 10 x; choice b.
- **22.** x 5; choice a.
- **23.** Complementary angles sum to 90°.  $(90 x)^\circ$ ; choice b.
- 24. Supplementary angles sum to  $180^{\circ}$ . 180 - (x + 5) = 180 - x - 5 = 175 - x $(175 - x)^{\circ}$ ; choice c.

25. 
$$\frac{3}{4}x = -9$$
  
 $\frac{4}{3}\left(\frac{3}{4}x\right) = \frac{4}{3}(-9)$   
 $x = -12$ 

26. 
$$\frac{x}{6} = \frac{2}{3}$$
  
 $6 \cdot \frac{x}{6} = 6 \cdot \frac{2}{3}$   
 $x = 4$ 

27. 
$$-5x = 0$$
 35.  $-5x + \frac{3}{7} = \frac{10}{7}$ 
 $\frac{-5x}{-5} = \frac{0}{-5}$ 
 $7\left(-5x + \frac{3}{7}\right) = 7 \cdot \frac{10}{7}$ 

 28.  $-y = 7$ 
 $-35x + 3 = 10$ 
 $\frac{-y}{-1} = \frac{7}{-1}$ 
 $-35x + 3 = 10$ 
 $y = -7$ 
 $x = -\frac{1}{5}$ 

 29.  $0.2x = 0.15$ 
 $x = -\frac{1}{5}$ 
 $0.2x = 0.15$ 
 $x = 0.75$ 
 $0.2x = 0.75$ 
 $x = -\frac{1}{5}$ 

 30.  $-\frac{-x}{3} = -3 \cdot 1$ 
 $x = -3$ 
 $31. -3x + 1 = 19$ 
 $x = -3$ 
 $-3x = 18$ 
 $x = -3$ 
 $\frac{-3x}{x} = -\frac{18}{-3}$ 
 $x = -6$ 

 31.  $-3x + 1 = 19$ 
 $x = -6$ 
 $-3x = 18$ 
 $x = -6$ 
 $\frac{-3x}{x} = -\frac{1}{-3}$ 
 $x = -6$ 

 32.  $5x + 25 = 20$ 
 $5x = -5$ 
 $5x = -2$ 
 $2x = 4x$ 
 $7x - 7 + 9 = 5x$ 
 $7x - 7 + 9 = 5x$ 
 $7x - 7 + 9 = 5x$ 
 $7x - 4 = 5x$ 
 $7x - 4 = 5x - 3$ 
 $8x \left(\frac{7}{8}x + 1\right) = 8 \left(\frac{5}{8}x \right)$ 

Copyright © 2017 Pearson Education, Inc.

- 42. -4(2x + 1) = -5x + 5 -8x - 4 = -5x + 5 -3x - 4 = 5 -3x = 9x = -3
- 43. -6(2x-5) = -3(9+4x)-12x+30 = -27 - 12x30 = -27There is no solution.
- 44. 3(8y-1) = 6(5+4y) 24y-3 = 30+24y -3 = 30There is no solution.

45. 
$$\frac{3(2-z)}{5} = z$$
$$3(2-z) = 5z$$
$$6-3z = 5z$$
$$6 = 8z$$
$$\frac{6}{8} = z$$
$$\frac{3}{4} = z$$

**46.** 
$$\frac{4(n+2)}{5} = -n$$
$$4(n+2) = -5n$$
$$4n+8 = -5n$$
$$8 = -9n$$
$$-\frac{8}{9} = n$$

47. 
$$0.5(2n-3)-0.1 = 0.4(6+2n)$$
  
 $10[0.5(2n-3)-0.1] = 10[0.4(6+2n)]$   
 $5(2n-3)-1 = 4(6+2n)$   
 $10n-15-1 = 24+8n$   
 $10n-16 = 24+8n$   
 $2n-16 = 24$   
 $2n = 40$   
 $n = 20$   
48.  $-9-5a = 3(6a-1)$   
 $-9-5a = 18a-3$   
 $-9 = 23a-3$   
 $-6 = 23a$ 

 $-\frac{6}{23} = a$ 

49. 
$$\frac{5(c+1)}{6} = 2c - 3$$
  

$$5(c+1) = 6(2c - 3)$$
  

$$5c + 5 = 12c - 18$$
  

$$-7c + 5 = -18$$
  

$$-7c - 23$$
  

$$c = \frac{23}{7}$$
  
50. 
$$\frac{2(8-a)}{3} = 4 - 4a$$
  

$$2(8-a) = 3(4 - 4a)$$
  

$$16 - 2a = 12 - 12a$$
  

$$10a + 16 = 12$$
  

$$10a = -4$$
  

$$a = -\frac{4}{10}$$
  

$$a = -\frac{2}{5}$$
  
51. 
$$200(70x - 3560) = -179(150x - 19, 300)$$
  

$$14,000x - 712,000 = -26,850x + 3,454,700$$
  

$$40,850x - 712,000 = 3,454,700$$
  

$$40,850x = 4,166,700$$
  

$$x = 102$$
  
52. 
$$1.72y - 0.04y = 0.42$$
  

$$1.68y = 0.42$$
  

$$y = 0.25$$
  
53. Let x = length of a side of the square, then  

$$50.5 + 10x = \text{the height.}$$
  

$$x + (50.5 + 10x) = 7327$$
  

$$11x + 50.5 = 7327$$
  

$$11x = 7276.5$$
  

$$x = 661.5$$
  

$$50.5 + 10x = 50.5 + 10(661.5) = 6665.5$$
  
The height is 6665.5 inches.  
54. Let x = the length of the shorter piece and  

$$2x = \text{the length of the other.}$$
  

$$x + 2x = 12$$
  

$$3x = 12$$
  

$$x = 4$$

2x = 2(4) = 8

The lengths are 4 feet and 8 feet.

**55.** Let x = the number of Target Canada stores, then 14x - 69 = the number of Target US stores. x + (14x - 69) = 192615x - 69 = 192615x = 1995x = 13314x - 69 = 14(133) - 69 = 1862 - 69 = 1793There were 133 Target Canada stores and 1793 Target US stores. **56.** Let x = first integer, then x + 1 = second integer, and x + 2 = third integer. x + (x+1) + (x+2) = -1143x + 3 = -1143x = -117x = -39x + 1 = -39 + 1 = -38x + 2 = -39 + 2 = -37The integers are -39, -38, -37. **57.** Let x = the unknown number.  $\frac{x}{3} = x - 2$  $3 \cdot \frac{x}{3} = 3(x-2)$ x = 3x - 6-2x = -6x = 3The number is 3. **58.** Let x = the unknown number. 2(x+6) = -x2x + 12 = -x12 = -3x-4 = xThe number is -4. **59.** Let P = 46 and l = 14. P = 2l + 2w46 = 2(14) + 2w46 = 28 + 2w18 = 2w9 = w**60.** Let V = 192, l = 8, and w = 6. V = lwh192 = 8(6)h192 = 48h4 = h

61. 
$$y = mx + b$$
  
 $y - b = mx$   
 $\frac{y - b}{x} = m$   
62.  $r = vst - 5$   
 $r + 5 = vst$   
 $\frac{r + 5}{r + 5} = s$   
63.  $2y - 5x = 7$   
 $-5x = -2y + 7$   
 $x = \frac{-2y + 7}{-5}$   
 $x = \frac{2y - 7}{-5}$   
64.  $3x - 6y = -2$   
 $-6y = -3x - 2$   
 $y = \frac{-3x - 2}{-6}$   
 $y = \frac{3x + 2}{6}$   
65.  $C = \pi D$   
 $\frac{C}{D} = \pi$   
66.  $C = 2\pi r$   
 $\frac{C}{2r} = \pi$   
67. Let  $V = 900, l = 20$ , and  $h = 3$ .  
 $V = lwh$   
 $900 = 20w(3)$   
 $900 = 60w$   
 $15 = w$   
The width is 15 meters.  
68. Let  $x =$  width, then  $x + 6$  = length.  
 $60 = 2x + 2(x + 6)$   
 $60 = 2x + 2x + 12$   
 $60 = 4x + 12$   
 $48 = 4x$   
 $12 = x$   
 $x + 6 = 12 + 6 = 18$   
The dimensions are 18 feet by 12 feet.

69. Let d = 10,000 and r = 125. d = rt 10,000 = 125t 80 = tIt will take 80 minutes or 1 hour and 20 minutes.

**70.** Let F = 104.

$$C = \frac{5}{9}(F - 32)$$
  
=  $\frac{5}{9}(104 - 32)$   
=  $\frac{5}{9}(72)$   
= 40

The temperature was 40°C.

71. Let x = the percent.

$$9 = x \cdot 45$$
  
$$\frac{9}{45} = \frac{45x}{45}$$
  
$$0.2 = x$$
  
9 is 20% of 45.

72. Let x = the percent.  $59.5 = x \cdot 85$   $\frac{59.5}{85} = \frac{85x}{85}$ 0.7 = x

59.5 is 70% of 85.

73. Let x = the number.  $137.5 = 125\% \cdot x$  137.5 = 1.25x  $\frac{137.5}{1.25} = \frac{1.25x}{1.25}$ 110 = x

137.5 is 125% of 110.

74. Let x = the number.  $768 = 60\% \cdot x$  768 = 0.6x  $\frac{768}{0.6} = \frac{0.6x}{0.6}$  1280 = x768 is 60% of 1280.

75. Let x = mark-up.  $x = 11\% \cdot 1900$   $x = 0.11 \cdot 1900$  x = 209New price = 1900 + 209 = 2109 The mark-up is \$209 and the new price is \$2109.

- **76.** Find 79% of 76,000.  $0.79 \cdot 76,000 = 60,040$ We would expect 60,040 people in that city to use the Internet.
- 77. Let x = gallons of 40% solution.

Strength	gallons	Concentration	
40%	x	0.4	0.4 <i>x</i>
10%	30 - x	0.1	0.1(30 - x)
20%	30	0.2	0.2(30)

0.4x + 0.1(30 - x) = 0.2(30)

0.4x + 3 - 0.1x = 6 0.3x + 3 = 6 0.3x = 3 x = 1030 - x = 30 - 10 = 20

Mix 10 gallons of 40% acid solution with 20 gallons of 10% acid solution.

**78.** Increase = 21.0 - 20.7 = 0.3

Let x = percent.  $0.3 = x \cdot 20.7$   $\frac{0.3}{20.7} = \frac{20.7x}{20.7}$   $0.0145 \approx x$ The percent of increase is 1.45%.

- **79.** From the graph, the height of 'Almost hit a car' is 18%.
- **80.** Choose the tallest bar. The most common effect is swerving into another lane.
- 81. Find 21% of 4600.
  0.21 · 4600 = 966
  We would expect 966 customers to have cut someone off.
- 82. Find 41% of 4600.
  0.41 · 4600 = 1886
  We would expect 1886 customers to have sped up.

83. percent of decrease = 
$$\frac{\text{amount of decrease}}{\text{original amount}}$$
  
=  $\frac{250 - 170}{250}$   
=  $\frac{80}{250}$   
= 0.32

The percent of decrease is 32%.

**84.** Let x = original price.x - 0.20x = 19.20

$$\frac{0.80x}{0.80} = \frac{19.20}{0.80}$$

x = 24The original price was \$24.

**85.** Let x = time up, then 3 - x = time down.

Rate  $\cdot$  Time = Distance

Up	10	x	10 <i>x</i>
Down	50	3-x	50(3 - x)
d = d			
10x = 50(3)	(-r)		
10x = 150 - 50x			
60x = 150			
x = 2.5			
Total dista	nce =	10x + 50	(3 - x)
	=	10(2.5) +	-50(3-2.5)
= 25 + 50(0.5)			
	=	25+25	
	=	50	

The distance traveled was 50 km.

**86.** Let x = the amount invested at 10.5% for one year.

	Principal · Rate =		Interest
10.5%	x	0.105	0.105
8.5%	50,000 - x	0.085	0.085(50,000 - x)
Total	50,000		4550

 $\begin{array}{l} 0.105x + 0.085(50,000 - x) = 4550\\ 0.105x + 4250 - 0.085x = 4550\\ 0.02x + 4250 = 4550\\ 0.02x = 300\\ x = 15,000 \end{array}$ 

50,000 - x = 50,000 - 15,000 = 35,000Invest \$35,000 at 8.5% and \$15,000 at 10.5%. 87. Let x = the number of dimes, 2x = the number of quarters, and 500 - x - 2x the number of nickels.

	No. of Coins	· Value	= Amt. of Money
Dimes	x	0.1	0.1 <i>x</i>
Quarters	2x	0.25	0.25(2x)
Nickels	500 - 3x	0.05	0.05(500 - 3x)
Total	500		88

0.1x + 0.25(2x) + 0.05(500 - 3x) = 88 0.1x + 0.5x + 25 - 0.15x = 88 0.45x + 25 = 88 0.45x = 63 x = 140500 - 3x = 500 - 3(140) = 500 - 420 = 80

There were 80 nickels in the pay phone.

**88.** Let x = the time traveled by the Amtrak train.

Rate ·	Time	=	Distance
--------	------	---	----------

	Amtrak	60	x	60 <i>x</i>
	Freight	45	x + 1.5	45(x + 1.5)
	1 1			
,	d = d 60x = 45(x)	(+1.5)		
	50x = 45x			

15x = 67.5x = 4.5

It will take 4.5 hours.

**89.** 
$$x > 0, (0, \infty)$$

- 90.  $x \leq -2, (-\infty, -2]$
- **91.**  $0.5 \le y < 1.5, [0.5, 1.5)$
- **92.** -1 < x < 1, (-1, 1)

**93.** 
$$-3x > 12$$
  
 $\frac{-3x}{-3} < \frac{12}{-3}$   
 $x < -4, (-\infty, -4)$   
 $\xrightarrow{-4}$ 

**94.** 
$$-2x \ge -20$$
  
 $\frac{-2x}{-2} \le \frac{-20}{-2}$   
 $x \le 10, (-\infty, 10]$ 

**95.** 
$$x + 4 \ge 6x - 16$$
  
 $-5x + 4 \ge -16$   
 $-5x \ge -20$   
 $\frac{-5x}{-5} \le \frac{-20}{-5}$   
 $x \le 4, (-\infty, 4]$ 

**96.** 
$$5x - 7 > 8x + 5$$
  
 $-3x - 7 > 5$   
 $-3x > 12$   
 $\frac{-3x}{-3} < \frac{12}{-3}$   
 $x < -4, (-\infty, -4)$ 

**97.** 
$$-3 < 4x - 1 < 2$$
  
 $-2 < 4x < 3$   
 $-\frac{1}{2} < x < \frac{3}{4}, \left(-\frac{1}{2}, \frac{3}{4}, \frac{1}{2}, \frac{3}{4}, \frac{1}{2}, \frac{3}{4}, \frac{3}{4},$ 

**98.**  $2 \le 3x - 4 < 6$  $6 \le 3x < 10$  $2 \le x < \frac{10}{3}, \left[2, \frac{10}{3}\right]$  $\xrightarrow{2}{10}$ 

99. 
$$4(2x-5) \le 5x-1$$

$$8x-20 \le 5x-1$$

$$3x-20 \le -1$$

$$3x \le 19$$

$$x \le \frac{19}{3}, \left(-\infty, \frac{19}{3}\right]$$
100. 
$$-2(x-5) > 2(3x-2)$$

$$-2x+10 > 6x-4$$

$$-8x+10 > -4$$

$$-8x > -14$$

$$\frac{-8x}{-8} < \frac{-14}{-8}$$

$$x < \frac{7}{4}, \left(-\infty, \frac{7}{4}\right)$$

$$\frac{7}{4}$$

- **101.** Let x = the amount of sales then 0.05x = her commission.  $175 + 0.05x \ge 300$   $0.05x \ge 125$   $x \ge 2500$ Sales must be at least \$2500.
- 102. Let x = her score on the fourth round.  $\frac{76+82+79+x}{4} < 80$  237+x < 320 x < 83Her score must be less than 83.

**103.** 
$$6x + 2x - 1 = 5x + 11$$
  
 $8x - 1 = 5x + 11$   
 $3x - 1 = 11$   
 $3x = 12$   
 $x = 4$   
**104.**  $2(3y - 4) = 6 + 7y$   
 $6y - 8 = 6 + 7y$   
 $-8 = 6 + y$   
 $-14 = y$ 

**105.** 4(3-a) - (6a+9) = -12a12 - 4a - 6a - 9 = -12a3 - 10a = -12a3 = -2a $-\frac{3}{2}=a$ **106.**  $\frac{x}{3} - 2 = 5$  $\frac{x}{3} = 7$  $3 \cdot \frac{x}{3} = 3 \cdot 7$ x = 21**107.** 2(y+5) = 2y+102y + 10 = 2y + 1010 = 10All real numbers are solutions. **108.** 7x - 3x + 2 = 2(2x - 1)4x + 2 = 4x - 22 = -2There is no solution. **109.** Let x = the number. 6 + 2x = x - 76 + x = -7x = -13The number is -13. **110.** Let x = length of shorter piece, then 4x + 3 = length of longer piece. x + (4x + 3) = 235x + 3 = 235x = 20x = 44x + 3 = 4(4) + 3 = 19The shorter piece is 4 inches and the longer piece is 19 inches. 111.  $V = \frac{1}{3}Ah$  $3 \cdot V = 3 \cdot \frac{1}{3}Ah$ 

112. Let x = the number.  
x = 26% · 85  
x = 0.26 · 85  
x = 22.1  
22.1 is 26% of 85.  
113. Let x = the number.  
72 = 45% · x  
72 = 0.45x  
72 = 0.45x  
72 = 0.45x  
72 = 0.45x  
160 = x  
72 is 45% of 160.  
114. Increase = 282 - 235 = 47  
Let x = percent.  
47 = x · 235  

$$\frac{47}{235} = \frac{235x}{235}$$
  
0.2 = x  
The percent of increase is 20%.  
115.  $4x - 7 > 3x + 2$   
 $x - 7 > 2$   
 $x > 9, (9, \infty)$   
 $4x - 7 > 3x + 2$   
 $x - 7 > 2$   
 $x > 9, (9, \infty)$   
 $4x - 7 > 3x + 2$   
 $x - 7 > 2$   
 $x > 9, (9, \infty)$   
 $4x - 7 > 3x + 2$   
 $x - 7 > 2$   
 $x > 9, (9, \infty)$   
 $4x - 7 > 3x + 2$   
 $x - 7 > 2$   
 $x > 9, (9, \infty)$   
 $4x - 7 > 3x + 2$   
 $x - 7 > 2$   
 $x - 4, (-4, \infty)$   
 $4x - 7 > 3x + 2$   
 $x - 7 > 2$   
 $x - 4, (-4, \infty)$   
 $4x - 7 > 3x + 2$   
 $x - 7 > 2$   
 $x - 4, (-4, \infty)$   
 $4x - 7 > 3x + 2$   
 $x - 5x \ge -3 + x$   
 $-5x \ge x$   
 $-6x \ge 0$   
 $\frac{-6x}{-6} \le \frac{0}{-6}$   
 $x \le 0, (-\infty, 0]$   
 $4x - 7 > 0$ 

#### **Chapter 2 Getting Ready for the Test**

1. There is no equal sign, so this is not an equation that can be solved. Also, there is only one term that cannot be further simplified. Thus the best direction is to identify the numerical coefficient; C.

3V = Ah

 $\frac{3V}{A} = \frac{Ah}{A}$ 

 $\frac{3V}{A} = h$ 

#### ISM: Beginning Algebra

- 2. This is an equation that can be solved; A.
- **3.** Two terms are given, so the best direction is to determine whether the given terms are like or unlike terms; D.
- **4.** There is no equal sign, so this is not an equation that can be solved—it is an expression that can be simplified; B.
- 5. Subtracting 100z from 8m translates to 8m 100z; B.
- 6. Subtracting 7x 1 from 9y translates to 9y (7x 1); C.
- 7. 7x+6=7x+97x-7x+6=7x-7x+96=9 False The equation has no solution; B.

8. 
$$2y-5=2y-5$$
  
 $2y-2y-5=2y-2y-5$   
 $-5=-5$  True

The equation has all real numbers as solutions; A.

9. 
$$11x-13 = 10x-13$$
  
 $11x-10x-13 = 10x-10x-13$   
 $x-13 = -13$   
 $x-13+13 = -13+13$   
 $x = 0$   
The solution is 0; C.

x + 15 = -x + 15

$$x + x + 15 = -x + x + 15$$
  

$$2x + 15 = 15$$
  

$$2x + 15 - 15 = 15 - 15$$
  

$$2x = 0$$
  

$$\frac{2x}{2} = \frac{0}{2}$$
  

$$x = 0$$

The solution is 0; C.

11. 
$$5(3x-2) = 5 \cdot 3x - 5 \cdot 2 = 15x - 10$$
  
 $-(x+20) = -1(x+20)$   
 $= -1 \cdot x + (-1) \cdot 20$   
 $= -x - 20$   
The resulting equation is  $15x - 10 = -x - 20$ ; B.

12. 
$$30\left(\frac{8x}{3}+1\right) = 30 \cdot \frac{8x}{3} + 30 \cdot 1$$
  
=  $10 \cdot 8x + 30$   
=  $80x + 30$   
 $30\left(\frac{x-2}{10}\right) = 3(x-2) = 3 \cdot x - 3 \cdot 2 = 3x - 6$ 

The simplified equation is 80x + 30 = 3x - 6; D.

#### **Chapter 2 Test**

1. 
$$2y - 6 - y - 4 = y - 10$$
  
2.  $2.7x + 6.1 + 3.2x - 4.9 = 5.9x + 1.2$   
3.  $4(x-2) - 3(2x-6) = 4x - 8 - 6x + 18$   
 $= -2x + 10$   
4.  $7 + 2(5y - 3) = 7 + 10y - 6 = 10y + 1$   
5.  $-\frac{4}{5}x = 4$   
 $-\frac{5}{4} \cdot \left(-\frac{4}{5}x\right) = -\frac{5}{4} \cdot 4$   
 $x = -5$   
6.  $4(n-5) = -(4-2n)$   
 $4n-20 = -4 + 2n$   
 $2n-20 = -4$   
 $2n = 16$   
 $n = 8$   
7.  $5y - 7 + y = -(y + 3y)$   
 $6y - 7 = -4y$   
 $-7 = -10y$   
 $\frac{7}{10} = y$   
8.  $4z + 1 - z = 1 + z$   
 $3z + 1 = 1 + z$   
 $2z = 0$   
 $z = 0$   
9.  $\frac{2(x+6)}{3} = x - 5$   
 $2(x+6) = 3(x-5)$   
 $2x + 12 = 3x - 15$   
 $12 = x - 15$   
 $27 = x$ 

10. 
$$\frac{1}{2} - x + \frac{3}{2} = x - 4$$
  

$$2\left(\frac{1}{2} - x + \frac{3}{2}\right) = 2(x - 4)$$
  

$$1 - 2x + 3 = 2x - 8$$
  

$$-2x + 4 = 2x - 8$$
  

$$-4x + 4 = -8$$
  

$$-4x = -12$$
  

$$x = 3$$
  
11. 
$$-0.3(x - 4) + x = 0.5(3 - x)$$
  

$$10[-0.3(x - 4) + x] = 10[0.5(3 - x)]$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$-3(x - 4) + 10x = 5(3 - x)$$
  

$$12x - 4(a + 1) - 3a = -7(2a - 3)$$
  

$$-4a - 4 - 3a = -14a + 21$$
  

$$-7a - 4 = 21$$
  

$$7a - 4 = -2x + 5$$
  

$$6 = 5$$
  
There is no solution.

**14.** Let y = -14, m = -2, and b = -2. y = mx + b -14 = -2x - 2 -12 = -2x6 = x

15. 
$$V = \pi r^{2} h$$
$$\frac{V}{\pi r^{2}} = \frac{\pi r^{2} h}{\pi r^{2}}$$
$$\frac{V}{\pi r^{2}} = h$$

16. 
$$3x - 4y = 10$$
  
 $-4y = -3x + 10$   
 $y = \frac{-3x + 10}{-4}$   
 $y = \frac{3x - 10}{4}$   
17.  $3x - 5 \ge 7x + 3$   
 $-4x - 5 \ge 3$   
 $-4x \ge 8$   
 $\frac{-4x}{-4} \le \frac{8}{-4}$   
 $x \le -2, (-\infty, -2]$   
18.  $x + 6 > 4x - 6$   
 $-3x + 6 > -6$   
 $-3x + 6 > -6$   
 $-3x > -12$   
 $\frac{-3x}{-3} < \frac{-12}{-3}$   
 $x < 4, (-\infty, 4)$   
 $4$   
19.  $-2 < 3x + 1 < 8$   
 $-3 < 3x < 7$   
 $-1 < x < \frac{7}{3}, (-1, \frac{7}{3})$   
 $4$   
20.  $\frac{2(5x + 1)}{3} > 2$   
 $2(5x + 1) > 6$   
 $10x + 2 > 6$   
 $10x > 4$   
 $x > \frac{4}{10} = \frac{2}{5}, (\frac{2}{5}, \infty)$ 

Copyright © 2017 Pearson Education, Inc.

$$x + \frac{2}{3}x = 35$$
$$3\left(x + \frac{2}{3}x\right) = 3(35)$$
$$3x + 2x = 105$$
$$5x = 105$$
$$x = 21$$
The number is 21.

22. Let x =width, then x + 2 =length. P = 2w + 2l 252 = 2x + 2(x + 2) 252 = 2x + 2x + 4 252 = 4x + 4 252 - 4 = 4x + 4 - 4 248 = 4x  $\frac{248}{4} = \frac{4x}{4}$  62 = x 64 = x + 2The bin end on f(4x) is the large (2) for f(4x) is the formula of f(

The dimensions of the deck are 62 feet by 64 feet.

- 23. Let x = one area code, then 2x = other area code. x + 2x = 1203 3x = 1203  $\frac{3x}{3} = \frac{1203}{3}$  x = 401 2x = 2(401) = 802The area codes are 401 and 802.
- **24.** Let x = the amount invested at 10% for one year.

 $Principal \cdot Rate = Interest$ 

10%	x	0.10	0.1 <i>x</i>
12%	2x	0.12	0.12(2 <i>x</i> )
Total			2890

 $\begin{array}{l} 0.1x + 0.12(2x) = 2890 \\ 0.1x + 0.24x = 2890 \\ 0.34x = 2890 \\ x = 8500 \\ 2x = 2(8500) = 17,000 \\ \text{He invested $$8500 at 10\% and $$17,000 at 12\%. } \end{array}$ 

**25.** Let x = the time they travel.

Rate  $\cdot$  Time = Distance

Train 1	50	x	50 <i>x</i>
Train 2	64	x	64 <i>x</i>
Total			285

$$50x+64x = 285$$

$$114x = 285$$

$$x = 2\frac{1}{2}$$
They must travel for  $2\frac{1}{2}$  hours.

- 26. From the graph, 69% are classified as weak. Find 69% of 800.  $69\% \cdot 800 = 0.69 \cdot 800 = 552$ You would expect 552 of the 800 to be classified as weak.
- **27.** Let x be the unknown percent.

 $72 = x \cdot 180$  $\frac{72}{180} = \frac{180x}{180}$ 0.4 = x72 is 40% of 180.

28. percent of decrease =  $\frac{\text{amount of decrease}}{\text{original amount}}$ =  $\frac{225 - 189}{225}$ 

$$=\frac{36}{225}$$

= 0.16The percent of decrease is 16%.

#### **Chapter 2 Cumulative Review**

- **1. a.** The natural numbers are 11 and 112.
  - **b.** The whole numbers are 0, 11, and 112.
  - **c.** The integers are -3, -2, 0, 11, and 112.
  - **d.** The rational numbers are  $-3, -2, -1.5, 0, \frac{1}{4}, 11, \text{ and } 112.$
  - **e.** The irrational number is  $\sqrt{2}$ .
  - **f.** All the numbers in the given set are real numbers.

- **2. a.** The natural numbers are 2, 7, and 8.
  - **b.** The whole numbers are 0, 2, 7, and 8.
  - **c.** The integers are -185, 0, 2, 7, and 8.
  - **d.** The rational numbers are -185,  $-\frac{1}{5}$ , 0, 2, 7, and 8.
  - **e.** The irrational number is  $\sqrt{3}$ .
  - **f.** All the numbers in the given set are real numbers.
- **3. a.** |4| = 4
  - **b.** |-5| = 5
  - **c.** |0| = 0
  - **d.**  $\left| -\frac{1}{2} \right| = \frac{1}{2}$
  - **e.** |5.6| = 5.6
- **4. a.** |5| = 5
  - **b.** |-8| = 8
  - **c.**  $\left|-\frac{2}{3}\right| = \frac{2}{3}$
- **5. a.**  $40 = 2 \cdot 2 \cdot 2 \cdot 5$ 
  - **b.**  $63 = 3 \cdot 3 \cdot 7$
- **6. a.**  $44 = 2 \cdot 2 \cdot 11$
- **b.**  $90 = 2 \cdot 3 \cdot 3 \cdot 5$
- 7.  $\frac{2}{5} = \frac{2}{5} \cdot \frac{4}{4} = \frac{8}{20}$

8.  $\frac{2}{3} = \frac{2}{3} \cdot \frac{8}{8} = \frac{16}{24}$ 

9. 3[4+2(10-1)] = 3[4+2(9)]= 3[4+18]= 3[22]= 66

**10.** 5[16-4(2+1)] = 5[16-4(3)]= 5[16 - 12]= 5[4]= 20**11.** Let x = 2. 3x + 10 = 8x $3(2) + 10 \stackrel{?}{=} 8(2)$ 6+10 216 16 = 162 is a solution of the equation. **12.** Let x = 3. 5x - 2 = 4x $5(3) - 2 \stackrel{?}{=} 4(3)$ 15-2 ≟ 12  $13 \neq 12$ 3 is not a solution of the equation. **13.** -1 + (-2) = -314. (-2) + (-8) = -10**15.** -4 + 6 = 2**16.** -3 + 10 = 7**17. a.** -(-10) = 10**b.**  $-\left(-\frac{1}{2}\right) = \frac{1}{2}$ **c.** -(-2x) = 2x**d.** -|-6| = -(6) = -6**18. a.** -(-5) = 5**b.**  $-\left(-\frac{2}{3}\right) = \frac{2}{3}$ **c.** -(-a) = a**d.** -|-3| = -(3) = -3**19. a.** 5.3 - (-4.6) = 5.3 + 4.6 = 9.9

**b.** 
$$-\frac{3}{10} - \frac{5}{10} = -\frac{3}{10} + \left(-\frac{5}{10}\right)$$
  
 $= \frac{-3-5}{10}$   
 $= -\frac{8}{10}$   
 $= -\frac{4}{5}$   
**c.**  $-\frac{2}{3} - \left(-\frac{4}{5}\right) = -\frac{2}{3} \cdot \frac{5}{5} + \frac{4}{5} \cdot \frac{3}{3}$   
 $= -\frac{10}{15} + \frac{12}{15}$   
 $= \frac{2}{15}$   
**20. a.**  $-2.7 - 8.4 = -2.7 + (-8.4) = -11.1$ 

**b.** 
$$-\frac{4}{5} - \left(-\frac{3}{5}\right) = -\frac{4}{5} + \frac{3}{5} = \frac{-4+3}{5} = -\frac{1}{5}$$

- **c.**  $\frac{1}{4} \left(-\frac{1}{2}\right) = \frac{1}{4} + \frac{1}{2} \cdot \frac{2}{2} = \frac{1}{4} + \frac{2}{4} = \frac{3}{4}$
- **21.** a. x = 90 38 = 90 + (-38) = 52The complementary angle is 52°.
  - **b.** y = 180 62 = 180 + (-62) = 118The supplementary angle is  $118^{\circ}$ .
- **22.** a. x = 90 72 = 90 + (-72) = 18The complementary angle is 18°.
  - **b.** y = 180 47 = 180 + (-47) = 133The supplementary angle is 133°.
- **23. a.** (-1.2)(0.05) = -0.06

**b.** 
$$\frac{2}{3} \cdot \left(-\frac{7}{10}\right) = -\frac{2 \cdot 7}{3 \cdot 10} = -\frac{14}{30} = -\frac{7}{15}$$
  
**c.**  $\left(-\frac{4}{5}\right)(-20) = \frac{4 \cdot 20}{5} = \frac{80}{5} = 16$ 

 $\frac{6}{17}$ 

**24.** a. 
$$(4.5)(-0.08) = -0.36$$
  
b.  $-\frac{3}{4} \cdot \left(-\frac{8}{17}\right) = \frac{3 \cdot 8}{4 \cdot 17} = \frac{24}{68} = \frac{1}{17}$ 

**25. a.** 
$$\frac{-24}{-4} = 6$$

b. 
$$\frac{-36}{3} = -12$$
  
c.  $\frac{2}{3} \div \left(-\frac{5}{4}\right) = \frac{2}{3}\left(-\frac{4}{5}\right) = -\frac{8}{15}$   
d.  $-\frac{3}{2} \div 9 = -\frac{3}{2} \div \frac{9}{1} = -\frac{3}{2} \cdot \frac{1}{9} = -\frac{3}{18} = -\frac{1}{6}$   
26. a.  $\frac{-32}{8} = -4$   
b.  $\frac{-108}{-12} = 9$   
c.  $-\frac{5}{7} \div \left(-\frac{9}{2}\right) = -\frac{5}{7}\left(-\frac{2}{9}\right) = \frac{10}{63}$   
27. a.  $x + 5 = 5 + x$   
b.  $3 \cdot x = x \cdot 3$   
28. a.  $y + 1 = 1 + y$   
b.  $y \cdot 4 = 4 \cdot y$   
29. a.  $8 \cdot 2 + 8 \cdot x = 8(2 + x)$   
b.  $7s + 7t = 7(s + t)$   
30. a.  $4 \cdot y + 4 \cdot \frac{1}{3} = 4\left(y + \frac{1}{3}\right)$   
b.  $0.10x + 0.10y = 0.10(x + y)$   
31.  $(2x - 3) - (4x - 2) = 2x - 3 - 4x + 2 = -2x - 1$   
32.  $(-5x + 1) - (10x + 3) = -5x + 1 - 10x - 3$   
 $= -15x - 2$   
33.  $\frac{1}{2} = x - \frac{3}{4}$   
 $4\left(\frac{1}{2}\right) = 4(x) - 4\left(\frac{3}{4}\right)$   
 $2 = 4x - 3$   
 $5 = 4x$   
 $\frac{5}{4} = x$ 

Copyright © 2017 Pearson Education, Inc.

 $\frac{5}{6} + x = \frac{2}{3}$   $6\left(\frac{5}{6}\right) + 6(x) = 6\left(\frac{2}{3}\right)$  5 + 6x = 434. 6x = -1 $x = -\frac{1}{6}$ **35.** 6(2a-1) - (11a+6) = 712a - 6 - 11a - 6 = 7a - 12 = 7*a* = 19 **36.** -3x+1-(-4x-6)=10-3x + 1 + 4x + 6 = 10x + 7 = 10x = 3**37.**  $\frac{y}{7} = 20$ y = 140**38.**  $\frac{x}{4} = 18$ x = 72**39.** 4(2x-3)+7=3x+58x - 12 + 7 = 3x + 58x - 5 = 3x + 55x - 5 = 55x = 10x = 2**40.** 6x + 5 = 4(x + 4) - 16x + 5 = 4x + 16 - 16x + 5 = 4x + 152x + 5 = 152x = 10*x* = 5

41. Let 
$$x = a$$
 number.  
 $2(x + 4) = 4x - 12$   
 $2x + 8 = 4x - 12$   
 $8 = 2x - 12$   
 $20 = 2x$   
 $10 = x$   
The number is 10.  
42. Let  $x = a$  number.  
 $x + 4 = 3x - 8$   
 $4 = 2x - 8$   
 $12 = 2x$   
 $6 = x$   
The number is 6.  
43.  $V = lwh$   
 $\frac{V}{wh} = \frac{lwh}{wh}$   
 $\frac{V}{wh} = l$   
44.  $C = 2\pi r$   
 $\frac{C}{2\pi} = \frac{2\pi r}{2\pi}$   
 $\frac{C}{2\pi} = r$   
45.  $x + 4 \le -6$   
 $x \le -10, (-\infty, -10]$   
 $46. x - 3 > 2$   
 $x > 5, (5, \infty)$   
 $5$ 

Copyright © 2017 Pearson Education, Inc.

# **Additional Exercises 1.2**

Insert <, >, or = to make a true statement.

- **1.** 0 \_\_\_\_\_ 44
- **2**. 3.05 \_\_\_\_\_ 3.5
- **3.** |-4| \_\_\_\_\_ |-3|
- **4.** |-1| \_\_\_\_\_ -1
- 5. The angles of a particular triangle are 90°, 60°, and 30°. Use an inequality symbol ( $\leq$  or  $\geq$ ) to represent the relationship between the angles of the triangle from smallest to largest.

Tell whether each statement is true or false.

- **6.** 15≤17
- 7.  $-2.4 \ge -8.1$ 8.  $\frac{3}{4} \le -\frac{3}{4}$ 9.  $-\frac{5}{8} \ge -\frac{5}{8}$
- **10.**  $0 \ge -7$

Rewrite the following inequalities so that the inequality symbol points in the opposite direction and the resulting statement has the same meaning as the given one.

**11.**  $\frac{1}{2} \ge -\frac{1}{2}$ **12.** 7 > 2

Use integers to represent the values in each sentence.

- **13.** Victoria wrote a check for \$275. Then at the end of the week, she deposited \$700.
- **14.** Garrett was at the quarry practicing for his diving certification. During his dive, he descended 27 feet, and later descended another 20 feet.

Name
Date
1
2
3
4
5

6.	
9.	
10.	
11.	
12.	
13.	
14	

### Additional Exercises 1.2 (cont.)

18. rational numbers

**19.** irrational numbers

**20.** real numbers

Name
------

Given the set  $\left\{\sqrt{15}, \frac{3}{4}, 24, -6.\overline{1}, 0, -25, 7.5, -\sqrt{3}\right\}$ , list the numbers in this set that belong to the set of: **15.** natural numbers **16.** whole numbers **17.** integers

15	
16.	
17	
18	
19	
20	

#### Name \_\_\_\_\_ **Additional Exercises 1.3** Date 1. Write each number as a product of primes. **d.** 375 **a.** 27 1a.\_\_\_\_\_1d.\_\_\_\_ **b.** 24 **e.** 200 1b.\_\_\_\_\_1e.\_\_\_\_ 1c.\_\_\_\_ 1f.\_\_\_\_ **c.** 180 **f.** 910 Write each fraction as an equivalent fraction with the given denominator. 2. $\frac{2}{3}$ with a denominator of 48 2. 3. 3. $\frac{4}{5}$ with a denominator of 50 4. \_\_\_\_\_ 4. $\frac{5}{4}$ with a denominator of 24 Write each fraction in lowest terms. 5. $\frac{36}{9}$ 5. \_\_\_\_\_ 6. $\frac{150}{300}$ 6. \_\_\_\_\_ 7. $\frac{0}{28}$ 7. \_\_\_\_\_ **8.** <u>66</u> 8. \_\_\_\_\_ 9. $\frac{120}{510}$ 9. \_\_\_\_\_ **10.** $\frac{76}{1}$ 10. \_\_\_\_\_ Perform the indicated operations and simplify. 11. $\frac{2}{3} \cdot \frac{8}{9}$ 11. 12. $\frac{2}{3} \cdot \frac{21}{66}$ 12. \_\_\_\_\_ **13.** $1\frac{3}{7} \cdot 2\frac{4}{5}$ 13. \_\_\_\_\_

## Additional Exercises 1.3 (cont.)

14.	$6\frac{2}{5} \div 1\frac{1}{15}$
15.	$\frac{13}{15} + \frac{7}{15}$
16.	$\frac{4}{5} + \frac{3}{20}$
17.	$16\frac{3}{4} + 12\frac{1}{2}$
18.	$\frac{15}{16} - \frac{3}{16}$
19.	$\frac{7}{8} - \frac{2}{3}$
20.	$100 - 12\frac{3}{5}$

Name _	 	
14	 	
15	 	
16	 	
17	 	
18	 	
19	 	
20.		

# **Additional Exercises 1.4**

Evaluate.

1.	$\left(\frac{5}{4}\right)^3$
2.	5 <sup>3</sup>
3.	$(0.1)^3$
Simplif	Ty each expression.
4.	$3^2 + 4 \cdot 6$
5.	$ 7-3 ^3-2\cdot 2^3$
6.	$5+2\{15-3(4-2)+12\}$
7.	$\frac{10 +  10 - 2  + 2^3}{5^2 - 12}$
Evalua	te each expression if $x = 4, y = 3$ , and $z = 1$ .

Evaluate each expression if x = 4, y = 3, and z = 1.

8. 5z - y

9.  $\frac{x}{4y}$ 

**10.** |5y - x|

11.  $xy + z^4$ 

Decide whether the given number is a sol	ution to the equation.

<b>12.</b> $\frac{1}{5}x = 30; 6$	12
<b>13.</b> $x + 15 = x + 3; 0$	13

Narr	ne
Date	
1.	
2.	
3.	
4.	
_	
6.	
7.	
8.	
9.	
11.	
12.	
13	

Additional Exercises 1.4 (cont.)	Name	
Write each phrase as an algebraic expression. Let <i>x</i> represent the unknown number.		
14. Four added to a number	14	
<b>15</b> Three less than twice a number	15	
Write each sentence as an equation. Use <i>x</i> to represent any unknown number.		
<b>16.</b> The difference of a number and 6 is 12.	16	
<b>17.</b> The sum of 14 and two times a number is 56.	17	
<b>18.</b> Sixteen subtracted from a number is 23.	18	
<b>19.</b> The quotient of a number and 4 is equal to three squared.	19	
<b>20.</b> Three times a number increased by 15 is negative forty-five.	20	

# **Additional Exercises 1.5**

Add.

1.	(-18) + 12 + (-4)
2.	(-20) + (-8) + (-4)
3.	$-\frac{3}{7}+1\frac{2}{7}+\left(-7\frac{4}{7}\right)$
4.	$-\frac{5}{12} + \left(-\frac{1}{4}\right)$
5.	$-\left -5+(-3)\right +\left -14\right +(-2)$
6.	$\frac{-50 + \left -6 + (-14)\right  + \left -3 + 8\right }{5^5}$

- 7. |6+(-14)|+|-3+(-8)|
- 8. Find the sum of -40 and (-5.3).
- 9. Find the sum of -37 and 22.

Find the additive inverse or the opposite.

**10.** -0.45

- **11.**  $\left| -\frac{3}{4} \right|$ **12.**  $\left( -\frac{3}{4} \right)$
- **13.** 0

Simplify the following.

**14.** 
$$\left| -\frac{9}{10} \right|$$
  
**15.**  $-\left| -4 \right|$ 

2	
	· · · · · · · · · · · ·

#### Additional Exercises 1.5 (cont.)

- **16.** If *p* is a positive number and *q* is a negative number, will the sum of *p* and the opposite of *q* be a positive or negative number?
- **17.** If *p* is a positive number and *q* is a negative number, will the sum of the opposite of *p* added to *q* be a positive or negative number?
- **18.** Randall's stock was erratic for an entire week. Find the value of the stock at the end of the week.

Prize Stock	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
\$344		$\bigcup$	$\int$	$\widehat{}$	$\bigcup$	
	\$47	02\$	\$100	\$33	\$65	\$150

- **19.** If the decreases are added, what will be the total in decreases for the week?
- **20.** If the increases are added, what will be the total in increases for the week?

Name _	 	 	
16	 	 	
17			

18.	

19.	

20.							
	 _				 	 	

# **Additional Exercises 1.6**


Write each phrase as an expression and simplify.


- 1. Subtract 15 from negative 14.
- 2. Subtract negative nine from negative 24.
- **3.** Find the difference between negative four and negative 13.
- 4. Decrease 25 by negative 22.

Decide whether the given number is a solution of the given equation.

- 5. 9-x=5; -46. -x+3=-2x-3; -6
- 7. -2x+5 = -2x-1; 0
- 8. -2x-1 = -2x-1; 0

Find the measure of each unknown complementary and supplementary angle.





10.



Simplify each expression. (Remember the order of operations.)

- **11.** -|-6-5|-13+(-5+15)**12.**  $|-3|^3+5^2-4^2$
- $|-2| + (6-3)^2$

13. 
$$\frac{|-2|+(0-3)|}{7-(-4)}$$

**14.** 4-8(4-9)

11	 
12	 
13	 
14	

Additional Exercises 1.6 (cont.)	Name
<b>15.</b> In 1943, the temperature in Spearhead was $-4^{\circ}$ at 7:30 am. Two minutes later the temperature was $45^{\circ}$ above zero. What was this sudden rise in temperature that still holds a world record?	15
<ul><li>16. The lowest temperature ever recorded in the contiguous 48 states was -69.7 degrees Fahrenheit on January 20, 1954. The highest temperature ever recorded in the contiguous 48 states was 134 degrees Fahrenheit recorded at Death Valley, California. What is the difference between the lowest and the highest recorded temperatures?</li></ul>	16
If $r$ is a positive number and $s$ is a negative number, decide if each statement is true or false.	
17. $ r  -  s $ is always a negative number.	17
<b>18.</b> $r - (-s)$ is always a positive number.	18
Find the value of each expression when $x = 4, y = -3$ , and $z = -5$ .	
<b>19.</b> $\frac{x-y}{z-2}$	19
<b>20.</b> $y^2 - z^2 - x$	20

# **Additional Exercises 1.7**

Multiply.

- **1.** -5(-3)
- **2.** -16(2)
- **3.** -14(0)
- **4.**  $-\frac{1}{5}\left(-\frac{5}{7}\right)$
- **5.** 4.1(-2.2)(-1)

Evaluate.

**6.** 
$$-4^2$$

7. 
$$\left(-\frac{4}{7}\right)^2$$

- 8. Find the reciprocal of -3.
- 9. Find the reciprocal of  $\frac{5}{12}$ .

Divide.

- **10.**  $-44 \div 11$ **11.**  $\frac{25}{-15}$
- -1512.  $-\frac{5}{8} \div -\frac{3}{4}$
- **13.**  $\frac{-15}{0}$

14. 
$$\frac{0 \cdot (-3)}{-5}$$

Name	
Date	
1	
2	
3	
4	
5	
6	
7	
8	
9	
····	
10	
11	
12	
13	
14.	
14	

#### Additional Exercises 1.7 (cont.)

Use the order of operations to evaluate each expression.

**15.** 
$$\frac{-14(-2) - (-23)(-1)}{\left| -10 + (-3)^2 \right|}$$
  
**16.**  $(-4)^3 \div (-2)^3 - 3(-5)^2$ 

Evaluate each expression when x = -3, y = -5, and z = 2.

**17.** 
$$-5x + 4y - 3z$$

**18.** 
$$\frac{x^2 - y^2}{z^3}$$

- 19. A deck and a patio have a set of stairs connecting them. Each step is six inches high and there are 20 steps. Represent the drop in height from the deck to the patio as a product of signed numbers and find the total drop in height.
- **20**. A company is having financial difficulties. As a result of this, the price of the company's stock has gone down \$3 a day for five consecutive days. Represent the total amount the stock's price has gone down as a product of signed numbers and find the total amount.

15.	 	
10.	 	
17		
17.	 	
18.	 	
19.	 	
20		
20.	 	

Name \_\_\_\_\_

# **Additional Exercises 1.8**

Use the commutative property to rewrite each statement.

- **1.**  $-4 \cdot a$
- **2.** 4 + y

Use the associative property to rewrite each statement.

- **3.**  $(xy) \cdot z$
- 4. 3x + (y + 4)

Use the commutative and associative properties to simplify each expression.

5. (12+x)+56.  $-\frac{7}{8}\left(\frac{8}{7}r\right)$ 

Use the distributive property to write each expression without parentheses. Then simplify the results.

- 7. 2(3x-7)8. -5(x-4)
- 9.  $-\frac{1}{2}(10-16z)$
- **10.** -4(x+3)-14

Use the distributive property to write the sum as a product.

**11.** 3x - 3y

Find the additive inverse or opposite of each of the following numbers.

<b>12.</b> $\frac{2}{7}$	12
7 13 -5	13

Name	
Date	
1	
2	
3	
4	
5	
6	
7	
8	
9	· · · · · · · · · · · · · · · · · · ·
10	
11	
12	
12	

### Additional Exercises 1.8 (cont.)

Name the multiplicative inverse or reciprocal of each of the following numbers.

**14.** 
$$\frac{3}{14}$$
  
**15.**  $-1\frac{2}{3}$ 

Name the property illustrated by each true statement.

**16.** 
$$\frac{1}{5} \cdot 1 = \frac{1}{5}$$
  
**17.**  $0 \cdot \frac{1}{7} = 0$   
**18.**  $(ab)c = a(bc)$   
**19.**  $(5+3)+10 = 5 + (3+10)$   
**20.**  $\frac{1}{3}(6x+1) = \frac{1}{3} \cdot 6x + \frac{1}{3} \cdot 1$ 

14.	
15.	
16.	
17.	
18.	
19.	
20.	

Name

# **Additional Exercises 2.1**

- 1. Identify the numerical coefficient in the following term:  $-x^2y$
- 2. Indicate whether the terms in the following list are like or unlike:  $30a^2b$ ,  $-6a^2b$

Simplify each expression by combining any like terms.

- **3.** 12k + 4k
- **4.** 9y 16y + 2y
- 5. 15x 4 5x + 17
- 6. 2.8w 0.8 1.9w 1.2

Simplify each expression. Use the distributive property to remove any parentheses.

- 7. 10(y+8)
- 8. -5(x+7)-5(x+7)
- 9.  $-(4m^2 n + 7)$
- **10.** -6(3x-6y-4)

Remove the parentheses and simplify each expression.

**11.** 8(x-5)+12 **12.** -7(2y-6)+20y **13.** 4(3x-2)-3(x-7)**14.** 0.8(m+4)-0.3m

Write each of the following as an algebraic expression. Simplify if possible.

15. Add 5x-12 to 7x+4.
16. Subtract 4m-7 from 16m-3.

Name
Date
1
2
3
4
6
7
8
9
10
11
12
13
14
15
16.

#### Additional Exercises 2.1 (cont.)

Write each of the following phrases as an algebraic expression and simplify if possible. Let *x* represent the unknown number.

- **17.** Five times a number decreased by eleven
- **18.** The sum of -6 and 8 times a number, subtracted from 7 times the number
- **19.** Six times the sum of a number and 9, added to 4 times the number
- 20. Express the perimeter of a triangle if the three sides are represented by (3x-8)cm, (2x-9)cm, and 7cm.

1 (anti-	
17	
1/.	
10	
10.	
10	
19.	
1/1	
30	
20.	
<b>H</b> U•	

Name

## **Additional Exercises 2.2**

1. Is 14 a solution to 9(x-4) = 10(x-5)?

Solve each equation.

- **2.** x + 8 = 12
- 3. y 14 = 12
- 4. -x + 0.8 = 1.2
- 5.  $\frac{5}{8} + k = \frac{1}{2}$
- 6. 13x 11 = 14x
- 7. 3x + 1 = 2x 8
- 8. 3x 2 = 2x + 7
- 9. 14x 1 = 13x 8
- **10.** 3x 5 + 4x = 8x 8
- 11. -x+1-2x = -4x-8
- **12.**  $9y \frac{1}{5} = 8y + \frac{2}{5}$
- **13.** 1 (3x 4) = -2x + 5
- **14.** 4(x-5) = 3x+5
- **15.**  $-\frac{1}{2}(2x-10) = -2x+4$
- **16.** -(x-5) = -2x-3
- **17.**  $7y \frac{1}{4} = 6y + \frac{2}{5}$

Name
Date
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

#### Additional Exercises 2.2 (cont.)

express the other angle in terms of x°.

distance to Lincolnton in terms of *m*.

Name \_\_\_\_\_ 18. \_\_\_\_\_ **18.** Two angles have a sum of 150°. If one angle is x°, 19. **19.** A 15-foot board is cut into two pieces. If one piece is xfeet long, express the other length in terms of x. **20.** From Charlotte, it is 15 more miles to Lincolnton than it 20. \_\_\_\_\_ is to Gastonia. If it is *m* miles to Gastonia, express the

# **Additional Exercises 2.3**

Solve each equation.

1.	2x - 7 - 3x + 1 = -6 + 5x
2.	$-\frac{1}{2}(4x-7) = -8x$
3.	-15x - 13 = -11x - 9
4.	-(-2x+5) - 2(3x-4) = -14
5.	5 - (4 - 2x) + 3(8x) = 2
6.	-3(x-2) = 30
7.	8(x+1) - 4 = 3(x-6)
8.	-(a-1)-a=11-a
9.	$\frac{4}{9}x - \frac{2}{3} = \frac{2}{9}$
10.	$\frac{1}{4}(y-8) = y$
	$\frac{1}{4}(y-8) = y$ $\frac{x}{2} - 4 = x - 6$
11.	4
11. 12.	$\frac{x}{2} - 4 = x - 6$
<ol> <li>11.</li> <li>12.</li> <li>13.</li> <li>14.</li> </ol>	$\frac{x}{2} - 4 = x - 6$ $4(k-3) + (k-3) = 2(k-5)$ $0.22x + 0.11(80) = 0.32(x-1)$ $0.04(y-200) + 0.02y = -0.02y$
<ol> <li>11.</li> <li>12.</li> <li>13.</li> <li>14.</li> </ol>	$\frac{x}{2} - 4 = x - 6$ $4(k-3) + (k-3) = 2(k-5)$ $0.22x + 0.11(80) = 0.32(x-1)$
<ol> <li>11.</li> <li>12.</li> <li>13.</li> <li>14.</li> <li>15.</li> </ol>	$\frac{x}{2} - 4 = x - 6$ $4(k-3) + (k-3) = 2(k-5)$ $0.22x + 0.11(80) = 0.32(x-1)$ $0.04(y-200) + 0.02y = -0.02y$

Name	
Date	
1.	
2	
3	
4	
5	
-	
/	
8	
9.	
10	
11	
12	
13	
15	
16	
17	

### Additional Exercises 2.3 (cont.)

ditional Exercises 2.3 (cont.)	Name
<b>18.</b> $-5x+3-2(x-4) = -4(x+3)-1$	18
<b>19.</b> $t - 3t = 15 + t - 4t$	19
<b>20.</b> Find the sum of five consecutive integers if the first is $x$ .	20

# **Additional Exercises 2.4**

Solve each equation.

1.	$9 - \frac{3}{2}x = 15x - 24$
2.	$x + \frac{3}{5} = \frac{5}{3}x$
3.	$\frac{3-y}{2} = \frac{y+5}{3}$
4.	-2(x-1) + (x-4) = -x - 14
5.	15 - 3x + 4(x - 20) = x + 12
6.	-2(x-1) = -2x+2
7.	$\frac{1}{7}x + \frac{1}{5} = \frac{1}{5}x - \frac{1}{7}$
8.	$-\frac{1}{2}(3x+2) = \frac{3(-x-6)}{2}$
9.	4a - 2(2a + 3) = -6
10.	-z + 3(z - 4) = 4(z - 1)
11.	0.5h - 2.2 = 0.25(h + 1.1)
12.	$\frac{x}{3} + 2 = x - \frac{2}{3}(x - 3)$
13.	3(3+x) - 10 = 4x - (1+x)
14.	6(1-x) + 2 = 8 - 5x
15.	$\frac{2}{3}x - \frac{1}{4} = x$
16.	$\frac{3x}{2} + 1 = \frac{3x}{4} - 2$
17.	$\frac{5(1-z)}{3} = -z$

Name
Date
1
2
3
4
5
6
7
8
9
10
11
12
13
14
14
15
16
17

In the following equations, the answers are one of the following: all real numbers, no solution, or 0. In the answer blank, write the correct choice.

#### **18.** -3(x-2)+6=2-3(x-4)

**19.** 0.4(1-3x) = 0.6(x+3) - 1.2.

**20.**  $\frac{3}{4}(\frac{4}{3}x-8) = x+1$ 

wer		
wei		
	18	 <u>, , , , ,</u>
	19	 
	20	 

Name

# **Additional Exercises 2.5**

Write an equation for each example and then solve the equation and answer the question.

- **1.** Four times a number subtracted from 28 is seven less than the number. Find the number.
- **2.** The sum of three consecutive even integers is 276. Find the integers.
- **3.** The sum of one-fourth a number and 17 is equal to the sum of one-fifth the number and 18. Find the number.
- **4.** The sum of three times the smaller of two consecutive odd integers and four times the larger is 113. Find the integers.
- 5. Find three consecutive even integers such that one-fourth of the first plus one-seventh of the second plus one-half of the third is 13.
- **6.** Find the measure of two supplementary angles such that one angle is four-fifths as large as the other.
- 7. A 67-inch piece of string is cut into three pieces such that the second piece is three times as large as the first, and the third piece is four more than five times as large as the first. Find the lengths of the three pieces of string.
- 8. Billie-Jean King won three fewer singles titles at Wimbledon than Martina Navratilova. If the sum of their single wins was fifteen, how many singles titles did each of these women win at Wimbledon?
- 9. Five sevenths of a number is one-tenth. Find the number.
- **10.** The measures of the angles of a particular triangle are such that the second angle is 6 degrees less than the first, and the third angle is four times as large as the first. Find the measure of all three angles.
- **11.** One-half of the integer is eight more than the integer. Find this integer.

Name	Name	
Date		
1		
2		
3		
4		
5		
6		
_		
7		
8.		
9		
10		

11.

#### Additional Exercises 2.5 (cont.)

Write an equation for each example and then solve the equation and answer the question.

- **12.** If six is subtracted from eight times a number, the result is the sum of 10 times the number and twenty.
- **13.** If a number is subtracted from seven, the result is three times the difference of the number and 7.
- **14.** Find three consecutive integers such that the sum of five times the first, six times the second and seven times the third is 148.
- **15.** Find three consecutive even integers such that twice the first minus three times the second plus five times the third is 54.
- **16.** Find three consecutive even integers whose sum is zero.
- **17.** Find three consecutive odd integers such that if six times the first is subtracted from the sum of twice the second plus five times the third, the result is 53.

Find the perimeter of the following geometric figures.

- **18.** A rectangle has a perimeter of 98 inches. The width is two inches less that twice the width.
- **19.** A trapezoid has a perimeter of 63 meters. The two nonparallel sides have the same length; but the top base is twice as long as the side, and the bottom base is three times as long as the side. Find the length of each side.
- **20.** An isosceles triangle has two sides that have the same length. If a particular isosceles triangle has the two equal sides that are three more than twice the third side each, and the perimeter is 96 inches, find the length of each side.

Name	
12	
13	
14	
15	
16	
16	
17	
17	
18	
19	
20	
20	

## **Additional Exercises 2.6**

Substitute the given values into the formula and solve for the unknown variable.

- 1.  $m = \frac{y_2 y_1}{x_2 x_1}$  when  $m = \frac{1}{3}$ ,  $y_1 = 3$ ,  $x_2 = 7$ , and  $x_1 = -2$
- 2.  $V = \frac{1}{3}\pi r^2 h$  when V = 47.1 and r = 3 (Use 3.14 for  $\pi$ .)
- 3.  $V = \frac{4}{3}\pi r^3$  when r = 9 (Use 3.14 for  $\pi$ .)
- 4.  $A = \frac{1}{2}h(B+b)$  when A = 45.5, B = 8, and h = 7
- 5. I = PRT when I = 1200, R = 4%, and P=10,000
- 6. y = mx + b when y = 4, x = 9, and b = 2
- 7.  $V = \frac{1}{3}\pi r^2 h$  when r=5.5, h = 4.1. (Use 3.14 for  $\pi$ .) Round to nearest hundredths place.

8. 
$$S = 2\pi rh + 2\pi r^2$$
 when  $r = 6$ ,  $h = 10$  (Use 3.14 for  $\pi$ .)

Solve.

- 9. Convert 77° Fahrenheit to Celsius. Use the formula  $C = \frac{5}{9} (F 32).$
- **10.** Convert 55° Celsius to Fahrenheit. Use the formula

$$F = \frac{9}{5}C + 32$$

- **11.** A lawn is in the shape of a rectangle with a length of 100 feet and a width of 45 feet. How many whole bags of fertilizer must be purchased to cover the lawn if each bag covers 2000 square feet?
- **12.** A family is planning their vacation to Myrtle Beach from their home just outside Charlotte, North Carolina, a distance of 240 miles. They plan to average 60 mph. How long will the trip take?

Nan	Name	
Dat	e	
1.		
2.		
3.		
5.		
4.		
5.		
6.		
7.		
0		
8.		
9.		
10.		
11.		
12.		

Solve the following applications.

- 13. The perimeter of a pentagon is 130 centimeters. The sides are x centimeters, 0.5x centimeters, 2x centimeters, and two sides are 1.5x centimeters. Find the length of each of the five sides.
- 14. It is approximately 266 miles from San Antonio, Texas to Fort Worth, Texas. If Carlos and his family leave Fort Worth at 4:30 am, at approximately what time will they arrive in San Antonio if they travel 50 miles per hour?

Solve each formula for the specified variable.

<b>15.</b> $P = a + b + c + d$ for <i>d</i>	15
<b>16.</b> $x - 7y = 14$ for $y$	16
<b>17.</b> $V = \frac{1}{3}Ah$ for A	17
<b>18.</b> $S = 4lw + 2hw$ for <i>l</i>	18
<b>19.</b> $Ax + By = C$ for <i>y</i>	19
<b>20.</b> $Ax + By = C$ for <i>x</i>	20

Name \_\_\_\_\_

13. \_\_\_\_\_

14. \_\_\_\_\_


# **Additional Exercises 2.7**

Substitute the given values into the formula and solve for the unknown variable.

- **1.** What number is 88% of 340?
- **2.** What number is 15% of 315?
- 3. The number 209 is what percent of 950?
- 4. The number 211.2 is what percent of 320?
- 5. The number 3412.5 is 75% of what number?
- 6. The number 770 is 5% of what number?

Solve the following applications.

The circle graphs show sales of recorded music and music videos in 2005. Use it to answer the following questions.



- 7. What percent of the recorded music sold was pop?
- **8.** If \$12 billion in recorded music was sold in 1995, what was the value of rock music sold?
- **9.** If \$12 billion in recorded music was sold in 1995, what was the value of rap music sold?

#### Solve.

- 10. A popular clothing store advertised all coats reduced by 25%. If the price of a coat before the discount was \$150, find the discount and new price.
- 11. The price for a pound of cheese rose from \$1.70 per pound to \$2.30 per pound. Find the percent of increase. Round to the nearest whole percent.

7.	 
9.	 
10.	 
11.	 

Name	;
Date	
1	
1	
2	
3	
4	
5	
6	

Solve.

v C.		
12.	A recent dinner at a local restaurant cost \$80.25 including tax. Find the total cost if a 15% tip is added to the cost.	12
13.	Hosea's salary increased 8% this year. If his salary was \$44,000, find his new salary.	13
14.	Susanne received a 9% raise this year. Find her original salary if her new salary is \$55,590.	14
15.	Find the raise and the old salary if, after a 6% pay raise, this year's salary is \$53,000.	15
16.	How many liters of a 20% salt solution must be added to 30 liters of a 15% solution to get a solution that is 18% salt?	16
17.	Peanut Brittle can be made for \$2.50 per pound and sold for \$5.50 per pound. Find the percent increase.	17
18.	The cost of a textbook rose from \$110 to \$150. Find the percent of increase rounded to the nearest percent.	18
19.	Find the original price of a pair of jeans if the sale price is \$56.25 after a 25% discount.	19
20.	How much water should be added to 60 gallons of a solution that is 80% antifreeze in order to get a mixture that is 60% antifreeze?	20

Name \_\_\_\_\_

# **Additional Exercises 2.8**

Complete the table.

		Number of Coins or Bills	Value of Coins or Bills (in dollars)
1.	Pennies	Х	
2.	Dimes	у	
3.	Quarters	Z	
4.	\$5 bills	5x	
5.	\$20 bills	(30 - x)	
6.	\$100	(25 – z)	
	bills		

Substitute the given values into the formula and solve for the unknown variable.

- 7. A train traveling 120 mph east from Paris passes the Midnight Special which was traveling the same direction at a speed of 80 mph. The slower train had a 1 hour head start. How far were the two trains from their starting points when the pass occurred?
- **8.** How long will it take a car traveling 65 mph to pass a car traveling 50 mph if the slower car has a 2 hour lead?
- **9.** A family drove from just south of Pittsburgh to Meadville, Pennsylvania at 55 miles per hour and returned the same route traveling only 40 miles an hour due to the icy conditions. The total travel time was 4.75 hours. Find the distance one way.
- **10.** Victoria is counting all of the quarters and dimes from the family piggy bank for the month. If there are 12 times as many dimes are there are quarters, and the total change is worth \$21.75, how many quarters and how many dimes were in the piggy bank?
- 11. Harrington received a \$30,000 inheritance from his grandfather. For the first year, he invested part of the money in an account at 6% simple interest and the remainder of the money in an account at 9% simple interest. If he received \$2100 in interest for the year, find the amount invested in each account.

Name	 	 
Date		 
1.		
2.	 	 
<i>L</i>	 	 
2 3 4 5	 	 

6.

7	 
8	 
9	 
10	 
11	

Substitute the given values into the formula and solve for the unknown variable.

<b>12.</b> What number is 120% of 86?		12
<b>13.</b> The number 650 is what percent	of 130?	13
<b>14.</b> The number 600 is what percent	of 400?	14
Solve.		
<ol> <li>The Myers Center Auditorium in seats. Ticket prices for a recent p and \$25 for children. If the proce- many adults and how many child</li> </ol>	play were \$50 for adults eeds totaled \$19,250, how	15
<ul><li>16. Jeff and Adrianna were 9 miles a Jeff walked twice as fast as Adri 1.5 hours to meet. Find the rate of the state of the sta</li></ul>	ianna, and it took	16
<ul><li>17. Mark drove his new hybrid 60 n 70 miles per hour for the rest of Columbia, SC. If the entire trip 4.5 hours, how many miles was rate?</li></ul>	the trip home from was 310 miles and took	17
<b>18.</b> Part of the proceeds from the ch \$10 bills and \$20 bills. If there v bills, find the number of each de	vere twice as many \$20	18
<b>19.</b> A popular clothing store advertiscertain percent. If the price of a was \$400 and the price after the the rate of discount and amount	suit before the discount discount was \$260, find	19
<b>20.</b> How many liters of a 3% saline an 8% saline solution to obtain 2 solution?		20

Name

## **Additional Exercises 2.9**

Graph each on a number line.

1. 1.  $x \ge -7$ **2.** x < 22. 3.  $4 < x \le 8$ 3. Solve each inequality. 4. \_\_\_\_\_ 4. 2x - 8 < 145. 5. -x - 1 > 2x + 86.  $-3x \le 15$ 6. \_\_\_\_\_ 7. 2x+10 > 4x-67. \_\_\_\_\_ 8. 7 - x < 7 + 3x8. \_\_\_\_\_ 9. \_\_\_\_\_ 9.  $4(x+3) \ge 2x-8$ 10. -3(2x-3)-8 > -x+3(x+1)10. \_\_\_\_\_ 11. 0.2(x+1.3) > 0.1(1+x)11. \_\_\_\_\_ 12.  $(x+\frac{1}{3})-2x \ge \frac{1}{2}x+\frac{5}{6}$ 12. \_\_\_\_\_ 13.  $5(2x-1)-8x \le -2(3x-2)-5$ 13. 14. -0.2(x+3)+0.6 > -0.1(x+0.3)+1.614. \_\_\_\_\_ **15.**  $-0.8(x-0.6) \ge 0.2(x-1)$ 15. 16.  $\frac{1}{2}(x-\frac{1}{3}) < \frac{1}{3}(\frac{3}{4}x-\frac{1}{6})$ 16. \_\_\_\_\_

Name \_\_\_\_\_

Date


Solve the following.

- **17.** One side of a triangle is three times as long as a second side, and the third side is 14 meters. If the perimeter can be no longer than 86 meters, find the maximum lengths of the other two sides.
- **18.** A 200-pound person uses 5.29 calories per minute when walking. If Julia, who weighs 200 pounds, walks 40 minutes each day, how many days will it take Julia to walk off at least 500 calories?
- **19.** James and Alexandra have \$1000 to spend on their 10<sup>th</sup> anniversary celebration. If the club charges \$150 cleanup fee and \$15 per person, find the greatest number of people that they can invite and stay within their budget.
- **20.** Sandra has test scores of 86, 82, 95, and 93 in her Introductory Algebra class. She wants to make an A average which at her college is 90 or above. What is the lowest score she can make on the final, if the final counts as two test grades?

Name	
17	
18	
19	
20	

# **Additional Exercises 3.1**

The following bar graph shows some of the worst hurricanes in the history of the United States and the number of people killed in those hurricanes.



- **1.** Which of these five hurricanes caused the most loss of life?
- 2. Approximately how many more people were killed in the Galveston hurricane in 1900 than were killed in the 1919 Atlantic Gulf hurricane?

Plot and label each ordered pair. State in which quadrant, if any, each point lies.

**3.** (-5,4)


Name			

Date



2.\_\_\_\_\_

3.




Name \_\_\_\_\_

Plot and label each ordered pair. State in which quadrant, if any, each point lies.

ach point lies.	 4.	
<b>4.</b> (0,0)		
5. (3,0)	5.	
<b>6.</b> (0,-4)	6.	
7. (2,6)	7.	
<b>8.</b> (-5,-3)	8.	

Find the *x*- and *y*-coordinates of the following labeled points and state in which quadrant the point lies, if any. If the point is not in a quadrant, tell on which axis the point is located.



0

- 3

0

Name \_\_\_\_\_

Complete the table of values for each given linear equation.

**17.** 
$$-x = 2y$$

**18.**  $y = \frac{1}{3}x - 2$ 

-

y	=	0
	y	<i>y</i> =

E-36

**19.** x = 0

x	у
0	
	0
4	
	4

Name \_\_\_\_\_

x	у
	0
0	
	6
	9

y

-5 0 2

x

20.

19.

17.

18.

x	у
-4	
0	
2	

# **Additional Exercises 3.2**

Graph each equation on the same set of axes. Discuss how the graphs are similar and how they are different.


1. 
$$y = -\frac{3}{4}x; y = -\frac{3}{4}x + 2$$

$$2. \quad y = \frac{3}{4}x; y = \frac{3}{4}x - 4$$


3. 
$$y = -3x; y = -3x + 5$$

4. 
$$y = -\frac{1}{3}x; y = -\frac{1}{3}x + 3$$

Name			_
Date			



4.



Name \_\_\_\_\_

5.

Graph each linear equation.

5. 
$$y = 3$$


6. 
$$x = -4$$

7. 
$$x + y = -4$$

#### 8. x - y = 8

	V	
5.	- <b></b> /	
Э.		
		X
		~
	┼┼╋┼┼┼┼┼	+
6.		
0.		
	<b>→→</b> <i>Y</i>	+
	<del>, , , , , , , , , ,</del>	
		X
7		
7.	V	
	┼┼╋╎╎╎╎	
	+ + + + + + + + + + + + + + + + + + + +	+
	$    \mathbf{L}          $	
	******	X
	┼┼╋┼┼┼┼┼	+
	T	





Name \_\_\_\_\_

Graph each linear equation.

9. 
$$-x + 2y = 6$$
 9.
 9.
 9.

 10.  $y = -2x + 5$ 
 10.
 10.
 10.

 11.  $y = 6x$ 
 11.
 11.
 11.

 12.  $y = -2x$ 
 12.
 12.
 13.  $x + 2y = 8$ 
 13.

Name \_\_\_\_

17.

X

X

Graph each linear equation.

14. 
$$y = \frac{2}{3}x - 2$$
 14.
 Image: state in the state in the

17. 
$$2x - y = 4$$




Name \_\_\_\_

Graph each linear equation.

18. 
$$x = -\frac{3}{4}y$$
 18.

 19.  $y = x + 2$ 
 19.


20.




**20.** x + y = 4

# **Additional Exercises 3.3**


The following graphs are windows from a TI-84 graphing calculator. Identify the intercept points if each tick is one unit.



**4.** Graph the line with *x*-intercept at (-4,0) and *y*-intercept at (0,4).



4.



Name \_\_\_\_\_

Graph each linear equation by finding *x*- and *y*-intercepts. Check by finding a third point on the line.

5. 4x + y = -1



**6.** 
$$3y = x - 6$$




$$7. \quad -x - 2y = 6$$




#### 8. 2x + 4y = 10

x	у
0	
	0




8.



Name \_\_\_\_\_

Graph each linear equation.



Graph each pair of linear equations on the same set of axes. Discuss how they are alike and how they are different.

13. 
$$y = -x; y = -x - 4$$
 13.  $y = -x; y = -x - 4$ 

 14.  $3x = -6; -3x = -9$ 
 14.  $y = 1$ 

 15.  $-y + 2 = -1; -2y - 2 = 4$ 
 15.  $y = 1$ 

 16. Two lines in the same plane that do not intercept are called parallel lines. Graph the line  $x = -2$ . Then graph a line parallel to the line  $x = -2$  that intersects the x-axis
 16.  $y = 1$ 

at 3. What is the equation of this line?

X

X

X

At Toni's Furniture Production, it takes 5 hours to manufacture a certain bed and 8 hours to manufacture a matching chest. If a total of 400 hours is available to manufacture these beds and chests, then the linear equation that models this situation is 5x + 8y = 400

- 17. Complete the ordered pair solution, (0, ) of this equation. Describe the manufacturing situation that corresponds to this solution.
- **18.** Complete the ordered pair solution, ( ,0) of this equation. Describe the manufacturing situation that corresponds to this solution.
- 19. Use the ordered pairs found in problems 18 and 19 to graph the equation 5x + 8y = 400

**20.** If 25 chests are manufactured, find the greatest number of beds that they can make.


17
10
10.

Name

	T			
		1 1 1	1 1	
				^

20.
-----

# **Additional Exercises 3.4**




Find the slope of the line that goes through the given points.

- **4.** (4,2) and (4,5)
- 5. (3,-7) and (5,-7)
- 6. (7, 3) and (5, -2)
- 7. (7,12) and (8,10)
- 8. (-3,-5) and (-6,-4)



Name

9. Determine which line in the graph has the greater slope.



Find the slope of each line.

- 10. y = -2x + 1 10. \_\_\_\_\_\_

   11. 2x 6y = 8 11. \_\_\_\_\_\_
- **12.** 4 y = 0

**13.** 
$$-x = 2y$$

Determine whether the lines are parallel, perpendicular, or neither.

**14.** 3x + y = 6x - 3y = 12**15.** x - 4y = 84y = x - 12**16.** x - 5y = 7

x + 5v = 9

Using the points given, (a) find the slope of the line parallel and (b) find the slope of the line perpendicular to the line through each pair of points.

- 17. (8, 3) and (14, 6)
  18. (-5, -6) and (7, 9)
- **19.** Find the slope of a ski run that rises 100 feet over a run of 280 feet.
- **20.** The grade of a road is its slope written as a percent. Find the grade of a road that rises 7 feet over a run of 50 feet.

10	 	 
11	 	 
12	 	 
13	 	 
14	 	 
15		
16	 <u> </u>	 
17	 	 
18	 	 
19	 	 
20		

Name \_\_\_\_\_

9. \_\_\_\_\_

# **Additional Exercises 3.5**

Write the equation of each line in slope-intercept form and standard form if possible.

standard form if possible.	
<b>1.</b> Vertical line through the point (5,2)	1
<b>2.</b> Horizontal line through the point (5,2)	2
<b>3.</b> Line parallel to $x = 4$ through the point $(0, 0)$	3
4. Line perpendicular to $x = 5$ through the point (2,-6)	4
<b>5.</b> Through (0, 5) and (3, 4)	5
6. Through $(\frac{1}{2}, 3)$ and $(2, -\frac{1}{2})$	6
7. With slope $-\frac{3}{5}$ through (1, 5)	7
8. Through $(2, 3)$ perpendicular to the <i>y</i> -axis	8
<b>9.</b> Through (2, 3) and parallel to the <i>y</i> -axis	9
	10
<b>10.</b> Through $(-5, -2)$ perpendicular to the <i>x</i> -axis	10
<b>10.</b> Through (-5, -2) perpendicular to the <i>x</i> -axis Write the equation for the line and write your answer in y = mx + b form and in standard form where possible.	10
Write the equation for the line and write your answer in	10
Write the equation for the line and write your answer in $y = mx + b$ form and in standard form where possible.	
Write the equation for the line and write your answer in $y = mx + b$ form and in standard form where possible. <b>11.</b> Through (5, -3) parallel to the <i>x</i> -axis	11
Write the equation for the line and write your answer in $y = mx + b$ form and in standard form where possible. 11. Through (5, -3) parallel to the <i>x</i> -axis 12. $m = -\frac{1}{5}$ through the point (5,3)	11 12
Write the equation for the line and write your answer in $y = mx + b$ form and in standard form where possible. 11. Through (5, -3) parallel to the <i>x</i> -axis 12. $m = -\frac{1}{5}$ through the point (5,3) 13. $m = 2$ through the point $(\frac{1}{2}, \frac{1}{3})$	11 12 13
Write the equation for the line and write your answer in $y = mx + b$ form and in standard form where possible. 11. Through (5, -3) parallel to the <i>x</i> -axis 12. $m = -\frac{1}{5}$ through the point (5,3) 13. $m = 2$ through the point $(\frac{1}{2}, \frac{1}{3})$ 14. $m = -1$ through the point (0,4)	11.         12.         13.         14.
Write the equation for the line and write your answer in $y = mx + b$ form and in standard form where possible. 11. Through (5, -3) parallel to the <i>x</i> -axis 12. $m = -\frac{1}{5}$ through the point (5,3) 13. $m = 2$ through the point $(\frac{1}{2}, \frac{1}{3})$ 14. $m = -1$ through the point (0,4) 15. Through (-1,-4) and (0,5)	11.         12.         13.         14.         15.
Write the equation for the line and write your answer in y = mx + b form and in standard form where possible. 11. Through (5, -3) parallel to the <i>x</i> -axis 12. $m = -\frac{1}{5}$ through the point (5,3) 13. $m = 2$ through the point $(\frac{1}{2}, \frac{1}{3})$ 14. $m = -1$ through the point (0,4) 15. Through (-1,-4) and (0,5) 16. (-9, 2) and (0, 0)	11.         12.         13.         14.         15.         16.

**20.** Through the *y*-intercept -6 and the *x*-intercept -2.

20.\_\_\_\_

Name \_\_\_\_\_

Date \_\_\_\_\_

## **Additional Exercises 3.6**

Find the domain and range of each relation.


- 1.  $\{(-1,-4), (-1,-2), (-1,0), (-1,2)\}$
- **2.** {(7,-1), (5,-1), (3,-1), (1,-1)}

Determine if the set of points represents a function.


- **3.** {(-1,-4), (-1,-2), (-1,0), (-1,2)}
- 4.  $\{(7,-1), (5,-1), (3,-1), (1,-1)\}$

Use the vertical line test to determine whether each graph is the graph of a function.





6.



Name
Date
1
2
3
4

5. \_\_\_\_\_

6. \_\_\_\_\_


Use the vertical line test to determine whether each graph is the

Additional Exercises 3.6 (cont.)



graph of a function.

7.



Given the function  $f(x) = x^2 - 4x$ , find the indicated function values.

- **9.** *f*(-2)
- **10.** *f*(0)
- **11.** *f*(2)


Given the function  $f(x) = -x^2 + 1$ , find the indicated function values.

- **12.** *f*(0)
- **13.** *f*(-5)
- **14.** *f*(3)

Name \_\_\_\_\_

7. \_\_\_\_\_

8. \_\_\_\_\_




Copyright © 2017 Pearson Education, Inc.

Copyright © 2017 Pearson Education, Inc.


### Additional Exercises 3.6 (cont.)

The graph below shows the estimated cost of raising a child born between 1995 and 2000. Estimates are for the younger child in a two-parent, two child, middle income family.




- **15.** Approximate the cost in the year 1998.
- **16.** Approximate the cost in the year 2000.
- **17.** Is this the graph of a function? Why or why not?
- 18. The profit a company makes when producing x units of a product is given by the equation P(x) = 45x 10,000. Find the amount of profit the company makes by producing 500 units.

Find the domain and the range of each relation graphed. **19.** 



Solve.

**20.** If a certain linear function f(x) is evaluated at 0, the answer is 4. In other words, f(0) = 4. If the same function f(x) is evaluated at 3, the answer is 5. In other words, f(3) = 5. Use this information to find the equation of the function in f(x) = mx + b form.



19.

20.

Name

# **Additional Exercises 4.1**

Determine whether the ordered pair satisfies the system of linear equations.

1. 2x = y - 5 (-2, 1) x + y = -1

**2.** 
$$2x - 3y = 6$$
 (0, -2)  
 $2x + y = 10$ 

**3.** -x + 3y = -11 (5, 2) 3x - y = 17

4. 
$$\frac{3}{4}x + \frac{2}{3}y = \frac{-19}{6}$$
 (-6, 2)  
 $y = -\frac{1}{3}x$ 


Solve each system of equations by graphing.

5.  $y = \frac{2}{3}x - 1$ y = -x + 4

6. 
$$y = -2x + 1$$
  
 $y = x - 5$ 

7. 
$$y = \frac{1}{2}x - 3$$
  
 $y = \frac{3}{2}x - 1$ 

Name _	 
Date	 
1	 
_	
2	 
2	
3	 
1	
4.	



Name \_\_\_\_

Solve each system of equations by graphing.

Solve each system of equations by graphing.


**13.** 
$$3x - y = 1$$
  
 $4x + 3y = -3$ 

**14.** 
$$x - y = 4$$
  
 $x + 2y = -2$ 

**15.** 
$$x - 2y = 2$$
  
 $y = \frac{1}{2}x - 1$ 

**16.** 
$$3x - 2y = 7$$
  
 $4y + 14 = 6x$ 

**17.** 
$$y = 3x - 1$$
  
 $3x - y = 5$ 




Name


Solve each system of equations by graphing.

**18.** 
$$\frac{2}{5}x = y + \frac{7}{5}$$
  
 $2x - 5y = 2$ 

The following graph shows the number of home runs hit by Hank Aaron and Babe Ruth during their first 8 years in the major leagues.



- **19.** In what year did Babe Ruth and Hank Aaron hit close to the same number of home runs?
- 20. In which year did Hank Aaron hit the most home runs?



19	 	 
20.		

# **Additional Exercises 4.2**

Solve each system of equations by substitution.

1. $2x + y = 16$ y = 2x
2. $3x + y = 7$ y = 4x
3. $x = 3y - 1$ x + 2y = 14
4. $4x - y = 7$ y = 2x - 3
5. $2x - 3y = 16$ x = 4y + 3
6. $x + 6y = 6$ 3x - 4y = -4
7. $2x + 3y = 14$ x + 2y = 7
8. $\frac{1}{2}x + \frac{1}{2}y = 5$ x - y = 8
9. $5x - 3y = -11$ x - 2y = 2
<b>10.</b> $5x - y = 4$ 10x - 2y = 10
11. $5x + 2y = 4$ 3x + y = 9
<b>12.</b> $4x + 3y = 9$ 3x + 4y = 12

Nam	ne
Date	
1.	
2.	
3.	
4.	
5	
5.	
6.	
7	
/.	
8.	
9	
10.	
100	
11.	
12.	

Solve each system of equations by substitution.

<b>13.</b> $3x - 5y = 15$ $y = \frac{3}{5}x - 3$
<b>14.</b> $2x - y = -7$ 4x - y = -27
<b>15.</b> $2x + 3y = 7$ $y = -\frac{2}{3}x + 3$
<b>16.</b> $x - y = 3$ 6x + 4y = 13
<b>17.</b> $3x + 3y = 7$ 4x - y = 6
<b>18.</b> $3y + 1 = 7x$ 14x - 2 = 6y

Suppose that the demand and supply equations for coal in a certain marketing area are y = -2x + 150 and y = 3x, respectively, where x is the price per ton in dollars and y is the quantity of coal in thousands of tons. In economics, *market equilibrium* is said to occur when these equations are solved simultaneously. Solve the system using substitution to answer the following.

- **19.** At what price per ton will the market reach equilibrium?
- **20.** How much coal needs to be sold to reach market equilibrium?

Name	 	 
13		
13		 
14		
14	 	 
15	 	 
16		
17	 	 
18	 	 
19	 	 
20.		

## **Additional Exercises 4.3**

Solve each system of equations by addition.

- 1. 2x + y = 3- 2x + 5y = -9
- 2. 3x + 5y = 02x - 5y = -25
- **3.** -4x y = -64x - 3y = 18
- 4. 12 = x + 4y-36 = -5x + 4y
- 5. 5x + y = 25x - 3y = 14
- 6. 3x y = 5x - 2y = -5
- 7. 5x 2y = 43x + y = 9
- 8. x + 2y = 65x + 3y = 2
- 9. 3a 6b = 184a + 8b = 24
- **10.** 3x + 4y = 114x - 3y = 23
- **11.** -7x + 8y = -162x - 5y = 10

**12.** x - y = 5x = y + 3

Nar	ne
Dat	e
1	
1.	
2.	
3.	
4	
4.	
5.	
(	
6.	
7.	
0	
8.	
9.	
10.	
11.	
12.	

Solve each system of equations by addition.

13. 2x + y = 5  $\frac{1}{2y} = -x + \frac{5}{2}$ 14.  $\frac{1}{3}x + \frac{1}{2}y = -4$   $\frac{1}{6}x - \frac{1}{2}y = 1$ 15. 2x - 3y = 6 3x + 4y = -216. 3x - 5y = 7 5x - 2y = -117. 5x + 2y = 710x + 4y = 13

**18.** x + 2y = 8 $y = -\frac{1}{2}x + 4$ 

If the supermarket price of a certain cut of beef is p dollars per pound, then q million pounds will be sold according to the demand equation p + q = 4. When the price is p dollars per pound, the packing company will supply q million pounds of meat according to the supply equation p - 4q = -6. Use the addition method to find the point of market equilibrium to answer the following.

- 19. At market equilibrium, what is the price per pound?
- **20.** At market equilibrium, how many pounds of meat will be supplied?

Name	
13.	
_	
14	
17	
15.	
_	
16	
16.	
17.	
_	
18	
10	
10	
19	
• -	
20	

# **Additional Exercises 4.4**

Solve each problem using systems of equations.

- 1. The sum of two numbers is 56. Their difference is 4. Find the two numbers.
- 2. The sum of two numbers is 44. The second number is 5 more than twice the first. Find the numbers.
- **3.** The difference between two numbers is 16. Five times the smaller is the same as 8 less than twice the larger. Find the numbers.
- 4. Two records and three tapes cost \$31. Three records and two tapes cost \$29. Find the cost of each record and tape.
- 5. At school, two photography packages are available. Package A contains 1 class picture and 10 wallet-size pictures for \$19. Package B contains 2 class pictures and 15 wallet-size pictures for \$31. Find the cost of a class picture and the cost of a wallet-size picture.
- 6. A broker invested a total of \$4500 in two different stocks. One stock earned 9% per year. The other earned 6% per year. If \$360 was earned from the investment, how much money was invested in each?
- 7. The price of admission for a concert was \$9 for adults and \$4 for children. Altogether, 1770 tickets were sold, and the resulting revenue was \$14,680. How many adults and how many children attended the concert?
- 8. Mike made a trip in 40 hours. Joe made the same trip in 30 hours because Joe was traveling 6 km per hour faster. How many km was the trip?
- **9.** The hiking club hiked to a state park at 4 mph. They got a ride back to town in a truck that went 20 mph. If the round trip took 18 hours, how far was it from town to the park?
- **10.** When Lucy swims with the current, she swims 18 km in 6 hours. Against the current, she can swim only 14 km in the same time. How fast can Lucy swim in still water? What is the rate of the current?

#### Additional Exercises 4.4 (cont.)

- **11.** A druggist has one solution that is 10% iodine and another solution that is 50% iodine. How much of each solution should the druggist use to get 100 ml of a mixture that is 20% iodine?
- **12.** A chemist has one solution that is 20% alcohol and another that is 60% alcohol. How much of each solution should the chemist use to get 100 ml of a solution that is 52% alcohol?
- **13.** The perimeter of a rectangle is 54 cm. Two times the height is 3 cm more than the base. Find the length of the height and length of the base.
- 14. The perimeter of a rectangle is 58 inches. The base is 5 more than three times the height. Find the length of the height and the length of the base.
- **15.** The sum of the legs of a right triangle is 17 inches. The longer leg is 2 more than twice the shorter. The hypotenuse is 13 in. Find the length of each leg.
- **16.** Todd has 27 total coins in his bank, all dimes and quarters. The coins have a total value of \$4.95. How many of each coin does he have?
- **17.** Two angles are complementary. The larger angle is 6 less than 5 times the smaller angle. Find the measure of each angle.
- 18. The two acute angles of a right triangle are complementary. The larger angle is  $1\frac{1}{2}$  times larger than the smaller angle. Find the measure of each angle.
- **19.** Two angles are supplementary. The larger angle is 15° less than twice the smaller angle. Find the measure of each angle.
- **20.** Brady spent \$8.35 on four pretzels and five cokes. Two cokes cost \$0.35 more than one pretzel. Find the cost of a pretzel and the cost of a coke.

Name	;
12	
13	
14	
15	
16	
17	
18	
19	
20	

Determine which ordered pairs given are solutions of the linear inequality x - 2y > 8.

- **1.** (2, -5)
- **2.** (-2, 4)
- **3.** (4, -2)

Determine which ordered pairs given are solutions of the linear inequality x - y > 5.

- **4.** (1, -4)
- **5.** (-4, -3)
- **6.** (7, −1)

Determine which ordered pairs given are solutions of the linear inequality  $3x - 4y \ge 2$ .

- 7. (-1, -2)
- **8.** (2, 1)
- **9.** (3, 2)

Determine which ordered pairs given are solutions of the linear inequality x > 2y.

- **10.** (-4, -3)
- **11.** (-10, -5)

Graph each inequality.

**12.** 
$$x + y \le 6$$

Nam	e
Date	
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	

Х

#### Additional Exercises 4.5 (cont.)

Name\_


X

X

X

x

X



#### Additional Exercises 4.5 (cont.)


Name

Graph each inequality.

**18.**  $x \ge -7$ 

**19.**  $x \le 7y$ 

**20.** x + 4 > 0



Graph the solution of each system of inequalities.

$$1. \begin{cases} -4x < y \\ x + 2y < 3 \end{cases}$$

$$\mathbf{2.} \quad \begin{cases} -3x < y \\ x + 3y < 4 \end{cases}$$


$$\mathbf{3.} \begin{cases} 4x - 4y \ge -12\\ 2x + y \le 5 \end{cases}$$

$$4. \begin{cases} 3x - 4y \ge -9\\ 2x + y \le 4 \end{cases}$$

5. 
$$\begin{cases} 5x - 2y \ge -15 \\ 2x + y \le 4 \end{cases}$$







#### Additional Exercises 4.6 (cont.)

Name

Graph the solution of each system of inequalities.

6. 
$$\begin{cases} 2x-5y \ge -4 \\ 3x+y \le 5 \end{cases}$$
6. 
$$\begin{bmatrix} y \ge 3 \\ x < -4 \end{cases}$$
7. 
$$\begin{cases} y \ge -5 \\ x < -5 \end{cases}$$
7. 
$$\begin{cases} y \ge -5 \\ x < -5 \end{cases}$$
8. 
$$\begin{bmatrix} y \ge -5 \\ x < -5 \end{cases}$$
9. 
$$\begin{cases} y \le 3 \\ x > -4 \end{aligned}$$
10. 
$$\begin{bmatrix} y \le -4 \\ x > 4 \end{aligned}$$
10. 
$$\begin{bmatrix} y \le -4 \\ x > 4 \end{aligned}$$

X

Х

X

Х

#### Additional Exercises 4.6 (cont.)

Name\_

Graph each inequality.

11. 
$$\begin{cases} 2x + 4y \le 8 \\ x < 3 \end{cases}$$
 11.

 12.  $\begin{cases} 3x + 2y \le 6 \\ x < 3 \end{cases}$ 
 12.

 13.  $\begin{cases} 2x + 4y \le 8 \\ x < 4 \end{cases}$ 
 13.

$$14. \begin{cases} 2x+2y \le 4\\ x < -2 \end{cases}$$

$$15. \begin{cases} 3x - 3y \le 9\\ y \le -2 \end{cases}$$

x X Х 14. Х 15.

Х

#### Additional Exercises 4.6 (cont.)

Name

Graph the solution of each system of inequalities.


$$16. \begin{cases} 4x - 2y \le 8\\ y \le 2 \end{cases}$$

$$17. \begin{cases} 2x - y > 4 \\ y < 3 \end{cases}$$

$$\begin{array}{l} \mathbf{18.} \begin{cases} 3x - 3y \le 9\\ y \le 5 \end{cases}$$

$$19. \begin{cases} y \ge \frac{1}{2}x + 6\\ y \le \frac{1}{2}x - 4 \end{cases}$$

$$20. \quad \begin{cases} y \ge \frac{1}{4}x + 1\\ y \le \frac{1}{4}x - 7 \end{cases}$$



Evaluate each expression.

**1.** 
$$7^3$$
  
**2.**  $(-3)^4$ 

Evaluate each expression for the given value of *x*.

3. 
$$4x^{5}$$
; x is 3  
4.  $\frac{10}{x^{2}}$ ; x is -5

Use the product rule to simplify.

5. 
$$(m^5n^3)(-8mn^7)$$
  
6.  $(5x^4y^2)(x^3y^6)$ 

Use the power rule to simplify.

**7.** 
$$(z^3)^8$$
  
**8.**  $[(-5)^7]^4$ 

Simplify each expression.

9.  $(4x^3y^5z^2)^3$ 

$$10. \left(\frac{3a^5}{b^2}\right)^4$$

Simplify each quotient.

11. 
$$\frac{x^9}{x^5}$$
  
12.  $\frac{7a^4b^8}{a^2b^6}$ 

Nan	ne
Date	2
1.	
2.	
3.	
4.	
5	
6.	
7.	
0	
8.	
9.	
10.	
11	
11.	
10	
14.	

#### Additional Exercises 5.1 (cont.)

Simplify each expression.

13.	$\left(7^{0}\right)^{3}+\left(x^{0}\right)^{4}$
14.	$t^3 t^5 t^2$
15.	$(-4)^{3}$
16.	$\frac{9x^3y^7}{3xy^4}$
17.	$\left(3m^4n^6\right)^4$
18.	$(4x^3y^5)(-2x^3y^4)$
19.	$\left(\frac{2a^3}{b^4}\right)^5$
20.	$\frac{\left(3x^5y^3\right)^4}{-27x^{12}y^8}$

13.	
14.	
15.	 
16.	 
17.	 
18.	 
19.	
20.	 

Name\_\_\_\_\_

ses 5.2	Name
	Date
ynomial $5x^3 - 4x^2 - x - 7$ .	1
g polynomials and	
nomial, trinomial, or none	
	2
	2
	3
x = 0  and	
	4(a)
	4(b)
	5(a)
	5(b)
bining like terms.	
	6
	7
	8
m and the degree of the	9
$-5a^4$ .	
	10
	10
	11
r – 9)	12
/	

1. Complete the table for the polynomial  $5x^3 - 4x^2 - x - 7$ .

TermCoefficient $5x^3$ -4x-7

Find the degree of each of the following polynomials and determine whether it is a monomial, binomial, trinomial, or none of these.

- **2.** 7x 12
- 3.  $5 3x + 4x^2$
- Find the value of each polynomial when (a) x = 0 and (b) x = -1.
  - **4.** 3x 4
  - 5.  $x^2 6x + 2$

Simplify each of the following by combining like terms.

- 6.  $12x^3 + 9x^3$
- 7.  $7x^2 17x^2 + 6x$
- 8. 10xy 12xy + 2y y
- 9. Identify the degree of each term and the degree of the polynomial  $a^2b^4 7 + 3a^3b^3 + 5a^4$ .

Add or subtract as indicated.

- **10.** (15y+7) (-4y-5)
- **11.**  $(3a^2 7a 4) + (2a 5a^2 7)$
- **12.**  $(-x^2+3) (x^2-4) + (3x^2-4x-9)$

#### Additional Exercises 5.2 (cont.)

Add or subtract as indicated.

13. 
$$(15a^2 - 4a + 7) + (a^2 - 6a - 4) - (3a^2 - 8)$$
  
14.  $(5x - 7y + 4) - (-3x - y - 9)$   
15.  $\left(\frac{1}{3}x^2 + \frac{3}{4}y^2 - 8\right) - \left(\frac{4}{9}x^2 + \frac{5}{6}y^2 - 2\right)$   
16.  $(2x^2y - 7xy + x^2y^2 - 7) - (17x^2y^2 - 1 + 5yx^2)$ 

Evaluate the following expressions by combining like terms. Write the results in standard form.

- **17.** Add  $(7x^2 19x + 4)$  and  $(-x^2 + 4x 9)$ .
- **18.** Subtract (2y 15) from  $(3y^2 4y 8)$ .
- 19. Find the perimeter of a triangle with sides  $(4x 3x^2)$  in.,  $(5x^2 + 7)$  in., and (9 10x) in.
- **20.** A piece of gutter is  $(6y^2 4y + 3)$  meters. A piece  $(y^2 12)$  meters is cut off. Express the remaining length as a polynomial.

Name	
13	
14	
14	
15.	
16.	
17	
18	
19	
20	

Multiply.

<b>1.</b> $15x^2 \cdot 2x$
<b>2.</b> $(-5.2x^3)(2x^4)$
$3.  \left(-\frac{5}{7}y^4\right)\left(-\frac{2}{35}y^2\right)$
4. $(7x)(-5x^2)(x^7)$
<b>5.</b> $5y(2y^2 - 7y - 3)$
6. $-5a^2(ab-7b+6a)$
7. $4ab^2(3a^3 - 9a^2b^2 - 10b^3)$
8. $(y-15)(y+3)$
9. $\left(x+\frac{1}{5}\right)\left(x-\frac{2}{9}\right)$
<b>10.</b> $(5x-3)(4x+7)$
11. $(2x^2 - 7)(5x^2 + 10)$
<b>12.</b> $(6y - 11)^2$
<b>13.</b> $(y-8)(y^2-5y+8)$
<b>14.</b> $(7y-2)^2$
<b>15.</b> $(y-7)(y^2-4y+3)$
16. $\frac{2x^2 + 7x + 3}{\times x - 5}$
17. Write the expression for the area of a rectangle with sides $(3x + 5)$ and $(2x + 3)$ .
<b>18.</b> Find the area of a triangle with height $8x$ in. and base $(3x + 8)$ in.
19. Find the area of a rectangle with sides $(4x + 3)$ ft. and $(2x - 7)$ ft

(2x - 7) ft.
20. Find the area of a square with sides (3x - 5) m.

Name	
Date	
1	
2	
3.	
3	
4	
5	
6	
7	
8	
9	
10	
10	
11	
12 13.	
14	
15	
16	
17	
10	
18	
19	
20	

Multiply using the FOIL method.

1.	(x+4)(x+1)
2.	(3x - 11)(x + 2)
3.	(4x - 13)(x - 5)
4.	$(y^2 + 7)(y - 8)$
5.	$(a^2+b^2)(a+b)$
6.	$\left(x - \frac{7}{12}\right) \left(x + \frac{1}{12}\right)$
7.	(5-8a)(2-5a)

8. 
$$(x+7y)(3x-5y)$$

Multiply.

9.  $(x+100)^2$ 

- **10.**  $(x + 10.5)^2$
- **11.**  $(15a 2)^2$
- **12.**  $\left(y \frac{5}{9}\right)^2$
- **13.**  $(5y 12)^2$
- **14.** (x-20)(x+20)
- **15.** (6x 1)(6x + 1)
- **16.** (3x 15)(3x + 15)
- **17.**  $(8y^2 5)(8y^2 + 5)$
- $18. \left(7x \frac{2}{7}\right) \left(7x + \frac{2}{7}\right)$

Express the following as a product of polynomials in *x*. Then, multiply and simplify.

- **19.** Find the area of a rectangular rug if its length is (7x 5) ft. and its width is (x + 3) ft.
- **20.** Find the area of a square that has sides (8x 1) m.

Nan	ne
Date	e
1.	
2.	
3.	
4.	
5.	
6.	
0.	
7.	
8.	
9.	
10.	
11.	
12.	
18.	
19.	
20	

Simplify each expression. Write results with positive exponents.

- **1.** 5<sup>-2</sup>
- **2.**  $\left(-\frac{1}{3}\right)^{-4}$
- **3.**  $4^{-1} + 5^{-1}$
- **4.**  $7^{-1} + 3^{-1}$
- 5.  $\frac{1}{p^{-7}}$
- 6.  $(4x)^{-3}$
- 7.  $\frac{1}{(5x)^{-4}}$
- $8. \quad \left(\frac{x^{-5}y^3}{x^2y^9}\right)^2$
- **9.**  $(4)^2 (3)(5)^0$
- 10.  $\frac{(x^2)^4}{(x^5)^3}$

11. 
$$\frac{\left(a^2b^3c\right)^4}{\left(3a^{-1}b\right)^{-2}}$$

12. 
$$\frac{(-5xy^{-4})^{-3}}{(xy^{-2})^{-1}}$$

Write each number in scientific notation.

- 13. 0.0000087114. 12,000,000,000
- **15.** 0.00031

Write each number in standard notation.

**16.** 
$$784 \times 10^{-7}$$

- **17.**  $6.052 \times 10^6$
- **18.**  $8.072 \times 10^5$

Evaluate the following expressions using exponential rules. Write the results in standard form.

**19.** 
$$(6.1 \times 10^{3})(7 \times 10^{4})$$
  
**20.**  $\frac{2.7 \times 10^{-3}}{9 \times 10^{-7}}$ 

Nan	ne
Date	e
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8	
0.	
9.	
10.	
11.	
12.	
12	
17.	
18.	

Divide.

1.	$\frac{36x^2 - 24x - 18}{6}$
2.	$\frac{a^3b - a^2b^4}{ab}$
3.	$\frac{10x^2 - 15x - 55}{5}$
4.	$\frac{42p^3-21p^2}{7p}$
5.	$\frac{16a^3-12a^2+8a}{4a}$
6.	$\frac{5x^7 - 10x^6 + 20x^5}{5x^5}$
7.	$\frac{27x^2y^3 - 33xy^4 - 42x^2y}{3xy}$
8.	$\frac{5x^3 - 37x - 24}{x - 8}$
9.	$\frac{x^2 + 10x + 21}{x + 7}$
10.	$\frac{x^2-3x-40}{x+5}$
11.	$\frac{4x^2 - 11x - 3}{4x + 1}$
12.	$\frac{12x^2-5x-2}{3x-2}$
13.	$\frac{3a^3 + 20a^2 + 21a - 20}{a+5}$
14.	$\frac{21a^3 + 23a^2 - 9a - 10}{3a + 2}$

Name	
Date	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	

#### Additional Exercises 5.6 (cont.)

Name \_\_\_\_\_

Perform each division. Write the polynomials in descending order and fill in any missing terms.

15.	$\frac{x^3 + 125}{x + 5}$
16.	$\frac{x^3-8}{x-2}$
17.	$\frac{27x^3 - 64}{3x - 4}$
18.	$\frac{-5b+6b^2+4}{3b-1}$

Solve.

- 19. The area of the top of a pool table is  $(24x^2 + 34x + 5)$  square inches. If its length is (6x + 1) inches, find its width.
- **20.** The area of a rug is  $(12x^2 + x 6)$  square inches. If its length is (3x 2) inches, find its width.

15.	
16.	
17.	
18.	
19	 _
20.	

Find the GCF for each list.

1.	18, 36, 96	1
2.	$x^3y^4, x^2y^2, xy$	2
3.	$-12x^3$ , $36x^2$ , $42$	3

Factor out the GCF from each polynomial.

<b>4</b> . $3a^2 + 12a$	4
5. $5x^2y + 10xy^2 + 25x$	5
$6.  3x^4y^2 + 9x^3y^2 + 30xy$	6
7. $4y^4 + 8y^3 + 12y^2 - 4y + 24$	7
8. $4a^5b^3 - 2a^4b^2 + 5a^3b^2$	8
9. $4x^2y + 8x + 4$	9
<b>10.</b> $12y^5 + 4y^3 - 16y^2$	10
<b>11.</b> $6x^5y^5 - 12x^3y - 18x^2y^2$	11
<b>12.</b> $4a^4 + 16a^2 - 12a + 12$	12
<b>13.</b> $x(y+4) + 2(y+4)$	13
<b>14.</b> $c(a^2 + 5) - 3(a^2 + 5)$	14
<b>15.</b> $x(y+2) - 4(y+2)$	15

Factor the following four-term polynomials by grouping.

16. 
$$3x + 12 + xy + 4y$$
  
17.  $3y - 6 + xy - 2x$   
18.  $4x^2 - 16xy - 3x + 12y$   
19.  $3x^2 - 6xy - 5x + 10y$   
20.  $20x^3 + 45x^2 - 12x - 27$ 

Name \_\_\_\_\_

Date \_\_\_\_\_

Factor the following trinomials completely. Write "prime" if a polynomial can't be factored.

· ·	
1. $x^2 + 11x - 42$	1
<b>2.</b> $x^2 - x + 56$	2
<b>3.</b> $x^2 - x - 30$	3
<b>4.</b> $x^2 + x - 20$	4
5. $x^2 + 8x + 9$	5
6. $x^2 - 7x - 10$	6
7. $x^2 + 2x - 24$	7
8. $x^2 - 3x - 28$	8
<b>9.</b> $x^2 + 7x - 18$	9
<b>10.</b> $x^2 - 2x - 63$	10
<b>11.</b> $x^2 + 15x + 16$	11
<b>12.</b> $x^2 + 14xy + 45y^2$	12
<b>13.</b> $5x^2 - 5x - 30$	13
<b>14.</b> $105 - 36x + 3x^2$	14
<b>15.</b> $2x^2 + 14x - 12$	15
<b>16.</b> $x^3 - 5x^2 - 6x$	16
17. $x^3 - 7x^2 - 44x$	17
<b>18.</b> $4x^5 + 28x^4 + 40x^3$	18
<b>19.</b> $x^3y - 6x^2y^2 + 5xy^3$	19
<b>20.</b> $-24y^3 + 10y^4 + 2y^5$	20

Name \_\_\_\_\_

Date \_\_\_\_\_

Complete the following.

- 1.  $6y^2 y 1 = (3y + 1)($  ) 2.  $4y^2 - 8y - 5 = (2y - 5)($  ) 3.  $3y^2 - 13y - 10 = (3y + 2)($  )
- **4.**  $15y^2 + y 2 = (5y + 2)($  )

Factor the following trinomials completely. Write "prime" if a polynomial can't be factored.

5.  $15x^2 + 7x - 2$ 6.  $8x^2 - 10x + 3$ 7.  $6x^2 - 11x - 10$ 8.  $9x^2 + 18x + 8$ 9.  $21x^2 - 17x + 2$ **10.**  $18a^2 - 3a - 10$ **11.**  $12x^2 - 11x - 15$ 12.  $15a^2 - 4a - 4$ **13.**  $14a^2 - 45a - 14$ 14.  $-4x^2 + 4x + 24$ 15.  $42x^2 + 91x + 35$ **16.**  $50x^2 + 65xy - 15y^2$ **17.**  $x^2 + 8x + 16$ **18.**  $25n^2 + 30n + 9$ 19.  $2x^2 - 24x + 72$ **20.**  $64x^2 + 16xy + y^2$ 

Ν	ame
D	ate
1	•
2	
3	
4	
5	
6	
7.	
8	
9.	
1	0
1	1
1	2
1	3
1	4
	5
	6
	8
	8
L	9

20. \_\_\_\_\_

Factor by grouping.

1. $21x^2 + 14x + 3x + 2$	1
<b>2.</b> $3x^2 - 15x - x + 5$	2
3. $5n^2 - 5n + n - 1$	3
$4.  6x^2 + 18x + x + 3$	4
5. $3x^2 + 7x + 2$	5
6. $7x^2 - 9x + 2$	6
7. $10n^2 + 17n + 3$	7
8. $5x^2 - 9x - 2$	8
9. $9n^2 + 15n + 4$	9
<b>10.</b> $4m^2 - 17m + 18$	10
<b>11.</b> $3m^2 - m - 30$	11
<b>11.</b> $3m^2 - m - 30$ <b>12.</b> $10m^2 - 3m - 27$	11 12
<b>12.</b> $10m^2 - 3m - 27$	12
<b>12.</b> $10m^2 - 3m - 27$ <b>13.</b> $14m^2 - 39m + 10$	12 13
<b>12.</b> $10m^2 - 3m - 27$ <b>13.</b> $14m^2 - 39m + 10$ <b>14.</b> $63m^2 + 130m + 63$	12 13 14
<b>12.</b> $10m^2 - 3m - 27$ <b>13.</b> $14m^2 - 39m + 10$ <b>14.</b> $63m^2 + 130m + 63$ <b>15.</b> $12x^3 + 22x^2 + 6x$	12.         13.         14.         15.
12. $10m^2 - 3m - 27$ 13. $14m^2 - 39m + 10$ 14. $63m^2 + 130m + 63$ 15. $12x^3 + 22x^2 + 6x$ 16. $15m^3 + 24m^2 + 9m$	12.         13.         14.         15.         16.
12. $10m^2 - 3m - 27$ 13. $14m^2 - 39m + 10$ 14. $63m^2 + 130m + 63$ 15. $12x^3 + 22x^2 + 6x$ 16. $15m^3 + 24m^2 + 9m$ 17. $60m^3 - 42m^2 + 6m$	12.         13.         14.         15.         16.         17.

Name \_\_\_\_\_

Date \_\_\_\_\_

#### . • • \_ A

<b>Additional Exercises 6.5</b>	Name
Autonul Laci ciscs 0.5	Date
Factor completely. <b>1.</b> $1 - 9x^2$	1
<b>2.</b> $4x^2 - y^2$	2
<b>3.</b> $121 - a^2 b^2$	3
<b>4.</b> $x^2y^2 - 100$	4
5. $a^4b^2 - 9$	5
<b>6.</b> $a^6 - 144$	6
7. $16x^2 - 121$	7
8. $x^8 - 169$	8
9. $225x^2 - 841y^2$	9
<b>10.</b> $9x^3 - 36x$	10
<b>11.</b> $y^2 - \frac{16}{81}$	11
<b>12.</b> $16a^3b^3 - 49ab$	12
13. $\frac{4}{49}x^2 - \frac{1}{25}$	13
<b>14.</b> $-36x^2 + 1$	14
<b>15.</b> $x^3 + y^3$	15
<b>16.</b> $27x^3 - 8y^3$	16
<b>17.</b> $x^3y^3 + 216$	17
<b>18.</b> $a^3 - 343b^3$	18
<b>19.</b> $8a^3 + 512b^3$	19
<b>20.</b> $n^3 - \frac{8}{27}$	20

Solve each equation.

1.	
1. $(x+11)(x-2) = 0$	1
<b>2.</b> $(5x-2)(3x+1) = 0$	2
3. $(3x-2)(3x+2) = 0$	3
4. $2x(5x-1)(x+2) = 0$	4
5. $5(x-7)(2x-5) = 0$	5
6. $6x^2(x-5)(3x+7) = 0$	6
7. $(x - 0.3)(x + 0.5) = 0$	7
8. $x^2 + 5x - 6 = 0$	8
9. $2x^2 - 3x - 5 = 0$	9
<b>10.</b> $4y^2 - 25 = 0$	10
11. $4x^2 + 20x + 25 = 0$	11
<b>12.</b> $3b^2 + b - 10 = 0$	12
<b>13.</b> $n^2 - 10n = -21$	13
<b>14.</b> $m^2 = 11m$	14
<b>15.</b> $x^2 = 32 - 4x$	15
<b>16.</b> $9y^2 = 16$	16
<b>17.</b> $5p^2 - 23p = -24$	17
<b>18.</b> $n^3 + 8n^2 + 12n = 0$	18
<b>19.</b> $8y^3 = 2y$	19
<b>20.</b> $5w^3 = 40w^2 - 80w$	20

Name \_\_\_\_\_

Date \_\_\_\_\_

#### Solve.

- 1. A rectangle has an area of 24 square inches. The width is represented by x 3 and the length is x + 2. Find the dimensions.
- 2. The length of a rectangle is 3 cm more than the width. The area is  $70 \text{ cm}^2$ . Find the dimensions of the rectangle.
- 3. The length of a proposed rectangular flower garden is 6 m more that its width. The area of the proposed garden is  $72 \text{ m}^2$ . Find the dimensions of the proposed flower garden.
- 4. The perimeter of a rectangle is 132 feet and its area is 1080 square feet. Find the dimensions of the rectangle.
- 5. A student dropped a ball from the top of a 64-foot building. The height of the ball after *t* seconds is given by the quadratic equation  $h = -16t^2 + 64$ . How long will it take the ball to hit the ground?
- 6. One leg of a right triangle measures 6 m while the length of the other leg measures x meters. The hypotenuse measures (2x 6) m. Find the length of all 3 sides.
- 7. The longer leg of a right triangle measures two feet more than twice the length of the shorter leg. The hypotenuse measures 3 feet more than twice the shorter leg. Find the length of all three sides.
- 8. Find the length of a ladder leaning against a building if the top of the ladder touches the building at a height of 12 feet. Also, the length of the ladder is 4 feet more than its distance from the base of the building.
- **9.** One leg of a right triangle is 14 meters longer than the other leg. The hypotenuse is 26 meters long. Find the length of each leg.
- **10.** Eight more than the square of a number is the same as six times the number. Find the number.
- **11.** Fifteen less than the square of a number is the same as twice the number. Find the numbers.

Nam	e
Date	
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	

#### Additional Exercises 6.7 (cont.)

#### Solve.

- **12.** Find two consecutive positive odd integers whose product is 35.
- **13.** Find three consecutive integers where the sum of twice the first and 4 times the second is equal to 20 more than twice the third.
- **14.** Find two consecutive odd integers such that the square of the first added to 3 times the second is 24.
- 15. The altitude of a triangle is 2 cm shorter than its base. The area is  $17.5 \text{ cm}^2$ . Find the base of the triangle.
- **16.** The hypotenuse of a right triangle is 4 cm more than the longer leg. The shorter leg is 4 cm less than the longer leg. Find the length of each leg.
- **17.** Nine more than the cube of a number is the same as 81 times the number. Find the numbers.
- **18.** The difference between the square of a positive integer and the square of one-half the number is 243. Find the number.
- **19.** The base of a triangle is 3 cm longer than its altitude. The area of the triangle is  $35 \text{ cm}^2$ . Find the altitude.
- **20.** A 4 m by 6 m rug covers half the floor area of a room and leaves a uniform strip of base floor around the edges. What are the dimensions of the room?

12	
13	
14	 
15	 
16	
17	 
18	 
19	 
20	 

Name

Find the value of the following rational expressions when x = 3 and y = -2.

$$1. \quad \frac{x+4}{2x-7}$$

**2.** 
$$\frac{y^2}{y^3 - 1}$$

3. 
$$\frac{y^2 + 7y + 3}{y^2 - y - 8}$$

Find any real number for which each rational expression is undefined.

4. 
$$\frac{x+5}{7x}$$
  
5.  $\frac{5x^3+17}{3x-30}$   
6.  $\frac{x^2-7x+2}{19}$ 

Simplify each rational expression.

7.  $\frac{6}{12x-18}$ 8.  $\frac{3x-12}{5x-20}$ 9.  $\frac{x+19}{19+x}$ 10.  $\frac{x-12}{12-x}$ 

$$12 - x$$

$$a+b$$
  
 $x+3$ 

12. 
$$\frac{x+5}{x^2-5x-24}$$

Nan	ne
Date	2
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	

11. \_\_\_\_\_

#### Additional Exercises 7.1 (cont.)

Simplify each rational expression.

13. 
$$\frac{4x^{2} + 19x - 5}{4x - 1}$$
14. 
$$\frac{x^{2} - x - 72}{x^{2} - 18x + 81}$$
15. 
$$\frac{2x^{2} - 72}{6x - 36}$$
16. Simplify, factor by grouping: 
$$\frac{4x - 28 + xy - 7y}{x - 7}$$
17. List four equivalent forms for the following rational expression: 
$$-\frac{y - 2}{y + 7}$$
The cost *C* per machine of producing *x* computer printers is given by the equation: 
$$C = \frac{210x + 12,000}{x}$$

- **18.** Find the cost per machine when 200 printers are produced.
- **19.** Find the cost per machine when 2000 printers are produced.
- **20.** The formula for body-mass index *B* is  $B = \frac{750w}{h^2}$  where

w is weight in pounds and h is height in inches. Find the body-mass index for a person who is 5 feet 4 inches (64 inches) tall and weighs 104 pounds. If necessary, round to the nearest hundredth.

	Name
	13
	14
	15
	16
	17
	18
	19
	·//
here	20

1. Find the reciprocal of 
$$-\frac{3x+7}{5}$$

Find each product and simplify if possible.

$$2. \quad \frac{5x^2}{y} \cdot \frac{3y}{7x}$$

$$3. \quad \frac{8x^3}{14x} \cdot \frac{7}{4x}$$

$$4. \quad -\frac{9a^3b}{54a^2b^4} \cdot b^3$$

$$5. \quad \frac{x}{7x-21} \cdot \frac{x^2-3x}{5}$$

6. 
$$\frac{x^2 + 8x}{11} \cdot \frac{44}{x+8}$$

7. 
$$\frac{y^2 - 11y + 18}{y^2 - 5y - 36} \cdot \frac{y + 4}{y}$$

8. Find the area of a rectangle whose width is 
$$\frac{x+7}{7x}$$
 m and length is  $\frac{2x}{x^2-49}$  m.

9. Find the area of a square with sides of 
$$\frac{3x}{4x^2 - 9x}$$
 ft.

Find each quotient and simplify.

**10.** 
$$\frac{12x^{6}}{11x^{2}} \div \frac{8x}{22x^{4}}$$
  
**11.** 
$$\frac{12x^{3}}{y^{4}} \div \frac{3x^{2}y}{2y^{2}}$$

Date	
1.	
2.	
3.	
4.	
_	
<b>.</b>	
6.	
7.	
8.	
9.	
10.	
11.	

#### Additional Exercises 7.2 (cont.)

Find each quotient and simplify.

12. 
$$\frac{(x-9)(x+12)}{3x} \div \frac{2x-18}{9x^2}$$
  
13. 
$$\frac{(x+4)}{(x+4)(3x-8)} \div \frac{26}{3x-8}$$
  
14. 
$$\frac{a^2-b^2}{a+b} \div \frac{2a}{a^2-ab}$$
  
15. 
$$\frac{x+2}{6-x} \div \frac{x^2-5x-14}{x^2-4x-12}$$

Multiply or divide as indicated.

16. 
$$\frac{2x-24}{30} \div \frac{3x-36}{25}$$
  
17. 
$$\frac{x^2-4y^2}{5x+20} \cdot \frac{x^2+4x}{5x^2-9xy-2y^2}$$
  
18. 
$$\frac{x^2-10x+25}{8y} \div \frac{5-x}{12xy}$$

$$19. \left(\frac{x^2 - 16}{x^2 - 36} \cdot \frac{x^2 + 2x - 24}{3x^2 + 13x + 4}\right) \div \frac{3x + 1}{6 - x}$$

20. A bullet leaves the barrel of a rifle traveling 1,500 feet/second. Convert 1,500 feet/second to miles/hour. (1 mile = 5,280 feet). Round to the nearest whole number.

Name 12. \_\_\_\_\_ 13. \_\_\_\_\_ 14. \_\_\_\_\_ 15. \_\_\_\_\_ 16. \_\_\_\_\_ 17. \_\_\_\_\_ 18. \_\_\_\_\_ 19. \_\_\_\_\_ 20. \_\_\_\_\_

Add or subtract as indicated. Simplify the result if possible.

1.  $\frac{a}{17} + \frac{11}{17}$ 2.  $\frac{13m}{4n} + \frac{11m}{4n}$ 

3. 
$$\frac{5y}{y-8} - \frac{40}{y-8}$$

 $4. \quad \frac{7}{15+x} + \frac{x+3}{15+x}$ 

5. 
$$\frac{12x+7}{x-6} - \frac{10x+19}{x-6}$$

6. 
$$\frac{x}{x^2 - 2x - 48} - \frac{8}{x^2 - 2x - 48}$$
  
7.  $\frac{7x - 2}{x^2 + 3x - 28} - \frac{6x - 9}{x^2 + 3x - 28}$ 

Find the LCD for the following lists of rational expressions.

8. 
$$\frac{15}{5y^7}, \frac{7x}{15y}$$
  
9.  $\frac{1}{3y}, \frac{2x}{9y-15}$   
10.  $\frac{23x-14}{9x-18}, \frac{7}{3x^2-12x+12}$   
11.  $\frac{24}{x-y}, \frac{31}{y-x}$   
12.  $\frac{9}{x^2+12x+35}, \frac{11x-12}{x^2+9x+20}$ 

Nan	ne
Date	è
1.	
2.	
3.	
4.	
5.	
6.	
-	
7.	
8.	
9.	
10.	
11.	
12.	

#### Additional Exercises 7.3 (cont.)

Rewrite each rational expression as an equivalent rational expression whose denominator is the given polynomial.

13. 
$$\frac{3}{6y^2} = \frac{1}{48y^5}$$
  
14.  $\frac{7a+3}{9a+3} = \frac{1}{3b(3a+1)}$   
15.  $\frac{11y-4}{12x^2-15} = \frac{1}{36x^2-45}$   
16.  $\frac{10}{x^2+4x-32} = \frac{1}{(x+8)(x-4)(x+4)}$ 

17. 
$$\frac{x-7}{x^3-3x^2-18x} = \frac{1}{x(x+4)(x-6)(x+3)}$$

- **18.** A square has a side of length  $\frac{9}{x-15}$  feet. Express its perimeter as a rational expression.
- 19. The pentagon has sides  $\frac{4}{x+6}$  m,  $\frac{x+1}{x+6}$  m,  $\frac{x+1}{x+6}$  m,  $\frac{x+1}{x+6}$  m,  $\frac{x+1}{x+6}$  m, and  $\frac{4}{x+6}$  m. Find its perimeter.
- 20. The trapezoid has sides  $\frac{4}{x+3}$  m,  $\frac{x+2}{x+3}$  m,  $\frac{x+5}{x+3}$  m, and  $\frac{4}{x+3}$  m. Find its perimeter.
- 13.

   14.

   15.

   15.

   16.

   17.

   18.

   19.

   20.

Name \_\_\_\_\_

Add or subtract as indicated. Simplify the result if possible.

1.	$\frac{7}{4x} + \frac{3}{5x}$
2.	$\frac{4n}{m} + \frac{3m}{8}$
3.	$\frac{4}{x} + \frac{2}{3x^2}$
4.	$\frac{5}{x-2} - \frac{3}{3x-6}$
5.	$\frac{9}{7x - 28} + \frac{x}{x^2 - 16}$
6.	$\frac{2}{y^2} - \frac{y}{3y+1}$
7.	$\frac{11}{x-9} + \frac{3}{9-x}$
8.	$\frac{4}{x}$ + 5
9.	$\frac{10}{x-7} + 3$
10.	$\frac{5x^4}{x} - \frac{2x^2}{x^3}$
11.	$\frac{1}{x+6} - \frac{1}{(x+6)^2}$
12.	$\frac{9}{(x-4)^2} + \frac{11}{(x-4)(x+10)}$
13.	$\frac{4}{x^2 - 8x - 20} - \frac{2}{x^2 + 12x + 20} + \frac{3}{x^2 - 100}$

Nan	ne
Date	e
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	
13.	

#### Additional Exercises 7.4 (cont.)

other board as a rational expression.

Add or subtract as indicated. Simplify the result if possible.

Name

Solve each equation.

1.  $\frac{x}{7} + 2 = 4$ 2.  $\frac{x}{9} + \frac{4x}{3} = \frac{26}{9}$ 3.  $\frac{5}{v} + \frac{1}{6} = \frac{23}{6v}$ 4.  $\frac{8}{r} + \frac{1}{4} = \frac{9}{2r}$ 5.  $3 + \frac{2}{a-4} = \frac{a}{a-4}$ 6.  $\frac{x}{x-1} = \frac{6}{x+1}$ 7.  $\frac{3y}{y-5} + 2 = \frac{4y}{y-5}$ 8.  $\frac{2x}{x+3} - 2 = \frac{x+2}{x-3}$ 9.  $\frac{t}{t-6} = \frac{t+6}{9}$ 10.  $\frac{t+2}{4} - \frac{t-2}{8} = \frac{1}{8}$ 11.  $\frac{1}{3v+1} = \frac{2}{9v^2 - 1} - \frac{1}{3v - 1}$ 12.  $\frac{5}{x+2} = \frac{11x+1}{x^2+7x+10} - \frac{12}{x+5}$ 

Nan	ne
Date	e
1.	
2.	
3.	
4.	
-	
5.	
6.	
01	
7.	
8.	
9.	
10.	
11.	
12.	

#### Additional Exercises 7.5 (cont.)

Solve each equation for the indicated variable.

13. 
$$\frac{A}{h} = \frac{b}{2}$$
 for  $h$   
14.  $\frac{A}{B+b} = \frac{h}{2}$  for  $B$   
15.  $N = R + \frac{V}{G}$  for  $V$ 


**16.** 
$$P = \frac{A}{1+rt}$$
 for *r*

Two angles are supplementary if the sum of their measures is 180°. Find the measures of the following supplementary angles.

17.  $\left(\frac{21x}{6}\right)^\circ$ ,  $\left(\frac{29x}{2}\right)^\circ$ 

**18.** 
$$\left(\frac{11x}{4}\right)^\circ$$
,  $\left(\frac{7x}{4}\right)^\circ$ 

Two angles are complementary if the sum of their measures is  $90^{\circ}$ . Find the measures of the following complementary angles.



 Name

 13.

 14.

 15.

 16.

17. \_\_\_\_\_

18. \_\_\_\_\_

19. \_\_\_\_\_

20. \_\_\_\_\_

Solve each proportion.

1.	$\frac{x}{39} = \frac{4}{13}$
2.	$\frac{y+4}{y} = \frac{9}{2}$
3.	$\frac{5}{9} = \frac{z-8}{z-4}$
4.	$\frac{x}{36} = \frac{5}{18}$
5.	$\frac{2y+3}{y} = \frac{3}{2}$
	•

6.  $\frac{2}{5} = \frac{z-3}{z-8}$ 

Solve the following problems.

- 7. Twelve times the reciprocal of a number is equal to 8 times the reciprocal of 6. Find the number.
- **8.** If one more than 3 times a number is divided by the number, the result is four thirds. Find the number.
- **9.** If fifteen less than two times a number is divided by six more than the number, the result is four less than 9 times the reciprocal of the number. Find the number.
- **10.** George can install new wiring for a computer in 3 hours. It takes Pete 4 hours. How long would it take if they worked together?
- **11.** Marcus assembles crafts in his home. It takes him 2 hours to complete a package of napkin holders. His daughter takes 8 hours to do a package. How long would it take them if they work together?
- **12.** One housekeeper can clean a hotel room twice as fast as another one. Working together, they can clean a room in 8 minutes. How long does it take for each housekeeper to clean a room?

Date	
1.	
2.	
3.	
4.	
5.	
6.	
υ.	
-	
7.	
8.	
9.	
10.	
11.	
10	

#### Additional Exercises 7.6 (cont.)

Solve the following problems.


- **13.** A boat can travel 22 miles upstream in the same amount of time it can travel 42 miles downstream. The speed of the current is 5 miles per hour. Find the speed of the boat in still water.
- 14. Olga walks 2 miles at one rate for half of her workout. In the same amount of time, she walks an additional 3 miles at a rate that is 2 miles per hour faster. Find both of Olga's rates.
- **15.** Karl walks 3 miles at one rate for half his workout. In the same amount of time, he walks an additional 4 miles at a rate that is 1 mile per hour faster. Find both of Karl's rates.
- 16. Cameron and Whitney have a cabin in the mountains. To get there from home, they drive 36 miles on level ground and 20 miles on mountain roads. They can drive 28 miles per hour faster on the level roads than on the mountain ones. Each part of the trip takes the same amount of time. Find both their level and mountain road rates.
- **17.** For two similar triangles, two sides of the smaller triangle are *x* and 4. The corresponding sides of the larger triangle are 10 and 16, respectively. Find the length of side *x*.
- **18.** Maurice is building a city to go with his model train set. He wants to make a yield sign that is similar to an actual yield sign. An actual yield sign is a triangle that has a top that is 15 in. and two sides that are 12 in. each. If the model yield sign is to have a top that is 1.75 in. how long should the two sides be?
- **19.** One conveyor belt can move 1000 boxes in 6 minutes. Another can move 1000 boxes in 11 minutes. If another conveyor belt is added and all three are used, the boxes are moved in 3 minutes. If the third conveyor belt worked alone, how long would it take to do the same job?
- **20.** A car travels 400 miles on level terrain in the same amount of time it travels 160 miles on mountainous terrain. If the rate of the car is 30 miles per hour less in mountains than on level ground, find its rate in the mountains.
- Name 13. \_\_\_\_\_ 14. \_\_\_\_\_ 15. \_\_\_\_\_ 16. \_\_\_\_\_ 17. \_\_\_\_\_ 18. \_\_\_\_\_ 19.\_\_\_\_\_

20. \_\_\_\_\_

State whether each equation is (a) direct or (b) inverse variation.

- 1. y = 6x2.  $y = \frac{15}{x}$
- **3.**  $y = 3x^3$
- 4.  $y = \frac{11}{x}$
- 5.  $y = 10x^2$

Write a direct variation equation, y = kx, that satisfies the ordered pairs in each table.



Write a direct variation equation, y = kx, that describes each graph.

Write an inverse variation equation,  $y = \frac{k}{x}$ , that satisfies the

ordered pairs in each table.

8.

Nam	e
Date	
1.	
2.	
3.	
4.	
5.	
5.	
6.	
0.	
-	
7.	
8.	

9.

#### Additional Exercises 7.7 (cont.)

Write an inverse variation equation,  $y = \frac{k}{x}$ , that satisfies the ordered pairs in each table.

10.

x	•	3	-10	0.5	0.01
J	•	0.1	-0.3	0.6	30

Write an equation to describe each variation. Use k for the constant of proportionality.

11. s varies directly as t.

**12.** t varies directly as  $\sqrt{x}$ .

**13.** p varies inversely as  $x^3$ .

Solve.

- 14. y varies directly as x. When y is 12, x is 4. Find y when x is 9.
- **15.** *a* varies directly as  $b^2$ . When *a* is 4, *b* is 32. Find *a* when *b* is 50.
- 16. *a* varies inversely as *x*. If a = 4 when x = 3, find *a* when *x* is 6.
- 17. p varies inversely as  $x^2$ . If p = 5 when x = 2, find p when x is 6.

Solve.

- **18.** Ray's paycheck varies directly as the number of hours he works. If he earns \$21.75 for 3 hours, how much will he earn for 23 hours of work?
- **19.** The fixed voltage current in an electrical circuit varies inversely with the resistance in the circuit. If a particular circuit has a current of 2.5 amps when the resistance is 150 ohms, find the current in the circuit when the resistance is 300 ohms.
- **20.** The amount of gas that a helicopter uses varies directly as the number of hours spent flying. The helicopter flies for 3 hours and uses 30 gallons of fuel. Find the number of gallons of fuel that the helicopter uses to fly for 5 hours.

10. \_\_\_\_\_

11. \_\_\_\_\_

Name

 12.

 13.

 14.

 15.

 16.

 17.

 18.

19.\_\_\_\_\_

20. \_\_\_\_\_

Simplify each complex fraction.


1. 
$$\frac{\frac{1}{9}}{-\frac{4}{15}}$$
  
2.  $\frac{\frac{7y}{20}}{\frac{3y}{4}}$   
3.  $\frac{\frac{3}{8}}{\frac{1}{8} - \frac{3}{4}}$   
4.  $\frac{1 - \frac{8}{9}}{2 - \frac{3}{4}}$   
5.  $\frac{\frac{2x + 8}{2}}{\frac{4x + 16}{4}}$   
6.  $\frac{\frac{1}{6} - \frac{1}{x}}{\frac{2}{3} + \frac{1}{x^2}}$   
7.  $\frac{2 + \frac{2}{y - 3}}{y + \frac{2}{y - 3}}$   
8.  $\frac{\frac{2x + 2y}{x^2 - y^2}}{\frac{x + y}{x - y}}$   
9.  $\frac{\frac{5}{2y} + 7}{y + \frac{2}{y - 3}}$ 

9.  $\frac{2y}{\frac{5}{2y}-7}$ 

Nar	ne
Dat	e
1.	
2.	
3.	
4.	
_	
5.	
6.	
0.	
_	
7.	
8.	
9.	
2.	

#### Additional Exercises 7.8 (cont.)

Simplify each complex fraction.



Name

#### Additional Exercises 7.8 (cont.)

- **18.** Find the average of  $\frac{2}{3}$  and  $\frac{5}{8}$ .
- **19.** Write the average of  $\frac{12}{n}$  and  $\frac{8}{n^2}$  as a simplified rational expression.
- **20.** In optics, a single lens can be equivalent to two thin lines with focal lengths of  $f_1$  and  $f_2$ . If the two thin lenses are touching, the focal length of the single lens is given by the complex fraction  $\frac{1}{1 \cdot 1}$ . Simplify this

$$\overline{f_1} + \overline{f_2}$$

expression.

Name\_\_\_\_\_\_
18. \_\_\_\_\_
19. \_\_\_\_\_

20. \_\_\_\_\_

		Date
Find ea	ch square root. Indicate if the number is not real.	
1.	$\sqrt{81}$	1
2.	$\sqrt{\frac{1}{49}}$	2
3.	$-\sqrt{144}$	3
	$\sqrt{-9}$	4
5.	$\sqrt{\frac{121}{4}}$	5
Find the	e cube root.	
6.	3√8000	6
7.	∛216	7
8.	∛_64	8
Find ea	ch root. Indicate if the number is not real.	
9.	∜_1024	9
10.	\$√243	10
11.	$\sqrt[4]{-81}$	11
12.	$-\sqrt[4]{16}$	12
Approx	imate each square root to three decimal places.	13
13.	$\sqrt{46}$	13
14.	$\sqrt{178}$	14
15.	The total area of a roof is exactly $160\sqrt{29}$ square feet. Approximate this area to the nearest whole number.	15

Name \_\_\_\_

### **18.** $\sqrt{81z^{20}}$

Find each root. Assume that each variable represents a non-

**19.** 
$$\sqrt[3]{-125x^3y^{15}}$$

negative real number.

**16.**  $\sqrt{n^4}$ 

**17.**  $\sqrt{16y^6}$ 

**20.** Complete the table, plot the points, and draw a smooth curve to graph  $y = \sqrt{x-1}$ .

x	у
1	
2	
5	
7	
10	

19.				

20.	у	
	<del>→<u>↓</u>↓↓↓↓↓↓</del>	x
		-

Name

Use the product rule to simplify each expression.

- **1.**  $\sqrt{75}$ **2.**  $\sqrt{99}$
- **3.**  $\sqrt{72}$

Use the product rule and the quotient rule to simplify each expression.

4.	$\sqrt{\frac{45}{64}}$
5.	$-\sqrt{\frac{84}{25}}$
6.	$\sqrt{\frac{75}{81}}$
7.	$\sqrt{\frac{48}{225}}$

Simplify each expression. Assume all variables represent positive real numbers.

- 8.  $\sqrt{x^{11}}$ 9.  $\sqrt{25y^3}$
- **10.**  $\sqrt{45x^6y^8}$
- **11.**  $\sqrt{\frac{56}{y^4}}$
- 12.  $\sqrt{\frac{98y^2}{x^{10}}}$

13.  $\sqrt{\frac{x^9}{y^{20}}}$ 

Nan	ne
Date	
1.	
2.	
3.	
4.	
5.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	
10	
13.	

#### Additional Exercises 8.2 (cont.)

Simplify each radical.

14.  $6\sqrt{25}$ **15.**  $\sqrt[3]{56}$ **16.**  $\sqrt[3]{\frac{14}{125}}$ 17.  $\sqrt[4]{\frac{810}{x^{24}}}$ Simplify each expression. Assume all variables represent

positive real numbers.

**18.**  $\sqrt{117x^7y^6}$ **19.** The length of each side of a cube with a volume of 270 cubic inches is  $\sqrt[3]{270}$ . Simplify this radical. **20.** The length of a path across a garden is  $\sqrt{1300}$  feet. Simplify this radical.

14	 	 
15	 	 
16	 	 
17	 	 
18	 	 
19	 	 
20	 	 

Name \_\_\_\_\_

Add or subtract.

1. 
$$6\sqrt{7} - 9\sqrt{7}$$
  
2.  $\sqrt{10} + 6\sqrt{10} - 5\sqrt{10}$   
3.  $8\sqrt{19} - 5\sqrt{19} - 10\sqrt{19}$ 

Add or subtract, first simplifying each radical and then combining any like radical terms. Assume that all variables represent positive real numbers.

<b>4.</b> $\sqrt{98} + \sqrt{8}$
5. $\sqrt{80} - \sqrt{180}$
6. $3\sqrt{96} + 2\sqrt{50} - \sqrt{600} - \sqrt{242}$
$7.  y - 7\sqrt{y^2} + 3\sqrt{y}$
$8.  \sqrt{144x} - \sqrt{64x} - 4\sqrt{x}$
$9.  5\sqrt{x^3} - x\sqrt{9}$
<b>10.</b> $\sqrt{\frac{13}{25}} + \sqrt{\frac{13}{100}}$
<b>11.</b> $\sqrt{121x} - 8\sqrt{x} - \sqrt{16x}$
<b>12.</b> $6\sqrt{10yz^2} + z\sqrt{810y}$
<b>13.</b> $\sqrt{48x^2} - x\sqrt{245x} - x\sqrt{300} + \sqrt{500x^3}$
<b>14.</b> $\sqrt{32x^3} + \sqrt{49x} + x\sqrt{72x}$
<b>15.</b> $2\sqrt[3]{25} + 4\sqrt[3]{25} - \sqrt[3]{4}$
<b>16.</b> $\sqrt[3]{16y} + \sqrt[3]{128y}$
<b>17.</b> $2\sqrt[3]{64x} + 2\sqrt[3]{8x}$

Name	
Date	
1	
	-
2	-
3	-
4	-
5	_
	-
6	-
7	_
8	
	-
9	-
10	-
11	
11	-
12	-
13	_
14	-
15	-
16	
17	_

#### Additional Exercises 8.3 (cont.)

- 18. Find the perimeter of a rectangular door if the width is  $2\sqrt{5}$  ft. and the length is 8 ft.
- **19.** Find the perimeter of a triangle whose sides are  $3\sqrt{7}$  m,  $5\sqrt{7}$  m, and  $4\sqrt{7}$  m.
- **20.** Find the perimeter of a four sided piece of land with sides of  $3\sqrt{75}$  ft.,  $4\sqrt{108}$  ft.,  $6\sqrt{27}$  ft., and  $2\sqrt{147}$  ft.

Nam	e	 	 _
18. <sub>-</sub>		 	 
19. <sub>-</sub>		 	 
20.			 

Multiply and simplify. Assume that all variables represent positive real numbers.

1.	$\sqrt{5} \cdot \sqrt{20}$
2.	$\sqrt{14} \cdot \sqrt{14}$
3.	$\sqrt{33} \cdot \sqrt{3}$
4.	$\sqrt{17x} \cdot \sqrt{17x}$
5.	$\left(7\sqrt{x}\right)^2$
6.	$\sqrt{5y} \cdot \sqrt{10x}$
7.	$\sqrt{2xy^2}\sqrt{6xy}$
8.	$\sqrt{5}\left(\sqrt{7}+1\right)$
9.	$\left(\sqrt{11}+4\right)\left(\sqrt{11}-4\right)$
10.	$\left(\sqrt{7}+\sqrt{6}\right)\left(\sqrt{5}-\sqrt{6}\right)$
11.	$\left(\sqrt{x}-4\right)^2$
12.	$\left(\sqrt{3y}+2\right)^2$

Divide and simplify. Assume that all variables represent positive real numbers.

13.	$\frac{\sqrt{44}}{\sqrt{11}}$
14.	$\frac{\sqrt{90}}{\sqrt{5}}$
15.	$\frac{\sqrt{84x^5y^3}}{\sqrt{7x^2y}}$

Nam	e
Date	
_	
1.	
2.	
3.	
-	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	
10	
13.	
14	
14.	
15.	

#### Additional Exercises 8.4 (cont.)

Rationalize each denominator and simplify. Assume that all variables represent positive real numbers.

16. 
$$\frac{\sqrt{10}}{\sqrt{7}}$$
  
17.  $\frac{\sqrt{2}}{\sqrt{12y}}$   
18.  $\frac{9}{\sqrt{x}-6}$   
19.  $\frac{\sqrt{6}+1}{\sqrt{3}+\sqrt{2}}$ 

**20.** A television is a rectangle with a length of  $3\sqrt{65}$  in. and a width of  $3\sqrt{35}$  in. Find the area of the screen.

16.	
17.	
18.	
19.	
20.	

Name \_\_\_\_\_

Solve each equation. Be sure to check for extraneous solutions.

•	
$1.  \sqrt{x} = 7$	1
$2.  \sqrt{x+2} = 9$	2
$3.  \sqrt{3x-2} = 5$	3
$4.  \sqrt{x} - 1 = 3$	4
<b>5.</b> $2\sqrt{x} + 5 = 15$	5
6. $\sqrt{3x+1}+16=7$	6
7. $\sqrt{5x+1} - 7 = -1$	7
$8.  \sqrt{x} = \sqrt{3x - 18}$	8
$9.  \sqrt{3x} = \sqrt{2x+3}$	9
<b>10.</b> $\sqrt{5x-1} = \sqrt{4x+1}$	10
11. $\sqrt{2x+8} = \sqrt{5x-4}$	11
$12. \ \sqrt{25x^2 - 2x + 10} = 5x$	12
<b>13.</b> $\sqrt{9x^2 - 3x + 21} = 3x$	13
$14. \ \sqrt{3x^2 + 12x + 16} = 4$	14
<b>15.</b> $\sqrt{x} = x - 12$	15
$16. \ \sqrt{x} = x - 2$	16
17. $\sqrt{4x+13} = x+2$	17
$18. \ \sqrt{x-5} = \sqrt{x} - 1$	18
<b>19.</b> $7\sqrt{x} + 12 = 5$	19
<b>20.</b> $\sqrt{5x+2} + 9 = 11$	20

Name \_\_\_\_\_

Date \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

. . . . . . .

\_\_\_\_\_


\_\_\_\_\_


\_\_\_\_\_


\_\_\_\_


\_\_\_\_


Use the Pythagorean theorem to find the unknown side of each right triangle. Give an exact answer and a two-decimal-place approximation.















Find the length of the unknown side of each right triangle with sides a, b, and c, where c is the hypotenuse. Give an exact answer and a two-decimal-place approximation.


- 6. a = 3, b = 6
- 7.  $a = \sqrt{20}, c = 10$
- 8.  $b = \sqrt{22}$ ,  $c = \sqrt{76}$
- **9.**  $a = \sqrt{5}, c = 6$

Solve the following.

10. The diagram shows the framing for a wall of a house.Find how long the brace needs to be to the nearest hundredth of a foot.



**11.** The diagram shows the framing for a wall of a house. Find how long the brace needs to be to the nearest hundredth of a foot.



**12.** You want to stake a small tree. The cord will be attached to the tree 2.5 feet off the ground and each of the two stakes will be 3 feet from the base of the tree. How much cord do you need to buy, in whole feet, so you have enough?

6.	 	 	 	
7	 	 	 	
0				
8	 	 	 	
9.				
-				
10.				


Name

11. \_\_\_\_\_

12. \_\_\_\_\_

#### Additional Exercises 8.6 (cont.)

- **13.** You need to brace a flagpole until it can be reset in the ground. There are rings you can use to attach twine to the pole. The rings are 8 feet off the ground. You plan to drive 2 stakes in the ground each 5 feet from the base of the pole. How much cord do you need to buy, in whole feet, so you have enough?
- **14.** An 18-inch diagonal computer monitor screen is 12 inches high. Find its width to the nearest tenth of an inch.



Police use the formula  $s = \sqrt{30 fd}$  to estimate the speed *s* of a car in miles per hour, given the distance *d* the car skidded, and the type of road surface *f*. For wet concrete, *f* is 0.35.

**15.** Find how fast a car is going if it skidded 193 feet on wet concrete.

Use the distance formula to find the distance between the points.

16. (1, 6), (-3, -7)
 17. (-2, -5), (5, -4)
 18. (-4, -6), (-2, 4)
 19. (-1, -4), (2, 2)
 20. (6, -4), (2, -6)

Name	
13	
14	
15	
16.	

17.\_\_\_\_\_

18. \_\_\_\_\_

20.

19.

Simplify each expression.

- **1.** 144<sup>1/2</sup>
- **2.**  $256^{1/4}$
- **3.**  $-32^{1/5}$
- **4.**  $(-243)^{1/5}$
- **5.**  $\left(\frac{4}{9}\right)^{1/2}$
- 6.  $-\left(\frac{16}{81}\right)^{1/4}$
- **7.** 64<sup>4/3</sup>
- **8.** 81<sup>5/4</sup>
- **9.**  $\left(\frac{8}{64}\right)^{2/3}$
- **10.**  $64^{-3/2}$
- **11.**  $\left(\frac{8}{1000}\right)^{-2/3}$
- **12.**  $9^{-1/2}$
- 13.  $2^{2/5} \cdot 2^{3/5}$
- **14.**  $(4^{1/3})^{9/4}$
- **15.**  $\frac{5^{-3/4}}{5}$
- 16.  $(y^{-1/3})^{3/2}$ 17.  $\left(\frac{3m^{1/6}n^{1/3}}{4n^{-2/3}}\right)^2$

Name \_\_\_\_\_ Date 1. \_\_\_\_\_ 2. 3. \_\_\_\_\_ 4. 5. 6. \_\_\_\_\_ 7.\_\_\_\_\_ 8. \_\_\_\_\_ 9. \_\_\_\_\_ 10. \_\_\_\_\_ 11. \_\_\_\_\_ 12. 13. \_\_\_\_\_ 14. \_\_\_\_\_ 15. \_\_\_\_\_ 16. \_\_\_\_\_ 17.

Copyright © 2017 Pearson Education, Inc.

### Additional Exercises 8.7 (cont.)

Simplify each expression.

**18.** 
$$(25x^2y^4z^6)^{1/2}$$
  
**19.**  $\frac{y^{5/3}}{y^{1/3}}$ 

**20.** 
$$\left(\frac{16w^{-2}z}{2wz^{-8}}\right)^{4/5}$$

Solve each equation by factoring.

1.  $h^2 - 121 = 0$ 2.  $7a^2 - 112 = 0$ 

Use the square root property to solve each quadratic equation.

3. $x^2 = 25$
4. $x^2 = 98$
5. $x^2 = \frac{1}{64}$
6. $x^2 = -49$
7. $10x^2 = 3$
8. $6x^2 = 25$
9. $x^2 - 11 = 0$
<b>10.</b> $\frac{1}{7}x^2 = 4$
<b>11.</b> $(x-4)^2 = 36$
<b>12.</b> $(x+8)^2 = 9$
<b>13.</b> $(x-12)^2 = 3$
<b>14.</b> $\left(m - \frac{1}{4}\right)^2 = \frac{1}{16}$
<b>15.</b> $(2y - 11)^2 = 25$
<b>16.</b> $(5x-6)^2 = 54$
17. $(5x+2)^2 = 45$
<b>18.</b> $(4x - 7)^2 = 80$

- **19.** The area of a circle is found by the equation  $A = \pi r^2$ . If the area of a certain circle is  $20\pi$  square meters, find its radius to the nearest hundredth of a meter.
- **20.** A square gymnastics mat has a diagonal of 35 feet. Find the length of each side to the nearest hundredth of a foot.

Nam	e
Date	
1.	
2.	
3.	
4.	
5.	
9.	
10.	
11 <b>.</b> _	
12.	
13.	
14. <sub>.</sub>	
15.	
16.	
17.	
18.	
<b>19.</b>	
20.	

E-118

Solve each quadratic equation by completing the square.

ive each quadratic equation by completing the square.	
1. $x^2 + 12x = -27$	1
<b>2.</b> $x^2 - 6x = 16$	2
$3.  x^2 + 4x - 7 = 0$	3
$4.  x^2 + 8x - 12 = 0$	4
5. $x^2 - 10x = 0$	5
<b>6.</b> $z^2 + 3z = 6$	6
7. $x^2 - 9x = 4$	7
8. $x^2 - 7x + 3 = 0$	8
9. $y^2 + 11y + 18 = 0$	9
<b>10.</b> $y^2 + 9y + 30 = 0$	10
<b>11.</b> $x(x+5) = 6$	11
<b>12.</b> $x(x-7) = 30$	12
<b>13.</b> $3x^2 - 12x = 36$	13
<b>14.</b> $7x^2 + 14x + 3 = 0$	14
<b>15.</b> $2x^2 = 10x + 7$	15
<b>16.</b> $4x^2 = 12x + 5$	16
<b>17.</b> $2x^2 + 4x + 17 = 8$	17
<b>18.</b> $2x^2 - 5x - 7 = 0$	18
<b>19.</b> $36x^2 + 36x = 7$	19
<b>20.</b> Find the value of <i>h</i> that will make $x^2 - hx + 49$ a perfect square trinomial.	20

Name \_\_\_\_\_

Date \_\_\_\_\_

Use the quadratic formula to solve each quadratic equation.

1.	$x^2 - 6x - 7 = 0$	1.	
2.	$x^2 - x - 6 = 0$	2.	
3.	$5h^2 + 7h + 2 = 0$	3.	
4.	$2h^2 + 10h + 3 = 0$	4.	
5.	$36x^2 - 1 = 0$	5.	
6.	$m^2 - 56 = m$	6.	
7.	$a^2 - 9a + 1 = 0$	7.	
8.	$a^2 - 8a + 11 = 0$	8.	
9.	$x^2 - 5x + 8 = 0$	9.	
10.	$2x^2 = 8 - x$	10.	
11.	$7x^2 = 14$	11.	
12.	$3x^2 = 2x - 2$	12.	
13.	$4x^2 = 1 - x$	13.	
14.	$\frac{15}{7}p^2 - p = \frac{2}{7}$	14.	
15.	$4z^2 - 3z = \frac{1}{4}$	15.	
16.	$2x^2 = 16$	16.	
17.	$15x^2 = 6 + 13x$	17.	
18.	$5 - x^2 = 2x$	18.	
19.	$\frac{x^2}{18} - \frac{x}{9} = 1$	19.	
20.	$4z^2 + \frac{1}{2} = -3z$	20.	

Date \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

Name \_\_\_\_\_

Write each expression in *i* notation.

Write each expression in <i>i</i> notation.	
	1
1. $\sqrt{-81}$	
	2
<b>2.</b> $\sqrt{-144}$	
	3
<b>3.</b> $\sqrt{-112}$	
Add or subtract as indicated.	4
<b>4.</b> $(4+5i)+(2-4i)$	
	5
5. $(-6+12i) - (3+11i)$	
	6
<b>6.</b> $(5+2i) - (12-5i)$	
	7
7. $(-14-7i)-(-5-7i)$	
	8
8. Subtract $-8-6i$ from $-8-9i$ .	
Multiply.	9
<b>9.</b> $4i(-7+7i)$	
	10
<b>10.</b> $(3+7i)(9-6i)$	
11 (5 + 0) (5 - 0)	11
<b>11.</b> $(5+8i)(5-8i)$	
	12
<b>12.</b> $(8+9i)^2$	
2	13
<b>13.</b> $(7+8i)^2$	10.
Divide.	
14. $\frac{15-15i}{5}$	14
5	
15. $\frac{1+3i}{6+8i}$	15
6+8i	
<b>16.</b> $(x+6)^2 = -16$	16
<b>17.</b> $(3k-1)^2 = -27$	17
<b>18.</b> $x^2 + 4x + 13 = 0$	18
<b>19.</b> $4x^2 = -16$	19
<b>20.</b> $2x^2 - x + 3 = 0$	20
· ·· ·· · · ·	

Name \_\_\_\_\_

Date \_\_\_\_\_

Graph each quadratic equation by finding and plotting ordered pair solutions.

**1.** 
$$y = 4x^2$$

x	У
- 1	
0	
1	

**2.** 
$$y = -2x^2$$

x	У
- 2	
-1	
0	
1	
2	

**3.** 
$$y = \frac{2}{3}x^2$$

x	У
- 3	
0	
3	

**4.** 
$$y = -x^2$$

x	у
- 2	
-1	
0	
1	
2	

5. 
$$y = -\frac{2}{5}x^2$$

x	у
- 5	
0	
5	



	1	
	1	
	<del>, , , , , , , , , , , , , , , , , , , </del>	+ x
	1	~ ^
	+++++++++++++++++++++++++++++++++++++++	
	1	
	LV	
	Ĩ	
	1	
<b>│                                    </b>	<del>╷╏╷╷╷╷</del>	+ <del> </del> x
	┽╋┼┼┼┼	
	+ <u>+</u> +++++	
	- <b>1</b> 2	
	I	
	++	
	<del> </del>	++-
		X
	1	
	++++++	
	1	
	- <b>+</b> <sup>y</sup>	
	1	
		x
		+ + <sub>X</sub>
		X
		X

Name \_\_\_\_\_

Sketch the graph of each equation. Identify the vertex and the intercepts.

6. 
$$y = 9 - x^2$$
  
6.  $y = x^2 + 3$   
7.  $y = x^2 + 3$   
8.  $y = x^2 - 6x$   
9.  $y = x^2 + 8x + 7$   
10.  $y = x^2 - 2x - 3$   
10.  $y = x^2 - 3x - 3x - 3x -$ 

### Additional Exercises 9.5 (cont.)

Name \_

Sketch the graph of each equation. Identify the vertex and the intercepts.

11. 
$$y = -x^2 + 6x - 8$$
 11.

 12.  $y = x^2 - 4x - 5$ 
 12.

 13.  $y = -x^2 + 4x - 4$ 
 13.

 14.  $y = x^2 + 5x + 6$ 
 14.

 15.  $y = x^2 - 3x - 4$ 
 15.

#### Additional Exercises 9.5 (cont.)

Name \_\_\_\_

Sketch the graph of each equation. Identify the vertex and the intercepts.

16. 
$$y = -x^2 + 2x + 8$$
 16.  $y = x^2 + 4x + 1$ 

 17.  $y = x^2 + 4x + 1$ 
 17.  $y = x^2 + 4x + 1$ 

 18.  $y = -x^2 + 2x - 7$ 
 18.  $y = -x^2 + 2x - 7$ 

 19.  $y = x^2 + 4x + 6$ 
 19.  $y = x^2 + 4x + 6$ 

 19.  $y = x^2 + 4x + 6$ 
 19.  $y = x^2 + 4x + 6$ 

 19.  $y = x^2 + 2x - 4$ 
 20.  $y = x^2 + 2x - 4$ 

Copyright © 2017 Pearson Education, Inc.

#### Additional Exercises Answers

Chapter 1 Answers		
Additional Exercises, 1.2 1. <	Additional Exercises, 1.3	Additional Exercises, 1.4
	1. a. $3 \cdot 3 \cdot 3$	1. $\frac{125}{64}$
2. <	b. $2 \cdot 2 \cdot 2 \cdot 3$	
3. >	c. $2 \cdot 2 \cdot 3 \cdot 3 \cdot 5$ d. $3 \cdot 5 \cdot 5 \cdot 5$	2. 125
4. >	e. $2 \cdot 2 \cdot 2 \cdot 5 \cdot 5$	3. 0.001 4. 33
4. /	f. $2 \cdot 5 \cdot 7 \cdot 13$	5. 48
5. $30^{\circ} \le 60^{\circ} \le 90^{\circ}$		6. 47
6. True	2. $\frac{2}{3} = \frac{32}{48}$	7. 2
7. True		8. 2
	3. $\frac{4}{5} = \frac{40}{50}$	9. $\frac{1}{3}$
8. False	4. $\frac{5}{4} = \frac{30}{24}$	-
9. True	4. $\frac{1}{4} - \frac{1}{24}$	10. 11 11. 13
10. True.	5. 4	12. F
	6. $\frac{1}{2}$	13. F
$11  -\frac{1}{2} \le \frac{1}{2}$		14. $x + 4$
2 2	7. 0	15. $2x-3$
12. 2 < 7	8. Undefined $4$	16. $x - 6 = 12$
13275,700	9. $\frac{4}{17}$	17. $2x + 14 = 56$ 18. $x - 16 = 23$
1427,-20	10. 76	
	11. $\frac{16}{27}$	19. $\frac{x}{4} = 3^2$
15. {24}		20. $3x + 15 = -45$
16. {24,0}	12. $\frac{7}{33}$	
17. {24,0,-25}	13. 4	
	14. 6	
18. $\left\{\frac{3}{4}, 24, 6.\bar{1}, 0, -25, 7.5\right\}$	15. $\frac{4}{3} = 1\frac{1}{3}$	
19. $\left\{\sqrt{15}, -\sqrt{3}\right\}$	16. $\frac{19}{20}$	
20. $\{\sqrt{15}, \frac{3}{4}, 24, 6.\overline{1},$	17. $29\frac{1}{4}$	
	$18 \frac{3}{2}$	
$0, -25, 7.5 - \sqrt{3}$	18. $\frac{3}{4}$	
	19. $\frac{5}{24}$	
	20. $87\frac{2}{5}$	

Additional Exercises, 1.5	Additional Exercises, 1.6	Additional Exercises, 1.7
110	129	1. 15
232	215	232
3. $-6\frac{5}{7}$ 4. $-\frac{2}{3}$	3. 9	3. 0
$36\frac{7}{7}$	447	4. $\frac{1}{7}$
2	5. No	$\frac{4}{7}$
4. $-\frac{-}{3}$	6. Yes	5. 9.02
5 1	7. No	616
J. + 1	8. Yes	
5. 4 6. $-\frac{1}{125}$	9. 108°	7. $\frac{16}{49}$
125	10. 18°	1
7. 19	11 -14	8. $-\frac{1}{3}$ 9. $\frac{12}{5}$
845.3	12. 36	3
915	13. 1	9. $\frac{12}{2}$
10. 0.45	14. 44	5
11. $-\left -\frac{3}{4}\right $	15. 49°	10. $-4$ 11. $-\frac{5}{3}$
	16. 203.7°	$11 -\frac{5}{-1}$
	17. False	3
12. $\frac{3}{4}$	18. False	12 5
13.0	19. –1	12. $\frac{5}{6}$
	20. –20	13. Undefined
14. $\frac{9}{10}$		14. 0
15. 4		15. 5
15. 4 16. Positive number		16. –67
17. Negative number		17. –11
18. \$339		18. –2
18. \$235		19. $20 \cdot (-6) = -120$ , 120 in.
20. 230		(or 10 ft.) lower
		20. $5 \cdot (-3) = -15$ , a loss of
		\$15

- 1.  $a \cdot (-4)$ 2. y + 43.  $x \cdot (yz)$ 4. (3x + y) + 45. (5+12)+xx + (5 + 12)6.  $\left(-\frac{8}{7}\cdot\frac{7}{8}\right)\cdot r$  $\left(-\frac{7}{8}\cdot r\right)\cdot\frac{8}{7}$ 7.  $= 2 \cdot 3x + 2(-7)$ = 6x - 148.  $= -5 \cdot x + (-5)(-4)$ =-5x+209.  $=-\frac{1}{2}\cdot 10 + (-\frac{1}{2})(-16z)$ = -5 - 8z10. =  $-4 \cdot x + (-4) \cdot 3 - 14$ =-4x-12-14= -4x - 2611. 3(x+y)12.  $-\frac{2}{7}$ 13. |-5| 14.  $\frac{14}{3}$
- 15.  $-\frac{3}{5}$
- 16. Multiplicative identity
- 17. Zero product property
- 18. Associative property for multiplication
- 19. Associative property for addition
- 20. Distributive property of multiplication over addition

<u>Chapter 2 Answers</u> Additional Exercises, 2.1	Additional Exercises, 2.2	Additional Exercises, 2.3
1. –1	1. Yes	1. $x = 0$
2. Alike	2. $x = 4$	2. $x = -\frac{7}{12}$
3. 16 <i>k</i>	3. $y = 26$	2. $x = -\frac{12}{12}$
4. $-5y$	4. $x = -0.4$	3. $x = -1$
5. $10x + 13$		4. $x = 4$
6. $0.9w - 2.0$	5. $k = -\frac{1}{8}$	5 $r = \frac{1}{1}$
7. $10y + 80$	6. $x = -11$	5. $x = \frac{1}{26}$
8. $-50x - 70$	7. $x = -9$	6. $x = -8$
9. $-4m^2 + n - 7$	8. $x = 9$	7. $x = -4$
10. $-18x + 36y + 27$	9. $x = -7$	8. $a = -10$
11 8x - 28	10. $3 = x$	9. $x = -\frac{15}{2}$
12. $6y + 42$	11. $x = -9$	2
13. $9x + 13$	12. $y = \frac{3}{5}$	$10  y = -\frac{8}{3}$
14. $0.5m + 3.2$	13. $x = 0$	11. $x = 4$
15. $12x - 8$	13. $x = 0$ 14. $x = 25$	12. $k = \frac{5}{3}$
16. 12 <i>m</i> +4		5
17. $5x - 11$	15. $x = -1$	13. $x = 91.2$
18. $7x - (-6 + 8x)$	16. $x = -8$	14. $y = 100$
= 7x + 6 - 8x $= -x + 6$	17. $y = \frac{3}{5}$	15. $y = \frac{14}{43}$
19. $6(x+9)+4x$ = $6x+54+4x$	18. $1st = x^{\circ}$ 2nd = $(150 - x)^{\circ}$	16. $x = -\frac{1}{x}$
=10x + 54	19. $1 \text{ st} = x \text{ ft}.$	4
20. $(3x-8)+(2x-9)+7$	2nd = (15 - x) ft.	17. $x = -10$
= 3x - 8 + 2x - 9 + 7 = 5x - 10	20. $m = mi$ to Gastonia	18. $x = 8$
$= 3\lambda - 10$	m+15 = mi to Charlotte	19. $t = 15$
		20. $5x + 10$

- 1. x = 2
- 2.  $x = \frac{9}{10}$
- 3.  $y = -\frac{1}{5}$
- 4. No Solution
- 5. No Solution
- 6. All Real Numbers
- 7. x = 6
- 8. No Solution
- 9. All Real Numbers
- 10 *z* = -4
- 11. h = 9.9
- 12. All Real Numbers
- 13. All Real Numbers
- 14. x = 0
- 15.  $x = -\frac{3}{4}$
- 16. x = -4
- 17.  $z = \frac{5}{2}$
- 18. No Solution
- 19.  $x = -\frac{1}{9}$
- 20. No Solution

- 1. The number is 7.
- 2. The three consecutive even integers are 90, 92, and 94 feet.
- 3. The number is 20.
- 4. The numbers are 15 and 17.
- 5. The numbers are 32, 34, and 36.
- 6. The two supplementary angles have measures 100° and 80°.
- 7. The string is cut into pieces that are 7 inches, 21 inches, and 39 inches.
- Martina Navratilova won 9 singles titles at Wimbledon, and Billie Jean King won 6 singles titles at Wimbledon.
- 9. The number is  $\frac{7}{50}$ .
- 10. The measures of the angles of the triangles are 31°, 25°, and 124°.
- 11. The integer is -16.
- 12. The number is -13.
- 13. The number is 7.
- 14. The consecutive even integers are 6, 8, and 10.
- 15. The consecutive even integers are 10, 12, and 14.
- 16. The three consecutive even integers are -2, 0, and 2.
- 17. The three consecutive odd integers are 29, 31, and 33.
- 18. The width of the rectangle is 17 inches, and the length of the rectangle is 32 inches.
- The two non-parallel sides of the trapezoid are 9 meters. The top base is 18 meters, and the bottom base is 27 meters.
- 20. The two equal sides of the isosceles triangle are 37 inches long, and the third side is 18 inches in length.

**Additional Exercises, 2.6** 

- 1.  $y_2 = 0$
- 2. h = 5
- 3. V = 3052.08
- 4. b = 5
- 5. t = 3 years
- 6.  $m = \frac{2}{9}$
- 7. *V* ≈129.81
- 8. S = 602.88
- 9. 25° C
- 10. 131° F
- 11. They must purchase 3 bags.
- 12. 4 hours
- 13. The sides are 20 cm, 10 cm, 40 cm, 30 cm, and 30 cm.
- 14. 9:49 am
- 15. d = P a b c
- 16.  $y = \frac{1}{7}x 2$
- 17.  $A = \frac{3V}{h}$
- $18. \ l = \frac{S 2hw}{4w}$
- $19. \quad y = \frac{-Ax + C}{B}$
- $20. \ x = \frac{-By + C}{A}$

Ad	ditional Exercises, 2.7
1.	299.2
2.	47.25
3.	22%
4.	66%
5.	4550
6.	15,400
7.	10%
8.	\$3.96 billion
9.	\$840 million
10.	Discount was \$37.50;
	sale price was \$112.50.
11.	35%
12.	\$92.29
13.	\$47,520
14.	\$51,000
15.	Old salary was \$50,000;
	raise was \$3000.
16.	45 liters
17.	120%
18.	36%

- 19. \$75.00
- 20. 20 gallons

Additional Exercises, 2.8
1. $0.01x$
2. 0.10 <i>y</i>
3. 0.25z
4. $5(5x)$
5. $20(30-x)$
6. $100(25-z)$
7. 240 miles
8. $6\frac{2}{3}$ hours
9. 110 miles
10. 15 quarters and 180
dimes
11. \$20,000 at 6% and
\$10,000 at 9%
12. 103.2
13. 500%
14. 150%
15. 270 adults and 230
children
16. Jeff was hiking at 4 mph
and Adrianna was hiking
at 2 mph.
17. 280 miles at 70 miles per
hour and 30 miles at $60$
miles per hour.
18. Forty \$10 bills and eighty
\$20 bills.
19. Amount of discount \$140
Percent of discount 35%.
20. 8 liters of 3% saline

20. 8 liters of 3% saline solution; 12 liters of 8% saline solution.


<b>Ad</b> 1.	ditional Exercises, 2.9
	-9 -8 -7 -6 -5 -4 -3 -2
2.	-2 -1 0 1 2 3 4 5
3.	↓ ↓ ↓ ↓ ↓     ↓
4. 5.	x < 11 $x < -3$
	$x \ge -5$
	<i>x</i> < 8
8.	x > 0
9.	$x \ge -10$
10.	$x < -\frac{1}{4}$
11.	<i>y</i> > -1.6
12.	$x \leq -\frac{1}{3}$
	$x \le \frac{1}{2}$
	<i>x</i> < -3.7
15.	$x \le 0.68$
16.	$x < \frac{4}{9}$
17.	The maximum lengths
	are 18 meters and 54
	meters.

- It would take three days two days at the full 40 minutes and the third day 21.6 minutes.
- 19. They could invite 170 people.
- 20. She would need to have a score of 94 or above.

#### **Chapter 3 Answers**

Additional Exercises, 3.1


- 1. 1900 Galveston
- 2. More than 7000 people
- 3.







				У				
				_				
				_				
				L				
_				(0,	0)O	rigi	n	
			_	-		_		х.
			_	L				

5.



6.





15.

x	У
0	-8
8	0
14	6

16.

x	У
6	0
0	-4
$\frac{3}{2}$	-3

17.

x	У
0	0
0	0
4	-2
-8	4

18.

x	У
6	0
0	-2
24	6
33	9

19.

x	У
0	-5
0	0
0	2

20.

x	У
-4	0
0	0
2	0

Copyright © 2017 Pearson Education, Inc.

x

0

-4

5

y

-4


-4

-4


14.

1. Line 1:  $y = -\frac{3}{4}x$ Line 2:  $y = -\frac{3}{4}x + 2$ 


Alike: Line 1 and Line 2 appear to be parallel; <u>Different:</u> Line 2 goes through the *y*-axis at 2, Line 1 goes through the *y*-axis at 0.



<u>Alike:</u> Line 1 and Line 2 appear to be parallel; <u>Different:</u> Line 2 goes through the *y*-axis at -4, Line 1 goes through the *y*-axis at 0.





<u>Alike:</u> Line 1 and Line 2 appear to be parallel; <u>Different:</u> Line 2 goes through the *y*-axis at 5, Line 1 goes through the *y*-axis at 0.




<u>Alike</u>: Line 1 and Line 2 appear to be parallel; <u>Different:</u> Line 1 goes through the *y*-axis at the origin, and Line 2 goes through at 3.









7. x + y = -4





8. x - y = 8





Additional Exercises, 3.2 (continued)















17. 2x - y = 4



14.  $y = \frac{2}{3}x - 2$ 

0

8


4


4


0

2

Additional Exercises 3.2 (continued)









Additional Exercises, 3.3


- 1. x-intercept: (-3,0)y-intercepts: (0,-2) and (0,2)
- 2. *x*-intercept: (-1.5,0) and (1.5,0) *y*-intercept: (0,3)
- 3. *x*-intercepts: (2,0) *y*-intercept: (0,6)
- 4.




5. 4x + y = -1













8. 2x + 4y = 10





**Additional Exercises**, 3.3 (continued)

















The lines are alike because they are both horizontal and appear to be parallel. Neither lines cross the *x*-axis. The lines are different because they cross the y-axis at different points.

15.



The lines are alike because they are both vertical and appear to be parallel. Neither lines cross the *y*-axis. The lines are different because they cross the *x*-axis at different points.

#### x v х 0 0 0 -4 -4 4 -4 4 -4 2 -6

y = -x - 4

v


0

v = -x

13.


The lines are alike because they both fall from left to right, and appear to be parallel. The lines are different because they have different y-intercepts and x-intercepts.

**Additional Exercises**, 3.3 (continued) 16.



- 17. (0,50) If no beds are manufactured during the five hours, then they can produce 50 chests.
- 18. (80,0) If no chests are manufactured during the five hours, then they can manufacture 80 beds.

19.





**Additional Exercises, 3.4** 1. (-2,-1) and (2,2)  $m = \frac{3}{4}$ 2. (-2,4) and (2,-1)  $m = -\frac{5}{\Delta}$ 3. (-3,2) and (-3,-2) m = undefined 4. m = undefined 5. m = 0 $m = \frac{5}{2}$ 6. 7. m = -2 $m = -\frac{1}{3}$ 8. 9. The slope of line 1 is positive, and the slope of line 2 is negative. Since any positive number is greater than a negative number, the slope of line 1 is greater than the slope of line 2. 10. m = -211.  $m = \frac{1}{3}$ 12. m = 013.  $m = -\frac{1}{2}$ 14.  $m_{\text{line 1}} = -3$  $m_{\text{line 2}} = \frac{1}{3}$ The lines are perpendicular. 15.  $m_{\text{line 1}} = \frac{1}{4}$  $m_{\text{line 2}} = \frac{1}{4}$ The lines are parallel. 16.  $m_{\text{line 1}} = -\frac{1}{5}$  $m_{\text{line 2}} = \frac{1}{5}$ The lines are neither parallel nor perpendicular.

17.  $m = \frac{1}{2}$ a. The slope of a line points is  $m = \frac{1}{2}$ . perpendicular is m = -2. 18.  $m = \frac{5}{4}$ containing these points is  $m = \frac{5}{4}$ . perpendicular is  $m = -\frac{4}{5}$ . 19.  $m = \frac{5}{14}$ 20.  $m = \frac{7}{50}$ =14%

parallel to the line  
containing these  
points is 
$$m = \frac{1}{m}$$

- b. The slope of the line
- a. The slope of a line parallel to the line
- b. The slope of the line

Additional Exercises, 3.5 1. $x=5$	Additional Exercises, 3.6 1. Domain = $\{-1\}$
2. $y = 2$ 3. $x = 2$	Range = $\{-4, -2, 0, 2\}$
4. $y = -6$ 5. $y = -\frac{1}{3}x + 5$	2. Domain = $\{1, 3, 5, 7\}$
$3^{3}$ x+3y=15	Range = $\{-1\}$
	3. Not a function
6. $y = -\frac{7}{3}x + \frac{25}{6}$	4. Function
14x + 6y = 25	5. Function
7. $y = -\frac{3}{5}x + \frac{28}{5}$	6. Not a function
5  5 $3x + 5y = 28$	7. Not a function
8. $y = 3$	8. Function
9. $x = 2$	9. $f(-2) = 12$
10. $y = -2$ 11. $x = -5$	10. $f(0) = 0$
	11. $f(2) = -4$
12. $y = -\frac{1}{5}x + 4$	12. $g(0) = 1$
x + 5y = 20	13. $g(-5) = -24$
13. $y = 2x - \frac{2}{3}$	
-6x + 3y = -2	14. $g(3) = -8$
14. $y = -x + 4$	15. \$9000
x + y = 4	16. \$10,000
15. $y = 9x + 5$ -9x + y = 5	17. Yes, vertical line test
	18. \$12,500
16. $y = -\frac{2}{9}x$	19. Domain = $(-\infty, 4]$
2x + 9y = 0	Range = $(-\infty, 3]$
17. $y = 4x + 14$ -4x + y = 14	1
$-4x + y = 14$ 18. $y = \frac{7}{8}x - \frac{3}{4}$	20. $y = \frac{1}{3}x + 4$
$8  4 \\ -7x + 8y = -6$	
19. $y = \frac{1}{2}x$	
$\frac{2}{-x+2y=0}$	
$20. \ y = -3x - 6$	
3x + y = -6	

<u>Chapter 4 Answers</u> Additional Exercises, 4.1	Additional Exercises, 4.2	Additional Exercises, 4.3
1. Yes	1. {(4,8)}	1. {(2,-1)}
2. No	2. {(1,4)}	2. {(-5,3)}
3. No	3. {(8,3)}	3. {(0,6)}
4. Yes	4. {(2,1)}	4. {(8,1)}
5. {(3,1)}	5. {(11,2)}	5. {(1,-3)}
6. {(2,-3)}	6. {(0,1)}	6. {(3,4)}
7. {(-2,-4)}	7. {(7,0)}	7. {(2,3)}
8. {(-1,-5)}	8. {(9,1)}	8. {(-2,4)}
9. {(3,0)}	9. {(-4,-3)}	9. {(6,0)}
10. {(-1,-4)}	10. No solution	10. {(5,-1)}
11. {(-2,1)}	11. {(14,-33)}	11. {(0,-2)}
12. {(-2,1)}	12. $\{(0,3)\}$	12. No solution
13. {(0,-1)}	13. Infinite solutions	13. Infinite solutions
14. {(2,-2)}	14. {(-10,-13)}	14. {(-6,-4)}
15. Infinite solutions	15. No solution	15. $\left\{ \left( \frac{18}{17}, -\frac{22}{17} \right) \right\}$
16. Infinite solutions	16. $\left\{ \left( \frac{5}{2}, -\frac{1}{2} \right) \right\}$	13. [[17, 17]]
17. No solutions	$\left( \left( 2, 2 \right) \right)$	16. {(-1,-2)}
18. No solutions	17. $\left\{ \left( \frac{5}{3}, \frac{2}{3} \right) \right\}$	17. No solution
19. $6^{\text{th}}$ year	$\left(\frac{1}{3},\frac{1}{3}\right)$	18. Infinite solutions
20. 4 <sup>th</sup> year	18. Infinite solutions	19. \$2.00
	19. \$30.00	20. 2 million pounds
	20. 90 tons	

- 1. 30, 26
- 2. 13, 31
- 3. 24, 8
- 4. Records cost \$5, Tapes cost \$7.
- 5. Class picture \$5, Wallets \$1.40
- 6. \$3000 in 9% stock, \$1500 in 6% stock
- 7. Adult 1520, Child 250
- 8. 720 km
- 9. 60 miles
- 10. Lucy swims 8 km/hr in still water, the current runs 1km/hr.
- 11. 75 ml of 10%, 25 ml of 50%
- 12. 20 ml of 20%, 80 ml of 60%
- 13. 10 cm, 17 cm
- 14. 6 in, 23 in
- 15. 5 in, 12 in
- 16. 12 dimes, 15 quarters
- 17. 16°, 74°
- 18. 36°, 54°
- 19. 65°, 115°
- 20. Pretzel cost \$1.15 Coke cost \$0.75


#### **Additional Exercises**, 4.5

1. Yes

2. No

8.

3. No 4. No 5. No 6. Yes 7. Yes Yes 9. No 10. Yes 11. No 12. 13. 14.






18.


17.

15.


16.




19.





20.



# Additional Exercises, 4.6











13.

14.











18.




Copyright © 2017 Pearson Education, Inc.

# Additional Exercises, 4.6 (continued)

 Ø; inconsistent; no shaded region in common



20. Ø; inconsistent; no shaded region in common



<u>Chapter 5 Answers</u> Additional Exercises, 5.	
1. 343	-
2. 81	
3. 972	
4. $\frac{2}{5}$ or .4	
5. $-8m^6n^{10}$	
6. $5x^7y^8$	
7. $z^{24}$	
8. $(-5)^{28}$	
9. $64x^9y^{15}z^6$	
10. $\frac{81a^{20}}{b^8}$	
11. $x^4$	
12. $7a^2b^2$	
13. 2	
14. $t^{10}$	
1564	
16. $3x^2y^3$	
17. $81m^{16}n^{24}$	
18. $-8x^6y^9$	
19. $\frac{32a^{15}}{b^{20}}$	
20. $-3x^8y^4$	

<b>Ad</b> 1.	<b>ditional Exercises, 5.2</b> 5;-4x <sup>2</sup> ;-1;-7
	First degree; Binomial
3.	second degree; Trinomial
4a.	-4
4b.	-7
5a.	2
5b.	9
6.	$21x^{3}$
7.	$-10x^2 + 6x$
8.	-2xy + y
9.	6; 0; 6; 4; 6 <sup>th</sup> degree
10.	19y + 12
11	$-2a^2-5a-11$
12.	$x^2 - 4x - 2$
13.	$13a^2 - 10a + 11$
14.	8x - 6y + 13
15.	$-\frac{1}{9}x^2 - \frac{1}{12}y^2 - 6$
16.	$-3x^2y - 7xy - 16x^2y^2 - 6$
17.	$6x^2 - 15x - 5$
18.	$3y^2 - 6y + 7$
19.	$(2x^2 - 6x + 16)$ inches
20.	$(5y^2 - 4y + 15)$ meters

Ado	litional Exercises, 5.3
1.	$30x^{3}$
2.	$-10.4x^{7}$
3.	$\frac{2}{49}y^6$
4.	$-35x^{10}$
5.	$10y^3 - 35y^2 - 15y$
6.	$-5a^{3}b+35a^{2}b-30a^{3}$
7.	$12a^4b^2 - 36a^3b^4 - 40ab^5$
8.	$y^2 - 12y - 45$
9.	$x^2 - \frac{1}{45}x - \frac{2}{45}$
10.	$20x^2 + 23x - 21$
11.	$10x^4 - 15x^2 - 70$
12.	$36y^2 - 132y + 121$
13.	$y^3 - 13y^2 + 48y - 64$
14.	$49y^2 - 28y + 4$
15.	$y^3 - 11y^2 + 31y - 21$
16.	$2x^3 - 3x^2 - 32x - 15$
17.	$6x^2 + 19x + 15$
18.	$(12x^2 + 32x)$ sq. in.
19.	$(8x^2 - 22x - 21)$ sq. ft.
20.	$(9x^2 - 30x + 25)$ sq. m

<b>Additional Exercises, 5.4</b> 1. $x^2 + 5x + 4$	Additional Exercises, 5.5	<b>Additional Exercises, 5.6</b> 1. $6x^2 - 4x - 3$
$2.  3x^2 - 5x - 22$	1. $\frac{1}{25}$ 2. 81	2. $a^2 - ab^3$
3. $4x^2 - 33x + 65$		3. $2x^2 - 3x - 11$
4. $y^3 - 8y^2 + 7y - 56$	3. $\frac{9}{20}$	4. $6p^2 - 3p$
5. $a^3 + a^2b + ab^2 + b^3$	4. $\frac{10}{21}$	5. $4a^2 - 3a + 2$
6. $x^2 - \frac{1}{2}x - \frac{7}{144}$	5. $p^7$	$6.  x^2 - 2x + 4$
7. $10-41a+40a^2$	6. $\frac{1}{64x^3}$	7. $9xy^2 - 11y^3 - 14x$
8. $3x^2 + 16xy - 35y^2$	7. $625x^4$	8. $5x+3$
		9. <i>x</i> +3
9. $x^2 + 200x + 10,000$	8. $\frac{1}{x^{14}y^{12}}$	10. $x - 8$
10. $x^2 + 21x + 110.25$	9. 48	11. <i>x</i> -3
11. $225a^2 - 60a + 4$	10. $\frac{1}{r^{7}}$	12. $4x+1$
12. $y^2 - \frac{10}{9}y + \frac{25}{81}$	$x^{4}$ 11. $9a^{6}b^{14}c^{4}$	13. $3a^2 + 5a - 4$
13. $25y^2 - 120y + 144$		14. $7a^2 + 3a - 5$
14. $x^2 - 400$	12. $-\frac{y^{10}}{125x^2}$	15. $x^2 - 5x + 25$
15. $36x^2 - 1$	13. $8.71 \times 10^{-6}$	16. $x^2 + 2x + 4$
16. $9x^2 - 225$	14. $1.2 \times 10^{10}$	17. $9x^2 + 12x + 16$
17. $64y^4 - 25$	15. 3.1×10 <sup>-4</sup>	18. $2b-1+\frac{3}{3b-1}$
18 40.2 4	16. 0.000000784	19. $4x + 5$ inches
18. $49x^2 - \frac{4}{49}$	17. 6,052,000	20. $4x + 3$ inches
19. $(7x^2 + 16x - 15)$ sq. ft.	18. 807,200	20. 4x + 3 menes
20. $(64x^2 - 16x + 1)$ sq. m	19. 427,000,000	
	20. 3000	

<b>Chapter 6 Answers</b> Additional Exercises, 6.1	Additional Exercises, 6.2 1. $(x+14)(x-3)$	Additional Exercises, 6.3 1. (2y-1)
2. <i>xy</i>	2. $(x+7)(x-8)$	2. $(2y+1)$
3. 6	3. $(x+5)(x-6)$	3. ( <i>y</i> -5)
4. $3a(a+4)$	4. $(x+5)(x-4)$	4. (3 <i>y</i> -1)
5.  5x(xy+2y+5)	5. $(x+1)(x+9)$	5. $(5x-1)(3x+2)$
6. $3xy(x^3y+3x^2y+10)$	6. Prime	6. $(4x-3)(2x-1)$
7. $4(y^4 + 2y^3 + 3y^2 - y + 6)$	7. $(x+6)(x-4)$	7. $(2x-5)(3x+2)$
8. $a^{3}b^{2}(3a-2b+5)$	8. $(x+4)(x-7)$	8. $(3x+2)(3x+4)$
9. $4(x^2y+2x+1)$	9. $(x-2)(x+9)$	9. $(7x-1)(3x-2)$
10. $4y^2(3y^3 + y - 4)$	10. $(x-9)(x+7)$	10. $(6a-5)(3a+2)$
11. $6x^2y(x^3y^4-2x-3y)$	11. Prime	11. $(4x+3)(3x-5)$
12. $4(a^4 + 4a^2 - 3a + 3)$	12. $(x+5y)(x+9y)$	12. $(3a-2)(5a+2)$
13. $(x+2)(y+4)$	13. $5(x+2)(x-3)$	13. $(7a+2)(2a-7)$
14. $(c-3)(a^2+5)$	14. $3(7-x)(5-x)$	14. $-4(x-3)(x+2)$
15. $(x-4)(y+2)$	15. $2(x+6)(x+1)$	15. $7(2x+1)(3x+5)$
16. $(x+4)(3+y)$	16. $x(x-6)(x+1)$	16. $5(5x-y)(2x+3y)$
17. $(y-2)(3+x)$	17. $x(x-11)(x+4)$	17. $(x+4)^2$
18. $(x-4y)(4x-3)$	18. $4x^3(x+2)(x+5)$	18. $(5n+3)^2$
19. $(x-2y)(3x-5)$	19. $xy(x-5y)(x-y)$	19. $2(x-6)^2$
20. $(4x+9)(5x^2-3)$	20. $2y^3(-8+5y+y^2)$	20. $(8x+y)^2$

<b>Additional Exercises, 6.4</b> 1. $(7x+1)(3x+2)$	<b>Additional Exercises, 6.5</b> 1. $(1-3x)(1+3x)$	Additional Exercises, 6.6 1. $x = -11, 2$
2. $(3x-1)(x-5)$	2. $(2x-y)(2x+y)$	2. $x = \frac{2}{5}, -\frac{1}{3}$
3. $(n-1)(5n+1)$	3. $(11-ab)(11+ab)$	3. $x = \frac{2}{3}, -\frac{2}{3}$
4. $(6x+1)(x+3)$	4. $(xy-10)(xy+10)$	
5. $(3x+1)(x+2)$	5. $(a^2b-3)(a^2b+3)$	4. $x = -2, 0, \frac{1}{5}$
6. $(7x-2)(x-1)$	6. $(a^3 - 12)(a^3 + 12)$	5. $x = 7, \frac{5}{2}$
7. $(5n+1)(2n+3)$	7. $(4x-11)(4x+11)$	6. $x = -\frac{7}{3}, 0, 5$
8. $(5x+1)(x-2)$	8. $(x^4 - 13)(x^4 + 13)$	7. $x = -0.5, 0.3$
9. $(3n+1)(3n+4)$	9. $(15x - 29y)(15x + 29y)$	8. $x = -6, 1$
10. $(4m-9)(m-2)$	10. $9x(x-2)(x+2)$	9. $x = -1, \frac{5}{2}$
11. $(3m-10)(m+3)$	11. $\left(y - \frac{4}{9}\right)\left(y + \frac{4}{9}\right)$	10. $y = -\frac{5}{2}, \frac{5}{2}$
12. $(5m-9)(2m+3)$	(9)(9)	10. $y = -\frac{1}{2}, \frac{1}{2}$
13. $(7m-2)(2m-5)$	12. $ab(4ab-7)(4ab+7)$	11. $x = -\frac{5}{2}$
14. $(9m+7)(7m+9)$	13. $\left(\frac{2}{7}x - \frac{1}{5}\right)\left(\frac{2}{7}x + \frac{1}{5}\right)$	12. $b = -2, \frac{5}{3}$
15. $2x(2x+3)(3x+1)$	14. $(1-6x)(1+6x)$	13. <i>n</i> = 3, 7
16. $3m(5m+3)(m+1)$	15. $(x+y)(x^2 - xy + y^2)$	14. <i>m</i> = 0, 11
17. $6m(5m-1)(2m-1)$	16. $(3x-2y)(9x^2+6xy+4y^2)$	15. $x = -8, 4$
18. $2x(9x-7)(x+7)$	17. $(xy+6)(x^2y^2-6xy+36)$	16. $y = -\frac{4}{3}, \frac{4}{3}$
19. $5x(2x-1)(x+7)$	18. $(a-7b)(a^2+7ab+49b^2)$	17. $p = \frac{8}{5}, 3$
20. $y(3x-1)(2x+5)$	$19.(2a+8b)(4a^2-16ab+64b^2)$	18. $n = -6, -2, 0$
	20. $\left(n-\frac{2}{3}\right)\left(n^2+\frac{2}{3}n+\frac{4}{9}\right)$	19. $y = -\frac{1}{2}, 0, \frac{1}{2}$
		20. $w = 0, 4$

Copyright © 2017 Pearson Education, Inc.

### Additional Exercises, 6.7

- 1. 8,3
- 2. 10, 7
- 3. 12, 6
- 4. 30 ft., 36 ft.
- 5. 2 sec
- 6. 6m, 8m, 10m
- 7. 5 ft., 12 ft., 13 ft.
- 8. 20 ft.
- 9. 10 m, 24 m
- 10. 2 or 4
- 11. 5 or -3
- 12. 5 and 7
- 13. 5, 6, 7
- 14. 3 and 5
- 15. 7 in.
- 16. 12 cm, 16 cm
- 17. -3, 3
- 18.18
- 19. 7 cm
- 20. 6m by 8m

Chapter 7 Answers Additional Exercises, 7.1	Additional Exercises, 7.2	18. $-\frac{3x(x-5)}{2}$
17 2. $-\frac{4}{9}$ 3. $\frac{7}{2}$	1. $\frac{-5}{3x+7}$ 2. $\frac{15x}{7}$ 3. $x$	10. $-\frac{(x-4)^2}{(3x+1)^2}$ 20. 0.1023 mph
<ol> <li>4. 0</li> <li>5. 10</li> </ol>	4. $\frac{-a}{6}$	
6. none $\overline{}$	5. $\frac{x^2}{35}$	
7. $\frac{1}{2x-3}$ 8. $\frac{3}{5}$	$6.  4x$ $7.  \frac{y-2}{y}$	
<ul> <li>8. 5/5</li> <li>9. 1</li> <li>101</li> </ul>	8. $\frac{2}{7(x-7)}$ m <sup>2</sup>	
118	9. $\frac{9}{(4x-9)} \text{ft}^2$	
12. $\frac{1}{x-8}$ 13. $x+5$	10. $\frac{3x^7}{2}$	
14. $\frac{x+8}{x-9}$	11. $\frac{8x}{y^3}$	
15. $\frac{x+6}{3}$	12. $\frac{3x(x+12)}{2}$	
16. $4+y$	13. $\frac{1}{26}$	
17. $\frac{\frac{-y+2}{y+7}, \frac{-(y-2)}{y+7},}{\frac{y-2}{-y-7}, \frac{y-2}{-(y+7)}}$	14. $\frac{(a-b)^2}{2}$ 15. $-\frac{x+2}{x-7}$	
18. <b>\$</b> 270 19. <b>\$</b> 216	16. $\frac{5}{9}$	
20. 19.04	17. $\frac{x(x+2y)}{5(5x+y)}$	

Additional Exercises, 7.3 1. $\frac{a+11}{17}$	18. $\frac{36}{x-15}$ ft	Additional Exercises, 7.4 1. $\frac{47}{20x}$
2. $\frac{6m}{n}$	19. $\frac{3x+11}{x+6}$ m	$2.  \frac{32n+3m^2}{8m}$
3. 5	20. $\frac{2x+15}{x+5}$ in.	$3.  \frac{12x+2}{3x^2}$
$4.  \frac{x+10}{15+x}$		4. $\frac{4}{x-2}$
5. 2		5. $\frac{16x+36}{7(x+4)(x-4)}$
$6.  \frac{1}{x+6}$		6. $\frac{6y+2-y^3}{y^2(3y+1)}$
7. $\frac{1}{x-4}$		7. $\frac{8}{x-9}$
8. $15y^7$ 9. $3y(3y-5)$		8. $\frac{4+5x}{x}$
10. $9(x-2)^2$		9. $\frac{3x-11}{x-7}$
11. $x - y$		10. $\frac{5x^4-2}{x}$
12. $(x+7)(x+5)(x+4)$		
13. $\frac{24y^3}{48y^5}$		11. $\frac{(x+5)}{(x+6)^2}$
14. $\frac{b(7a+3)}{3b(3a+1)}$		12. $\frac{20x+46}{(x-4)^2(x+10)}$
$15. \ \frac{3(11y-4)}{36x^2-45}$		13. $\frac{5x+66}{(x+2)(x-10)(x+10)}$ 14. $-\frac{3}{x-7}$
16. $\frac{10(x+4)}{(x+8)(x-4)(x+4)}$		x-7 15. $\frac{(x+2)}{(x+3)^2}$
17. $\frac{(x-7)(x+4)}{x(x+4)(x-6)(x+3)}$		16. $-\frac{6x+31}{(x-7)(x+8)}$

Additional Exercises, 7.4	A
(continued)	1
$8x^2 - 5x - 100$	
17. $\overline{x}$ ,	2
\$15,994.95	_

18. 
$$\frac{4x-36}{(x+6)(x-6)}$$
 in.

19.  $\frac{26x-40}{x(x-4)}$  ft.

20. 
$$\frac{-2x-30}{(x+5)(x-5)}$$
 in.

Additional Exercises, 7.5	<b>Additional Exercises, 7.6</b> 1. 12
2. 2	2. $\frac{8}{7}$
37	3. 13
414	4. 10
5. 5	56
6. 2, 3	6. $-\frac{1}{3}$
7. 10	7. 9
8. 1, -12	8. 1
9. 12, -3	9. 3, -3
10. $\frac{1}{3}$	10. $1\frac{5}{7}$
11. No solution	11. $1\frac{3}{5}$ hours
128	12. 12 minutes 24 minutes
13. $\frac{2A}{b}$	13. 16 mph
14  2A-bh	14. 4 and 6 mph
14. $\frac{2A-bh}{h}$	15. 3 and 4 mph
15. $V = NG - RG$	<ul><li>16. 35 mph in mountains</li><li>63 mph level road</li></ul>
16. $\frac{A-P}{Pt}$	17. 2.5
17 25° 145°	18. 1.4 inches
17. 35°,145° 18. 70°,110°	19. $13\frac{1}{5}$ minutes
19. 20°,70°	20. 20 mph
20. $\frac{330^{\circ}}{7}, \frac{300^{\circ}}{7}$	

Additional Exercises, 7.7 1. direct	Additional Exercises, 7.8 1. $-\frac{5}{12}$	17. $\frac{7n+4}{2n^2}$
2. inverse	2. $\frac{7}{12}$	18. $\frac{31}{48}$
3. direct	2 3	
4. inverse	3. $-\frac{3}{5}$	19. $\frac{4(2+3n)}{n^2}$
5. direct	4. $\frac{4}{45}$	20. $\frac{f_1 f_2}{f_1 + f_2}$
$6. \qquad y = \frac{1}{4}x$	5. 1	01 02
7. $y = 8x$	6. $\frac{x^2-6x}{4x^2+6}$	
8. $y = 2x$		
9. $y = \frac{12}{x}$	7. $\frac{2}{y-1}$	
10. $y = \frac{0.3}{x}$	8. $\frac{2}{x+y}$	
11. $s = kt$	$9.  \frac{5+14x}{5-14x}$	
12. $t = k\sqrt{x}$	10. $\frac{1}{2}$	
13. $t = \frac{k}{x^3}$	11. $2a(a-3)$	
14. 27	12. $\frac{5x^2+1}{5x^2-x}$	
15. 2.25		
16. 2	13. $\frac{11+6x}{-6x+4}$	
17. $\frac{5}{9}$	14. $\frac{a}{a-b}$	
18. \$166.75	15. $\frac{1+a}{1-a}$	
19. 1.25 amps	1-a	
20. 50 gallons	16. $\frac{17}{40}$	

<b>Chapter 8 Answers</b> Additional Exercises, 8.1 1. 9	Additional Exercises, 8.2 1. $5\sqrt{3}$	Additional Exercises, 8.3 1. $-3\sqrt{7}$
2. $\frac{1}{7}$	2. $3\sqrt{11}$	2. $2\sqrt{10}$
36	3. $6\sqrt{2}$	3. $-7\sqrt{19}$
4. Not a real number	4. $\frac{3\sqrt{5}}{8}$	4. $9\sqrt{2}$
5. $\frac{11}{2}$	5. $-\frac{2\sqrt{21}}{5}$	5. $-2\sqrt{5}$
6. 20	5	6 $2\sqrt{6} - \sqrt{2}$
7. 6	$6.  \frac{5\sqrt{3}}{9}$	$6.  2\sqrt{6} - \sqrt{2}$ $7.  3\sqrt{y} - 6y$
84	7. $\frac{4\sqrt{3}}{15}$	
94	15	8. 0
10. 3	8. $x^3\sqrt{x}$	9. $2x\sqrt{x}$
11. Not a real number	9. $2y^6\sqrt{13}$	10. $\frac{3\sqrt{13}}{10}$
122	10. $3x^3y^4\sqrt{5}$	10. 10
13. 6.782	11. $\frac{2\sqrt{14}}{v^2}$	11. $-\sqrt{x}$
14. 13.342	$y^2$	12. $15z\sqrt{10y}$
15. 862 sq. ft.	12. $\frac{7y\sqrt{2}}{r^5}$	
16. $n^2$	4	13. $3x\sqrt{5x} - 6x\sqrt{3}$
17. $4y^3$	13. $\frac{x^4\sqrt{x}}{y^{10}}$	14. $10x\sqrt{2x} + 7\sqrt{x}$
18. $9z^{10}$	14. 30	15. $6\sqrt[3]{25} - \sqrt[3]{4}$
19. $-5xy^5$	15. 2√7	16. $6\sqrt[3]{2y}$
20. 0, 1, 2. $\sqrt{6} \approx 2.45$ , 3	16. $\frac{\sqrt[3]{14}}{5}$	17. $12\sqrt[3]{x}$
15 1 05 -3 -2 -1 2 3 4 5	17. $\frac{3\sqrt[4]{10}}{x^6}$	18. $(16+4\sqrt{5})$ ft.
-05	18. $3x^3y\sqrt[3]{13x}$	19. $12\sqrt{7}$ m
-15 _2	19. $3\sqrt[3]{10}$ in.	20. $71\sqrt{3}$ ft.
	20. $10\sqrt{13}$ ft.	

Copyright © 2017 Pearson Education, Inc.

<b>Additional Exercises, 8.4</b> 1. 10	<b>Additional Exercises, 8.5</b> 1. 49	Additional Exercises, 8.6 1. $3\sqrt{13} \approx 10.82$
2. 14	2. 79	2. $\sqrt{30} \approx 5.48$
3. $3\sqrt{11}$	3. 9	3. $2\sqrt{10} \approx 6.32$
4. 17 <i>x</i>	4. 16	4. $5\sqrt{2} \approx 7.07$
5. 49 <i>x</i>	5. 25	
$6.  5\sqrt{2xy}$	6. no real solution	5. $\sqrt{109} \approx 10.44$
7. $2xy\sqrt{3y}$	7. 7	$6.  3\sqrt{5} \approx 6.71$
$8.  \sqrt{35} + \sqrt{5}$	8. 9	7. $4\sqrt{5} \approx 8.94$
	9. 3	8. $3\sqrt{6} \approx 7.35$
99	10. 2	9. $\sqrt{31} \approx 5.57$
10. $\sqrt{35} + \sqrt{30} - \sqrt{42} - 6$	11. 4	10. 8.54 ft.
11. $x - 8\sqrt{x} + 16$	12. 5	11. 7.81 ft.
12. $3y + 4\sqrt{3y} + 4$	13. 7	12. 8 ft.
13. 2	14. 0, -4	13. 19 ft.
14. $3\sqrt{2}$	15. 16	14. 13.4 in.
15. $2xy\sqrt{3x}$	16. 4	15. 45 mph
16. $\frac{\sqrt{70}}{7}$	17. 3 18. 9	16. $\sqrt{185} \approx 13.6$
$\sqrt{6v}$	19. no solution	17. $5\sqrt{2} \approx 7.07$
17. $\frac{\sqrt{6y}}{6y}$	20. $\frac{2}{5}$	18. $2\sqrt{26} \approx 10.2$
18. $\frac{9\sqrt{x}+54}{x-36}$	-	19. $3\sqrt{5} \approx 6.71$
19. $2\sqrt{2} - \sqrt{3}$		20. $2\sqrt{5} \approx 4.47$

20.  $45\sqrt{91}$  sq. in.

### Additional Exercises, 8.7

- 1. 12
- 2. 4
- 3. -2
- 4. -3
- 5.  $\frac{2}{3}$
- 6.  $-\frac{2}{3}$
- 7. 256
- 8. 243
- 9.  $\frac{1}{4}$
- 10.  $\frac{1}{512}$
- 11. 25
- 12.  $\frac{1}{3}$
- 13. 2
- 14. 4<sup>3/4</sup>
- 15.  $\frac{1}{5^{7/4}}$


16. 
$$\frac{1}{\sqrt{y}}$$


17. 
$$\frac{9m^{1/3}n^2}{16}$$
  
18.  $5xy^2z^3$ 

- 19.  $y^{4/3}$
- $20. \ \frac{2z^3}{w}$


<b>Chapter 9 Answers</b> Additional Exercises, 9.1 1. 11, -11	Additional Exercises, 9.2 13, -9	<b>Additional Exercises, 9.3</b> 1. –1, 7
2. 4, -4	2. 8, -2	2. 3, -2
3. 5, -5	3. $-2 \pm \sqrt{11}$	3. $-1, -\frac{2}{5}$
4. $\pm 7\sqrt{2}$	4. $-4 \pm 2\sqrt{7}$	4. $\frac{-5 \pm \sqrt{19}}{2}$
5. $\pm \frac{1}{8}$	5. 0, 10	2
<ul><li>8</li><li>6. No real solution</li></ul>	$6.  \frac{-3\pm\sqrt{33}}{2}$	5. $\pm \frac{1}{6}$
7. $\pm \frac{\sqrt{30}}{10}$	7. $\frac{9 \pm \sqrt{97}}{2}$	6. 8, -7
	2	$7.  \frac{9\pm\sqrt{77}}{2}$
$8. \pm \frac{5\sqrt{6}}{6}$	$8.  \frac{7\pm\sqrt{37}}{2}$	8. $4\pm\sqrt{5}$
9. $\pm \sqrt{11}$	92, -9	9. Not a real number
10. $\pm 2\sqrt{7}$	10. No real solution	10. $\frac{-1\pm\sqrt{65}}{4}$
11. 10, -2	11. 1, -6	11. $\pm \sqrt{2}$
125, -11	12. 10, -3	12. Not a real number
13. $12 \pm \sqrt{3}$	13. 6, -2	13. $\frac{-1\pm\sqrt{17}}{8}$
14. $0, \frac{1}{2}$	14. $-1 \pm \frac{2\sqrt{7}}{7}$	0
15. 3,8	$5 \pm \sqrt{39}$	14. $\frac{2}{3}, -\frac{1}{5}$
16. $\frac{6\pm 3\sqrt{6}}{5}$	15. $\frac{5\pm\sqrt{39}}{2}$	15. $\frac{3\pm\sqrt{13}}{8}$
17. $\frac{-2+3\sqrt{5}}{5}, \frac{-2-3\sqrt{5}}{5}$	16. $\frac{3\pm\sqrt{14}}{2}$	16. $\pm 2\sqrt{2}$
	17. No real solution	17. $\frac{6}{5}, -\frac{1}{3}$
18. $\frac{7\pm 4\sqrt{5}}{4}$	18. $\frac{7}{2}, -1$	5 3 18. $1 \pm \sqrt{6}$
19. 4.47 m	2	18. $1 \pm \sqrt{6}$ 19. $1 \pm \sqrt{19}$
20. 24.75 ft.	19. $-\frac{7}{6}, \frac{1}{6}$	
	20. $h = -14$	20. $-\frac{1}{4}, -\frac{1}{2}$


<b>Ad</b> 1.	ditional Exercises, 9.4 9i
2.	12 <i>i</i>
3.	4 <i>i</i> √7
4.	6 <i>+i</i>
5.	-9+i
6.	-7 + 7i
7.	-9
8.	-3 <i>i</i>
9.	-28 - 28i
10.	69 + 45 <i>i</i>
11.	89
12.	-17 + 144i
13.	-15+112i
14.	3–3i
15.	$\frac{3}{10} + \frac{1}{10}i$
16.	$-6 \pm 4i$
17.	$\frac{1\pm 3i\sqrt{3}}{3}$
18.	$-2\pm 3i$
19.	2i,-2i
20.	$\frac{1}{4} \pm \frac{i\sqrt{23}}{4}$





Additional Exercises, 9.5 (continued) 13. <sup>y</sup>





Date: Section:

# Section 1.3 Fractions and Mixed Numbers

*Objective: Understand the concepts of fractions.* Suggested Format: Group A Structure A Time: 15 minutes

Find the indicated fractional portion of each word and record it in the corresponding blank. Compose a hidden message by reading down the columns when you have finished.

First $\frac{1}{2}$ of will		First $\frac{3}{8}$ of sentence	
Last $\frac{1}{3}$ of length		Last $\frac{1}{3}$ of redeem	
First $\frac{1}{2}$ of Friday		Last $\frac{3}{7}$ of parties	
Last $\frac{2}{3}$ of trends		First $\frac{1}{2}$ of jump	
First $\frac{1}{3}$ of linear		First $\frac{1}{3}$ of liable	
Last $\frac{1}{2}$ of bike		First $\frac{1}{3}$ of usable	
Last $\frac{4}{9}$ of determine	·	First $\frac{2}{7}$ of capable	
First $\frac{2}{5}$ of which		First $\frac{1}{4}$ of estimate	
Last $\frac{1}{7}$ of multiplication	tion	Last $\frac{2}{7}$ of popular	
Last $\frac{3}{4}$ of need			

The message is \_\_\_\_\_

Date: Section:

# Sections 1.5 Adding Real Numbers & 1.6 Subtracting Real Numbers

*Objective: Application of Real Numbers.* Suggested Format: Group A Structure A Time: 15 minutes

Find the balance of the checking account after each activity.

Action	Amount	Balance
Beginning Balance		\$865.34
Deposit Paycheck	\$462.83	
Pay Rent	\$450.00	
Pay Electronic Bill	\$75.29	
Pay Telephone Bill	\$57.81	
Write a check for cash	\$150.00	

Date: Section:

# **Chapter 1 Group Activity - Magic Squares**

A magic square is a set of numbers arranged in a square table so that the sum of the numbers in each column, row, and diagonal is the same. For instance, in the magic square below, the sum of each column, row, and diagonal is 15. Notice that no number is used more than once in the magic square.

2	9	4
7	5	3
6	1	8

The properties of magic squares have been known for a very long time and once were thought to be good luck charms. The ancient Egyptians and Greeks understood their patterns. A magic square even made it into a famous work of art. The engraving titled Melencolia I, created by German artist Albrecht Dürer in 1514, features the following four-by-four magic square on the building behind the central figure.

16	3	2	13
5	10	11	8
9	6	7	12
4	15	14	1

- 1. Verify that what is shown in the Dürer engraving is, in fact, a magic square. What is the common sum of the columns, rows, and diagonals?
- 2. Negative numbers can also be used in magic squares. Complete the following magic square:

		-2
	-1	
0		-4

(cont'd)

Date: Section:

# Group Activity 1 (cont'd)

3. Use the numbers -12, -9, -6, -3, 0, 3, 6, 9, and 12 to form a magic square.

Date: Section:

# Section 2.1 Simplifying Algebraic Expressions

*Objective: Combining like terms.* Suggested Format: Relay Race Time: 15 minutes

(Instructors: Make enough copies for each group. Cut the problems apart and hand a copy of problem one to the first student in each group, problem 2 to the second student, etc.)

**Problem 1:** 3x - 7x - 6 + 8

Write your answer on a sheet of paper and hand it to the next student.

**Problem 2:** Add the expression you were given to 3x-12.

Write your answer on a sheet of paper and hand it to the next student.

**Problem 3:** Subtract the expression you were given from 3x-6.

Write your answer on a sheet of paper and hand it to the next student.

**Problem 4:** Add the expression you were given to -5x+8.

Write your answer on a sheet of paper and hand it to the next student.

**Problem 5:** Subtract 5x-8 from the expression you were given.

When you have your answer, raise your hand and the instructor will see if it is correct.

Date: Section:

# **Section 2.4 Solving Linear Equations**

*Objective: Practice in using techniques for solving equations.* Suggested Format: Group Structure B Time: 20 minutes

I. Solve each equation. Write the answer in the box that corresponds to the letter in the equation.

$$3a + 5 = 4a + 1$$
  $2b - b = 9$ 

$$3c + 4 = 2c + 3c$$
  $4(d - 1) = d + 5$ 

$$5(e-6)+8=e-2$$
  $2(f-3)+7=3f-6$ 

$$\frac{1}{2}g + 1 = \frac{1}{4}g + 3 \qquad \qquad 3h - 6 = 2h - 5$$

$$\frac{1}{2}i = 3$$

<i>a</i> =	<i>b</i> =	<i>c</i> =
<i>d</i> =	<i>e</i> =	<i>f</i> =
<i>g</i> =	<i>h</i> =	<i>i</i> =

II. Look at just the numbers in the box. (Ignore the letters). Do you notice any pattern?

Date: Section:

# **Chapter 2 Group Activity - Investigating Averages**

Sections 2.1-2.9

Materials:

- small rubber ball or crumpled paper ball
- bucket or waste can

This activity may be completed by working in groups or individually.

1. Try shooting the ball into the bucket or waste can 5 times. Record your results below.

#### Shots Made Shots Missed


- 2. Find your shooting percent for the 5 shots (that is, the percent of the shots you actually made out of the number you tried).
- 3. Suppose you are going to try an additional 5 shots. How many of the next 5 shots will you have to make to have a 50% shooting percent for all 10 shots? An 80% shooting percent?
- 4. Did you solve an equation in Question 3? If so, explain what you did. If not, explain how you could use an equation to find the answers.
- 5. Now suppose you are going to try an additional 22 shots. How many of the next 22 shots will you have to make to have at least a 50% shooting percent for all 27 shots? At least a 70% shooting percent?
- 6. Choose one of the sports played at your college that is currently in season. How many regular-season games are scheduled? What is the team's current percent of games won?
- 7. Suppose the team has a goal of finishing the season with a winning percent better than 110% of their current wins. At least how many of the remaining games must they win to achieve their goal?

Date: Section:

# Section 3.1 Reading Graphs and the Rectangular Coordinate System

*Objective: Interpret Real Data.* Suggested Format: Group Structure A or B Time: 15 minutes

Enrollment at William's College, 2008



Use the graph to answer the following questions.

- 1. What percent of the total student body were Freshmen?
- 2. What percent of the total student body were Sophomores?
- 3. What percent of the total student body were Juniors?
- 4. What percent of the total student body were Seniors?

The total enrollment was 8,480.

- 5. How many students were Freshmen?
- 6. How many students were Sophomores?
- 7. How many students were Juniors?
- 8. How many students were Seniors?

# Section 3.4 Slope and Rate of Change

*Objective: Find the slope of a line for a practical application.* Suggested Format: Group Structure A Time: 10 minutes

Use the information in each stated problem to write two points, then use the two points to find the slope of a line going through those two points.

1. A business had 580 employees in 2010 and 780 employees in 2015. Find the rate of change (the slope of the line). HINT: Let y = the number of employees. If you let x = 0 represent the year 2010, what *x*-value represents 2015? Explain what the slope means.

2. A piece of office equipment cost \$20,000 new. In ten years it will be worth \$5000. Find the rate of depreciation (slope). HINT: Let y = the value of the machine. Let x = 0 be the year the machine was purchased. Explain what the slope means.

Date: Section:

# Section 3.5 Equations of Lines

*Objective: Provide a practical application of equations of lines.* Suggested Format: Group Structure B Time: 20 minutes

- 1. A business had 580 employees in 2010 and 780 employees in 2015. Find the rate of change (the slope of the line). HINT: Let y = the number of employees. If you let x = 0 represent the year 2010, 2015 will be x = ?
  - (a) Find the slope of the line and the equation that represents the data.

- (b) How many employees will the business have in 2017?
- (c) In what year will the number of employees be 980?
- 2. A piece of office equipment cost \$20,000 new. In ten years it will be worth \$5000. Find the rate of depreciation (slope). HINT: Let y = the value of the machine. Let x = 0 be the year the machine was purchased.
  - (a) Find the slope of the line and the equation that represents the data.

- (b) What will be the value of the equipment in 5 years?
- (c) After how many years will the value of the equipment be \$15,500?

# **Chapter 3 Group Activity - Financial Analysis**

Investment analysts investigate a company's sales, net profit, debt, and assets to decide whether investing in it is a wise choice. One way to analyze this data is to graph it and look for trends over time. Another way is to find algebraically the rate at which the data changes over time.

The following table gives the net incomes in millions of dollars for some of the leading U.S. businesses in the pharmaceutical industry for the years 2004 and 2005. In this project, you will analyze the performances of these companies and, based on this information alone, make an investment recommendation. This project may be completed by working in groups or individually.

Pharmaceutical Industry Net Income (In Millions of Dollars)		
2004	2005	
\$5813.4	\$4631.3	
\$11,361	\$8085	
\$8509	\$10411	
\$2378	\$2992	
\$3175.8	\$3372.1	
\$1819.1	\$1979.6	
\$269	-\$947	
\$1234	\$3656.3	
	<b>2004</b> \$5813.4 \$11,361 \$8509 \$2378 \$3175.8 \$1819.1 \$269	

Source: The 2006 annual report for each of the companies listed.

- 1. Scan the table. Did any of the companies have a loss during the years shown? If so, which company and when? What does this mean?
- 2. Write the data for each company as two ordered pairs of the form (year, net income). Assuming that the trends in net income are linear, use graph paper to graph the line represented by the ordered pairs for each company. Describe the trends shown by each graph.
- 3. Find the slope of the line for each company.
- 4. Which of the lines, if any, have positive slopes? What does that mean in this context? Which of the lines have negative slopes? What does that mean in this context?
- 5. Of these pharmaceutical companies, which one(s) would you recommend as an investment choice? Why?

(cont'd)

Date: Section:

#### Group Activity 3 (cont'd)

6. Do you think it is wise to make a decision after looking at only two years of net profits? What other factors do you think should be taken into consideration when making an investment choice?

(*Optional*) Use financial magazines, company annual reports, or online investing information to find net income information for two different years for two to four companies in the same industry. Analyze the net income and make an investment recommendation.

Date: Section:

# Section 4.4 Systems of Linear Equations and Problem Solving

*Objective: Provide a practical application of systems of equations of lines.* Suggested Format: Group Structure B Time: 15 minutes

To encourage car pooling, a toll road decided to charge less for vehicles with 3 or more passengers. The toll is normally \$3 per vehicle, but the toll for a car with 3 or more passengers is reduced to \$2 per vehicle.

The first day the new prices went in to effect, the supervisor told Anne to count how many vehicles of each type went through her toll booth. Anne knew that an automatic counter kept track of the total number of vehicles that went by her booth. At the end of her shift, she had collected \$2150 and the automatic counter told her that a total of 800 vehicles had passed by. Write a system of equations and solve so Anne can tell her supervisor how many vehicles she charged \$3 and how many she charged \$2.

## Date: Section:


# Section 4.6 Systems of Linear Inequalities

*Objective: Provide a practical application of systems of inequalities.* Suggested Format: Group Structure B Time: 20 minutes

Jan makes bracelets and necklaces to sell at an arts and crafts fair. She has 20 hours at most to work on making more jewelry. It takes her 4 hours to make 1 bracelet and 1 hour to make 1 necklace. She only needs 11 more pieces to fill her display, so she wants to make 11 or less pieces.

Write a system of inequalities to model what she needs (remember x and y need to be positive). Then graph the system.

	Bracelets <i>x</i>	Necklaces y	
Hours			$\leq 20$
Number of items			≤ 11
	x		$\leq 0$
		у	$\leq 0$



Find a point that satisfies the condition. Explain what that point represents.

# **Chapter 4 Group Activity - Break-Even Point**


When a business sells a new product, it generally does not start making a profit right away. There are usually many expenses associated with creating a new product. These expenses might include an advertising blitz to introduce the product to the public. These start-up expenses might also include the cost of market research and product development or any brand-new equipment needed to manufacture the product. Start-up costs like these are generally called fixed costs because they don't depend on the number of items manufactured. Expenses that depend on the number of items manufactured, such as the cost of materials and shipping, are called variable costs. The total cost of manufacturing the new product is given by the cost equation: Total cost = Fixed costs + Variable costs.

For instance, suppose a greeting card company is launching a new line of greeting cards. The company spent \$7000 doing product research and development for the new line and spent \$15,000 on advertising the new line. The company does not need to buy any new equipment to manufacture the cards, but the paper and ink needed to make each card will cost \$0.20 per card. The total cost *y* in dollars for manufacturing *x* cards is y = 22,000 + 0.20x.

Once a business sets a price for the new product, the company can find the product's expected revenue. Revenue is the amount of money the company takes in from the sales of its product. The revenue from selling a product is given by the revenue equation: Revenue = Price per item  $\times$  Number of items sold.

For instance, suppose that the card company plans to sell its new cards for \$1.50 each. The revenue y, in dollars, that the company can expect to receive from the sales of x cards is y = 150x.

If the total cost and revenue equations are graphed on the same coordinate system, the graphs should intersect. The point of intersection is where total cost equals revenue and is called the break-even point. The break-even point gives the number of items *x* that must be manufactured and sold for the company to recover its expenses. If fewer than this number of items are produced and sold, the company loses money. If more than this number of items are produced and sold, the company makes a profit. In the case of the greeting card company, approximately 16,923 cards must be manufactured and sold for the company to break even on this new card line. The total cost and revenue of producing and selling 16,923 cards is the same. It is approximately \$25,385.



(cont'd)

## Group Activity 4 (cont'd)

Suppose your group is starting a small business near your campus.


- a. Choose a business and decide what campus-related product or service you will provide.
- b. Research the fixed costs of starting up such a business.
- c. Research the variable costs of producing such a product or providing such a service.
- d. Decide how much you would charge per unit of your product or service.
- e. Find a system of equations for the total cost and revenue of your product or service.
- f. How many units of your product or service must be sold before your business will break even?

Date: Section:

# Section 5.2 Adding and Subtracting Polynomials

*Objective: Provide practice with adding and subtracting polynomial expressions.* Suggested Format: The Math is Right Game Time: 15 minutes

Express the perimeter of each figure as a polynomial expression.




2*x* 

Date: Section:


# Section 5.3 Multiplying Polynomials

*Objective: Provide practice with multiplying polynomial expressions.* Suggested Format: The Math is Right Game Time: 15 minutes

Express the area of each figure as a polynomial expression.



5*x*+6



2*x* 

## Date: Section:

# **Chapter 5 Group Activity - Modeling with Polynomials**

The polynomial  $-2.02x^2 + 51.60x + 674.60$  dollars represents consumer spending per person per year on all U.S. media from 2000 to 2006. This includes spending on subscription TV services, recorded music, newspapers, magazines, books, home video, theater movies, video games, and educational software. The polynomial model  $-1.39x^2 + 22.61x + 206.53$  dollars represents consumer spending per person per year on subscription TV services alone during this same period. In both models, *x* is the number of years after 2000 (*Source:* Based on data from *Statistical Abstract of the United States, 2007*).

In this project, you will have the opportunity to investigate these polynomial models numerically, algebraically, and graphically. This project may be completed by working in groups or individually.

Use the polynomials to complete the following table showing the annual consumer spending per person over the period 2000 – 2006 by evaluating each polynomial at the given values of *x*. Then subtract each value in the fourth column from the corresponding value in the third column. Record the result in the last column, "Difference." What do you think these values represent? What trends do you notice in the data?

Year	x	Consumer Spending per Person per Year on All U.S. Media	Consumer Spending per Person per Year on Subscription TV	Difference
2000	0			
2002	2			
2004	4			
2006	6			

2. Use the polynomial models to find a new polynomial model representing the amount of consumer spending per person on U.S. media other than subscription TV services (such as recorded music, newspapers, magazines, books, home video, theater movies, video games, and educational software). Then use this new polynomial to complete the following table.

Year	x	Consumer Spending per Person per Year on Media Other Than Subscription TV
2000	0	
2002	2	
2004	4	
2006	6	

## (cont'd)

Date: Section:

## Group Activity 5 (cont'd)


- 3. Compare the values in the last column of the table in Question 1 to the values in the last column of the table in Question 2. What do you notice? What can you conclude?
- 4. Use the polynomial models to estimate consumer spending on a. all U.S. media,b. subscription TV,c. media other than subscription TV for the year 2008.
- 5. Use the polynomial models to estimate consumer spending on a. all U.S. media,b. subscription TV,c. media other than subscription TV for the year 2010.
- 6. Create a bar graph that represents the data for consumer spending on all U.S. media in the years 2000, 2002, 2004, and 2006 along with your estimates for 2008 and 2010. Study your bar graph. Discuss what the graph implies about the future.

Name:	Date:
Instructor:	Section:

# **Chapter 6 Integrated Review – Choosing a Factoring Strategy**

*Objective: Provide practice with deciding on a factoring strategy.* Suggested Format: Group A or B Time: 20 minutes

I. Factor the polynomials then find an expression for the width and an expression for the length. Then use the length and the width to find an expression for the perimeter of each figure.



Date: Section:

# Section 6.6 Solving Quadratic Equations by Factoring

*Objective: Discover rules about the solutions to quadratic equations.* Suggested Format: Group A or B Time: 20 minutes

I. Solve each of the following quadratic equations by factoring. Write both answers in column **A**.

	Α	В	С	D	Ε
$x^2 + 3x - 10 = 0$					
$x^2 + x - 6 = 0$					
$2x^2 + 5x - 3 = 0$					
$3x^2 - 10x - 8 = 0$					
$x^2 - 3x - 18 = 0$					
$6x^2 + 23x - 4 = 0$					
$x^2 - 7x - 12 = 0$					
$6x^2 - 11x - 10 = 0$					
$5x^2 - 13x - 6 = 0$					
$7x^2 - 11x - 6 = 0$					

II. Add the two solutions to each equation. Write the sum in column **B**.

- III. Each equation is written in the form  $ax^2 + bx + c = 0$ . Find the quotient  $\frac{b}{a}$  for each equation and write that value in column **C**.
- IV. Write the product of the two solutions in column **D**.
- V. Each equation is written in the form  $ax^2 + bx + c = 0$ . Find the quotient  $\frac{a}{c}$  for each equation and write that value in column **E**.

Study columns **B** and **C**. Can you define the relationship between the sum of the answers and the quotient  $\frac{b}{a}$ ?


Study columns **D** and **E**. Can you define the relationship between the product of the answer and the quotient  $\frac{a}{c}$ ?

## Date: Section:

# **Chapter 6 Group Activity - Choosing Among Building Options**

Whether putting in a new floor, hanging new wallpaper, or retiling a bathroom, it may be necessary to choose among several different materials with different pricing schemes. If a fixed amount of money is available for projects like these, it can be helpful to compare the choices by calculating how much area can be covered by a fixed dollar-value of material.

In this project, you will have the opportunity to choose among three different choices of materials for building a patio around a swimming pool. This project may be completed by working in groups or individually.



Situation: Suppose you have just had a 10-foot-by-15-foot in-ground swimming pool installed in your backyard. You have \$3000 left from the building project that you would like to spend on surrounding the pool with a patio, equally wide on all sides (see figure). You have talked to several local suppliers about options for building this patio and must choose among the following.

Option	Material	Price
А	Poured cement	\$5 per square foot
В	Brick	\$7.50 per square foot plus a \$30 flat fee for delivering the bricks
С	Outdoor carpeting	\$4.50 per square foot plus \$10.86 per foot of the pool's perimeter to install edging

- 1. Find the area of the swimming pool.
- 2. Write an algebraic expression for the total area of the region containing both the pool and the patio.
- 3. Use subtraction to find an algebraic expression for the area of just the patio (not including the area of the pool).

(cont'd)

## Group Activity 6 (cont'd)

- 4. Find the perimeter of the swimming pool alone.
- 5. For each patio material option, write an algebraic expression for the total cost of installing the patio based on its area and the given price information.
- 6. If you plan to spend the entire \$3000 on the patio, how wide would the patio in option A be?
- 7. If you plan to spend the entire \$3000 on the patio, how wide would the patio in option B be?
- 8. If you plan to spend the entire \$3000 on the patio, how wide would the patio in option C be?
- 9. Which option would you choose? Why? Discuss the pros and cons of each option.


Date: Section:

# **Chapter 7 Integrated Review – Summary on Rational Expressions**


*Objective: Provide practice adding and multiplying radical expressions.* Suggested Format: Group A or B Time: 20 minutes

Find an expression for the perimeter and area of each figure.

1.  $P = \underline{\qquad} \qquad A = \underline{\qquad}$ 







Date: Section:

# Section 7.6 Proportion and Problem Solving with Rational Equations

*Objective: Provide a better understanding of problem solving.* Suggested Format: Group A or B Time: 15 minutes

Divide each group into two smaller groups.

First Group:

A. Solve the following problem.

An airplane can fly 500 miles with the wind in 2 hours. In the same amount of time, it flies 300 miles against the wind. Find the air speed of the plane in still air and the wind speed.

- B. Write a problem about an airplane flying with the wind and against the wind. Use problem A as an example. (Hint: Start by deciding on what the answers will be and then write the problem.)
- C. Give the problem you wrote to the second group and ask them to solve it.

Second Group:

- A. Solve the following problem.
   A boat goes upstream 9 miles in one hour. In the same amount of time it goes 11 miles downstream. Find the speed of the boat in still water and the speed of the current in the river.
- B. Write a problem about a boat going upstream and downstream. Use problem A as an example. (Hint: Start by deciding on what the answers will be and then write the problem.)
- C. Give the problem you wrote to the first group and ask them to solve it.

#### Date: Section:

# **Chapter 7 Group Activity - Comparing Dosage Formulas**

In this project, you will have the opportunity to investigate two well-known formulas for predicting the correct doses of medication for children. This project may be completed by working in groups or individually.

Young's Rule and Cowling's Rule are dose formulas for prescribing medicines to children. Unlike formulas for area or distance, these dose formulas describe only an approximate relationship. The formulas relate a child's age A in years and an adult dose D of medication to the proper child's dose C. The formulas are most accurate when applied to children between the ages of 2 and 13.

Young's Rule: 
$$C = \frac{DA}{A+12}$$
  
Cowling's Rule:  $C = \frac{D(A+1)}{24}$ 

1. Let the adult dose D = 1000 mg. Complete the Young's Rule and Cowling's Rule columns of the following table comparing the doses predicted by both formulas for ages 2 through 13.

Age A	Young's Rule	Cowling's Rule	Difference	Age A	Young's Rule	Cowling's Rule	Difference
2				8			
3				9			
4				10			
5				11			
6				12			
7				13			

- 2. Use the data from the table in Question 1 to form sets of ordered pairs of the form (age, child's dose) for each formula. Graph the ordered pairs for each formula on the same graph. Describe the shapes of the graphed data.
- 3. Use your table, graph, or both, to decide whether either formula will consistently predict a larger dose than the other. If so, which one? If not, is there an age at which the doses predicted by one becomes greater than the doses predicted by the other? If so, estimate that age.
- 4. Use your graph to estimate for what age the difference in the two predicted doses is greatest.
- 5. Return to the table in Question 1 and complete the last column, titled "Difference," by finding the absolute value of the difference between the Young's dose and the Cowling's dose for each age. Use this column in the table to verify your graphical estimate found in Question 4.

(cont'd)

Date: Section:

## Group Activity 7 (cont'd)

- 6. Does Cowling's Rule ever predict exactly the adult dose? If so, at what age? Explain. Does Young's Rule ever predict exactly the adult dose? If so, at what age? Explain.
- 7. Many doctors prefer to use formulas that relate doses to factors other than a child's age. Why is age not necessarily the most important factor when predicting a child's dose? What other factors might be used?

Date: Section:

# **Section 8.2 Simplifying Radicals**

*Objective: Use radicals to find the distance between two points.* Suggested Format: Group A or B Time: 10 minutes

The distance formula can be used to find the distance between any two points  $(x_1, y_1)$  and

 $(x_2, y_2).$ 

Distance formula:  $D = \sqrt{(x_2 - x_1) + (y_2 - y_1)}$ 

Calculate the distances between the following points. Give an exact answer and then give an approximate answer to the nearest hundredth of a unit.

1. (-2, 5) and (-6, 3)

2. (0, 3) and (-2, 4)

Date: Section:

# Section 8.6 Radical Equations and Problem Solving

*Objective: use the Pythagorean Theorem.* Suggested Format: Group B Time: 20 minutes

Find the hypotenuse of each right triangle using the Pythagorean Theorem.

1. *a* = 4, *b* = 3, *c* = \_\_\_\_\_

2. *a* = 8, *b* = 6, *c* = \_\_\_\_\_

- 3. *a* = 12, *b* = 9, *c* = \_\_\_\_\_
- 4. *a* = 16, *b* = 12, *c* = \_\_\_\_\_

Study the previous problems and see if you can solve the next problem without using the Pythagorean Theorem.

5. *a* = 20, *b* = 15, *c* = \_\_\_\_\_

#### Date: Section:

# **Chapter 8 Group Activity - Investigating the Dimensions of Cylinders**

The volume V (in cubic units) of a cylinder is given by the formula  $V = \pi r^2 h$ , where r is the radius of the cylinder and h is its height. In this project, you will investigate the radii of several cylinders by completing the table below.

For this project, you will need several empty cans of different sizes, a 2-cup (16-fluid-ounce) transparent measuring cup with metric markings (in milliliters), a metric ruler, and water. This project may be completed by working in groups or individually.

Can	Volume (ml)	Height (cm)	Calculated Radius (cm)	Measured Radius (cm)
А				
В				
С				
D				

- 1. For each can, measure its volume by filling it with water and pouring the water into the measuring cup. Find the volume of the water in milliliters (ml). Record the volumes of the cans in the table. (Remember that  $1 \text{ ml} = 1 \text{ cm}^3$ .)
- 2. Use a ruler to measure the height of each can in centimeters (cm). Record the heights in the table.
- 3. Solve the formula  $V = \pi r^2 h$  for the radius *r*.
- 4. Use your formula from Question 3 to calculate an estimate of each can's radius based on the volume and height measurements recorded in the table. Record these calculated radii in the table.
- 5. Try to measure the radius of each can and record these measured radii in the table.

(Remember that radius =  $\frac{1}{2}$  diameter.)

6. How close are the values of the calculated radius and the measured radius of each can? What factors could account for the differences?

Date: Section:

# Section 9.3 Solving Quadratic Equations by the Quadratic Formula

*Objective: Derive the Quadratic Formula.* Suggested Format: Group A Time: 15 minutes

Study the example where your textbook derived the quadratic formula. Shut your book and notes. Complete the square to derive the quadratic formula.


 $ax^2 + bx + c = 0$ 

Date: Section:

## **Section 9.5 Graphing Quadratic Equations**

*Objective: Seeing patterns in the graphs of quadratic equations.* Suggested Format: Group B Time: 20 minutes

Have each member of the group graph one of the following quadratic equations.



## Date: Section:

# **Chapter 9 Group Activity - Modeling a Physical Situation**

When water comes out of a water fountain, it initially heads upward, but then gravity causes the water to fall. The curve formed by the stream of water can be modeled using a quadratic equation (parabola).

In this project, you will have the opportunity to model the parabolic path of water as it leaves a drinking fountain. This project may be completed by working in groups or individually.



1. Using the figure above, collect data for the *x*-intercepts of the parabolic path. Let points *A* and *B* in the figure be on the *x*-axis and let the coordinates of point *A* be (0, 0). Use a ruler to measure the distance between points *A* and *B* on the figure to the nearest even one-tenth centimeter, and use this information to determine the coordinates of point *B*. Record this data in the data table. (Hint: If the distance from *A* to *B* measures 8 one-tenth centimeters, then the coordinates of point *B* are (8, 0).)

Data Table				
x	у			

- 2. Next, collect data for the vertex *V* of the parabolic path. What is the relationship between the *x*-coordinate of the vertex and the *x*-intercepts found in Question 1? What is the line of symmetry? To locate point *V* in the figure, find the midpoint of the line segment joining points *A* and *B* and mark point *V* on the path of water directly above the midpoint. To approximate the *y*-coordinate of the vertex, use a ruler to measure its distance from the *x*-axis to the nearest one-tenth centimeter. Record this data in the data table.
- 3. Plot the points from the data table on a rectangular coordinate system. Sketch the parabola through your points *A*, *B*, and *V*.

(cont'd)

Date: Section:

## Group Activity 9 (cont'd)

- 4. Which of the following models best fits the data you collected? Explain your reasoning.
  - a. y = 16x + 18
  - b.  $y = -13x^2 + 20x$
  - c.  $y = 0.13x^2 2.6x$
  - d.  $y = -0.13x^2 + 2.6x$
- 5. *(Optional)* Enter your data into a graphing calculator and use the quadratic curve-fitting feature to find a model for your data. How does the model compare with your selection from Question 4?

Simplifying Algebraic Expressions

#### Learning Objectives:

- 1. Identify terms, like terms, and unlike terms.
- 2. Combine like terms.
- 3. Use the distributive property to remove parentheses.
- 4. Write word phrases as algebraic expressions.

#### **Examples**

- 1. Identify the numerical coefficient of each term.
  - a) 9x b) -3y c) -x d)  $2.7x^2y$

Indicate whether the terms in each list are like or unlike.

e) 
$$6x, -3x$$
 f)  $-xy^2, -x^2y$  g)  $5ab, -\frac{1}{2}ba$  h)  $2x^3yz^2, -x^3yz^3$ 

- 2. Simplify each expression by combining any like terms.
  - a) 7x 2x + 4 b) -9y + 2 1 + 6 + y 7 c)  $1.6x^5 + 0.9x^2 0.3x^5$

3. Simplify each expression. Use the distributive property to remove any parentheses.

a) 
$$3(x+6)$$
 b)  $-(-5m+6n-2p)$  c)  $\frac{1}{3}(6x-9)$ 

Remove parentheses and simplify each expression.

- d) 14(2x+6)-4 e) 10a-5-2(a-3) f) 3(2x-5)-(x+7)
- 4. Write each phrase as an algebraic expression. Simplify if possible.
  - a) Add -4y + 3 to 6y 9b) Subtract 2x - 1 from 3x + 7
  - c) Triple a number, decreased by six d) Six times the sum of a number and two

#### **Teaching Notes:**

- Students will need repeated practice with identifying terms and like terms.
- Some students do not know that a variable without a numerical coefficient actually has a coefficient of 1.
- Some students will forget to distribute the minus sign in 3b), 3e), and 3f). Some students might need to write a 1 in front of the parentheses in 3b) and 3f).

<u>Answers:</u> 1a) 9; 1b) -3; 1c) -1; 1d) 2.7; 1e) like; 1f) unlike; 1g) like; 1h) unlike; 2a) 5x+4; 2b) -8y; 2c)  $1.3x^5+0.9x^2$ ; 3a) 3x+18; 3b) 5m-6n+2p; 3c) 2x-3; 3d) 28x+80; 3e) 8a+1; 3f) 5x-22; 4a) (-4y+3) + (6y-9) = 2y-6; 4b) (3x+7) - (2x-1) = x + 8; 4c) 3x-6; 4d) 6(x + 2)

The Addition Property of Equality

#### **Learning Objectives:**

- 1. Define linear equations and use the addition property of equality to solve linear equations.
- 2. Write word phrases as algebraic expressions.

#### Examples:

1. Solve each equation. Check each solution.

a) y-6=18 b) -18=t-5 c) 8.1+y=13.9 d)  $a+\frac{2}{3}=-\frac{3}{4}$ 

Solve each equation. If possible, be sure to first simplify each side of the equation. Check each solution.

- e) 5(y+2) = 6(y-3)f) 10x = 4x + 9 + 5x
- g) -8z + 5 + 6z = -3z + 10h) -5x + 4 + 6x = 15 - 28
- i)  $-\frac{1}{6}x \frac{1}{3} = \frac{5}{6}x + \frac{1}{2}$  j) -14.9 + 4a 2.7 + 2a = 5.1 + 7a + 1.5
- 2. Write each algebraic expression described.

a) Two numbers have a sum of 72. If one number is z, express the other number in terms of z.

b) During a recent marathon, Tom ran 8 more miles than Judy ran. If Judy ran *x* miles, how many miles did Tom run?

c) On a recent car trip, Raymond drove x miles on day one. On day two, he drove 170 miles more than he did on day one. How many miles, in terms of x, did Raymond drive for both days combined?

#### **Teaching Notes:**

- Some students need a quick review of "like terms."
- Advise students to write out each step until they have mastered this concept. Avoid shortcuts!
- Some students need to be taught how to work a problem in sequential order showing each step.
- Encourage students to take their time and organize their work. This will help when the problems become more complex.

<u>Answers:</u> 1a) 24; 1b) -13; 1c) 5.8; 1d) -17/12; 1e) 28; 1f) 9; 1g) 5; 1h) -17; 1i) -5/6; 1j) 11; 2a) 72 - z; 2b) x+8; 2c) 2x+170

The Multiplication Property of Equality

#### **Learning Objectives:**

- 1. Use the multiplication property of equality to solve linear equations.
- 2. Use both the addition and multiplication properties of equality to solve linear equations.
- 3. Write word phrases as algebraic expressions.

#### Examples:

- 1. Use the multiplication property of equality to solve the following linear equations. Check each solution.
  - a) -8x = -24b) 7x = 0c) -z = 19d) 3x = -22e)  $\frac{2}{5}a = 12$ f)  $\frac{y}{-11} = 2.5$ g)  $\frac{-3}{8}b = 0$ h) -10.2 = -3.4c
- 2. Use the addition property of equality and the multiplication property of equality to solve the following linear equations. Check each solution.
  - a) 5x + 6 = 46 b)  $\frac{a}{9} 7 = 11$  c) -24 = -3x 9 d)  $\frac{1}{3}y \frac{1}{3} = -6$ e) -5.8z + 1.9 = -32.5 - 1.5z f) 8y + 7 = 6 - 2y - 10y g) 4(4x - 1) = (-8) - (-24)
- 3. Write each algebraic expression described. Simplify if possible.
  - a) If z represents the first of two consecutive even integers, express the sum of the two integers in terms of z.
  - b) If *x* represents the first of three consecutive even integers, express the sum of the first and third integer in terms of *x*.
  - c) Houses on one side of a street are all numbered using consecutive odd integers. If the first house on the street is numbered *x*, write an expression in *x* for the sum of five house numbers in a row.

#### **Teaching Notes:**

- Review "like terms" with students.
- Many students do not combine like terms before using one of the properties.
- Encourage students to always take the time to check their solution.

<u>Answers:</u> 1a) 3; 1b) 0; 1c) -19; 1d) -22/3; 1e) 30; 1f) -27.5; 1g) 0; 1h) 3; 2a) 8; 2b) 162; 2c) 5; 2d) -17; 2e) 8; 2f) -1/20; 2g) 5/4; 3a) 2z+2; 3b) 2x+4; 3c) 5x+20

Solving Linear Equations

#### Learning Objectives:

- 1. Apply a general strategy for solving a linear equation.
- 2. Solve equations containing fractions.
- 3. Solve equations containing decimals.
- 4. Recognize identities and equations with no solution.

### Examples:

1. Solve the following linear equations.

a) 6a - (5a - 1) = 4 b) 4(3b - 1) = 16 c) 4z = 8(2z + 9)

d) 
$$2(x+8) = 3(x-5)$$
 e)  $3(2a-3) = 5(a+4)$  f)  $12(4c-2) = 3c-4$ 

2. Solve each equation containing fractions.

a) 
$$\frac{y}{6} - 4 = 1$$
 b)  $\frac{1}{4}x - \frac{3}{8}x = 5$  c)  $\frac{-6x + 5}{4} + 1 = -\frac{5x}{4}$ 

Solve each equation containing decimals.

d) 
$$0.05x + 0.06(x - 1,500) = 570$$
  
e)  $0.4(x + 7) - 0.1(3x + 6) = -0.8$ 

3. Solve each equation. Indicate if it is an identity or an equation with no solution.

a) 
$$6(z+7) = 6z + 42$$
  
b)  $3 + 12x - 1 = 8x + 4x - 1$   
c)  $\frac{x}{3} - 3 = \frac{2x}{6} + 1$ 

### **Teaching Notes:**

- Refer students to the beginning of this section in the textbook for steps: Solving Linear Equations in One Variable.
- Most students find solving equations with fractions or decimals difficult.
- Common error: When multiplying equations with fractions by the LCD, some students multiply only the terms with fractions instead of all terms.
- Common error: When solving equations with decimals and parentheses (examples 2d and 2e), some students multiply terms both inside parentheses and outside parentheses by a power of 10.

<u>Answers:</u> 1a) 3; 1b) 5/3; 1c) -6; 1d) 31; 1e) 29; 1f) 4/9; 2a) 30; 2b) -40; 2c) 9; 2d) 6,000 2e) -30; 3a) identity; 3b) no solution; 3c) no solution

An Introduction to Problem Solving

#### **Learning Objectives:**

#### Apply the steps for problem solving as we

- 1. Solve problems involving direct translations.
- 2. Solve problems involving relationships among unknown quantities.
- 3. Solve problems involving consecutive integers.

#### Examples:

- 1. Solve.
  - a) Eight is added to a number and the sum is doubled, the result is 11 less than the number. Find the number.
  - b) Three times the difference of a number and 2 is equal to 8 subtracted from twice a number. Find the integers.
- 2. Solve.
  - a) A college graduating class is made up of 450 students. There are 206 more girls than boys. How many boys are in the class?
  - b) A 22-ft pipe is cut into two pieces. The shorter piece is 7 feet shorter than the longer piece. What is the length of the longer piece?
  - c) A triangle has three angles, A, B, and C. Angle C is 18° greater than angle B. Angle A is 4 times angle B. What is the measure of each angle? (Hint: The sum of the angles of a triangle is 180°).
- 3. Solve.
  - a) The room numbers of two adjacent hotel rooms are two consecutive odd numbers. If their sum is 1380, find the hotel room numbers.
  - b) When you open a book, the left and right page numbers are two consecutive natural numbers. The sum of their page numbers is 349. What is the number of the page that comes first?

#### **Teaching Notes:**

- Many students find application problems challenging.
- Encourage students, whenever possible, to draw diagrams, charts, etc.
- Encourage students to use algebra to solve a problem even though they may be able to solve without it.
- Refer students to *General Strategy for Problem Solving* section 2.5, page 111.

<u>Answers:</u> 1a) -27; 1b) 21, 63; 2a) 122 boys; 2b) 14.5 feet; 2c)  $A=108^{\circ}$ ,  $B=27^{\circ}$ ,  $C=45^{\circ}$ ; 3a) 689, 691; 3b) 174

Formulas and Problem Solving

#### Learning Objectives:

- 1. Use formulas to solve problems.
- 2. Solve a formula or equation for one of its variables.

#### **Examples:**

- 1. Substitute the given values into each given formula and solve for the unknown variable. If necessary, round to one decimal place.
  - a) Distance Formula d = rt; t = 9, d = 63b) Perimeter of a rectangle P = 2l + 2w; P = 32, w = 7
  - c) Volume of a pyramid  $V = \frac{1}{3}Bh; V = 40, h = 8$  d) Simple interest I = prt; I = 23, p = 230, r = 0.02

e) Convert the record high temperature of 102°F to Celsius. ( $F = \frac{9}{5}C + 32$ )

f) You have decided to fence an area of your backyard for your dog. The length of the area is 1 meter less than twice the width. If the perimeter of the area is 70 meters, find the length and width of the rectangular area.

g) For the holidays, Chris and Alicia drove 476 miles. They left their house at 7 a.m. and arrived at their destination at 4 p.m. They stopped for 1 hour to rest and re-fuel. What was their average rate of speed?

- 2. Solve each formula for the specified variable.
  - a) Area of a triangle  $A = \frac{1}{2}bh$  for b  $P = s_1 + s_2 + s_3$  for  $s_3$
  - c) Surface area of a special rectangular box S = 4lw + 2wh for ld) Circumference of a circle  $C = 2\pi r$  for r

### **Teaching Notes:**

- Most students will only need algebra reminders when working with a formula given values.
- Refer students to *Solving Equations for a Specified Variable* chart in the textbook, page 127.
- Most students have problems with applications. Refer them back to section 2.5 and the *General Strategy for Problem Solving* in the textbook, page 111.

<u>Answers:</u> 1a) 7; 1b) 9; 1c) 15; 1d) 5; 1e)  $38.9^{\circ}C$ ; 1f) l=23, w=12; 1g) 59.5 mph; 2a)  $b=\frac{2A}{h}$ ;

2b) 
$$s_3 = P - s_1 - s_2;$$
 2c)  $\frac{S - 2wh}{4w};$  2d)  $r = \frac{C}{2\pi}$ 

Copyright © 2017 Pearson Education, Inc.

Percent and Mixture Problem Solving

#### **Learning Objectives:**

- 1. Solve percent equations.
- 2. Solve discount and mark-up problems.
- 3. Solve percent of increase and percent of decrease problems.
- 4. Solve mixture problems.

#### Examples:

1. Find each number described.

a) 5% of 300 is what number?	b) 207 is 90% of what number?
c) 15 is 1% of what number?	d) What percent of 350 is 420?

2. Solve the following discount and mark-up problems. If needed, round answers to the nearest cent.

a) A "Going-Out-Of-Business" sale advertised a 75% discount on all merchandise. Find the discount and the sale price of an item originally priced at \$130.

b) Recently, an anniversary dinner cost \$145.23 excluding tax. Find the total cost if a 15% tip is added to the cost.

3. Solve the following percent increase and decrease problems.

a) The number of minutes on a cell phone bill went from 1200 minutes in March to1600 minutes in April. Find the percent increase. Round to the nearest whole percent.

b) In 2004, a college campus had 8,900 students enrolled. In 2005, the same college campus had 7,600 students enrolled. Find the percent decrease. Round to the nearest whole percent.

- c) Find the original price of a pair of boots if the sale price is \$120 after a 20% discount.
- 4. How much pure acid should be mixed with 4 gallons of a 30% acid solution in order to get a 80% acid solution? Use the following table to model the situation.

	Number of Gallons $\cdot$ Acid Strength = Amount of Acid		
Pure Acid			
30% Acid Solution			
80% Acid Solution Needed			

#### **Teaching Notes:**

• Most students find problem solving challenging. Encourage students to make a list of all appropriate formulas.

<u>Answers:</u> 1a) 15; 1b) 230; 1c) 1500; 1d) 120%; 2a) discount - \$97.50, sale price - \$32.50; 2b) \$167.01; 3a) 33%; 3b) 15%; 3c) \$150; 4) 10 gallons

Further Problem Solving

#### Learning Objectives:

- 1. Solve problems involving distance.
- 2. Solve problems involving money.
- 3. Solve problems involving interest.

#### Examples:

1. How long will it take a car traveling 60 miles per hour to overtake an activity bus traveling 45miles per hour if the activity bus left 2 hours before the car?

	r	D	t
Car	60 mph	60 <i>x</i>	r
	00 1101	007	А.
Activity Bus	45 mph	45(x + 2)	<i>x</i> + 2

2. A collection of dimes and quarters and nickels are emptied from a drink machine. There were four times as many dimes as quarters, and there were ten less nickels than there were quarters. If the value of the coins was \$19.50, find the number of quarters, the number of dimes, and the number of nickels.

	Number	Value of each	Total value	
Quarters	x	0.25	0.25 <i>x</i>	40 @ 0.25=\$10.00
Dimes	2x	0.10	0.10(2x)	80 @ 0.10=\$\$8.00
Nickels	<i>x</i> - 10	0.05	0.05(x-10)	30 @ 0.05=\$1.50
<b>Entire Collection</b>			\$19.50	\$19.50

3. Jeff received a year end bonus of \$80,000. He invested some of this money at 8% and the rest at 10%. If his yearly earned income was \$7,300, how much did Jeff invest at 10%? Use the following table to model the situation.

	Principal	· Rate	· Time	= Interest
8% Fund	x	0.08	1	0.08 <i>x</i>
10% Fund	80,000 - <i>x</i>	0.1	1	0.01(50,000 - x)
Total	80,000			7,300

#### **Teaching Notes:**

• Most students find problem solving challenging. Encourage students to make a list of all appropriate formulas.

Answers: 1) 6 hours; 2) Number of Quarters = 40, Number of dimes = 80, number of nickels = 303; 3) \$45,000

Solving Linear Inequalities

#### Learning Objectives:

- 1. Define linear inequality in one variable, graph solution sets on a number line, and use interval notation.
- 2. Solve linear inequalities.
- 3. Solve compound inequalities.
- 4. Solve inequality applications.

#### Examples:

1. Graph each inequality on a number line and write it in interval notation.

a) 
$$x \ge -5$$
 b)  $y < 7$  c)  $-\frac{3}{2} \ge m$  d)  $x > -\frac{2}{5}$ 

2. Using the addition property of inequality, solve each inequality. Graph the solution set and write it in interval notation.

a) 
$$x + 7 \le 12$$
 b)  $x - 10 > -3$  c)  $-4z - 2 > -5z + 1$  d)  $18 - 2x \le -3x + 24$ 

Using the multiplication property of inequality, solve each inequality. Graph the solution set and write it in interval notation.

e) 
$$-8 \ge \frac{x}{3}$$
 f)  $3x < 73$  g)  $0 < \frac{y}{8}$  h)  $-\frac{3}{5}z \le 9$ 

Using both properties, solve each inequality.

i) 
$$3(3x-16) < 12(x-2)$$
 j)  $-18(z-2) \ge -21z + 24$  k)  $\frac{8}{21}(x+2) > \frac{1}{7}(x+3)$ 

- 3. Solve each inequality. Graph the solution set and write it in interval notation. a) $-5 < t \le 0$  b)  $-12 \le 2x < -8$  c)  $3 \le 4x - 9 \le 7$
- 4. Solve the following.

a) Eight more than twice a number is less than negative twelve. Find all numbers that make this statement true.

b) One side of a triangle is six times as long as another side and the third side is 8 inches long. If the perimeter can be no more than 106 inches, find the maximum lengths of the other two sides.

#### **Teaching Notes:**

- Remind students to reverse the direction of the inequality symbol when multiplying or dividing by a negative number.
- Suggest students keep the coefficient of the variable positive whenever possible.

<u>Answers:</u> (For all graphs, see Mini-Lecture Graphing Answers starting on page M-63): 1a)  $[-5,\infty)$ ; 1b)  $(\infty,7)$ ; 1c)  $[-3/2, \infty)$ ; 1d)  $(-2/5, \infty)$ ; 2a)  $(-\infty,5]$ ; 2b)  $(7,\infty)$ ; 2c)  $(3,\infty)$ ; 2d)  $(-\infty,6]$ ; 2e)  $(-\infty,-24]$ ; 2f)  $(-\infty,24\frac{1}{3})$ ; 2g)  $(0,\infty)$ ; 2h)  $[-15,\infty)$ ; 2i)  $(-8,\infty)$ ; 2j)  $[-4,\infty)$ ; 2k)  $(7/5,\infty)$ ; 3a) (-5,0]; 3b) [-6,4); 3c) [3,4]; 4a) x < -10; 4b) 14, 84

# **Chapter 2 Test Answers**

Test 2 – A	Test 2 – B	Test 2 – C
1. $3x - 4$	1. $-x-8$	1. $10x - 13$
2. $0.8x - 5.3$	2. $9.5x - 6.3$	2. $2.6x - 2.1$
3. $5x+6$	3. $6x - 8$	3. $-2x - 18$
4. $9x - 7$	4. $-5x+9$	4. $5x + 12$
5. 5	5. 6	5. 3
6. 27	6. 75	6. –98
7. –3	75	7. 6
85	8. 11	81
9. 3	0 3	9. 8
$10\frac{4}{21}$	9. $\frac{3}{7}$	10 13
$10\frac{1}{21}$	9	10. $\frac{13}{12}$
11.0	$10. \frac{9}{4}$	1110
12. No solution	1131	12.4
13.1	12. 0	13. No solution
14. 67, 68	13. No solution	14. 40°, 40°, 100°
15. 6 hours	14. 30°, 60°	15. \$25.92
16. 400 liters of 20%, 200	15. \$20,000 at 5%, \$4000	16. \$15,000 at 3%,
liters of 50%	at 3%	\$30,000 at 8%
17. 3 hours	16. 84, 85, 86	17. 80 miles
18. 533.3604	17. 32	18.8
P-2a	18.11	10  y - b
19. $b = \frac{1}{2}$		19. $x = \frac{1}{m}$
$19. \ b = \frac{P - 2a}{2}$ $20. \ h = \frac{A}{lw}$ $21. \ x \ge \frac{10}{3}$	19. $\pi = \frac{3V}{r^2h}$ 20. $y = \frac{-Ax - C}{B}$	19. $x = \frac{y-b}{m}$ 20. $x = \frac{3y+7}{2y}$
20. $h = \frac{1}{lw}$	-Ax-C	20. $x = \frac{3}{2y}$
10	20. $y = \frac{nx - c}{p}$	21. $x < -4$
21. $x \ge \frac{10}{2}$		21. $x < -4$ 22. $x > 10$
22. $x \ge -17$	21. $x \ge -1$	22. $x \ge 10$ 23. $x \ge -4$
	22. $x \ge -\frac{13}{4}$	23. $x \ge -4$ 24. $-1 < x < 11$
23. $x \ge 5$ 24. $13 < x < 26$		24. $-1 < x < 11$ 25. $-4 < x < 8$
	$23. x \le 9$	$2J. = + \times \lambda \times 0$
25. $-6 < x \le 3$	24. $-6 < x < 6$	
	25. $2 < x < 6$	

## Beginning Algebra 7th Edition Martin Gay Solutions Manual

Full Download: http://testbanklive.com/download/beginning-algebra-7th-edition-martin-gay-solutions-manual/

# **Chapter 2 Test Answers**

Test 2 – D	Test 2 – E	Test 2 – F
1. c	1. d	1. d
2. a	2. a	2. a
3. a	3. c	3. c
4. b	4. b	4. b
5. a	5. c	5. c
6. b	б. а	6. b
7. a	7. b	7. a
8. d	8. a	8. c
9. a	9. b	9. b
10. c	10. c	10. a
11. d	11. d	11. d
12. b	12. a	12. d
13. d	13. d	13. b
14. a	14. b	14. c
15. b	15. d	15. b
16. b	16. b	16. b
17. b	17. c	17. d
18. a	18. b	18. b
19. c	19. c	19. a
20. a	20. a	20. a
21. d	21. a	21. b
22. d	22. d	22. d
23. a	23. c	23. a
24. b	24. b	24. c
25. c	25. c	25. c