Inquiry into Physics 8th Edition Ostdiek Test Bank

Full Download: http://testbanklive.com/download/inquiry-into-physics-8th-edition-ostdiek-test-bank/

Chapter 02: Newton's Laws

1. All forces have specific directions associated with them.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

2. "Net force" means the vector sum of all the individual forces acting on a particular body.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

3. The weight of an object equals its mass times the acceleration of gravity.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

4. You are presently exerting a gravitational force on the Earth.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 1:47 AM

5. When a car goes around a curve of smaller and smaller radius, the centripetal force on it decreases.

a. True b. False ANSWER: False

POINTS:1QUESTION TYPE:True / FalseHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

6. When a car goes around a curve at twice the speed, the centripetal force on the car doubles.

a. True	
b. False	
ANSWER:	False
POINTS:	1
QUESTION TYPE:	True / False
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	6/13/2016 10:29 AM

7. You roll a ball off a table and at the same time drop a second ball straight down from the edge of the table. The second ball reaches the ground before the first ball.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

8. With a fixed force, you will impart the same acceleration to a body on the Earth and on the Moon.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 1:48 AM

9. When a body moves with uniform acceleration, the net force on it is zero.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False

DATE CREATED: 6/13/2016 10:29 AM *DATE MODIFIED:* 6/13/2016 10:29 AM

10. You throw a ball straight up, it peaks out and then comes back down to you. During this motion, the velocity and acceleration always point in the same direction.

a. Trueb. FalseANSWER:FalsePOINTS:1QUESTION TYPE:True / FalseHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

11. During its entire motion, the acceleration of a projectile is always g.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

12. At the peak of its motion, the acceleration of a projectile is zero.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

13. As a projectile moves its speed stays constant while its direction changes.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

14. When an object reaches its terminal speed, its acceleration is zero.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

15. As an object moves faster through the air, its terminal speed increases.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

A body is oscillating up and down at the end of a spring. Let's consider when the body is at the top of its upand-down motion.

16. The net force on the body has its largest magnitude.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False PREFACE NAME: A Body is Oscillating Up DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 3:11 AM

17. The net force points downward.

a. True

b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False PREFACE NAME: A Body is Oscillating Up DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 3:12 AM

18. The acceleration is zero.
a. True
b. False
ANSWER: False
POINTS: 1
QUESTION TYPE: True / False
HAS VARIABLES: False
PREFACE NAME: A Body is Oscillating Up
DATE CREATED: 6/13/2016 10:29 AM
DATE MODIFIED: 6/15/2016 3:12 AM

19. The velocity points down.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False PREFACE NAME: A Body is Oscillating Up DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 3:12 AM

20. The displacement vector from the equilibrium position has its largest magnitude.

a. True	
b. False	
ANSWER:	True
POINTS:	1
QUESTION TYPE:	True / False
HAS VARIABLES:	False
PREFACE NAME:	A Body is Oscillating Up
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	6/13/2016 10:29 AM

21. The displacement vector from the equilibrium position points up.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False PREFACE NAME: A Body is Oscillating Up DATE CREATED: 6/13/2016 10:29 AM

22. When a body moves in a straight line with increasing speed, the net force on it must be increasing.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

23. To hold a 5 lb bag of sugar in your hand, you must push upwards on it with a force of 5 lb. This is an example of Newton's third law.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

24. You push on a wall, and the wall pushes back on you with the same force. This is an example of Newton's third law.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

25. When you jump, you accelerate upward because the floor exerts an upward force on you.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

26. A newton is larger than a pound.

a. True

b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

27. As you go higher and higher above the surface of the Earth, the mass of a body stays constant.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 1:48 AM

28. A body on the surface of the Earth weighs 400 lb. The radius of the Earth is about 4,000 miles. If this same body were placed on a 4,000-mile high tower, its weight would be 200 lb.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 7/12/2016 12:12 PM

29. If a body were in orbit very near the surface of the Earth, its centripetal acceleration would be equal to g.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 1:49 AM

30. Planetary orbits are circles.

False
1

QUESTION TYPE:True / FalseHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

31. Just above the surface of the Earth, the direction of the gravitational field is away from the Earth.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 1:50 AM

32. The direction of a field line at a point in space shows the direction of the force that would act on a body placed at the point.

a. Trueb. FalseANSWER:TruePOINTS:1QUESTION TYPE:True / FalseHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

33. As you go from a point where a gravitational field is strong to a point where the gravitational field gets weaker, the gravitational field lines get farther apart.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

34. Gravity acts over a limited distance range.

a. True b. False ANSWER: False POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False

DATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

35. Tides are caused because different parts of the Earth's oceans are at different distances from the Moon. a. True

b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 1:50 AM

36. As an artillery shell travels from the gun to the target, the projectile's vertical speed changes, but its horizontal speed stays constant.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 2:13 AM

37. An aircraft weighing 1,500 N is accelerated at 15 m/s^2 , the force acting on the aircraft is 2,295.9 N.

a. True	
b. False	
ANSWER:	True
RATIONALE:	The mass of the aircraft is 1,500 N/9.8 m/s ² = 153.061 kg; F = ma = 153.061 kg \times 15 m/s ² = 2295.9 N
POINTS:	1
QUESTION TYPE:	True / False
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	6/15/2016 12:51 PM

38. An aircraft weighing 1,500 N has a mass of 153 kg.

a. True b. False ANSWER: True POINTS: 1 QUESTION TYPE: True / False HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM

DATE MODIFIED: 6/15/2016 2:08 AM

39. A satellite orbiting the Earth in a circular orbit at 400 miles from the center of Earth is moved to a distance of 1,200 miles from the center of Earth. The gravitational force between the Earth and satellite changes by a factor of 3.

a. True	
b. False	
ANSWER:	False
RATIONALE:	False, it changes by a factor of $3^2 = 9$.
POINTS:	1
QUESTION TYPE:	True / False
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	6/13/2016 10:29 AM

40. A ball on a string is being whirled around overhead when the string breaks. The ball will move in the direction of the centripetal force the moment the string breaks.

a. True	
b. False	
ANSWER:	False
RATIONALE:	False, the ball will move in the direction of the velocity vector when the string breaks.
POINTS:	1
QUESTION TYPE:	True / False
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	6/13/2016 10:29 AM

- 41. The acceleration of a body is
 - a. always in the same direction as its velocity.
 - b. always in the same direction as the net force on the body.
 - c. in the direction that the body is moving.
 - d. equal to the net force on the body.
 - e. none of the above.

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/14/2016 2:49 PM

- 42. An example of an action at a distance force is
 - a. tension.
 - b. weight.
 - c. static friction.
 - d. kinetic friction.

e. none of the above b ANSWER: POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 7/13/2016 9:15 PM 43. The SI units of velocity are a. mi/h. b. km/h. c. m/s^2 . d. m/s.e. none of the above ANSWER: d POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 7/13/2016 9:16 PM 44. The SI units of acceleration are a. mi/h. b. km/h. c. m/s. d. m/s^2 . e. none of the above ANSWER: d POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 7/13/2016 9:16 PM 45. The force needed to make an object move in a circle is a. centripetal force.

b. weight.

c. kinetic friction.

d. static friction.

e. none of the above.

ANSWER: a POINTS: 1

QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 7/13/2016 9:21 PM

46. The force that keeps your feet from sliding as you walk is

a. centripetal force.

b. weight.

c. kinetic friction.

d. static friction.

e. none of the above.

ANSWER: d POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 7/13/2016 9:21 PM

47. If the net force on an object is zero,

a. there must be no forces acting on the object.

b. the object must be at rest.

c. the object's acceleration must be zero.

d. there can be no friction acting on the object.

ANSWER: с POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 7/13/2016 9:17 PM

48. Which is larger, a newton or a pound?

a. a newton

b. a pound

c. This question is nonsense—they don't measure the same physical quantity.

d. They are the same size.

ANSWER: b 1 POINTS: QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

49. You push on a block on frictionless ice with a force of 8 N, causing it to accelerate at 2 m/s^2 . The mass of Copyright Cengage Learning. Powered by Cognero.

the block is
 a. 2 kg.
 b. 4 kg.
 c. 8 kg.
 d. 16 kg.
 e. 6 kg.
ANSWER: b
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 6/13/2016 10:29 AM
DATE MODIFIED: 7/13/2016 9:18 PM

50. Starting from rest, a 2-kg body acquires a speed of 8 m/s in 2 seconds. The net force acting on the body is

c
1
Multiple Choice
False
6/13/2016 10:29 AM
7/13/2016 9:18 PM

51. Two forces of 4 N and 12 N act on a body simultaneously. The net force on the body is

a. 4 N.

b. 12 N.

c. 16 N.

d. 8 N.

e. impossible to tell from the given information.

ANSWER:

RATIONALE: The directions of the forces must be known.

POINTS: 1 QUESTION TYPE: Multiple Choice

HAS VARIABLES: False

DATE CREATED: 6/13/2016 10:29 AM

e

DATE MODIFIED: 7/13/2016 9:19 PM

52. You whirl a 2-kg body attached to a 1-meter cord around your head in a nearly horizontal circle with a speed of 4 m/s. The tension in the cord is

a. 2 N.

b. 4 N. c. 8 N. d. 16 N. e. 32 N. ANSWER: e POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 7/13/2016 9:19 PM

53. If object A has more mass than object B,

a. A will weigh more than B.

b. A will be harder to accelerate than B.

c. A will be harder to keep moving in a circle.

d. all of the above

ANSWER:dPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

54. The frequency of a body oscillating from a spring on the Moon is______ the frequency of the same body oscillating from the same spring on Earth.

a. the same as

b. larger than

c. smaller than

d. not related to

e. depending on the mass, smaller or larger than

ANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/15/2016 2:05 AM

55. Two identical cars are traveling around the same curve on a highway. One of them is moving at 60 mph, and the other is moving at 30 mph. The centripetal force acting on the car moving at 60 mph is ______ the value of the centripetal force acting on the car moving at 30 mph.

a. one quarter

b. one half

c. the same as

d. twice e. four times ANSWER: e POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

56. A car moving at a constant speed goes around a curve of 400-ft radius and then goes around a second curve of 200-ft radius. The centripetal force acting on the car as it goes around the 200-ft radius curve is ______ the value of the centripetal force acting on the car as it goes around the 400-ft radius curve.

a. one quarter
b. one half
c. the same as
d. twice
e. four times

ANSWER: d
POINTS: 1
QUESTION TYPE: Multiple Choice
HAS VARIABLES: False
DATE CREATED: 6/13/2016 10:29 AM
DATE MODIFIED: 7/12/2016 12:14 PM

57. You roll a ball off a table and at the same time drop a second ball straight down from the edge of table. The second ball reaches the ground ______ the first ball reaches the ground.

a. before

b. at the same time that

c. after

d. before or after, depending on the masses,

e. cannot be determined

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

58. When a freely falling object reaches its terminal speed,

a. it is still accelerating.

b. its acceleration is zero.

c. it is decelerating.

d. its acceleration cannot be determined.

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:20 PM

A 160 lb person has a mass of 160/32 = 5 slugs. A 160-lb person steps into an elevator and stands on a bathroom scale. Determine the scale reading for the given scenarios.

59. The elevator is accelerating upwards at 2 ft/s^2 .

a. 150 lb
b. 160 lb
c. 170 lb
d. none of the above

ANSWER:

c
POINTS:
1
QUESTION TYPE:
Multiple Choice
HAS VARIABLES:
False
PREFACE NAME:
A 160 lb Person Has Mass
DATE CREATED:
6/13/2016 10:29 AM

DATE MODIFIED:

6/13/2016 10:29 AM

60. The elevator accelerates upwards and is now moving at a constant speed.

a. 150 lb
b. 160 lb
c. 170 lb
d. none of the above

ANSWER:

b
POINTS:
1
QUESTION TYPE:
Multiple Choice
HAS VARIABLES:
False
PREFACE NAME:
A 160 lb Person Has Mass
DATE CREATED:
6/13/2016 10:29 AM

DATE MODIFIED:

6/13/2016 10:29 AM

61. After moving upwards at constant speed, the elevator is slowing down at 2 m/s^2 as it is coming to rest.

a. 150 lbb. 160 lbc. 170 lbd. none of the aboveANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalsePREFACE NAME:A 160 lb Person Has MassDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

62. The elevator is accelerating downwards at 2 ft/s². Copyright Cengage Learning. Powered by Cognero.

a. 150 lbb. 160 lbc. 170 lbd. none of the aboveANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalsePREFACE NAME:A 160 lb Person Has MassDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

63. The elevator accelerates downwards and is now moving at a constant speed.

a. 150 lb
b. 160 lb
c. 170 lb
d. none of the above

ANSWER:

b
POINTS:
1
QUESTION TYPE:
Multiple Choice
HAS VARIABLES:
False
PREFACE NAME:
A 160 lb Person Has Mass
DATE CREATED:
6/13/2016 10:29 AM

DATE MODIFIED:

6/13/2016 10:29 AM

64. After moving downwards at constant speed, the elevator is slowing down at 2 m/s^2 as it is coming to rest.

a. 150 lb
b. 160 lb
c. 170 lb
d. none of the above

ANSWER:

c
POINTS:
1
QUESTION TYPE:
Multiple Choice
HAS VARIABLES:
False
PREFACE NAME:
A 160 lb Person Has Mass
DATE CREATED:
6/13/2016 10:29 AM

DATE MODIFIED:

6/13/2016 10:29 AM

65. The elevator cable breaks.

a. 150 lb
b. 160 lb
c. 170 lb
d. none of the above

ANSWER:

d

POINTS:

1

QUESTION TYPE:

Multiple Choice

HAS VARIABLES:

False

PREFACE NAME:

A 160 lb Person Has Mass

DATE CREATED:

6/13/2016 10:29 AM

DATE MODIFIED:

6/13/2016 10:29 AM

66. You throw a ball straight up, it peaks out, and then comes back down to you. During this motion, the velocity and acceleration

- a. always point in the same direction.
- b. always point opposite to each other.
- c. sometimes point in the same direction, and other times point opposite to each other.
- d. depend on the way the ball is thrown.
- e. depend on the mass of the ball.

ANSWER:cPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:23 PM

- 67. The horizontal speed of a projectile
 - a. is zero.
 - b. stays constant.
 - c. continuously increases.
 - d. continuously decreases.
 - e. sometimes decreases and sometimes increases.

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:23 PM

68. The vertical speed of a projectile

a. is zero.

- b. stays constant.
- c. continuously increases.
- d. continuously decreases.
- e. sometimes decreases and sometimes increases.

ANSWER:ePOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:24 PM

69. The horizontal acceleration of a projectile

a. is zero.

b. stays constant.

- c. continuously increases.
- d. continuously decreases.
- e. sometimes decreases and sometimes increases.

ANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:26 PM

- 70. The vertical acceleration of a projectile
 - a. equals g pointing downwards.
 - b. equals *g* pointing upwards.
 - c. equals g pointing sometimes upwards and other times downwards.
 - d. is zero.

e. continuously increases.

ANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:26 PM

71. Planetary orbits are

a. parabolas.
b. ellipses.
c. circles.
d. none of the above.

ANSWER:

b
POINTS:
1
QUESTION TYPE:
Multiple Choice
HAS VARIABLES:
False
DATE CREATED:
6/13/2016 10:29 AM
DATE MODIFIED:
7/13/2016 9:26 PM

- 72. Where is the Sun located relative to a planet's orbit about it?
 - a. at the center of the orbit, which is a circle
 - b. at the center of the orbit, which is an ellipse
 - c. at one focus of the ellipse which forms the orbit
 - d. none of the above

ANSWER:cPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMCopyright Cengage Learning. Powered by Cognero.

DATE MODIFIED: 6/15/2016 3:00 AM

73. At the highest point on the path of a projectile, its vertical acceleration

a. equals *g* pointing downwards.

b. equals *g* pointing upwards.

c. is zero.

d. is undetermined.

e. does not exist.

ANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:27 PM

74. As a body falls through air starting from rest, its acceleration

- a. is zero.
- b. stays constant.
- c. continuously decreases.
- d. continuously increases.
- e. gets smaller and smaller, eventually approaching zero.

ANSWER:ePOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:27 PM

75. As a body falls through air starting from rest, its velocity

a. stays constant.

b. continuously decreases.

- c. continuously increases.
- d. gets larger and larger, eventually reaching a constant value.

e. gets smaller and smaller, eventually approaching zero.

ANSWER:dPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:28 PM

For this situation, I push on a heavy chair.

76. Suppose I push lightly on the chair, and the chair doesn't move at all. Then the strength of the force the chair exerts on me is

- a. less than the force I exert on the chair.
- b. equal to the force I exert on the chair.
- c. greater than the force I exert on the chair.

d. zero.

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalsePREFACE NAME:I Push on a Heavy ChairDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:29 PM

77. Suppose I push moderately on the chair, and this time the chair does move. Then the strength of the force the chair exerts on me is

a. less than the force I exert on the chair.

- b. equal to the force I exert on the chair.
- c. greater than the force I exert on the chair.

d. zero.

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalsePREFACE NAME:I Push on a Heavy ChairDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:31 PM

78. Suppose I push very hard on the chair, and this time the chair moves and I slip backward as well. Then the strength of the force the chair exerts on me is

a. less than the force I exert on the chair.

b. equal to the force I exert on the chair.

c. greater than the force I exert on the chair.

d. zero.

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalsePREFACE NAME:I Push on a Heavy ChairDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:32 PM

A body is oscillating up and down at the end of a spring. Let's consider when the body is at the top of its up-

and-down motion.

b. has its largest magnitude.
d. points down.
a
1
Multiple Choice
False
A Body is Oscillating Up
6/13/2016 10:29 AM
7/13/2016 9:35 PM

80. Two cars crash head on. At any given time during the crash, the magnitudes of the collision forces exerted on each car are exactly equal. This is an example of Newton's

a. first law.
b. second law.
c. third law.
d. no law.

ANSWER:

c
POINTS:
1
QUESTION TYPE:
Multiple Choice
HAS VARIABLES:
False
DATE CREATED:
6/13/2016 10:29 AM
DATE MODIFIED:
7/13/2016 9:35 PM

81. A heavy truck hits a small car. At any given time during the impact,

a. the force the truck exerts on the car is larger than the force the car exerts on the truck.

b. the force the truck exerts on the car is smaller than the force the car exerts on the truck.

c. the force the truck exerts on the car is equal to the force the car exerts on the truck.

d. the only force present is the force of the truck on the car.

ANSWER:cPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:36 PM

82. As a space shuttle is launched into orbit, the direction of its acceleration

- a. always points upward.
- b. always points downward.
- c. varies between pointing upward and pointing downward.

d. stays constant.

ANSWER:cPOINTS:1QUESTION TYPE:Multiple Choice

HAS VARIABLES: FalseDATE CREATED: 6/13/2016 10:29 AMDATE MODIFIED: 7/13/2016 9:36 PM

83. Which statement is incorrect? The gravitational force on an orbiting satellite due to the Earth a. aims toward the center of the Earth.

b. depends on the Earth's mass.

c. depends on the satellite's mass.

d. depends on the distance between the Earth and the satellite.

e. none of the above

ANSWER:eRATIONALE:A - D are all true.POINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:38 PM

84. A body on the surface of the Earth weighs 400 lb. The radius of the Earth is about 4,000 miles. If this same body were placed on a 4,000-mile-high tower, its weight would be

- a. 100 lbs.
- b. 200 lbs.
- c. 400 lbs.
- d. 800 lbs.

e. 16,000 lbs.

ANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:38 PM

85. The symbol G is used to represent

- a. the acceleration of gravity.
- b. the universal gravitational constant.
- c. grams.
- d. gravity.

e. none of the above.

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMCopyright Cengage Learning. Powered by Cognero.

DATE MODIFIED: 7/13/2016 9:39 PM

86. How was the value of G first determined?

- a. by Cavendish, using a torsion balance
- b. by Eötvös, using a torsion balance
- c. via a gedanken experiment

d. by Newton, watching an apple fall

e. none of the above ANSWER: a POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM

87. If a body were in orbit very near the surface of the Earth, its centripetal acceleration would be a. equal to *g*.

- b. smaller than *g*.
- c. larger than g.
- d. dependent on its mass.
- e. none of the above.

ANSWER:aPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:39 PM

88. During the period of one day, the number of high tides at a given point is about

- a. one.
- b. two.
- c. three.
- d. four.

e. none of the above.

ANSWER:bPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:40 PM

89. Tides are influenced bya. the Moon.

b. the Sun. c. the uneven surface of the Earth. d. all of the above. e. none of the above. ANSWER: d POINTS: 1 QUESTION TYPE: Multiple Choice HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 7/13/2016 9:40 PM

- 90. The sensitive dependence upon initial conditions of the evolution of some physical systems is a feature of a. gravitation.
 - b. fractals.
 - c. air resistance.
 - d. dynamical chaos.

e. quantum mechanics.

ANSWER:dPOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:41 PM

- 91. Isaac Newton's contributions to physics include
 - a. the laws of motion.
 - b. the law of universal gravitation.
 - c. invention of the calculus.
 - d. the invention of the reflecting telescope.
 - e. all of the above.

ANSWER:ePOINTS:1QUESTION TYPE:Multiple ChoiceHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/13/2016 9:41 PM

92. Starting from rest, a 20,000-kg aircraft being launched from an aircraft carrier goes from 0 to 90 m/s in 2 seconds. The net force acting on the aircraft is

a. 3,600,000 N. b. 1,800,000 N. c. 900,000 N. d. 450,000 N. e. 275,000 N. ANSWER: c

RATIONALE:	F = ma; a = change in velocity/change in time = 90 m/s / 2 seconds = 45 m/s ² F = 20,000 kg x 45
	$m/s^2 = 900,000 N$
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	7/13/2016 9:42 PM
93. An aircraft weigl	hs 1,500 N, its mass is
a. 1,500 kg.	b. 750 kg.
c. 153 kg.	d. mass cannot be determined
ANSWER:	c
RATIONALE:	$m = w/g = 1500 \text{ kg m/s}^2 / 9.8 \text{ m/s}^2 = 153.06 \text{ kg}$
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	7/13/2016 9:43 PM

94. Two identical airplanes are executing identical turns around a pylon. One of them is moving at 200 mph, and the other is moving at 100 mph. The centripetal force acting on the airplane moving at 200 mph is ______ the value of the centripetal force acting on the airplane moving at 100 mph.

a. one quarter	b. one half
c. the same as	d. twice
e. four times	
ANSWER:	e
RATIONALE:	Centripetal force = mv^2 / r ; since $v_1 = 2v_2$; the force is $(2)^2$ or 4 times as great.
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	6/13/2016 10:29 AM

95. An astronaut in a space suit has a total mass of 143.5 kg and is standing on a scale that reads in newtons inside an elevator. If the elevator accelerates upward at the rate of 1.8 m/s^2 , what does the scale read?

a. 703.2 N	b. 1,406.3 N
c. 882.3 N	d. 1,664.6 N
ANSWER:	d
RATIONALE:	$F_{up} = W + ma = (1,406.3 \text{ N}) + (143.5 \text{ kg})(+1.8 \text{ m/s}^2)$ $F_{up} = 1,664.6 \text{ N}$ [rounded to one decimal place]
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM

DATE MODIFIED: 6/15/2016 12:53 PM

96. A 188-pound astronaut in a training exercise experiences an acceleration of 7.2 g's. What is the net force (in newtons) acting on the astronaut?

a. 1,353.6 N	b. 6,023.5 N
c. 59,030.5 N	d. 13,536 N
ANSWER:	b
RATIONALE:	Three part problem. First convert lb to N W = mg = 188 \times [1 lb] = 188 \times [4.45 N] = 436.6 N Next change this weight to a mass. m = W/g = (436.6 N)/(9.8 m/s ²) = 85.367 kg Finally, use Newton's 2nd Law. F = ma = (85.367 kg)(70.56 m/s ²) = 6023.5 N [rounded to one decimal place]
POINTS:	1
QUESTION TYPE:	Multiple Choice
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	7/12/2016 12:16 PM

97. Which of these are SI units?

- a. centimeters
- b. newtons
- c. pounds
- d. seconds
- e. none of the above

ANSWER:b, dPOINTS:1QUESTION TYPE:Multiple ResponseHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

A body is oscillating up and down at the end of a spring. Let's consider when the body is at the top of its upand-down motion.

98. The net force on the body

a. is zero.	b. has its largest magnitude.
c. points up.	d. points down.
ANSWER:	b, d
POINTS:	1
QUESTION TYPE:	Multiple Response
HAS VARIABLES:	False
PREFACE NAME:	A Body is Oscillating Up
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	7/13/2016 9:44 PM

99. The acceleration

a. is zero.	b. has its largest magnitude.
c. points up.	d. points down.
ANSWER:	b, d
POINTS:	1
QUESTION TYPE:	Multiple Response
HAS VARIABLES:	False
PREFACE NAME:	A Body is Oscillating Up
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	7/13/2016 9:46 PM

100. The displacement vector from the equilibrium position

a. is zero.	b. has its largest magnitude.
c. points up.	d. points down.
ANSWER:	b, c
POINTS:	1
QUESTION TYPE:	Multiple Response
HAS VARIABLES:	False
PREFACE NAME:	A Body is Oscillating Up
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	7/13/2016 9:47 PM

101. If the Earth's mass were suddenly made larger but the Moon's mass stayed the same,

a. the Earth would exert a larger force on the Moon.

b. the Moon would exert a larger force on the Earth.

c. the Earth would exert a larger force on the Moon but the Moon would exert the same force on the Earth as before.

d. none of the above

ANSWER:a, bPOINTS:1QUESTION TYPE:Multiple ResponseHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/14/2016 2:51 PM

102. A ball is thrown straight up, and reaches the top of its trajectory, the acceleration

a. zero. b. 9.8 m/s². c. points down. d. points up. *ANSWER:* b, c *POINTS:* 1 *QUESTION TYPE:* Multiple Response *HAS VARIABLES:* False *DATE CREATED:* 6/13/2016 10:29 AM *DATE MODIFIED:* 7/13/2016 9:47 PM

103. The resistance to relative motion of two bodies in contact with each other is called ______. ANSWER: friction force POINTS: 1 QUESTION TYPE: Completion HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/13/2016 10:29 AM 104. The mass of a body on the Moon is ______ the mass of the same body on Earth. ANSWER: the same as POINTS: 1 **QUESTION TYPE:** Completion HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 1:54 AM 105. The weight of a body on the Moon is ______ the weight of the same body on Earth. ANSWER: less than POINTS: 1 **QUESTION TYPE:** Completion HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 1:57 AM

 106. You push on a block on frictionless ice with a force of 8 N, causing it to accelerate at 2 m/s². The mass of the block is ______.

 ANSWER:
 4 kg

 POINTS:
 1

QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

107. Starting from rest, a 2-kg body acquires a speed of 8 m/s in 2 seconds. The net force acting on the body is

ANSWER:8 NPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/12/2016 12:17 PM

108. You whirl a 2-kg body attached to a 1 meter cord around your head in a nearly horizontal circle with a

speed of 4 m/s. The tension in the cord is ______.ANSWER:32 NPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:7/12/2016 12:17 PM

109. A car goes around a curve at 40 m/s. An accelerometer in the car measures the centripetal acceleration of a 2-kg body in the car to be 8 m/s^2 . The radius of the curve is _____.

ANSWER:	200 m
POINTS:	1
QUESTION TYPE:	Completion
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	7/12/2016 12:17 PM

110. You stand on a bathroom scale at the equator and at the north pole. The scale reading at the equator is the scale reading at the north pole.

	ine seale reading at th
ANSWER:	slightly smaller than
POINTS:	1
QUESTION TYPE:	Completion
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	6/13/2016 10:29 AM

111. You drop a freely falling body at the equator and at the north pole. The acceleration of the freely falling body at the equator is ______ the acceleration of the freely falling body at the north pole.

ANSWER:the same asPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

112. You throw a ball straight up. As the ball is going up, the direction of the velocity and acceleration point

ANSWER:opposite to each otherPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

113. You can tell whether a projectile is going upwards or downwards from the sign of ______.ANSWER:the vertical component of velocityPOINTS:1

POINTS:IQUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

114. You are holding your physics book, pushing upwards on it with the palm of your hand. The reaction to this force is the force on ______ by _____.

ANSWER:your hand, the bookPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

115. You are holding your physics book, pushing upwards on it with the palm of your hand. The reaction to the weight of the book is the force on _____ by _____.

ANSWER:the Earth, the bookPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/15/2016 2:02 AM

116. As you go higher and higher above the surface of the Earth, the weight of a body ______.

ANSWER:decreasesPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/15/2016 2:01 AM

117. As you go higher and higher above the surface of the Earth, the mass of a body ______.
ANSWER: stays constant
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
DATE CREATED: 6/13/2016 10:29 AM

DATE MODIFIED: 6/15/2016 2:03 AM

118. As you go higher and higher above the surface of the Earth, the acceleration of a freely falling body

Copyright Cengage Learning. Powered by Cognero.

ANSWER:gets smaller and smallerPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/15/2016 2:03 AM

119. As the radius of the orbit of an artificial satellite increases, its orbital period ______.

ANSWER:increasesPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

120. The shapes of planetary orbits are ______.ANSWER:ellipsesPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

121. A body on the surface of the Earth weighs 400 lb. The radius of the Earth is about 4,000 miles. If this same body were placed on a 4,000-mile-high tower, its weight would be

ANSWER:	100 lb
POINTS:	1
QUESTION TYPE:	Completion
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	7/12/2016 12:18 PM

122. During the period of one day, the number of high tides at a given location is about ______.
ANSWER: two
POINTS: 1
QUESTION TYPE: Completion
HAS VARIABLES: False
DATE CREATED: 6/13/2016 10:29 AM
DATE MODIFIED: 6/13/2016 10:29 AM

123. The major influence on the tides is due to _____.ANSWER:the MoonPOINTS:1

QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/15/2016 2:00 AM

124. The sensitive dependence upon initial conditions of the evolution of some physical systems is a feature of _____.

ANSWER:dynamical chaosPOINTS:1QUESTION TYPE:CompletionHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

125. A car and driver have a total mass of 945 kg. While rounding a curve on a flat road at a speed of 29 m/s, the net force acting on the car and driver is determined to be 56,767.5 N. The radius of the curve is_____.

ANSWER:	14.0 m
POINTS:	1
QUESTION TYPE:	Completion
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	6/13/2016 10:29 AM

126. An object is dropped from a tall building. The net force acting on the object is the difference between the object's ______ and the force of air resistance.

ANSWER:	weight
POINTS:	1
QUESTION TYPE:	Completion
HAS VARIABLES:	False
DATE CREATED:	6/13/2016 10:29 AM
DATE MODIFIED:	6/13/2016 10:29 AM

127. A steel ball has a mass equal to 5 kilograms. What is the ball's weight?

ANSWER:49 NPOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

128. Find your own weight in newtons.ANSWER:Answers will vary. My weight is about 900 N.POINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:False

DATE CREATED: 6/13/2016 10:29 AM *DATE MODIFIED:* 6/13/2016 10:29 AM

129. A ball rolling down a hill has a constant acceleration of 3 m/s^2 . If the ball's mass is 2.5 kg, what is the net force acting on the ball?

ANSWER:7.5 NPOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

130. A 3,000 kg truck experiences a net force of 2,000 N. What is its acceleration?
ANSWER: 0.667 m/s²
POINTS: 1
QUESTION TYPE: Subjective Short Answer
HAS VARIABLES: False

 DATE CREATED:
 6/13/2016 10:29 AM

 DATE MODIFIED:
 6/13/2016 10:29 AM

131. A certain speed boat weighs 4,900 N. It can accelerate from 0 to 20 m/s in 5 seconds.

(a) What is the mass of the boat?

(b) What is the acceleration?

(c) How large is the net force acting on the boat?

ANSWER: (a) 500 kg, (b) 4 m/s², (c) 2,000 N
POINTS: 1
QUESTION TYPE: Subjective Short Answer
HAS VARIABLES: False
DATE CREATED: 6/13/2016 10:29 AM
DATE MODIFIED: 6/13/2016 10:29 AM

132. A child on a merry-go-round is moving with speed 4 m/s in a circle with radius 2 m. If the child's mass is 30 kg, what is the centripetal force?

ANSWER:240 NPOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

133. A satellite orbits the Earth at a distance of 10,000 miles from the Earth's center. At this distance the force of gravity on the satellite is 90 lbs.

(a) What would the force on the satellite be if the distance were 5,000 miles instead?

(b) At what distance from the Earth's center would the force on the same satellite be 10 lbs?

ANSWER:(a) 360 lbs, (b) 30,000 milesPOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/15/2016 1:58 AM

134. An aircraft starts at rest and is accelerated at 10 m/s^2 for 30 seconds, at which time the aircraft becomes airborne. What is the distance traveled during the 30 seconds? Assume the acceleration is constant.

ANSWER:4,500 mPOINTS:1QUESTION TYPE:Subjective Short AnswerHAS VARIABLES:FalseDATE CREATED:6/13/2016 10:29 AMDATE MODIFIED:6/13/2016 10:29 AM

Match each item with the correct statement below.

a.	centripetal force	e	b. circle
c.	ellipse		d. field
e.	kinetic friction		f. mass
g.	parabola		h. SI
i.	simple harmoni	c motion	j. static friction
k.	terminal speed		l. tides
m.	weight		
QU	JESTION TYPE:	Matching	
ΗÆ	AS VARIABLES:	False	
DA	ATE CREATED:	6/13/2016 1	0:29 AM
DA	ATE MODIFIED:	6/15/2016 1	:46 PM

135. needed to make an object move in a circle *ANSWER*: a*POINTS*: 1

136. a measure of an object's resistance to acceleration *ANSWER:* f *POINTS:* 1

137. keeps our feet from sliding as we walkANSWER: jPOINTS: 1

138. caused by the Moon's gravitational pullANSWER: 1POINTS: 1

139. shape of the path of a projectile*ANSWER:* g*POINTS:* 1

140. air resistance is one example*ANSWER*: e*POINTS*: 1

141. the force of air resistance leads to this *ANSWER:* k *POINTS:* 1

142. the force of gravity acting on a body *ANSWER:* m *POINTS:* 1

143. an object hanging from a spring can do this *ANSWER:* i*POINTS:* 1

Match each item with the correct statement below. a. m b. m² c. m³ d. s e. Hz f. m/s g. m/s^2 h. N i. kg QUESTION TYPE: Matching HAS VARIABLES: False DATE CREATED: 6/13/2016 10:29 AM DATE MODIFIED: 6/15/2016 12:56 PM 144. the area of the sheet of paper you are looking at ANSWER: b POINTS: 1

145. the reading on your watch *ANSWER:* d *POINTS:* 1

146. the speedometer reading on your car ANSWER: f Copyright Cengage Learning. Powered by Cognero. Chapter 02: Newton's Laws POINTS: 1 147. your weight ANSWER: h POINTS: 1 148. the mass of a baseball ANSWER: i POINTS: 1 149. the force exerted on a baseball by a baseball bat ANSWER: h POINTS: 1 150. the distance between your school and your home ANSWER: a POINTS: 1 151. the quantity describing how the speed of your car changes ANSWER: g POINTS: 1 152. the pitch of a note when a piano key is struck ANSWER: e POINTS: 1 153. the frequency of a body vibrating at the end of a spring ANSWER: e POINTS: 1 154. the volume of a 5 lb bag of sugar ANSWER: c POINTS: 1 155. air resistance ANSWER: h POINTS: 1 156. static and kinetic friction ANSWER: h POINTS: 1

157. the quantity that measures the resistance of an object to being accelerated *ANSWER:* i *POINTS:* 1

158. the gravitational pull of the Earth on the Moon *ANSWER:* h *POINTS:* 1

Match each item with the correct statement below.
a. zero net force
b. constant net force in the same direction as velocity
c. constant net force opposite to velocity
d. constant net force perpendicular to velocity
e. net force decreasing with speed
f. restoring force proportional to displacement
QUESTION TYPE: Matching
HAS VARIABLES: False
DATE CREATED: 6/15/2016 2:47 AM
DATE MODIFIED: 6/15/2016 12:57 PM

159. motion in a straight line with decreasing speed *ANSWER:* b *POINTS:* 1

160. motion in a straight line with increasing speed *ANSWER:* c *POINTS:* 1

161. motion in a straight line at constant speed ANSWER: aPOINTS: 1

162. motion in a circleANSWER: dPOINTS: 1

163. a body reaching a terminal velocityANSWER: aPOINTS: 1

164. a body not moving *ANSWER*: a *POINTS*: 1

165. simple harmonic motionANSWER: fPOINTS: 1

166. a body falling through air *ANSWER*: e

Inquiry into Physics 8th Edition Ostdiek Test Bank

Full Download: http://testbanklive.com/download/inquiry-into-physics-8th-edition-ostdiek-test-bank/

Chapter 02: Newton's Laws

POINTS: 1

Match each item with the correct statement below.

a. increases

b. decreases
c. stays the same *QUESTION TYPE:* Matching *HAS VARIABLES:* False *DATE CREATED:* 6/15/2016 2:53 AM *DATE MODIFIED:* 6/15/2016 12:57 PM

167. An astronaut is being launched into space, the astronaut's mass *ANSWER:* c *POINTS:* 1

168. As a rocket is being launched into space with constant force (F), the acceleration *ANSWER*: a*POINTS*: 1

169. As the distance between two objects increases, the gravitational force *ANSWER:* b*POINTS:* 1

170. As the radius of a turn being made by an aircraft increases, the centripetal acceleration on the aircraft *ANSWER:* b *POINTS:* 1