### Mechanics of Materials SI Edition 9th Edition Goodno Solutions Manual

Full Download: http://testbanklive.com/download/mechanics-of-materials-si-edition-9th-edition-goodno-solutions-manual/

# Chapter 2 Solutions

Problem 2.2-1

$$L = 3m \qquad q_0 = 30 \cdot \frac{kN}{m} \qquad k = 700 \frac{kN}{m}$$
$$\Sigma M_B = 0 \qquad A_y = \frac{1}{L} \cdot \left(\frac{1}{2} \cdot q_0 \cdot L \cdot \frac{L}{3}\right) = 15 \cdot kN \qquad \delta_A = \frac{A_y}{k} = 21.429 \cdot mm \qquad \frac{\delta_A}{L} = 7.143 \times 10^{-3}$$

157 © 2018 Cengage Learning®. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

# Full download all chapters instantly please go to Solutions Manual, Test Bank site: testbanklive.com

$$E = 200GPa \qquad d_r = 25mm \qquad q = 5\frac{kN}{m} \qquad L_r = 0.75m \qquad P = 10kN \qquad a = 2.5m \qquad b = 0.75m$$
$$A_r = \frac{\pi}{4} \cdot d_r^2 = 0.761 \cdot in^2$$

Force in rod 
$$\Sigma M_{A} = 0$$
  $F_{r} = \frac{1}{a} \cdot \left[ q \cdot a \cdot \frac{a}{2} + P \cdot (a + b) \right] = 19.25 \cdot kN$ 


 $\label{eq:change} \text{Change in length of rod} \qquad \delta_{rod} = \frac{F_r \cdot L_r}{E \cdot A_r} = 0.1471 \cdot mm$ 

Displacement at B using similar triangles  $\delta_B = \frac{a+b}{a} \cdot \delta_{rod} = 0.1912 \cdot mm$ 

(a) Sum moments about A

$$\Sigma M_A = 0 \qquad \frac{2b}{\frac{5}{2}b}Wb + \frac{\frac{b}{2}}{\frac{5}{2}b}W(2b) = k\delta b \qquad A$$

$$\boxed{\frac{2b}{\frac{5}{2}b}Wb + \frac{\frac{b}{2}}{\frac{5}{2}b}W(2b)}_{\delta = \frac{\frac{2b}{5}b}{\frac{2b}{2}b} = \frac{6W}{5k}}$$
(b)  $\Sigma M_D = 0 \quad kb\delta = \frac{2b}{\frac{5}{2}b}Wb = \frac{4Wb}{5}$  so  $\boxed{\frac{\frac{2b}{\frac{5}{2}b}Wb}{\delta = \frac{\frac{2b}{5}b}{\frac{2b}{5}b} = \frac{4W}{5k}}$ 





$$A = 304 \text{ mm}^2$$
 (from  
Table 2-1)(b) FACTOR OF SAFETY $W = 38 \text{ kN}$  $P_{ULT} = 406 \text{ kN}$  (from Table 2-1) $W = 38 \text{ kN}$  $P_{max} = 70 \text{ kN}$  $E = 140 \text{ GPa}$  $n = \frac{P_{ULT}}{P_{max}} = \frac{406 \text{ kN}}{70 \text{ kN}} = 5.8$ 

(a) STRETCH OF CABLE

$$\delta = \frac{WL}{EA} = \frac{(38 \text{ kN})(14 \text{ m})}{(140 \text{ GPa})(304 \text{ mm}^2)}$$
$$= 12.5 \text{ mm} \quad \leftarrow$$

----


(a) 
$$\frac{\delta_a}{\delta_s} = \frac{\frac{PL}{E_a A}}{\left(\frac{PL}{E_s A}\right)} \rightarrow \frac{E_s}{E_a}$$
  
 $E_s = 206 \text{ GPa} \quad E_a = 76 \text{ GPa}$   
 $\overline{\frac{E_s}{E_a} = 2.711} \quad \frac{206}{76} \rightarrow \frac{103}{38} = 2.711$   
(b)  $\delta_a = \delta_s \text{ so } \frac{PL}{E_a A_a} = \frac{PL}{E_s A_s} \text{ so } \frac{A_a}{A_s} = \frac{E_s}{E_a} \text{ and } \overline{\frac{d_a}{d_s} = \sqrt{\frac{E_s}{E_a}} = 1.646}$ 

(c) SAME DIAM., SAME LOAD, FIND RATIO OF LENGTH OF ALUM. TO STEEL WIRE IF ELONG. OF ALUM. IS 1.5 TIMES THAT OF STEEL WIRE

$$\frac{\delta_a}{\delta_s} = \frac{\frac{PL_a}{E_a A}}{\left(\frac{PL_s}{E_s A}\right)} \qquad \frac{\frac{PL_a}{E_a A}}{\left(\frac{PL_s}{E_s A}\right)} = 1.5 \qquad \frac{\frac{L_a}{L_s} = 1.5 \frac{E_a}{E_s} = 0.553}{\frac{L_a}{E_s} = 0.553}$$

(d) SAME DIAM., SAME LENGTH, SAME LOAD-BUT WIRE 1 ELONGATES 1.7 TIMES THE STEEL WIRE > WHAT IS WIRE 1 MATERIAL?

$$\frac{\delta_1}{\delta_s} = \frac{\frac{PL}{E_1 A}}{\left(\frac{PL}{E_s A}\right)} \qquad \frac{\frac{PL}{E_1 A}}{\left(\frac{PL}{E_s A}\right)} = 1.7 \qquad E_1 = \frac{E_s}{1.7} = 121 \text{ GPa} \quad \left[ < \text{cast iron or copper alloy (see App. 1)} \right]$$



TENSILE FORCE IN CABLE

$$T = \frac{W}{2} = 11 \text{ kN}$$

LENGTH OF CABLE

$$L = L_1 + 2L_2 + \frac{1}{4} (\pi d_A) + \frac{1}{2} (\pi d_B)$$
  
= 4,600 mm + 21,000 mm + 236 mm + 236 mm  
= 26,072 mm

ELONGATION OF CABLE

$$\delta = \frac{TL}{EA} = \frac{(11 \text{ kN})(26,072 \text{ mm})}{(10,700 \text{ kN})} = 26.8 \text{ mm}$$

LOWERING OF THE CAGE

h = distance the cage moves downward

$$h = \frac{1}{2}\delta = 13.4 \text{ mm} \leftarrow$$

$$d_o = 380 \text{mm}$$
  $d_i = 365 \text{mm}$   $E = 200 \text{GPa}$   $P = 22 \text{kN}$   
 $L_{\text{DC}} = \sqrt{(0.9 \text{m})^2 + (1.2 \text{m})^2} = 1.5 \cdot \text{m}$   $A_{\text{DC}} = \frac{\pi}{4} \cdot \left( d_o^2 - d_i^2 \right) = 8.777 \times 10^3 \cdot \text{mm}^2$ 

Find force in DC - use FBD of ACB

$$\Sigma M_{A} = 0$$
  $\frac{3}{5}F_{DC} \cdot 1.2m = P \cdot (2.7m)$  so  $F_{DC} = \frac{5}{3} \cdot P \cdot \left(\frac{9}{4}\right) = 82.5 \cdot kN$  compression

Change in length of strut

$$\Delta_{\text{DC}} = \frac{F_{\text{DC}} \cdot L_{\text{DC}}}{E \cdot A_{\text{DC}}} = 7.05 \times 10^{-2} \cdot \text{mm} \text{ shortening}$$

Vertical displacement at C (see Example 2-7) and at B

$$\delta_{\rm C} = \frac{\Delta_{\rm DC}}{\sin(\rm ACD)} \qquad \delta_{\rm C} = \frac{\Delta_{\rm DC}}{\frac{3}{5}} = 0.117 \cdot \rm{mm} \qquad \delta_{\rm B} = \frac{9}{4} \cdot \delta_{\rm C} = 2.644 \times 10^{-1} \cdot \rm{mm} \qquad \rm{downward}$$

$$L_{BD} = 350 \text{ mm}$$
  $L_{CE} = 450 \text{ mm}$   $A = 720 \text{ mm}^2$   $E = 200 \text{ GPa}$   $P = 20 \text{ kN}$ 

Statics - find axial forces in BD and CE - remove pins at B and E, use FBD of beam ABC - assume beam is rigid

$$\Sigma M_{B} = 0 \qquad CE = \frac{1}{350 \text{mm}} \cdot [P \cdot (600 \text{mm})] = 34.286 \cdot \text{kN} \quad CE \text{ is in tension; force CE acts downward on ABC}$$
  
$$\Sigma F_{y} = 0 \qquad BD = P + CE = 54.286 \cdot \text{kN} \qquad BD \text{ is in compression; force BD acts upward on ABC}$$

Use force-displacement relation to find change in lengths of CE and BD and vertical displacements at B and C

$$\delta_{BD} = \frac{BD \cdot L_{BD}}{E \cdot A} = 0.13194 \cdot mm \text{ shortening}$$

$$\delta_{CE} = \frac{CE \cdot L_{CE}}{E \cdot A} = 0.10714 \cdot mm \text{ elongation}$$


Use geometry to find downward displacement at A


$$\alpha = \operatorname{atan}\left(\frac{\left|\delta_{BD}\right| + \delta_{CE}}{350 \mathrm{mm}}\right) = 0.03914 \cdot \mathrm{deg}$$

$$\Delta_A = 950 \text{mm} \cdot \tan(\alpha) - \delta_{CE} = 0.542 \cdot \text{mm}$$
 downward

or similar triangles 
$$\frac{\Delta_{A} + \delta_{CE}}{600 + 350} = \frac{\left|\delta_{BD}\right| + \delta_{CE}}{350}$$
  
 $\Delta_{A} = \left(\left|\delta_{BD}\right| + \delta_{CE}\right) \cdot \left(\frac{950}{350}\right) - \delta_{CE} = 0.542 \cdot \text{mm}$ 

downward





h = height of valve (compressed length of the spring)

d = diameter of discharge hole

p =pressure in tank

 $p_{\rm max}$  = pressure when valve opens

L = natural length of spring (L > h)

k = stiffness of spring

FORCE IN COMPRESSED SPRING

F = k(L - h) (From Eq. 2-1a)

PRESSURE FORCE ON SPRING

$$P = p_{\max}\left(\frac{\pi d^2}{4}\right)$$

Equate forces and solve for h:


$$F = P \quad k(L - h) = \frac{\pi p_{\max} d^2}{4}$$
$$h = L - \frac{\pi p_{\max} d^2}{4k} \quad \leftarrow$$

## NUMERICAL DATA k = 950 N/m b = 165 mm P = 11 N $\theta = 2.5^{\circ}$ $\theta_{\text{max}} = 2^{\circ}$

 $W_p = 3N$   $W_s = 2.75N$ 

(a) If the load P = 11 N, at what distance x should the load be placed so that the pointer will read θ = 2.5° on the scale (see Fig. a)?
 Sum moments about A, then solve for x:

$$x = \frac{k\theta b^2}{P} = 102.6 \text{ mm}$$
 [x = 102.6 mm]




(b) Repeat (a) if a rotational spring k<sub>r</sub> = kb<sup>2</sup> is added at A (see Fig. b).

$$k_r = k b^2 = 25864 \text{ N} \cdot \text{mm}$$

Sum moments about A, then solve for x:

 $x = \frac{k\theta b^2 + k_r \theta}{P} = 205 \text{ mm}$   $\frac{x}{b} = 1.244 \text{ [}x = 205 \text{ mm]}$ 



(c) Now if x = 7b/8, what is  $P_{\text{max}}$  (N) if  $\theta$  cannot exceed 2°?  $x = \frac{7}{8}b = 144.375$  mm

Sum moments about A, then solve for P:

$$P_{\max} = \frac{k\theta_{\max}b^2 + k_r\theta_{\max}}{\frac{7}{8}b} = 12.51\,\text{N}$$

$$P_{\max} = 12.51\,\text{N}$$

(d) Now, if the weight of the pointer *ABC* is known to be  $W_p = 3$  N and the weight of the spring is  $W_s = 2.75$  N, what initial angular position (i.e.,  $\theta$  in degrees) of the pointer will result in a zero reading on the angular scale once the pointer is released from rest? Assume  $P = k_r = 0$ .

Deflection at spring due to Wp:

Deflection at B due to self weight of spring:


$$\delta_{Bp} = \frac{W_p \left(\frac{3}{4}b\right)}{kb} = 2.368 \text{ mm} \qquad \delta_{Bk} = \frac{W_s}{2k} = 1.447 \text{ mm}$$
$$\delta_B = \delta_{Bp} + \delta_{Bk} = 3.816 \text{ mm} \qquad \theta_{\text{init}} = \frac{\delta_B}{b} = 1.325^{\circ}$$
$$OR \quad \theta_{\text{init}} = \arctan\left(\frac{\delta_B}{b}\right) = 1.325^{\circ} \quad \overline{\theta_{\text{init}} = 1.325^{\circ}}$$

(e) If the pointer is rotated to a vertical position (figure part c), find the required load P, applied at mid-height of the pointer that will result in a pointer reading of  $\theta = 2.5^{\circ}$  on the scale. Consider the weight of the pointer,  $W_p$ , in your analysis.

$$k = 950 \text{ N/m}$$
  $b = 165 \text{ mm}$   $W_p = 3 \text{ N}$   
 $k_r = kb^2 = 25.864 \text{ N} \cdot \text{m}$   $\theta = 2.5^{\circ}$ 


Sum moments about A to get P:

$$P = \frac{\theta}{\left(\frac{3b}{4}\right)} \left[ k_r + k \left(\frac{5}{4}b^2\right) - W_p \left(\frac{3b}{4}\right) \right] = 20.388 \text{ N} \qquad \boxed{P = 20.4 \text{ N}}$$



b = 250mm c = 175mm  $k = 875\frac{N}{m}$  p = 1.6mm n = 12

Use FBD of ABC (pin forces  $B_x = F$  and  $B_y = W$  at B; see fig.); sum moments about B s.t. Wb = Fc, F = force in spring



$$b = 30 cm$$
  $c = 20 cm$   $k = 3650 \frac{N}{m}$   $p = 1.5 mm$   $W = 65 N$ 


Force in parallel springs is  $F = 2 \cdot k \cdot (n \cdot p)$ 

Sum moments about B (see FBD) to find F in terms of weight W

$$Wb = Fc$$
 so  $F = W \cdot \frac{b}{c}$ 

Substitute expression for F and solve for n

$$n = \frac{W \cdot \frac{b}{c}}{2 \cdot k \cdot p} = 8.904$$



(a) Derive a formula for the displacement  $\delta_4$  at point 4 when the load P is applied at joint 3 and moment PL is applied at joint 1, as shown.

Cut horizontally through both springs to create upper and lower FBD's. Sum moments about joint 1 for upper FBD and also sum moments about joint 6 for lower FBD to get two equations of equilibrium; assume both springs are in tension.

Note that 
$$\delta_2 = \frac{2}{3} \delta_3$$
 and  $\delta_5 = \frac{3}{4} \delta_4$   
Force in left spring:  $k \left( \delta_4 - \frac{2}{3} \delta_3 \right)$   
Force in right spring:  $2k \left( \frac{3}{4} \delta_4 - \delta_3 \right)$ 

Summing moments about joint 1 (upper FBD) and about joint 6 (lower FBD) then dividing through by k gives

$$\begin{pmatrix} \frac{-22}{9} & \frac{13}{6} \\ \frac{-26}{9} & \frac{17}{6} \end{pmatrix} \begin{pmatrix} \delta_3 \\ \delta_4 \end{pmatrix} = \begin{pmatrix} \frac{-2P}{k} \\ 0 \end{pmatrix} \quad \begin{pmatrix} \delta_3 \\ \delta_4 \end{pmatrix} = \begin{pmatrix} \frac{-22}{9} & \frac{13}{6} \\ \frac{-26}{9} & \frac{17}{6} \end{pmatrix}^{-1} \begin{pmatrix} \frac{-2P}{k} \\ 0 \end{pmatrix} = \begin{pmatrix} \frac{17P}{2k} \\ \frac{26P}{3k} \end{pmatrix} \quad \frac{17}{2} = 8.5 \\ \frac{26P}{3k} = \frac{26P}{3k}$$

^ deltas are positive downward

(b) Repeat part (a) if a rotational spring  $k_r = kL^2$  is now added at joint 6. What is the ratio of the deflection  $\delta 4$  in part (a) to that in (b)?

Upper FBD-sum moments about joint 1:

$$k\left(\delta_4 - \frac{2}{3}\delta_3\right)\frac{2L}{3} + 2k\left(\frac{3}{4}\delta_4 - \delta_3\right)L = -2PL \quad \text{OR} \quad \left(\frac{22Lk}{9}\right)\delta_3 + \frac{13Lk}{6}\delta_4 = -2PL$$

Lower FBD-sum moments about joint 6:

$$k\left(\delta_4 - \frac{2}{3}\delta_3\right)\frac{4L}{3} + 2k\left(\frac{3}{4}\delta_4 - \delta_3\right)L - k_r\theta_6 = 0$$

$$\left[k\left(\delta_4 - \frac{2}{3}\delta_3\right)\frac{4L}{3} + 2k\left(\frac{3}{4}\delta_4 - \delta_3\right)L\right] + (kL^2)\left(\frac{\delta_4}{\frac{4}{3}L}\right) = 0 \quad \text{OR} \quad \left(\frac{26Lk}{9}\right)\delta_3 + \frac{43Lk}{12}\delta_4 = 0$$

Divide matrix equilibrium equations through by k to get the following displacement equations:

$$\begin{pmatrix} \frac{-22}{9} & \frac{13}{6} \\ \frac{-26}{9} & \frac{43}{6} \end{pmatrix} \begin{pmatrix} \delta_3 \\ \delta_4 \end{pmatrix} = \begin{pmatrix} \frac{-2P}{k} \\ 0 \end{pmatrix} \quad \begin{pmatrix} \delta_3 \\ \delta_4 \end{pmatrix} = \begin{pmatrix} \frac{-22}{9} & \frac{13}{6} \\ \frac{-26}{9} & \frac{43}{12} \end{pmatrix}^{-1} \begin{pmatrix} \frac{-2P}{k} \\ 0 \end{pmatrix} = \begin{pmatrix} \frac{43P}{15k} \\ \frac{104P}{45k} \end{pmatrix} \quad \frac{43}{15} = 2.867$$

^ deltas are positive downward

Ratio of the deflection  $\delta_4$  in part (a) to that in (b):  $\frac{\frac{26}{3}}{\frac{104}{45}} = \frac{15}{4}$  Ratio  $= \frac{15}{4} = 3.75$ 


NUMERICAL DATA

 $A = 3900 \text{ mm}^2$  E = 200 GPaP = 475 kN L = 3000 mm

$$\delta_{Bmax} = 1.5 \text{ mm}$$

(a) Find horizontal displacement of joint BStatics To find support reactions and then member forces:

$$\sum M_A = 0 \qquad B_y = \frac{1}{L} \left( 2P \frac{L}{2} \right)$$
$$B_y = P$$
$$\sum F_H = 0 \qquad A_x = -P$$
$$\sum F_V = 0 \qquad A_y = P - B_y \qquad A_y = 0$$
Method of Joints:  $AC_V = A_Y \quad AC_V = 0$  Force in  $AC = 0$ 
$$AB = A_X$$




Force in AB is P (tension) so elongation of AB is the horizontal displacement of joint B.

$$\delta_B = \frac{F_{AB}L}{EA}$$
  $\delta_B = \frac{PL}{EA}$   $\delta_B = 1.82692 \text{ mm}$   $\delta_B = 1.827 \text{ mm}$ 

(b) FIND  $P_{\text{max}}$  IF DISPLACEMENT OF JOINT  $B = \delta_{B\text{max}} = 1.5 \text{ mm}$   $P_{\text{max}} = \frac{EA}{L} \delta_{B\text{max}}$   $P_{\text{max}} = 390 \text{ kN}$ 

(c) Repeat parts (a) and (b) if the plane truss is replaced by a space truss (see figure part b).

Find missing dimensions *a* and *c*: P = 475 kN L = 3 m



$$a = \sqrt{L^2 - 2\left(\frac{L}{2}\right)^2} = 2.12132 \text{ m} \qquad \frac{a}{L} = 0.707 \qquad a = \frac{L}{\sqrt{2}} = 2.12132 \text{ m}$$
$$c = \sqrt{L^2 + a^2} = 3.67423 \text{ m} \qquad c = \sqrt{L^2 + \left(\frac{L}{\sqrt{2}}\right)^2} = 3.67423 \text{ m} \qquad c = L\sqrt{\frac{3}{2}} = 3.67423 \text{ m}$$

(1) Sum moments about a line thru A which is parallel to the y-axis

$$B_z = -P \frac{L}{a} = -671.751 \text{ kN}$$

(2) SUM MOMENTS ABOUT THE Z-AXIS

$$B_y = \frac{P\left(\frac{L}{2}\right)}{a} = 335.876 \text{ kN}$$
 SO  $A_y = P - B_y = 139.124 \text{ kN}$ 

(3) SUM MOMENTS ABOUT THE X-AXIS

$$C_z = \frac{A_y L - P \frac{L}{2}}{\frac{L}{2}} = -196.751 \,\text{kN}$$

.

- (4) Sum forces in the x- and z-directions  $A_x = -P = -475 \text{ kN}$   $A_z = -C_z B_z = 868.503 \text{ kN}$
- (5) Use method of joints to find member forces

Sum forces in x-direction at joint A: 
$$\frac{a}{c}F_{AB} + A_x = 0$$
  $F_{AB} = \frac{-c}{a}A_x = 823 \text{ kN}$   
Sum forces in y-direction at joint A:  $\frac{L}{\sqrt{2}}\frac{L}{L}F_{AC} + A_y = 0$   $F_{AC} = \sqrt{2}(-A_y) = -196.8 \text{ kN}$ 

Sum forces in y-direction at joint B:  $\frac{L}{2}F_{BC} + B_y = 0$   $F_{BC} = -2B_y = -672$  kN

(6) FIND DISPLACEMENT ALONG *x*-axis at joint B

Find change in length of member AB then find its projection along x axis:

$$\delta_{AB} = \frac{F_{AB}c}{EA} = 3.875 \text{ mm} \quad \beta = \arctan\left(\frac{L}{a}\right) = 54.736^{\circ} \quad \delta_{Bx} = \frac{\delta_{AB}}{\cos(\beta)} = 6.713 \text{ mm} \quad \overline{\delta_{Bx} = 6.71 \text{ mm}}$$

(7) FIND  $P_{\text{max}}$  FOR SPACE TRUSS IF  $\delta_{Bx}$  MUST BE LIMITED TO 1.5 mm Displacements are linearly related to the loads for this linear elastic small displacement problem, so reduce load variable P from 475 kN to

$$\frac{1.5}{6.71254} 475 = 106.145 \text{ kN} \qquad P_{\text{max}} = 106.1 \text{ kN}$$

Repeat space truss analysis using vector operations a = 2.121 m L = 3 m P = 475 kN

POSITION AND UNIT VECTORS:

$$r_{AB} = \begin{pmatrix} a \\ 0 \\ -L \end{pmatrix} \quad e_{AB} = \frac{r_{AB}}{|r_{AB}|} = \begin{pmatrix} 0.577 \\ 0 \\ -0.816 \end{pmatrix} \quad r_{AC} = \begin{pmatrix} 0 \\ \frac{L}{2} \\ \frac{-L}{2} \end{pmatrix} \quad e_{AC} = \frac{r_{AC}}{|r_{AC}|} = \begin{pmatrix} 0 \\ 0.707 \\ -0.707 \end{pmatrix}$$

FIND MOMENT AT A:

$$M_{A} = r_{AB} \times R_{B} + r_{AC} \times R_{C}$$

$$M_{A} = r_{AB} \times \begin{pmatrix} 0 \\ RB_{y} \\ RB_{z} \end{pmatrix} + r_{AC} \times \begin{pmatrix} 2.P \\ -P \\ RC_{z} \end{pmatrix} = \begin{pmatrix} 3.0 \text{ m } RB_{y} + 1.5 \text{ m } RC_{z} - 712.5 \text{ kN} \cdot \text{m} \\ -2.1213 \text{ m } RB_{Z} - 1425.0 \text{ kN} \cdot \text{m} \\ 2.1213 \text{ m } RB_{y} - 1425.0 \text{ kN} \cdot \text{m} \end{pmatrix}$$

172

© 2018 Cengage Learning®. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

FIND MOMENTS ABOUT LINES OR AXES:

$$M_A e_{AB} = -1.732 \text{ m } RB_y + 1.7321 \text{ m } RB_y + 0.86603 \text{ m } RC_z + 752.15 \text{ kN} \cdot \text{m}$$

$$RC_z = \frac{-244.12}{0.72169} = -338.262 \qquad C_z = -196.751 \text{ kN}$$

$$M_A e_{AC} = -1.5 \text{ m } RB_y + -1.5 \text{ m } RB_z \qquad \text{So} \qquad RB_y = -RB_z$$

$$M_A \begin{pmatrix} 0 \\ 1 \\ 0 \end{pmatrix} = -2.1213 \text{ m } RB_z + -1425.0 \text{ kN} \cdot \text{m} \qquad \text{So} \qquad RB_z = \frac{462.5}{-1.7678} = -261.625 \quad B_z = -671.75 \text{ kN}$$

$$M_A \begin{pmatrix} 0 \\ 1 \\ 0 \end{pmatrix} = 2.1213 \text{ m } RB_y + -1425.0 \text{ kN} \cdot \text{m} \qquad \text{So} \qquad RB_y = -RB_z = 261.625 \quad B_y = -335.876 \text{ kN}$$

$$\sum F_y = 0 \qquad A_y = P - B_y = 139.124 \text{ kN}$$

Reactions obtained using vector operations agree with those based on scalar operations.

$$d = 2 \text{ mm} \quad L = 3.8 \text{ m} \quad E = 75 \text{ GPa}$$
  
$$\delta_a = 3 \text{ mm} \quad \sigma_a = 60 \text{ MPa}$$
  
$$A = \frac{\pi d^2}{4} \quad A = 3.142 \times 10^{-6} \text{ m}^2$$
  
$$EA = 2.356 \times 10^5 \text{ N}$$



Maximum load based on elongation:

$$P_{\text{max1}} = \frac{EA}{L} \delta_a \quad P_{\text{max1}} = 186.0 \text{ N} \leftarrow \text{controls}$$

Maximum load based on stress:

 $P_{\text{max2}} = \sigma_a A$   $P_{\text{max2}} = 188.496 \text{ N}$ 

NUMERICAL DATA


$$W = 25 \text{ N}$$
  $k_1 = 0.300 \text{ N/mm}$   $L_1 = 250 \text{ mm}$ 

 $k_2 = 0.400 \text{ N/mm}$   $L_2 = 200 \text{ mm}$ 

- L = 350 mm h = 80 mm P = 18 N
- (a) LOCATION OF LOAD P TO BRING BAR TO HORIZONTAL POSITION

Use statics to get forces in both springs:

$$\sum M_A = 0 \qquad F_2 = \frac{1}{L} \left( W \frac{L}{2} + P x \right)$$
$$F_2 = \frac{W}{2} + P \frac{x}{L}$$



$$\sum F_V = 0 \qquad F_1 = W + P - F_2$$
$$F_1 = \frac{W}{2} + P\left(1 - \frac{x}{L}\right)$$

Use constraint equation to define horizontal position, then solve for location x:

$$L_1 + \frac{F_1}{k_1} = L_2 + h + \frac{F_2}{k_2}$$

Substitute expressions for  $F_1$  and  $F_2$  above into constraint equilibrium and solve for x:

$$x = \frac{-2L_1 L k_1 k_2 - k_2 W L - 2k_2 P L + 2L_2 L k_1 k_2 + 2 h L k_1 k_2 + k_1 W L}{-2P(k_1 + k_2)}$$
  
x = 134.7 mm \leftarrow

(b) NEXT REMOVE P and find new value of spring CONSTANT  $k_1$  SO THAT BAR IS HORIZONTAL UNDER WEIGHT W

Now, 
$$F_1 = \frac{W}{2}$$
  $F_2 = \frac{W}{2}$  since  $P = 0$ 

STATICS

Now, 
$$F_1 = \frac{1}{2}$$
  $F_2 = \frac{1}{2}$  since  $P = 0$ 

Same constraint equation as above but now P = 0:

$$L_1 + \frac{\frac{W}{2}}{k_1} - (L_2 + h) - \frac{\left(\frac{W}{2}\right)}{k_2} = 0$$

Solve for k1:

$$k_1 = \frac{-Wk_2}{[2k_2[L_1 - (L_2 + h)]] - W}$$
  

$$k_1 = 0.204 \text{ N/mm} \quad \leftarrow$$


$$\sum M_{k_1} = 0 \qquad F_2 = \frac{w\left(\frac{L}{2} - b\right)}{L - b}$$
$$\sum F_V = 0$$
$$F_1 = W - F_2$$
$$F_1 = W - \frac{w\left(\frac{L}{2} - b\right)}{L - b}$$
$$F_1 = \frac{WL}{2(L - b)}$$

PART (C)-CONTINUED (from page below)

Part (c) continued in right column below

175

-. (c) Use  $k_1 = 0.300$  N/mm but relocate spring  $k_1$  (x = b) so that bar ends up in horizontal position under weight W



$$b = \frac{2L_1k_1k_2L + WLk_2 - 2L_2k_1k_2L - 2hk_1k_2L - Wk_1L}{(2L_1k_1k_2) - 2L_2k_1k_2 - 2hk_1k_2 - 2Wk_1}$$

Part (c) continued on page above

(d) Replace spring  $k_1$  with springs in series:  $k_1 = 0.3$  N/mm,  $L_1/2$ , and  $k_3$ ,  $L_1/2$ . Find  $k_3$ so that bar hangs in horizontal position

Statics  $F_1 = \frac{W}{2}$   $F_2 = \frac{W}{2}$ 

$$k_3 = \frac{Wk_1k_2}{-2L_1k_1k_2 - Wk_2 + 2L_2k_1k_2 + 2hk_1k_2 + Wk_1}$$

NOTE-equivalent spring constant for series springs:

 $k_e = \frac{k_1 k_3}{k_1 + k_3}$ 

Constraint equation—substitute above expressions for  $F_1$  and  $F_2$  and solve for b:

$$L_1 + \frac{F_1}{k_1} - (L_2 + h) - \frac{F_2}{k_2} = 0$$

Use the following data:

 $k_1 = 0.300 \text{ N/mm}$   $k_2 = 0.4 \text{ N/mm}$   $L_1 = 250 \text{ mm}$  $L_2 = 200 \text{ mm}$  L = 350 mm

b = 74.1 mm ←

Part (d) continued from left column

New constraint equation; solve for k3:

$$L_1 + \frac{F_1}{k_1} + \frac{F_1}{k_3} - (L_2 + h) - \frac{F_2}{k_2} = 0$$
$$L_1 + \frac{W/2}{k_1} + \frac{W/2}{k_3} - (L_2 + h) - \frac{W/2}{k_2} = 0$$

 $k_3 = 0.638 \text{ N/mm} \leftarrow$ 

$$k_e = 0.204 \text{ N/mm} \leftarrow \text{checks}\text{--same as (b) above}$$

The figure shows a section cut through the pipe, cap, and rod.

NUMERICAL DATA

 $E_c = 83 \text{ GPa}$   $E_b = 96 \text{ GPa}$ W = 9 kN  $d_c = 150 \text{ mm}$   $d_r = 12 \text{ mm}$  $\sigma_a = 35 \text{ MPa}$   $\delta_a = 0.5 \text{ mm}$ 

Unit weights (see Table I-1):  $\gamma_s = 77 \frac{\text{kN}}{\text{m}^3}$ 

$$\gamma_b = 82 \frac{\text{kN}}{\text{m}^3}$$

$$L_c = 1.25 \text{ m} \qquad L_r = 1.1 \text{ m}$$

$$t_s = 25 \text{ mm}$$

(a) MIN. REQ'D WALL THICKNESS OF CI PIPE,  $t_{cmin}$ First check allowable stress, then allowable shortening.

$$W_{\text{cap}} = \gamma_s \left(\frac{\pi}{4} d_c^2 t_s\right)$$
  

$$W_{\text{cap}} = 34.018 \text{ N}$$
  

$$W_{\text{rod}} = \gamma_b \left(\frac{\pi}{4} d_r^2 L_r\right)$$
  

$$W_{\text{rod}} = 10.201 \text{ N}$$
  

$$W_t = W + W_{\text{cap}} + W_{\text{rod}} \qquad W_t = 9.044 \times 10^3 \text{ N}$$
  

$$A_{\text{min}} = \frac{W_t}{\sigma_a} \qquad A_{\text{min}} = 258.406 \text{ mm}^2$$
  

$$A_{\text{pipe}} = \frac{\pi}{4} [d_c^2 - (d_c - 2t_c)^2]$$

$$A_{pipe} = \pi t_c (d_c - t_c)$$

$$t_c (d_c - t_c) = \frac{W_t}{\pi \sigma_a}$$
Let  $\alpha = \frac{W_t}{\pi \sigma_a}$   $\alpha = 8.225 \times 10^{-5} \text{ m}^2$ 

$$t_c^2 - d_c t_c + \alpha = 0$$

$$t_c = \frac{d_c - \sqrt{d_c^2 - 4\alpha}}{2}$$

$$t_c = 0.55 \text{ mm}$$

$$\stackrel{\text{nin. based}}{\text{on } \sigma_a}$$

Now check allowable shortening requirement.

$$\delta_{\text{pipe}} = \frac{W_t L_c}{E_c A_{\min}} \qquad A_{\min} = \frac{W_t L_c}{E_c \delta_a}$$

 $A_{\min} = 272.416 \text{ mm}^2 < \text{larger than value based}$ 

on  $\sigma_a$  above

$$\pi t_c (d_c - t_c) = \frac{W_t L_c}{E_c \delta_a}$$


$$t_c^2 - d_c t_c + \beta = 0 \quad \beta = \frac{W_t L_c}{\pi E_c \delta_a}$$
$$\beta = 8.671 \times 10^{-5} \text{ m}^2$$
$$t_c = \frac{d_c - \sqrt{d_c^2 - 4\beta}}{2}$$

 $t_c = 0.580 \text{ mm} \quad \leftarrow \text{ min. based on } \delta_a \text{ controls}$ 

(b) Elongation of rod due to self-weight and also weight  ${\boldsymbol W}$ 

$$\delta_r = \frac{\left(W + \frac{W_{\rm rod}}{2}\right)L_r}{E_b\left(\frac{\pi}{4}{d_r}^2\right)} \quad \delta_r = 0.912 \,\,{\rm mm} \quad \leftarrow$$

(c) Min. Clearance h $h_{\min} = \delta_a + \delta_r$   $h_{\min} = 1.412 \text{ mm} \leftarrow$ 




SHORTENING OF BAR BE

$$\delta_{BE} = \frac{F_{BE}L_{BE}}{EA_{BE}} = \frac{(296 \text{ kN})(3.0 \text{ m})}{(200 \text{ GPa})(11,100 \text{ mm}^2)} = 0.400 \text{ mm}$$

SHORTENING OF BAR CF

$$\delta_{CF} = \frac{F_{CF}L_{CF}}{EA_{CF}} = \frac{(464 \text{ kN})(2.4 \text{ m})}{(200 \text{ GPa})(9,280 \text{ mm}^2)} = 0.600 \text{ mm}$$

DISPLACEMENT DIAGRAM



$$\delta_{BE} - \delta_A = \delta_{CF} - \delta_{BE} \text{ or } \delta_A = 2\delta_{BE} - \delta_{CF}$$
  

$$\delta_A = 2(0.400 \text{ mm}) - 0.600 \text{ m}$$
  

$$= 0.200 \text{ mm} \leftarrow$$
  
(Downward)  

$$\delta_D - \delta_{CF} = \frac{2.1}{1.5} (\delta_{CF} - \delta_{BE})$$
  
or 
$$\delta_D = \frac{12}{5} \delta_{CF} - \frac{7}{5} \delta_{BE}$$
  
12

$$= \frac{12}{5} (0.600 \text{ mm}) - \frac{7}{5} (0.400 \text{ mm})$$
  
= 0.880 mm  $\leftarrow$   
(Downward)

(a) DISPLACEMENT  $\delta_D$ 

Use *FBD* of beam *BCD* 
$$\sum M_B = 0$$
  $R_C = \frac{1}{L} \left[ \left( 2\frac{P}{L} \right) \left( \frac{3}{4}L \right) \left( \frac{3}{8}L \right) + \frac{P}{4} \left( L + \frac{3}{4}L \right) \right] = P$  CF

 $\sum F_V = 0 \quad R_B = \left(2\frac{P}{L}\right)\left(\frac{3}{4}L\right) + \frac{P}{4} - R_C = \frac{3P}{4} \quad <\text{compression force in column } BA$ 

Downward displacements at *B* and *C*:  $\delta_B = R_B f_1 = \frac{3Pf_1}{4}$   $\delta_C = R_C f_2 = Pf_2$ 

Geometry: 
$$\delta_D = \delta_B + (\delta_C - \delta_B) \left( \frac{L + \frac{3}{4}L}{L} \right) = \frac{7Pf_2}{4} - \frac{9Pf_1}{16} \qquad \delta_D = \frac{7Pf_2}{4} - \frac{9Pf_1}{16} = \frac{P}{16}(28f_2 - 9f_1)$$

(b) DISPLACEMENT TO HORIZONTAL POSITION, SO  $\delta_C = \delta_B$  and  $\frac{3Pf_1}{4} = Pf_2$  or  $\frac{f_1}{f_2} = \frac{4}{3}$ 

$$\frac{\frac{L_1}{EA_1}}{\frac{L_2}{EA_2}} = \frac{4}{3} \quad \text{or} \quad \frac{L_1}{L_2} = \frac{4}{3} \left(\frac{A_1}{A_2}\right) \quad \frac{L_1}{L_2} = \frac{4}{3} \left(\frac{\frac{\pi}{4}}{\frac{d_1^2}{\frac{$$

(c) If  $L_1 = 2 L_2$ , find the  $d_1/d_2$  ratio so that beam *BCD* displaces downward to a horizontal position

$$\frac{L_1}{L_2} = 2$$
 and  $\delta_C = \delta_B$  from part (b).  $\left(\frac{d_1}{d_2}\right)^2 = \frac{3}{4} \left(\frac{L_1}{L_2}\right)$  so  $\frac{d_1}{d_2} = \sqrt{\frac{3}{4}(2)} = 1.225$ 

(d) If  $d_1 = (9/8) d_2$  and  $L_1/L_2 = 1.5$ , at what horizontal distance *x* from *B* should load *P*/4 at *D* be placed?

Given 
$$\frac{d_1}{d_2} = \frac{9}{8}$$
 and  $\frac{L_1}{L_2} = 1.5$  or  $\frac{f_1}{f_2} = \frac{L_1}{L_2} \left(\frac{A_2}{A_1}\right)$   $\frac{f_1}{f_2} = \frac{L_1}{L_2} \left(\frac{d_2}{d_1}\right)^2 = \frac{3}{2} \left(\frac{8}{9}\right)^2 = \frac{32}{27}$ 

Recompute column forces  $R_B$  and  $R_C$  but now with load P/4 positioned at distance x from B.

Use *FBD* of beam *BCD*: 
$$\Sigma M_B = 0$$
  $R_C = \frac{1}{L} \left[ \left( 2\frac{P}{L} \right) \left( \frac{3}{4}L \right) \left( \frac{3}{8}L \right) + \frac{P}{4}(x) \right] = \frac{\frac{9LP}{16} + \frac{Px}{4}}{L}$   
 $\Sigma F_V = 0$   $R_B = \left( 2\frac{P}{L} \right) \left( \frac{3}{4}L \right) + \frac{P}{4} - R_C = \frac{7P}{4} - \frac{\frac{9LP}{16} + \frac{Px}{4}}{L}$ 

Horizontal displaced position under load q and load P/4 so  $\delta_C = \delta_B$  or  $R_C f_2 = R_B f_1$ .

$$\begin{pmatrix} \frac{9LP}{16} + \frac{Px}{4} \\ L \end{pmatrix} f_2 = \begin{pmatrix} \frac{7P}{4} - \frac{9LP}{16} + \frac{Px}{4} \\ L \end{pmatrix} f_1 \text{ solve, } x = -\frac{9Lf_2 - 19Lf_1}{4f_1 + 4f_2} = -\frac{L(9f_2 - 19f_1)}{4(f_1 + f_2)} \\ x = -\frac{L(9f_2 - 19f_1)}{4(f_1 + f_2)} \text{ or } x = L \begin{bmatrix} \frac{19\frac{f_1}{f_2} - 9}{4\left(\frac{f_1}{f_2} + 1\right)} \end{bmatrix}$$
  
Now substitute  $f_1/f_2$  ratio from above: 
$$x = L \begin{bmatrix} \frac{19\frac{32}{27} - 9}{4\left(\frac{32}{27} + 1\right)} \end{bmatrix} = \frac{365L}{236} = \frac{365}{236} = 1.547$$

Apply the laws of statics to the structure in its displaced position; also use FBD's of the left and right bars alone (referred to as LHFB and RHFB below).

OVERALL FBD:  $\Sigma F_H = 0$   $H_A - k_1 \delta = 0$  so  $H_A = k_1 \delta$  $\Sigma F_V = 0$   $R_A + R_C = P$ 
$$\begin{split} \Sigma M_A &= 0 \qquad k_r(\alpha - \theta) - P \frac{L_2}{2} + R_C L_2 = 0 \qquad R_C = \frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right] \\ \Sigma M_B &= 0 \qquad H_A h + k \frac{\delta}{2} \left( \frac{h}{2} \right) - R_A \left( \frac{L_2}{2} \right) + k_r(\alpha - \theta) = 0 \end{split}$$
LHFB:

$$R_A = \frac{2}{L_2} \left[ k_1 \delta h + k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_r (\alpha - \theta) \right]$$
$$\Sigma M_B = 0 \quad -k \frac{\delta}{2} \left( \frac{h}{2} \right) - k_1 \delta h + R_C \frac{L_2}{2} = 0 \qquad R_C = \frac{2}{L_2} \left[ k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_1 \delta h \right]$$

RHFB:

Equate the two expressions for  $R_C$  then substitute expressions for  $L_2$ ,  $k_r$ ,  $k_1$ , h and  $\delta$ 

$$\frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right] = \frac{2}{L_2} \left[ k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_1 \delta h \right] \quad \text{OR}$$

$$\frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right] - \left[ \frac{2}{L_2} \left[ k \frac{2b(\cos(\theta) - \cos(\alpha))}{2} \frac{b\sin(\theta)}{2} + k_1 [2b(\cos(\theta) - \cos(\alpha))](b\sin(\theta)) \right] \right] = 0$$

(a) Substitute numerical values, then solve numerically for angle  $\theta$  and distance increase  $\delta$ 

$$b = 200 \text{ mm} \quad k = 3.2 \text{ kN/m} \quad \alpha = 45^{\circ} \quad P = 50 \text{ N} \quad k_1 = 0 \quad k_r = 0$$

$$L_2 = 2b \cos(\theta) \quad L_1 = 2b \cos(\alpha) \quad \delta = L_2 - L_1 \quad \delta = 2b (\cos(\theta) - \cos(\alpha)) \quad h = b \sin(\theta)$$

$$\frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right] - \left[ \frac{1}{L_2} \left[ k \frac{2b (\cos(\theta) - \cos(\alpha))}{2} \frac{b \sin(\theta)}{2} + k_1 [2b (\cos(\theta) - \cos(\alpha))] (b \sin(\theta)) \right] \right] = 0$$
Solving above equation numerically gives  $\theta = 35.1^{\circ} \delta = 44.6 \text{ mm}$ 

COMPUTE REACTIONS

(b) Substitute numerical values, then solve numerically for angle  $\theta$  and distance increase  $\delta$ 

$$b = 200 \text{ mm} \quad k = 3.2 \text{ kN/m} \quad \alpha = 45^{\circ} \quad P = 50 \text{ N} \quad k_1 = \frac{k}{2} \quad k_r = \frac{k}{2} b^2$$

$$L_2 = 2b \cos(\theta) \quad L_1 = 2b \cos(\alpha) \quad \delta = L_2 - L_1 \quad \delta = 2b (\cos(\theta) - \cos(\alpha)) \quad h = b \sin(\theta)$$

$$\frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right] - \left[ \frac{2}{L_2} \left[ k \frac{2b (\cos(\theta) - \cos(\alpha)) b \sin(\theta)}{2} + k_1 [2b (\cos(\theta) - \cos(\alpha))] (b \sin(\theta)) \right] \right] = 0$$
Solving above equation numerically gives  $\theta = 43.3^{\circ}$   $\delta = 8.19 \text{ mm}$   
COMPUTE REACTIONS
$$R_C = \frac{2}{L_2} \left[ k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_1 \delta h \right] = 18.5 \text{ N} \quad R_2 = \frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right] = 18.5 \text{ N}$$

$$R_A = \frac{2}{L_2} \left[ k_1 \delta h + k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_r(\alpha - \theta) \right] = 31.5 \text{ N} \quad M_A = k_r(\alpha - \theta) = 1.882 \text{ N·m}$$

$$R_{A} + R_{C} = 50 \text{ N}$$
 < check  $R_{A} = 31.5 \text{ N}$   $R_{C} = 18.5 \text{ N}$   $M_{A} = 1.882 \text{ N} \cdot \text{m}$ 

181

© 2018 Cengage Learning®. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

Apply the laws of statics to the structure in its displaced position; also use FBDs of the left and right bars alone (referred to as LHFB and RHFB below).

OVERALL FBD 
$$\Sigma F_H = 0$$
  $H_A - k_1 \delta = 0$  so  $H_A = k_1 \delta$   
 $\Sigma F_V = 0$   $R_A + R_C = P$   
 $\Sigma M_A = 0$   $k_r(\alpha - \theta) - P \frac{L_2}{2} + R_C L_2 = 0$   $R_C = \frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right]$   
LHFB:  $\Sigma M_B = 0$   $H_A h + k \frac{\delta}{2} \left( \frac{h}{2} \right) - R_A \frac{L_2}{2} + k_r(\alpha - \theta) = 0$   
 $R_A = \frac{2}{2} \left[ k_1 \delta h + k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_r(\alpha - \theta) \right]$ 

 $R_A = \frac{1}{L_2} \left[ k_1 \delta h + k_2 \left( \frac{1}{2} \right) + k_r (\alpha - \theta) \right]$ RHFB:  $\Sigma M_B = 0 - k_2 \left( \frac{h}{2} \right) - k_1 \delta h + R_C \frac{L_2}{2} = 0$   $R_C = \frac{2}{L_2} \left[ k_2 \frac{\delta}{2} \left( \frac{h}{2} \right) + k_1 \delta h \right]$ 

Equate the two expressions above for  $R_C$ , then substitute expressions for  $L_2$ ,  $k_p$ ,  $k_1$ , h, and  $\delta$ 

$$\frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right] = \frac{2}{L_2} \left[ k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_1 \delta h \right] \quad \text{OR}$$

$$\frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right] - \left[ \frac{2}{L_2} \left[ k \frac{2b \left( \cos(\theta) - \cos(\alpha) \right)}{2} \frac{b \sin(\theta)}{2} + k_1 [2b \left( \cos(\theta) - \cos(\alpha) \right)] \left( b \sin(\theta) \right) \right] \right] = 0$$

(a) Substitute numerical values, then solve numerically for angle heta and distance increase  $\delta$ 

$$b = 300 \text{ mm} \quad k = 7.8 \frac{\text{kN}}{\text{m}} \quad \alpha = 55^{\circ} \quad P = 100 \text{ N} \quad k_1 = 0 \quad k_r = 0$$
$$L_2 = 2b\cos(\theta) \quad L_1 = 2b\cos(\alpha) \quad \delta = L_2 - L_1 \quad \delta = 2b(\cos(\theta) - \cos(\alpha)) \quad h = b\sin(\theta)$$

$$\frac{1}{L_2} \left[ P \frac{L_2}{2} - k_r(\alpha - \theta) \right] - \left[ \frac{2}{L_2} \left[ k \frac{2b(\cos(\theta) - \cos(\alpha))}{2} \frac{b\sin(\theta)}{2} + k_1 \left[ 2b(\cos(\theta) - \cos(\alpha)) \right] \left( b\sin(\theta) \right) \right] \right] = 0$$

Solving above equation numerically gives  $\theta = 52.7^{\circ}$   $\delta = 19.54 \text{ mm}$ 

COMPUTE REACTIONS

$$R_{C} = \frac{2}{L_{2}} \left[ k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_{1} \delta h \right] = 49.99 \text{ N} \qquad R_{C} = \frac{1}{L_{2}} \left[ P \frac{L_{2}}{2} - k_{r} (\alpha - \theta) \right] = 50 \text{ N}$$
$$R_{A} = \frac{2}{L_{2}} \left[ k_{1} \delta h + k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_{r} (\alpha - \theta) \right] = 50 \text{ N} \qquad M_{A} = k_{r} (\alpha - \theta) = 0$$
$$R_{A} + R_{C} = 100 \text{ N} \qquad < \text{check} \qquad \overline{R_{A} = 50 \text{ N}} \qquad \overline{R_{C} = 50 \text{ N}}$$

(b) Repeat part (a) but spring  $k_1$  at C and spring  $k_r$  at A

$$b = 300 \text{ mm} \quad k = 7.8 \frac{\text{kN}}{\text{m}} \quad \alpha = 55^{\circ} \quad P = 100 \text{ N} \quad k_1 = \frac{k}{2} \quad k_r = \frac{k}{2}b^2$$

$$L_2 = 2b\cos(\theta) \quad L_1 = 2b\cos(\alpha) \quad \delta = L_2 - L_1 \quad \delta = 2b(\cos(\theta) - \cos(\alpha)) \quad h = b\sin(\theta)$$

$$\frac{1}{L_2} \left[ P\frac{L_2}{2} - k_r(\alpha - \theta) \right] - \left[ \frac{2}{L_2} \left[ k \frac{2b(\cos(\theta) - \cos(\alpha))}{2} \frac{b\sin(\theta)}{2} + k_1 [2b(\cos(\theta) - \cos(\alpha))](b\sin(\theta)) \right] \right] = 0$$
Solving above equation numerically gives  $\theta = 54.4^{\circ} \delta = 4.89 \text{ mm}$ 
COMPUTE REACTIONS

$$R_{C} = \frac{2}{L_{2}} \left[ k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_{1} \delta h \right] = 39.95 \text{ N} \qquad R_{C} = \frac{1}{L_{2}} \left[ P \frac{L_{2}}{2} - k_{r} (\alpha - \theta) \right] = 39.97 \text{ N}$$

$$R_{A} = \frac{2}{L_{2}} \left[ k_{1} \delta h + k \frac{\delta}{2} \left( \frac{h}{2} \right) + k_{r} (\alpha - \theta) \right] = 60.02 \text{ N} \qquad M_{A} = k_{r} (\alpha - \theta) = 3.504 \text{ N} \cdot \text{m}$$

$$R_{A} + R_{C} = 99.99 \text{ N} \qquad < \text{check} \qquad R_{A} = 60 \text{ N} \qquad \overline{R_{C} = 40 \text{ N}} \qquad \overline{M_{A} = 3.5 \text{ N} \cdot \text{m}}$$

NUMERICAL DATA

$$P = 14 \text{ kN}$$
  $L_1 = 500 \text{ mm}$   $L_2 = 1250 \text{ mm}$   $d_A = 12 \text{ mm}$   $d_B = 24 \text{ mm}$   $E = 120 \text{ GPa}$ 


(a) TOTAL ELONGATION

$$\delta_1 = \frac{4PL_1}{\pi E d_A d_B} = 0.25789 \text{ mm}$$
  $\delta_2 = \frac{PL_2}{E \frac{\pi}{4} d_B^2} = 0.32236 \text{ mm}$ 

 $\delta = 2\delta_1 + \delta_2 = 0.8381 \text{ mm} \qquad \boxed{\delta = 0.838 \text{ mm}}$ 

(b) Find New Diameters at B and C if total elongation cannot exceed 0.635 mm

$$2\left(\frac{4PL_1}{\pi E d_A d_B}\right) + \frac{PL_2}{E\frac{\pi}{4}d_B^2} = 0.635 \text{ mm} \quad \text{Solving for } d_B: \quad \boxed{d_B = 29.4 \text{ mm}}$$



 $L_c = 2.0 \text{ m}$ 

 $A_c = 4800 \text{ mm}^2$ 

 $E_c = 120 \text{ GPa}$ 

 $L_{s} = 0.5 \text{ m}$ 

 $A_s = 4500 \text{ mm}^2$ 

 $E_s = 200 \text{ GPa}$ 

(a) Downward displacement  $\delta$  (P = 180 kN)

$$\delta_c = \frac{PL_c}{E_c A_c} = \frac{(180 \text{ kN})(2.0 \text{ m})}{(120 \text{ GPa})(4800 \text{ mm}^2)}$$
  
= 0.625 mm  
$$\delta_s = \frac{(P/2)L_s}{E_s A_s} = \frac{(90 \text{ kN})(0.5 \text{ m})}{(200 \text{ GPa})(4500 \text{ mm}^2)}$$
  
= 0.050 mm  
$$\delta = \delta_c + \delta_s = 0.625 \text{ mm} + 0.050 \text{ mm}$$
  
= 0.675 mm  $\leftarrow$ 

(b) Maximum load  $P_{\text{max}} (\delta_{\text{max}} = 1.0 \text{ mm})$ 

$$\frac{P_{\max}}{P} = \frac{\delta_{\max}}{\delta} \quad P_{\max} = P\left(\frac{\delta_{\max}}{\delta}\right)$$
$$P_{\max} = (180 \text{ kN})\left(\frac{1.0 \text{ mm}}{0.675 \text{ mm}}\right) = 267 \text{ kN} \quad \leftarrow$$

NUMERICAL DATA

- $A = 250 \text{ mm}^2 \qquad P_1 = 7560 \text{ N}$  $P_2 = 5340 \text{ N} \qquad P_3 = 5780 \text{ N}$ E = 72 GPa $a = 1525 \text{ mm} \qquad b = 610 \text{ mm} \qquad c = 910 \text{ mm}$
- (a) TOTAL ELONGATION

$$\delta = \frac{1}{EA} \left[ (P_1 + P_2 - P_3)a + (P_2 - P_3)b + (-P_3)c \right] = 0.2961 \text{ mm} \quad \delta = 0.296 \text{ mm} \quad \text{elongation} \quad \leftarrow$$

(b) Increase  $P_3$  so that bar does not change length

$$\frac{1}{EA} \Big[ (P_1 + P_2 - P_3)a + (P_2 - P_3)b + (-P_3)c \Big] = 0 \text{ solving, } P_3 = \frac{218,380 \text{ N}}{29} = 7530 \text{ N} \quad \leftarrow \\ \boxed{\text{So new value of } P_3 \text{ is } 7530 \text{ N, an increase of } 1750 \text{ N}}$$

(c) Now change cross-sectional area of AB so that bar does not change length  $P_3 = 5780$  N

$$\frac{1}{E} \left[ (P_1 + P_2 - P_3) \frac{a}{A_{AB}} + (P_2 - P_3) \frac{b}{A} + (-P_3) \frac{c}{A} \right] = 0$$
  
Solving for  $A_{AB}$ :  $A_{AB} = 491 \text{ mm}^2$   $\frac{A_{AB}}{A} = 1.964$ 

E = 200GPa

$$A_1 = 6000 \text{mm}^2$$
  $A_2 = 5000 \text{mm}^2$   $A_3 = 4000 \text{mm}^2$   $L_1 = 500 \text{mm}$   $L_2 = L_1$   $L_3 = L_1$   
 $P_B = 50N$   $P_C = 250N$   $P_E = 350N$ 

Internal forces in each segment (tension +) - cut bar and use lower FBD


 $N_{AB} = -P_B + P_C + P_E = 550 \text{ N}$   $N_{BC} = P_C + P_E = 600 \text{ N}$   $N_{CD} = P_E = 350 \text{ N}$   $N_{DE} = P_E = 350 \text{ N}$ 


Use force-displacement relation to find segment elongations then sum elongations to find downward displacements

$$\delta_{\rm B} = \frac{N_{\rm AB} \cdot L_1}{E \cdot A_1} = 2.292 \times 10^{-4} \cdot \rm{mm} \quad \rm{downward} \qquad \qquad \delta_{\rm C} = \delta_{\rm B} + \frac{N_{\rm BC} \cdot \frac{L_2}{2}}{E \cdot A_2} = 3.792 \times 10^{-4} \cdot \rm{mm} \\ \delta_{\rm D} = \delta_{\rm C} + \frac{N_{\rm CD} \cdot \frac{L_2}{2}}{E \cdot A_2} = 4.667 \times 10^{-4} \cdot \rm{mm} \qquad \qquad \delta_{\rm E} = \delta_{\rm D} + \frac{N_{\rm DE} \cdot L_3}{E \cdot A_3} = 6.854 \times 10^{-4} \cdot \rm{mm}$$

Axial displacement diagram - x origin at A, positive downward

$$\begin{split} \delta(x) &= \left[ \begin{array}{l} \delta_B \cdot \frac{x}{L_1} & \mathrm{if} \ x \leq L_1 \\ \\ \delta_B + \left( \delta_C - \delta_B \right) \cdot \left( \frac{x - L_1}{\frac{L_2}{2}} \right) & \mathrm{if} \ L_1 \leq x \leq L_1 + \frac{L_2}{2} \\ \\ \\ \delta_C + \left( \delta_D - \delta_C \right) \cdot \left[ \frac{x - \left( L_1 + \frac{L_2}{2} \right)}{\frac{L_2}{2}} \right] & \mathrm{if} \ L_1 + \frac{L_2}{2} \leq x \leq L_1 + L_2 \\ \\ \\ \\ \delta_D + \left( \delta_E - \delta_D \right) \cdot \left[ \frac{x - \left( L_1 + L_2 \right)}{L_3} \right] & \mathrm{otherwise} \end{split}$$





E = 200GPa 
$$A = 5300 \text{mm}^2$$
  $L_1 = 500 \text{mm}$   $L_2 = 500 \text{mm}$   $L_3 = 1000 \text{mm}$   
 $P_B = 225 \text{N}$   $P_C = 450 \text{N}$   $P_D = 900 \text{N}$ 

Internal forces in each segment (tension +) - cut bar and use lower FBD

 $N_{AB} = -P_B + P_C - P_D = -675 \cdot N$   $N_{BC} = P_C - P_D = -450 \cdot N$   $N_{CD} = -P_D = -900 \cdot N$ 

Use force-displacement relation to find segment elongations then sum elongations to find downward displacements

$$\delta_{\rm B} = \frac{N_{\rm AB} \cdot L_1}{E \cdot A} = -3.184 \times 10^{-4} \cdot \text{mm} \qquad \delta_{\rm C} = \delta_{\rm B} + \frac{N_{\rm BC} \cdot L_2}{E \cdot A} = -5.307 \times 10^{-4} \cdot \text{mm}$$
upward

$$\delta_{D} = \delta_{C} + \frac{N_{CD} \cdot L_{3}}{E \cdot A} = -1.38 \times 10^{-3} \cdot \text{mm}$$
  
upward

$$\gamma = 77.0 \frac{\text{kN}}{\text{m}^3}$$
 from Table I-1

E = 200GPa

 $P_{AB} = -P_B + P_C + P_E = 550 \text{ N} \qquad P_{BC} = P_C + P_E = 600 \text{ N} \qquad P_{CD} = P_E = 350 \text{ N} \qquad P_{DE} = P_E = 350 \text{ N}$ Now add weight per unit length - <u>x origin at A, positive downward</u>  $\begin{pmatrix} L_2 \end{pmatrix} \qquad L_2$ 

$$\begin{split} \mathbf{N}_{AB}(\mathbf{x}) &= \mathbf{P}_{AB} + \gamma \cdot \mathbf{A}_1 \cdot \left(\mathbf{L}_1 - \mathbf{x}\right) + \gamma \cdot \mathbf{A}_2 \cdot \mathbf{L}_2 + \gamma \cdot \mathbf{A}_3 \cdot \mathbf{L}_3 \\ \mathbf{N}_{BC}(\mathbf{x}) &= \mathbf{P}_{BC} + \gamma \cdot \mathbf{A}_2 \cdot \left(\mathbf{L}_1 + \frac{\mathbf{L}_2}{2} - \mathbf{x}\right) + \gamma \cdot \mathbf{A}_2 \cdot \frac{\mathbf{L}_2}{2} + \gamma \cdot \mathbf{A}_3 \cdot \mathbf{L}_3 \\ \mathbf{N}_{CD}(\mathbf{x}) &= \mathbf{P}_{CD} + \gamma \cdot \mathbf{A}_2 \cdot \left(\mathbf{L}_1 + \mathbf{L}_2 - \mathbf{x}\right) + \gamma \cdot \mathbf{A}_3 \cdot \mathbf{L}_3 \\ \mathbf{N}_{DE}(\mathbf{x}) &= \mathbf{P}_{DE} + \gamma \cdot \mathbf{A}_3 \cdot \left(\mathbf{L}_1 + \mathbf{L}_2 + \mathbf{L}_3 - \mathbf{x}\right) \end{split}$$

Note that total bar weight is not small compared to applied loads

$$W = \gamma \cdot (A_1 \cdot L_1 + A_2 \cdot L_2 + A_3 \cdot L_3) = 577.5 N$$

Use force-displacement relation to find segment elongations then sum elongations to find displacements

$$\Delta_{B} = \int_{0}^{L_{1}} \frac{N_{AB}(x)}{E \cdot A_{1}} dx = 4.217 \times 10^{-4} \cdot \text{mm} \qquad \Delta_{C} = \Delta_{B} + \int_{L_{1}}^{L_{1} + \frac{L_{2}}{2}} \frac{N_{BC}(x)}{E \cdot A_{2}} dx = 6.463 \times 10^{-4} \cdot \text{mm} \qquad \Delta_{D} = \Delta_{C} + \int_{L_{1} + \frac{L_{2}}{2}}^{L_{1} + L_{2}} \frac{N_{CD}(x)}{E \cdot A_{2}} dx = 7.843 \times 10^{-4} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2} + L_{3}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2} + L_{3}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{D} + \int_{L_{1} + L_{2}}^{L_{1} + L_{2}} \frac{N_{DE}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{E} + \int_{L_{1} + L_{2}}^{L_{2} + L_{2}} \frac{N_{E}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{E} + \int_{L_{1} + L_{2}}^{L_{2} + L_{2}} \frac{N_{E}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{E} + \int_{L_{1} + L_{2}}^{L_{2} + L_{2}} \frac{N_{E}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{E} + \int_{L_{1} + L_{2}}^{L_{2} + L_{2}} \frac{N_{E}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{E} + \int_{L_{1} + L_{2}}^{L_{2} + L_{2}} \frac{N_{E}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{E} + \int_{L_{1} + L_{2}}^{L_{2} + L_{2}} \frac{N_{E}(x)}{E \cdot A_{3}} dx = 1.051 \times 10^{-3} \cdot \text{mm} \qquad \Delta_{E} = \Delta_{E} + \int_{L_{1} + L_{2}}^{L_{2} + L_{2}} \frac{N_{E}(x)}{E$$

Axial displacement diagram including weight of bar - x origin at A, positive downward

$$\Delta(\mathbf{x}) = \begin{cases} \int_{0}^{\mathbf{x}} \frac{\mathbf{N}_{AB}(\mathbf{x})}{\mathbf{E} \cdot \mathbf{A}_{1}} d\mathbf{x} & \text{if } \mathbf{x} \leq \mathbf{L}_{1} \\ \Delta_{B} + \int_{\mathbf{L}_{1}}^{\mathbf{x}} \frac{\mathbf{N}_{BC}(\mathbf{x})}{\mathbf{E} \cdot \mathbf{A}_{2}} d\mathbf{x} & \text{if } \mathbf{L}_{1} \leq \mathbf{x} \leq \mathbf{L}_{1} + \frac{\mathbf{L}_{2}}{2} \\ \Delta_{C} + \int_{\mathbf{L}_{1} + \frac{\mathbf{L}_{2}}{2}}^{\mathbf{x}} \frac{\mathbf{N}_{CD}(\mathbf{x})}{\mathbf{E} \cdot \mathbf{A}_{2}} d\mathbf{x} & \text{if } \mathbf{L}_{1} + \frac{\mathbf{L}_{2}}{2} \leq \mathbf{x} \leq \mathbf{L}_{1} + \mathbf{L}_{2} \\ \Delta_{D} + \int_{\mathbf{L}_{1} + \mathbf{L}_{2}}^{\mathbf{x}} \frac{\mathbf{N}_{DE}(\mathbf{x})}{\mathbf{E} \cdot \mathbf{A}_{3}} d\mathbf{x} & \text{if } \mathbf{x} \geq \mathbf{L}_{1} + \mathbf{L}_{2} \\ Downward axial displacement (meters) \\ 0 & \frac{2292^{\frac{1}{2}\left(10^{-7}\right)}}{6.854^{\frac{3}{2}\left(10^{-7}\right)}} & \frac{1}{1 \times 10^{-6}} \\ 0 & \frac{1.5 \times 10^{-5}}{\Delta(\mathbf{x})} \\ displacement (meters) & \frac{1.5 \times 10^{-5}}{\frac{\Delta(\mathbf{x})}{\mathbf{E} \cdot \mathbf{x}}} \\ Compare ADD's without (6) & \text{s with } (\Delta) weight of \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} & \frac{1.5 \times 10^{-5}}{5 \times 10^{-7}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} & \frac{1.5 \times 10^{-5}}{5 \times 10^{-7}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} & \frac{1.5 \times 10^{-5}}{5 \times 10^{-7}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}} & \frac{1.10^{-6}}{5 \times 10^{-7}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}}} \\ \frac{\Delta(\mathbf{x})}{\Delta \mathbf{x}} \\ \frac$$

L1+L2

1

х

0.5

Δ<sub>D</sub>  $\Delta_{B}$ 

1.5

 $E = 200GPa \qquad A = 5300mm^2$ 

 $L_1 = 500$ mm  $L_2 = 500$ mm  $L_3 = 1000$ mm

 $P_{B} = 225N$   $P_{C} = 450N$   $P_{D} = 900N$   $\gamma = 77\frac{kN}{m^{3}}$ 

Internal forces in each segment (tension +) - cut bar and use lower FBD x origin at A, positive downward

$$\begin{split} P_{AB} &= -P_B + P_C - P_D = -675 \cdot N \\ N_{AB}(x) &= P_{AB} + \gamma \cdot A \cdot \left(L_1 - x\right) + \gamma \cdot A \cdot \left(L_2 + L_3\right) \\ N_{BC}(x) &= P_{BC} + \gamma \cdot A \cdot \left(L_1 + L_2 - x\right) + \gamma \cdot A \cdot L_3 \\ N_{CD}(x) &= P_{CD} + \gamma \cdot A \cdot \left(L_1 + L_2 + L_3 - x\right) \end{split}$$

Note that total bar weight is not small compared to applied loads  $W = \gamma \cdot A \cdot (L_1 + L_2 + L_3) = 816.2 \cdot N$ 

Use force-displacement relation to find segment elongations then sum elongations to find downward displacements

$$\delta_{\mathbf{B}} = \int_{0}^{L_{1}} \frac{N_{\mathbf{AB}}(\mathbf{x})}{\mathbf{E} \cdot \mathbf{A}} \, d\mathbf{x} = 1.848 \times 10^{-5} \cdot \text{mm} \qquad \delta_{\mathbf{C}} = \delta_{\mathbf{B}} + \int_{L_{1}}^{L_{1}+L_{2}} \frac{N_{\mathbf{BC}}(\mathbf{x})}{\mathbf{E} \cdot \mathbf{A}} \, d\mathbf{x} = 4.684 \times 10^{-5} \cdot \text{mm} \quad downward$$

$$\delta_{D} = \delta_{C} + \int_{L_{1}+L_{2}}^{L_{1}+L_{2}+L_{3}} \frac{N_{CD}(x)}{E \cdot A} dx = -6.097 \times 10^{-4} \cdot mm$$
upward

(a) 
$$\delta = \frac{P}{E} \left( \frac{2\frac{L}{4}}{bt} + \frac{\frac{L}{2}}{\frac{3}{4}bt} \right) = \frac{7LP}{6Ebt} \qquad \delta = \frac{7PL}{6Ebt}$$

(b) Numerical data E = 210 GPa L = 750 mm  $\sigma_{mid} = 160$  MPa


so 
$$\sigma_{\text{mid}} = \frac{P}{\frac{3}{4}bt}$$
 and  $\frac{P}{bt} = \frac{3}{4}\sigma_{\text{mid}}$   
 $\delta = \frac{7LP}{6Ebt}$  or  $\delta = \frac{7L}{6E}\left(\frac{3}{4}\sigma_{\text{mid}}\right) = 0.5 \text{ mm}$   $\overline{\delta = 0.5 \text{ mm}}$   
(c)  $\delta_{\text{max}} = \frac{P}{E}\left(\frac{L - L_{\text{slot}}}{bt} + \frac{L_{\text{slot}}}{\frac{3}{4}bt}\right)$  or  $\delta_{\text{max}} = \left(\frac{P}{bt}\right)\left(\frac{1}{E}\right)\left(L - L_{\text{slot}} + \frac{4}{3}L_{\text{slot}}\right)$   
or  $\delta_{\text{max}} = \left(\frac{3}{4}\sigma_{\text{mid}}\right)\left(\frac{1}{E}\right)\left(L + \frac{L_{\text{slot}}}{3}\right)$  Solving for  $L_{\text{slot}}$  with  $\delta_{\text{max}} = 0.475 \text{ mm}$   
 $L_{\text{slot}} = \frac{4E\delta_{\text{max}} - 3L\sigma_{\text{mid}}}{\sigma_{\text{mid}}} = 244 \text{ mm}$   $\overline{L_{\text{slot}} = 244 \text{ mm}}$   $\frac{L_{\text{slot}}}{L} = 0.325$ 

(a) 
$$\delta = \frac{P}{E} \left( \frac{2\frac{L}{4}}{bt} + \frac{\frac{L}{2}}{\frac{3}{4}bt} \right)$$
 simplifying gives  $\delta = \frac{7LP}{6Ebt}$ 

(b) 
$$E = 207 \text{ GPa}$$
  $L = 760 \text{ mm}$   $\sigma_{\text{mid}} = 165 \text{ MPa}$   $\delta_{\text{max}} = 0.5 \text{ mm}$   
So  $\sigma_{\text{mid}} = \frac{P}{\frac{3}{4}bt}$  and  $\frac{P}{bt} = \frac{3}{4}\sigma_{\text{mid}}$ 

$$\delta = \frac{7LP}{6Ebt} \quad \text{or} \quad \delta = \frac{7L}{6E} \left(\frac{3}{4}\sigma_{\text{mid}}\right) = 0.53007 \,\text{mm} \quad \left[\underline{\delta} = 0.53 \,\text{mm}\right]$$

(c) 
$$\delta_{\max} = \frac{P}{E} \left( \frac{L - L_{\text{slot}}}{bt} + \frac{L_{\text{slot}}}{\frac{3}{4}bt} \right)$$
 or  $\delta_{\max} = \left( \frac{P}{bt} \right) \left( \frac{1}{E} \right) \left( L - L_{\text{slot}} + \frac{4}{3}L_{\text{slot}} \right)$   
or  $\delta_{\max} = \left( \frac{3}{4} \sigma_{\text{mid}} \right) \left( \frac{1}{E} \right) \left( L + \frac{L_{\text{slot}}}{3} \right)$  Solving for  $L_{\text{slot}}$  with  $\delta_{\max} = 0.5$  mm  
 $L_{\text{slot}} = \frac{4E\delta_{\max} - 3L\sigma_{\text{mid}}}{\sigma_{\text{mid}}} = 229.09 \text{ mm}$   $\frac{L_{\text{slot}} = 229 \text{ mm}}{L_{\text{slot}}} = 0.301$ 



(a) Shortening  $\delta_{AC}$  of the two columns

$$\delta_{AC} = \sum \frac{N_i L_i}{E_i A_i} = \frac{N_{AB} L}{E A_{AB}} + \frac{N_{BC} L}{E A_{BC}}$$
  
=  $\frac{(1120 \text{ kN})(3.75 \text{ m})}{(206 \text{ GPa})(11,000 \text{ mm}^2)}$   
+  $\frac{(400 \text{ kN})(3.75 \text{ m})}{(206 \text{ GPa})(3,900 \text{ mm}^2)}$   
= 1.8535 mm + 1.8671 mm = 3.7206 mm  
 $\delta_{AC} = 3.72 \text{ mm} \quad \leftarrow$ 

(b) Additional load  $P_0$  at point C

$$(\delta_{AC})_{max} = 4.0 \text{ mm}$$

 $\delta_0$  = additional shortening of the two columns due to the load  $P_0$ 

$$\delta_0 = (\delta_{AC})_{\text{max}} - \delta_{AC} = 4.0 \text{ mm} - 3.7206 \text{ mm}$$
  
= 0.2794 mm

Also, 
$$\delta_0 = \frac{P_0 L}{E A_{AB}} + \frac{P_0 L}{E A_{BC}} = \frac{P_0 L}{E} \left(\frac{1}{A_{AB}} + \frac{1}{A_{BC}}\right)$$

Solve for  $P_0$ :

$$P_0 = \frac{E\delta_0}{L} \left( \frac{A_{AB} A_{BC}}{A_{AB} + A_{BC}} \right)$$

SUBSTITUTE NUMERICAL VALUES:

$$E = 206 \times 10^{9} \text{ N/m}^{2} \quad \delta_{0} = 0.2794 \times 10^{-3} \text{ m}$$

$$L = 3.75 \text{ m} \quad A_{AB} = 11,000 \times 10^{-6} \text{ m}^{2}$$

$$A_{BC} = 3,900 \times 10^{-6} \text{ m}^{2}$$

$$P_{0} = 44,200 \text{ N} = 44.2 \text{ kN} \quad \leftarrow$$

# NUMERICAL DATA E = 205 GPa P = 22 kN L = 2.4 m $d_1 = 20 \text{ mm}$ $d_2 = 12 \text{ mm}$ (a) $\delta_a = \frac{PL}{E} \left( \frac{1}{\frac{\pi}{4} d_1^2} + \frac{1}{\frac{\pi}{4} d_2^2} \right) = 3.0972 \text{ mm}$ $\boxed{\delta_a = 3.1 \text{ mm}}$ (b) $\text{Vol}_a = \left( \frac{\pi}{4} d_1^2 + \frac{\pi}{4} d_2^2 \right) L = 1.025 \times 10^6 \text{ mm}$ $d = \sqrt{\frac{\text{Vol}_a}{\frac{\pi}{4}(2L)}} = 16.492 \text{ mm}$ $A = \frac{\pi}{4} d^2 = 213.6283 \text{ mm}}$ $\delta_b = \frac{P(2L)}{EA} = 2.4113 \text{ mm}$ $\boxed{\delta_b = 2.41 \text{ mm}}$ (c) $q = 18.33 \frac{\text{kN}}{\text{m}}$ L = 2.4 m $\delta_c = \frac{qL^2}{2E\left(\frac{\pi}{4} d_1^2\right)} + \frac{PL}{E\left(\frac{\pi}{4} d_2^2\right)} = 2.0253 \text{ mm}}$ $\boxed{\frac{\delta_c}{\delta_a} = 1.0}$ $\boxed{\frac{\delta_c}{\delta_b} = 1.284}$

NUMERICAL DATA

- $d_1 = 100 \text{ mm}$   $d_2 = 60 \text{ mm}$ L = 1200 mm E = 4.0 GPa P = 110 kN $\delta_a = 8.0 \text{ mm}$
- (a) Find  $d_{\max}$  if shortening is limited to  $\delta_a$

$$A_{1} = \frac{\pi}{4}d_{1}^{2} \quad A_{2} = \frac{\pi}{4}d_{2}^{2}$$
$$\delta = \frac{P}{E} \left[ \frac{\frac{L}{4}}{\frac{\pi}{4}(d_{1}^{2} - d_{\max}^{2})} + \frac{\frac{L}{4}}{A_{1}} + \frac{\frac{L}{2}}{A_{2}} \right]$$

Set  $\delta$  to  $\delta_a$ , and solve for  $d_{\text{max}}$ :

$$d_{\max} = d_1 \sqrt{\frac{E\delta_a \pi d_1^2 d_2^2 - 2PL d_2^2 - 2PL d_1^2}{E\delta_a \pi d_1^2 d_2^2 - PL d_2^2 - 2PL d_1^2}}$$
  
$$d_{\max} = 23.9 \text{ mm} \quad \leftarrow$$

(b) Now, if  $d_{\text{max}}$  is instead set at  $d_2/2$ , at what distance b from end C should load P be applied to limit the bar shortening to  $\delta_a = 8.0 \text{ mm}$ ?

$$A_{0} = \frac{\pi}{4} \left[ d_{1}^{2} - \left(\frac{d_{2}}{2}\right)^{2} \right]$$

$$A_{1} = \frac{\pi}{4} d_{1}^{2} \qquad A_{2} = \frac{\pi}{4} d_{2}^{2}$$

$$\delta = \frac{P}{E} \left[ \frac{L}{4A_{0}} + \frac{L}{4A_{1}} + \frac{\left(\frac{L}{2} - b\right)}{A_{2}} \right]$$

No axial force in segment at end of length b; set  $\delta = \delta_a$ and solve for b:

$$b = \left[\frac{L}{2} - A_2 \left[\frac{E\delta_a}{P} - \left(\frac{L}{4A_0} + \frac{L}{4A_1}\right)\right]\right]$$
$$b = 4.16 \text{ mm} \quad \leftarrow$$

(c) Finally if loads *P* are applied at the ends and  $d_{\text{max}} = d_2/2$ , what is the permissible length *x* of the hole if shortening is to be limited to  $\delta_a = 8.0 \text{ mm}$ ?

$$\delta = \frac{P}{E} \left[ \frac{x}{A_0} + \frac{\left(\frac{L}{2} - x\right)}{A_1} + \frac{\left(\frac{L}{2}\right)}{A_2} \right]$$

Set  $\delta = \delta_a$  and solve for *x*:

$$x = \frac{\left[A_0 A_1 \left(\frac{E\delta_a}{P} - \frac{L}{2A_2}\right)\right] - \frac{1}{2}A_0 L}{A_1 - A_0}$$
$$x = 183.3 \text{ mm} \quad \leftarrow$$

AFD LINEAR

(a) 
$$N(y) = fy$$
  $\delta = \int_{0}^{L} \frac{(fy)}{EA} dy = \frac{L^{2}f}{2AE}$   $\boxed{\delta = \frac{PL}{2EA}}$   
(b)  $\sigma(y) = \frac{N(y)}{A}$   $\sigma(y) = \frac{fy}{A}$   $\sigma(L) = \frac{fL}{A} = \frac{P}{A}$   
 $\sigma(0) = 0$  So linear variation, zero at bottom, *P/A* at top (i.e., at ground surface)  
 $N(L) = f$   $\boxed{\sigma(y) = \frac{P}{A}\left(\frac{y}{L}\right)}$   
 $\int_{0.4}^{0.6} \frac{1}{0.6} \frac{1$ 

(c) 
$$N(y) = f(y)y$$
  
 $N(y) = \int_0^y f_0 \left(1 - \frac{\zeta}{L}\right) d\zeta = \frac{f_0 y(y - 2)}{2}$   $N(L) = \frac{f_0}{2}$   $N(0) = 0$   
 $\delta = \frac{\left(\frac{f_0 L}{2}\right)}{\frac{3}{2}EA}$   $P = \frac{1}{2}f_0L$   $\left[\delta = \frac{PL}{EA}\left(\frac{2}{3}\right)\right]$   $\sigma(y) = \frac{P}{A}\left[\frac{y}{L}\left(2 - \frac{y}{L}\right)\right]$   $\sigma(0) = 0$   $\sigma(L) = \frac{f_0}{2} = P/A$ 

198

NUMERICAL DATA

$$P = 5 \text{ kN} \qquad E_c = 120 \text{ GPa}$$

$$L_2 = 18 \text{ mm} \qquad L_4 = L_2$$

$$L_3 = 40 \text{ mm}$$

$$d_{o3} = 22.2 \text{ mm} \qquad t_3 = 1.65 \text{ mm}$$

$$d_{o5} = 18.9 \text{ mm} \qquad t_5 = 1.25 \text{ mm}$$

$$\tau_Y = 30 \text{ MPa} \qquad \sigma_Y = 200 \text{ MPa}$$

$$FS_\tau = 2 \qquad FS_\sigma = 1.7$$

$$\tau_a = \frac{\tau_Y}{FS_\tau} \qquad \tau_a = 15 \text{ MPa}$$

$$\sigma_a = \frac{\sigma_Y}{FS_\sigma} \qquad \sigma_a = 117.6 \text{ MPa}$$

(a) ELONGATION OF SEGMENT 2-3-4

$$A_2 = \frac{\pi}{4} [d_{o3}^2 - (d_{o5} - 2t_5)^2]$$
$$A_3 = \frac{\pi}{4} [d_{o3}^2 - (d_{o3} - 2t_3)^2]$$

 $A_2 = 175.835 \text{ mm}^2$   $A_3 = 106.524 \text{ mm}^2$ 

$$\delta_{24} = \frac{P}{E_c} \left( \frac{L_2 + L_4}{A_2} + \frac{L_3}{A_3} \right)$$
$$\delta_{24} = 0.024 \text{ mm} \quad \leftarrow$$

(b) Maximum load  $P_{\rm max}$  that can be applied to the joint

First check normal stress:

$$A_1 = \frac{\pi}{4} [d_{o5}^2 - (d_{o5} - 2t_5)^2]$$

- $A_1 = 69.311 \text{ mm}^2$  < smallest cross-sectional area controls normal stress
- $P_{\max\sigma} = \sigma_a A_1$   $P_{\max\sigma} = 8.15 \text{ kN} \leftarrow \text{smaller than}$  $P_{\max}$  based on shear below so normal stress controls

Next check shear stress in solder joint:

$$A_{\rm sh} = \pi d_{o5}L_2 \qquad A_{\rm sh} = 1.069 \times 10^3 \text{ mm}^2$$
$$P_{\rm max\tau} = \tau_a A_{\rm sh} \quad P_{\rm max\tau} = 16.03 \text{ kN}$$

(c) Find the value of  $L_2$  at which tube and solder *capacities* are equal

Set  $P_{\text{max}}$  based on shear strength equal to  $P_{\text{max}}$  based on tensile strength and solve for  $L_2$ :

$$L_2 = \frac{\sigma_a A_1}{\tau_a(\pi d_{o5})} \qquad L_2 = 9.16 \text{ mm} \quad \leftarrow$$

(a) STATICS 
$$\sum F_H = 0$$
  $R_1 = -P - \frac{P}{2}$   
 $R_1 = \frac{-3}{2}P$   $\leftarrow$ 

(b) Draw FBD's cutting through segment 1 and again through segment 2

$$N_1 = \frac{3P}{2}$$
 < tension  $N_2 = \frac{P}{2}$  < tension

(c) Find x required to obtain axial displacement at joint 3 of  $\delta_3 = PL/EA$ 

Add axial deformations of segments 1 and 2, then set to  $\delta_3$ ; solve for *x*:

$$\frac{\frac{N_1x}{E\frac{3}{4}A} + \frac{N_2(L-x)}{EA} = \frac{PL}{EA}}{\frac{\frac{3P}{2}x}{E\frac{3}{4}A} + \frac{\frac{P}{2}(L-x)}{EA} = \frac{PL}{EA}}{\frac{3}{2}x = \frac{L}{2}} \quad x = \frac{L}{3} \quad \leftarrow$$

(d) What is the displacement at joint 2,  $\delta_2$ ?

$$\delta_2 = \frac{N_1 x}{E_4^3 A} \quad \delta_2 = \frac{\left(\frac{3P}{2}\right) \frac{L}{3}}{E_4^3 A}$$
$$\delta_2 = \frac{2}{3} \frac{PL}{EA}$$

(e) If x = 2L/3 and P/2 at joint 3 is replaced by  $\beta P$ , find  $\beta$  so that  $\delta_3 = PL/EA$ 

$$N_1 = (1 + \beta)P$$
  $N_2 = \beta P$   $x = \frac{2L}{3}$ 

substitute in axial deformation expression above and solve for  $\beta$ 

$$\frac{[(1+\beta)P]\frac{2L}{3}}{E\frac{3}{4}A} + \frac{\beta P\left(L - \frac{2L}{3}\right)}{EA} = \frac{PL}{EA}$$

$$\frac{1}{9}PL\frac{8+11\beta}{EA} = \frac{PL}{EA}$$


$$(8+11\beta) = 9$$

$$\beta = \frac{1}{11} \leftarrow$$

$$\beta = 0.091$$
Draw AFD, ADD—see plots for  $x = \frac{L}{3}$ 

No plots provided here

(f)



W = Weight of bar

(a) Downward displacement  $\delta_C$ Consider an element at distance y from the lower end.

Wydy

(b) ELONGATION OF BAR (h = 0)

$$\delta_B = \frac{WL}{2EA} \leftarrow$$

(c) RATIO OF ELONGATIONS

Elongation of upper half of bar  $\left(h = \frac{L}{2}\right)$ :  $\delta_{upper} = \frac{3WL}{8EA}$ 

 $\delta_{\text{lower}} = \delta_B - \delta_{\text{upper}} = \frac{WL}{2EA} - \frac{3WL}{8EA} = \frac{WL}{8EA}$ 

Elongation of lower half of bar:

 $\beta = \frac{\delta_{\text{upper}}}{\delta_{\text{lower}}} = \frac{3/8}{1/8} = 3 \quad \leftarrow$ 

$$N(y) = \frac{Wy}{L} \quad d\delta = \frac{N(y)dy}{EA} = \frac{Wydy}{EAL}$$
$$\delta_C = \int_h^L d\delta = \int_h^L \frac{Wydy}{EAL} = \frac{W}{2EAL}(L^2 - h^2)$$
$$\delta_C = \frac{W}{2EAL}(L^2 - h^2) \quad \leftarrow$$

(d) NUMERICAL DATA

$$\gamma_s = 77 \text{ kN/m}^3$$
  $\gamma_w = 10 \text{ kN/m}^3$ 

In sea water:

$$W = (\gamma_s - \gamma_w)AL = 1577.85 \,\mathrm{kN}$$


In air:

$$W = (\gamma_s)AL = 1813.35\,\mathrm{kN}$$

$$\delta = \frac{WL}{2EA} = 359 \text{ mm} \qquad \frac{\delta}{L} = 2.393 \times 10^{-4}$$
$$\delta = \frac{WL}{2EA} = 412 \text{ mm} \qquad \frac{\delta}{L} = 2.75 \times 10^{-4}$$

L = 1500 m  $A = 0.0157 \text{ m}^2$  E = 210 GPa

Problem 2.3-17



t =thickness (constant)

$$b = b_1 \left(\frac{x}{L_0}\right) \quad b_2 = b_1 \left(\frac{L_0 + L}{L_0}\right)$$
(Eq. 1)  
$$A(x) = bt = b_1 t \left(\frac{x}{L_0}\right)$$

(a) ELONGATION OF THE BAR

$$d\delta = \frac{Pdx}{EA(x)} = \frac{PL_0 dx}{Eb_1 tx}$$
  

$$\delta = \int_{L_0}^{L_0 + L} d\delta = \frac{PL_0}{Eb_1 t} \int_{L_0}^{L_0 + L} \frac{dx}{x}$$
  

$$= \frac{PL_0}{Eb_1 t} \ln x \Big|_{L_0}^{L_0 + L} = \frac{PL_0}{Eb_1 t} \ln \frac{L_0 + L}{L_0}$$
(Eq. 2)

From Eq. (1): 
$$\frac{L_0 + L}{L_0} = \frac{b_2}{b_1}$$
 (Eq. 3)

Solve Eq. (3) for 
$$L_0$$
:  $L_0 = L\left(\frac{b_1}{b_2 - b_1}\right)$  (Eq. 4)

Substitute Eqs. (3) and (4) into Eq. (2):

$$\delta = \frac{PL}{Et(b_2 - b_1)} \ln \frac{b_2}{b_1}$$
(Eq. 5)

(b) SUBSTITUTE NUMERICAL VALUES:

L = 1.5 m t = 25 mm P = 125 kN  $b_1 = 100 \text{ mm}$   $b_2 = 150 \text{ mm}$  E = 200 GPaFrom Eq. (5):  $\delta = 0.304 \text{ mm}$   $\leftarrow$ 

P = 200kN L = 2m t = 20mm 
$$b_1 = 100mm$$
  $b_2 = 115mm$  E = 96GPa  
Bar width at B at L/2  $b_B = \frac{b_1 + b_2}{2} = 107.5 \cdot mm$ 

Axial forces in bar segments (use RHFB)  $N_{AB} = 2 \cdot P - P = 200 \cdot kN$   $N_{BC} = 2 \cdot P = 400 \cdot kN$ 

$$\delta_{\mathbf{B}} = \frac{N_{\mathbf{AB}} \cdot \frac{\mathbf{L}}{2}}{\mathbf{E} \cdot \mathbf{t} \cdot \left(\mathbf{b}_{2} - \mathbf{b}_{\mathbf{B}}\right)} \cdot \ln \left(\frac{\mathbf{b}_{2}}{\mathbf{b}_{\mathbf{B}}}\right) = 0.937 \cdot \mathrm{mm}$$

Axial displacement at C

Axial displacement at B

$$\delta_{\mathbf{C}} = \delta_{\mathbf{B}} + \frac{N_{\mathbf{B}\mathbf{C}} \cdot \frac{\mathbf{L}}{2}}{\mathbf{E} \cdot \mathbf{t} \cdot \left(\mathbf{b}_{\mathbf{B}} - \mathbf{b}_{1}\right)} \cdot \ln\left(\frac{\mathbf{b}_{\mathbf{B}}}{\mathbf{b}_{1}}\right) = 2.946 \cdot \mathrm{mm}$$

 $P = 225kN \quad L = 1.5m \qquad t = 10mm \qquad b_1 = 75mm \qquad b_2 = 70mm \qquad E = 110GPa$   $N_{AB} = 2 \cdot P - P = 225 \cdot kN \qquad N_{BC} = 2 \cdot P = 450 \cdot kN$ Axial displacement at B  $\delta_B = \frac{N_{AB} \cdot \frac{L}{2}}{E \cdot t \cdot (b_2 - b_1)} \cdot ln \left(\frac{b_2}{b_1}\right) = 2.117 \cdot mm$ 

Axial displacement at C 
$$\delta_{\rm C} = \delta_{\rm B} + \frac{N_{\rm BC} \cdot \frac{L}{2}}{E \cdot t \cdot (b_2 - b_1)} \cdot \ln \left( \frac{b_2}{b_1} \right) = 6.35 \cdot \rm{mm}$$

 $E = 72GPa \qquad P_2 = 200kN \qquad L = 2m \qquad t = 20mm \qquad b_1 = 100mm \qquad b_2 = 115mm$   $A_{BC} = b_1 \cdot t = 2 \times 10^3 \cdot mm^2$   $\underline{If \text{ only load } P_2 \text{ is applied at C}} \qquad \delta_B = \frac{P_2 \cdot \frac{L}{2}}{E \cdot t \cdot (b_2 - b_1)} \cdot \ln\left(\frac{b_2}{b_1}\right) = 1.294 \text{ mm} \qquad \delta_C = \delta_B + \frac{P_2 \cdot \frac{L}{2}}{E \cdot A_{BC}} = 2.683 \cdot mm$ 

Now apply both P1 (to the left) and P2 at C and solve for P1 s.t. axial displacement at C = 0

Given

$$\frac{\left(\mathbf{P}_{2}-\mathbf{P}_{1}\right)\cdot\frac{\mathbf{L}}{2}}{\mathbf{E}\cdot\mathbf{t}\cdot\left(\mathbf{b}_{2}-\mathbf{b}_{1}\right)}\cdot\ln\left(\frac{\mathbf{b}_{2}}{\mathbf{b}_{1}}\right)+\frac{\mathbf{P}_{2}\cdot\frac{\mathbf{L}}{2}}{\mathbf{E}\cdot\mathbf{A}_{BC}}=0 \qquad \text{Find}\left(\mathbf{P}_{1}\right)=414.651\cdot\mathrm{kN}$$

Axial displacement at B with both loads applied as shown

Let  $P_1 = 414.651$  kN

$$\delta_{\mathbf{B}} = \frac{\left(\mathbf{P}_{2} - \mathbf{P}_{1}\right) \cdot \frac{\mathbf{L}}{2}}{\mathbf{E} \cdot \mathbf{t} \cdot \left(\mathbf{b}_{2} - \mathbf{b}_{1}\right)} \cdot \ln\left(\frac{\mathbf{b}_{2}}{\mathbf{b}_{1}}\right) = -1.389 \cdot \mathrm{mm}$$
  
leftward

$$\frac{\left(\mathbf{P}_{2}-\mathbf{P}_{1}\right)\cdot\frac{\mathbf{L}}{2}}{\mathbf{E}\cdot\mathbf{t}\cdot\left(\mathbf{b}_{2}-\mathbf{b}_{1}\right)}\cdot\ln\left(\frac{\mathbf{b}_{2}}{\mathbf{b}_{1}}\right)+\frac{\mathbf{P}_{2}\cdot\frac{\mathbf{L}}{2}}{\mathbf{E}\cdot\mathbf{A}_{\mathbf{BC}}}=-0\ \mathbf{m}$$

$$\begin{split} d_{A} &= 100 \text{mm} \qquad d_{B} = 200 \text{mm} \quad P = 200 \text{kN} \qquad \delta_{A} = 0.5 \text{mm} \qquad d(x) = d_{A} + \left(\frac{d_{B} - d_{A}}{L}\right) \cdot x \\ A(x) &= \frac{\pi}{4} \cdot d(x)^{2} \qquad E = 72 \text{GPa} \\ &\int_{0}^{L} \frac{P}{E \cdot A(x)} \, dx = \delta_{A} \qquad \text{expand integral to obtain following expression} \qquad \frac{4 \cdot P \cdot L}{\pi \cdot E \cdot d_{A} \cdot d_{B}} = \delta_{A} \end{split}$$

Solving for L 
$$L = \frac{\pi \cdot E \cdot d_A \cdot d_B}{4 \cdot P} \cdot \delta_A = 2.827 \cdot m$$


L = 1.8m r = 36mm E = 72GPa a =  $\frac{r}{8}$  = 4.5 mm  $\sigma_2$  = 180MPa  $A_1 = \pi \cdot r^2 = 4071.504 \text{ mm}^2$  Use formulas in **Appendix F, Case 15** for area of slotted segment

$$\alpha = \arccos\left(\frac{a}{r}\right) = 1.445$$
  $b = \sqrt{r^2 - a^2} = 35.718 \cdot \text{mm}$   $A_2 = 2 \cdot r^2 \cdot \left(\alpha - \frac{a \cdot b}{r^2}\right) = 3425.196 \cdot \text{mm}^2$   $\frac{A_2}{A_1} = 0.841$ 

Stress in middle half is known so use to find force P  $P = \sigma_2 \cdot A_2 = 616.535 \cdot kN$ 

Compute bar elongation now that P is known

$$\delta = 2 \cdot \frac{\mathbf{P} \cdot \frac{\mathbf{L}}{4}}{\mathbf{E} \cdot \mathbf{A}_1} + \frac{\mathbf{P} \cdot \frac{\mathbf{L}}{2}}{\mathbf{E} \cdot \mathbf{A}_2} = 4.143 \text{ mm}$$



TERMINOLOGY

- $N_y$  = axial force acting on element dy
- $A_y = cross-sectional$  area at element dy
- $A_B =$  cross-sectional area at base of cone

$$= \frac{\pi d^2}{4} \quad V = \text{volume of cone}$$
$$= \frac{1}{3}A_BL \quad V_y = \text{volume of cone below element } dy$$
$$= \frac{1}{3}A_y y \quad W_y = \text{weight of cone below element } dy$$
$$= \frac{V_y}{V}(W) = \frac{A_y yW}{A_B L} \quad N_y = W_y$$

ELEMENT OF BAR

$$\frac{\uparrow N_y}{\downarrow N_y} \quad \frac{\downarrow}{\uparrow} dy$$


W = weight of cone

ELONGATION OF ELEMENT dy

$$d\delta = \frac{N_y \, dy}{E \, A_y} = \frac{Wy \, dy}{E \, A_B L} = \frac{4W}{\pi d^2 \, EL} \, y \, dy$$

ELONGATION OF CONICAL BAR

$$\delta = \int d\delta = \frac{4W}{\pi d^2 EL} \int_0^L y \, dy = \frac{2WL}{\pi d^2 E} \quad \leftarrow$$



Square cross sections:

$$b = \text{width at } A$$
  

$$1.5b = \text{width at } B$$
  

$$b_y = \text{width at distance } y$$
  

$$= b + (1.5b - b) \frac{y}{H}$$
  

$$= \frac{b}{H}(H + 0.5y)$$

 $A_y = cross-sectional$  area at distance y


$$= (b_y)^2 = \frac{b^2}{H^2}(H + 0.5y)^2$$

SHORTENING OF ELEMENT dy

$$d\delta = \frac{Pdy}{EA_y} = \frac{Pdy}{E\left(\frac{b^2}{H^2}\right)(H+0.5y)^2}$$

SHORTENING OF ENTIRE POST


$$\delta = \int d\delta = \frac{PH^2}{Eb^2} \int_0^H \frac{dy}{(H+0.5y)^2}$$
  
From Appendix C :  $\int \frac{dx}{(a+bx)^2} = -\frac{1}{b(a+bx)}$   
 $\delta = \frac{PH^2}{Eb^2} \Big[ -\frac{1}{(0.5)(H+0.5y)} \Big]_0^H$   
 $= \frac{PH^2}{Eb^2} \Big[ -\frac{1}{(0.5)(1.5H)} + \frac{1}{0.5H} \Big]$   
 $= \frac{2PH}{3Eb^2} \quad \leftarrow$ 



Equation of parabolic curve:

 $y = \frac{4hx^2}{L^2}$ 

FREE-BODY DIAGRAM OF SEGMENT DB of CABLE




$$T_r = V_B - q\left(\frac{L}{2} - x\right) = \frac{qL}{2} - \frac{qL}{2} + qx$$
  
=  $qx$  (Eq. 4)

TENSILE FORCE T in CABLE

$$T = \sqrt{T_H^2 + T_v^2} = \sqrt{\left(\frac{qL^2}{8h}\right)^2 + (qx)^2}$$
$$= \frac{qL^2}{8h}\sqrt{1 + \frac{64h^2x^2}{L^4}}$$
(Eq. 5)

ELONGATION  $d\delta$  of an element of length ds



 $d\delta = \frac{Tds}{EA}$   $ds = \sqrt{(dx)^2 + (dy)^2} = dx\sqrt{1 + \left(\frac{dy}{dx}\right)^2}$   $= dx\sqrt{1 + \left(\frac{8hx}{L^2}\right)^2}$   $= dx\sqrt{1 + \frac{64h^2x^2}{L^4}}$ (Eq. 6)

(a) Elongation  $\delta$  of cable AOB

$$\delta = \int d\delta = \int \frac{T \, ds}{EA}$$

Substitute for T from Eq. (5) and for ds from Eq. (6):

$$\delta = \frac{1}{EA} \int \frac{qL^2}{8h} \left( 1 + \frac{64h^2x^2}{L^4} \right) dx$$
  
For both halves of cable:

$$\delta = \frac{2}{EA} \int_0^{L/2} \frac{qL^2}{8h} \left( 1 + \frac{64h^2 x^2}{L^4} \right) dx$$
$$\delta = \frac{qL^3}{8hEA} \left( 1 + \frac{16h^2}{3L^4} \right) \quad \leftarrow \quad (Eq. 7)$$

(b) GOLDEN GATE BRIDGE CABLE

$$L = 1300 \text{ m} \qquad h = 140 \text{ m}$$
  

$$q = 185 \text{ kN/m} \qquad E = 200 \text{ GPa}$$
  

$$27,572 \text{ wires of diameter } d = 5 \text{ mm}$$
  

$$A = (27,572) \left(\frac{\pi}{4}\right) (5 \text{ mm})^2 = 541.375 \text{ mm}^2$$

Substitute into Eq. (7):  $\delta = 3.55 \text{ m} \leftarrow$ 

210

/

(a) Elongation  $\delta$  for case of constant diameter hole

~ \

$$\begin{split} d(\zeta) &= d_A \left( 1 + \frac{\zeta}{L} \right) & A(\zeta) = \frac{\pi}{4} d(\zeta)^2 &< \text{solid portion of length } L - x \\ & A(\zeta) = \frac{\pi}{4} (d(\zeta)^2 - d_A^2) &< \text{hollow portion of length } x \\ \delta &= \frac{P}{E} \left( \int \frac{1}{A(\zeta)} d\zeta \right) & \delta = \frac{P}{E} \left[ \int_0^{L-x} \frac{4}{\pi d(\zeta)^2} d\zeta + \int_{L-x}^L \frac{4}{\pi (d(\zeta)^2 - d_A^2)} d\zeta \right] \\ \delta &= \frac{P}{E} \left[ \int_0^{L-x} \frac{1}{\left[ \frac{\pi}{4} \left[ d_A \left( 1 + \frac{\zeta}{L} \right) \right]^2 \right]} d\zeta + \int_{L-x}^L \frac{1}{\left[ \frac{\pi}{4} \left[ \left[ d_A \left( 1 + \frac{\zeta}{L} \right) \right]^2 - d_A^2 \right] \right]} d\zeta \right] \\ \delta &= \frac{P}{E} \left[ 4 \frac{L^2}{(-2 + x)\pi d_A^2} + \left[ \left[ 4 \frac{L}{\pi d_A^2} + \int_{L-x}^L \frac{1}{\left[ \frac{\pi}{4} \left[ \left[ d_A \left( 1 + \frac{\zeta}{L} \right) \right]^2 - d_A^2 \right] \right]} d\zeta \right] \right] \\ \delta &= \frac{P}{E} \left[ 4 \frac{L^2}{(-2 + x)\pi d_A^2} + \left( 4 \frac{L}{\pi d_A^2} - 2L \frac{\ln(3)}{\pi d_A^2} + 2L \frac{-\ln(L-x) + \ln(3L-x)}{\pi d_A^2} \right) \right] \\ \end{split}$$

Substitute numerical data:

 $\delta = 2.18 \text{ mm} \leftarrow$ 

(b) ELONGATION  $\delta$  FOR CASE OF VARIABLE DIAMETER HOLE BUT CONSTANT WALL THICKNESS  $t = d_A/20$  over segment x  $d(\zeta) = d_A \left(1 + \frac{\zeta}{L}\right)$   $A(\zeta) = \frac{\pi}{4} d(\zeta)^2 \quad < \text{ solid portion of length } L - x$   $A(\zeta) = \frac{\pi}{4} \left[ d(\zeta)^2 - \left( d(\zeta) - 2\frac{d_A}{20} \right)^2 \right] \quad < \text{ hollow portion of length } x$  $\delta = \frac{P}{E} \left( \int \frac{1}{A(\zeta)} d\zeta \right)$   $\delta = \frac{P}{E} \left[ \int_0^{L-x} \frac{4}{\pi d(\zeta)^2} d\zeta + \int_{L-x}^L \frac{4}{\pi \left[ d(\zeta)^2 - \left( d(\zeta) - 2\frac{d_A}{20} \right)^2 \right]} d\zeta \right]$ 

$$\begin{split} \delta &= \frac{P}{E} \Bigg[ \int_{0}^{L-x} \frac{4}{\pi \Big[ d_A \Big( 1 + \frac{\zeta}{L} \Big) \Big]} d\zeta + \int_{L-x}^{L} \frac{4}{\pi \Big[ \Big[ d_A \Big( 1 + \frac{\zeta}{L} \Big) \Big]^2 - \Big[ d_A \Big( 1 + \frac{\zeta}{L} \Big) - 2\frac{d_A}{20} \Big]^2 \Big]} d\zeta \Bigg] \\ \delta &= \frac{P}{E} \Bigg[ 4 \frac{L^2}{(-2L+x)\pi d_A^2} + 4 \frac{L}{\pi d_A^2} + 20L \frac{\ln(3) + \ln(13) + 2\ln(d_A) + \ln(L)}{\pi d_A^2} \\ &- 20L \frac{2\ln(d_A) + \ln(39L - 20x)}{\pi d_A^2} \Bigg] \end{split}$$

if x = L/2

$$\delta = \frac{P}{E} \left( \frac{4}{3} \frac{L}{\pi d_A^2} + 20L \frac{\ln(3) + \ln(13) + 2\ln(d_A) + \ln(L)}{\pi d_A^2} - 20L \frac{2\ln(d_A) + \ln(29L)}{\pi d_A^2} \right)$$

Substitute numerical data:

 $\delta = 6.74 \text{ mm} \leftarrow$ 

$$P_1 = 11kN$$
  $P_2 = 4.5kN$   $M = 2.8kN \cdot m$   $E = 200GPa$   $A_1 = 160mm^2$   $A_2 = 100mm^2$ 

Find pin force at B - use FBD of bar BDE

$$\Sigma M_{D} = 0$$
  $B_{y} = \frac{1}{625 \text{ mm}} \cdot \left[ P_{2} \cdot (625 \text{ mm}) - M \right] = 20 \cdot \text{N}$ 

No pin force at B so bar ABC is subjected force  $\mathsf{P}_1$  at C only


$$\delta_{\rm C} = \frac{{\rm P}_1}{{\rm E}} \left( \frac{500 \,\text{mm}}{{\rm A}_1} + \frac{875 \,\text{mm}}{{\rm A}_2} \right) = 0.653 \cdot\text{mm} \text{ downward}$$

Find pin force at B - use FBD of bar ABC 
$$\Sigma M_A = 0$$
  $B_y = \frac{1}{\frac{L}{3}} \cdot (3 \cdot P \cdot L)$   $B_y \rightarrow 9 P$  acts upward on ABC so downward on DBF

displacements at B and F

$$\begin{split} \mathrm{N}_{\mathrm{BD}} &= \mathrm{P} - 9 \cdot \mathrm{P} \to -8 \ \mathrm{P} & \delta_{\mathrm{B}} &= \frac{\mathrm{N}_{\mathrm{BD}} \cdot \mathrm{L}}{2 \cdot \mathrm{EA}} & \delta_{\mathrm{B}} \to -4 \ \frac{\mathrm{PL}}{\mathrm{EA}} & \text{downward} \\ \mathrm{N}_{\mathrm{BF}} &= \mathrm{P} & \delta_{\mathrm{C}} &= \delta_{\mathrm{B}} + \frac{\mathrm{N}_{\mathrm{BF}} \cdot \frac{\mathrm{L}}{3}}{\mathrm{EA}} & \delta_{\mathrm{C}} \to \frac{-11}{3} \ \frac{\mathrm{PL}}{\mathrm{EA}} & \text{downward} \end{split}$$

Axial force (N(y)) and displacement (δ(y)) diagrams - origin of y at D, positive upward (rotated CW to horiz, position below)



Find pin force at B - use FBD of bar ABC  $\Sigma F$ 

 $\Sigma F_y = 0$   $B_y = 2P$  upward at B on ABC so downward on DBF

so AFD is constant and compressive over each column

Axial forces in column segments (tension is positive)

$$N_{DB} = -P$$
  $N_{BF} = -P - B_y \rightarrow -3 \cdot P$ 

Vertical displacements at B and D (positive upward)

segment

so ADD is linear and downward over each column segment

Use FBD of beam ABC - find pin force at B  $\Sigma F_y = 0$   $B_y = 2 \cdot P$  upward on ABC so downward on DBF

Axial forces in column segments (tension is positive)

$$N_{DB} = 0$$
  $N_{BF} = -B_y \rightarrow -2 \cdot P$ 


Vertical displacements at B and D (positive upward)

-

$$\delta_{\rm B} = \frac{N_{\rm BF} \cdot \frac{L}{2}}{2 \cdot EA} \rightarrow -\frac{L \cdot P}{2 \cdot EA} \qquad \qquad \delta_{\rm D} = \delta_{\rm B} \rightarrow -\frac{L \cdot P}{2 \cdot EA}$$

so AFD is 0 over DB and constant and compressive over column segment  $\mathsf{BF}$ 

so ADD is linear over BF and constant over column segment DB, both downward



 $\omega$  = angular speed

A = cross-sectional area

E = modulus of elasticity

g = acceleration of gravity

F(x) = axial force in bar at distance x from point C

Consider an element of length dx at distance x from point C.

To find the force F(x) acting on this element, we must find the inertia force of the part of the bar from distance x to distance L, plus the inertia force of the weight  $W_2$ .

Since the inertia force varies with distance from point C, we now must consider an element of length  $d\xi$  at distance  $\xi$ , where  $\xi$  varies from x to L.

Mass of element  $d = \frac{d}{L} \left( \frac{W_1}{g} \right)$ 

Acceleration of element =  $\xi \omega^2$ 

Centrifugal force produced by element

= (mass)( acceleration) = 
$$\frac{W_1\omega^2}{gL}d$$

Centrifugal force produced by weight W2

$$=\left(\frac{W_2}{g}\right)(L\omega^2)$$

AXIAL FORCE F(x)

$$F(x) = \int_{-x}^{-L} \frac{W_1 \omega^2}{gL} d + \frac{W_2 L \omega^2}{g}$$
$$= \frac{W_1 \omega^2}{2gL} (L^2 - x^2) + \frac{W_2 L \omega^2}{g}$$

ELONGATION OF BAR BC


$$\delta = \int_0^L \frac{F(x) dx}{EA}$$

$$= \int_0^L \frac{W_1 \omega^2}{2gL} (L^2 - x^2) dx + \int_0^L \frac{W_2 L \omega^2 dx}{gEA}$$

$$= \frac{W1L \omega^2}{2gLEA} \left[ \int_0^L L^2 dx - \int_0^L x^2 dx \right] + \frac{W_2 L \omega^2 dx}{gEA} \int_0^L dx$$

$$= \frac{W_1 L^2 \omega^2}{3gEA} + \frac{W_2 L^2 \omega^2}{gEA}$$

$$= \frac{L^2 \omega^2}{3gEA} + (W_1 + 3W_2) \quad \leftarrow$$



EQUATION OF EQULIBRIUM

$$\Sigma F_{vert} = 0, P_b + P_s - P = 0 \tag{1}$$

EQUATION OF COMPATIBILITY

$$\delta_s = \delta_b$$
 (2)

FORCE DISPLACEMENT RELATIONS

$$\delta = \frac{P_s L}{E_s A_s}, \quad \delta = \frac{P_b L}{E_b A_b} \tag{3}$$

Substitute into Eq. (2):

$$\frac{P_s L}{E_s A_s} = \frac{P_b L}{E_b A_b} \tag{4}$$

SOLUTION OF EQUATIONS

Solve simultaneously Eqs. (1) and (4):

$$P_s = \frac{E_s A_s P}{E_s A_s + E_b A_b}, P_b = \frac{E_b A_b P}{E_s A_s + E_b A_b}$$
(5)

Substitute into Eq. (3):

$$\delta = \delta_s = \delta_b = \frac{PL}{E_s A_s + E_b A_b}$$
(6)  
Stresses

$$\sigma = \frac{P_s}{A_s} = \frac{E_s P}{E_s A_s + E_b A_b}, \sigma = \frac{P_b}{A_b} = \frac{E_b P}{E_s A_s + E_b A_b}$$
(7)

NUMERICAL VALUES


Steel: 
$$A_s = (\frac{\pi}{4})[(9 \text{ mm})^2 - (7 \text{ mm})^2] = 25.13 \text{ mm}^2$$
  
 $E_s = 200 \text{ GPa}, E_s A_s = 5.027 \times 10^6 \text{ N}$   
Brass:  $A_b = (\frac{\pi}{4})(6.0 \text{ mm})^2 = 28.27 \text{ mm}^2$   
 $E_b = 100 \text{ GPa}, E_b A_b = 2.827 \times 10^6 \text{ N}$   
 $E_b A_b + E_s A_s = 7.854 \times 10^6 \text{ N}, L = 85 \text{ mm}$   
(a) DECREASE IN LENGTH  
 $\delta = \frac{PL}{2} = 0.1 \text{ mm}, P = 9.24 \text{ kN}$ 

$$\delta = \frac{PL}{E_s A_s + E_b A_b} = 0.1 \,\mathrm{mm}, P = 9.24 \,\mathrm{kN}$$

(b) Allowable load

$$\sigma = 180 \text{ MPa}, P_s = \sigma_s \frac{E_b A_b + E_s A_s}{E_s} = 7.07 \text{ kN}$$
$$\sigma = 250 \text{ MPa}, P_b = \sigma_b \frac{E_b A_b + E_s A_s}{E_b} = 11.00 \text{ kN}$$

Steel governs.  $P_{\text{allow}} = 7.07 \text{ kN}$ 



- A = aluminum
- B = brass
- L = 350 mm
- $d_a = 40 \text{ mm}$
- $d_b = 25 \text{ mm}$

$$A_a = \frac{\pi}{4} \left( d_a^2 - d_b^2 \right)$$

$$= 765.8 \text{ mm}^2$$

$$E_a = 72 \text{ GPa}$$
  $E_b = 100 \text{ GPa}$   $A_b = \frac{\pi}{4} d_b^2$   
= 490.9 mm<sup>2</sup>

(a) DECREASE IN LENGTH ( $\delta = 0.1\%$  of L = 0.350 mm) Use Eq. (2-18) of Example 2-6.

$$\delta = \frac{PL}{E_a A_a + E_b A_b} \quad \text{or}$$
$$P = (E_a A_a + E_b A_b) \left(\frac{\delta}{L}\right)$$

Substitute numerical values:

$$E_a A_a + E_b A_b = (72 \text{ GPa})(765.8 \text{ mm}^2) + (100 \text{ GPa})(490.9 \text{ mm}^2) = 55.135 \text{ MN} + 49.090 \text{ MN} = 104.23 \text{ MN}$$
$$P = (104.23 \text{ MN}) \left(\frac{0.350 \text{ mm}}{350 \text{ mm}}\right) = 104.2 \text{ kN} \quad \leftarrow$$

- (b) ALLOWABLE LOAD
- $\sigma_a = 80 \text{ MPa}$   $\sigma_b = 120 \text{ MPa}$

Use Eqs. (2-17a and b) of Example 2-6.

For aluminum:

$$\sigma_a = \frac{PE_a}{E_a A_a + E_b A_b} \quad P_a = (E_a A_a + E_b A_b) \left(\frac{\sigma_a}{E_a}\right)$$
$$P_a = (104.23 \text{ MN}) \left(\frac{80 \text{ MPa}}{72 \text{ GPa}}\right) = 115.8 \text{ kN}$$

For brass:

$$\sigma_b = \frac{PE_b}{E_a A_a + E_b A_b} \qquad P_b = (E_a A_a + E_b A_b) \left(\frac{\sigma_b}{E_b}\right)$$
$$P_b = (104.23 \text{ MN}) \left(\frac{120 \text{ MPa}}{100 \text{ GPa}}\right) = 125.1 \text{ kN}$$

Aluminum governs.  $P_{\text{max}} = 116 \text{ kN}$ 

$$E = 200 GPa \qquad A = 5100 mm^2$$

Use superposition - select  $\mathsf{A}_{\mathsf{y}}$  as the redundant

Released structure with actual load P at C 
$$\delta_{A1} = \frac{10 \text{kN} \cdot (2\text{m})}{\text{E} \cdot \text{A}} = 0.02 \cdot \text{mm}$$
 upward  
Released structure with redundant A<sub>y</sub> applied at A  $\delta_{A2} = A_y \left(\frac{1\text{m} + 2\text{m}}{\text{E} \cdot \text{A}}\right)$   
 $\frac{1\text{m} + 2\text{m}}{\text{E} \cdot \text{A}} = 2.941 \times 10^{-3} \cdot \frac{\text{mm}}{\text{kN}}$   
Compatibility equation  $\delta_{A1} + \delta_{A2} = 0$  solve for redundant A<sub>y</sub>  $A_y = \frac{-\delta_{A1}}{\frac{1\text{m} + 2\text{m}}{\text{E} \cdot \text{A}}} = -6.667 \cdot \text{kN}$   
Statics  $B_y = -(A_y + 10\text{kN}) = -3.333 \cdot \text{kN}$ 

Axial displacement at C  $\frac{-B_{y}(2m)}{E \cdot A} = 6.536 \times 10^{-3} \cdot mm \text{ upward } \dots \text{ or}$  $\frac{-A_{y}(1m)}{E \cdot A} = 6.536 \times 10^{-3} \cdot mm$ 

use either extension of segment BC or compression of AC to find upward displ.  $\boldsymbol{\delta}_{C}$ 

P = 10kN E = 200GPa 
$$\sigma_{Y}$$
 = 400MPa  $FS_{Y}$  = 2  $\sigma_{a} = \frac{\sigma_{Y}}{FS_{Y}}$  = 200·MPa

Static equilibrium - cut through cables, use lower FBD (see fig.)

$$a = 1.5m \qquad b = 1.5m \qquad \alpha_{B} = \operatorname{atan}\left(\frac{a}{b}\right) = 45 \cdot \operatorname{deg}$$
$$\alpha_{C} = \operatorname{atan}\left(\frac{a}{2 \cdot b}\right) = 26.565 \cdot \operatorname{deg}$$
$$\Sigma M_{A} = 0$$
$$T_{1} \cdot \sin(\alpha_{B}) + 2 \cdot T_{2} \cdot \sin(\alpha_{C}) = P \cdot (2)$$

Compatibility - from figure, see that  $\Delta_{\rm C} = 2 \cdot \Delta_{\rm B}$ 

Cable elongations

e

1

$$\begin{split} \delta_1 &= \Delta_B \cdot \sin(\alpha_B) & \delta_2 &= \Delta_C \cdot \sin(\alpha_C) \\ \text{so} & \delta_2 &= 2 \cdot \left(\frac{\sin(\alpha_C)}{\sin(\alpha_B)}\right) \cdot \delta_1 & 2 \cdot \left(\frac{\sin(\alpha_C)}{\sin(\alpha_B)}\right) = 1.26491 \end{split}$$

Force-displacement relations for cables

$$L_{1} = \sqrt{a^{2} + b^{2}} = 2.121 \text{ m}$$

$$L_{2} = \sqrt{a^{2} + (2 \cdot b)^{2}} = 3.354 \text{ m}$$


$$\delta_{1} = T_{1} \cdot f_{1}$$


$$f_{1} = \frac{L_{1}}{E \cdot A_{1}}$$

$$\delta_{2} = T_{2} \cdot f_{2}$$

$$f_{2} = \frac{L_{2}}{E \cdot A_{2}}$$

inter )





where 
$$\mathbf{T}_2 \cdot \mathbf{f}_2 = 2 \cdot \left(\frac{\sin(\alpha_C)}{\sin(\alpha_B)}\right) \cdot \mathbf{T}_1 \cdot \mathbf{f}_1$$
 or  $\mathbf{T}_2 = 2 \cdot \left(\frac{\sin(\alpha_C)}{\sin(\alpha_B)}\right) \cdot \left(\frac{\mathbf{f}_1}{\mathbf{f}_2}\right) \cdot \mathbf{T}_1$  and  $\mathbf{A}_1 = \mathbf{A}_2$  so  $\frac{\mathbf{f}_1}{\mathbf{f}_2} = \frac{\mathbf{L}_1}{\mathbf{L}_2}$ 

Substitute  $\mathrm{T}_2$  expression into equilibrium equation and solve for  $\mathrm{T}_1$  then solve for  $\mathrm{T}_2$ 

$$\begin{split} \mathtt{T}_1 = & \left(\frac{2\cdot f_2 \cdot \sin(\alpha_B)}{f_2 \cdot \sin(\alpha_B)^2 + 4\cdot f_1 \cdot \sin(\alpha_C)^2}\right) \cdot \mathtt{P} \quad \text{ or } \quad \mathtt{T}_1 = \left[\frac{2\cdot \sin(\alpha_B)}{\sin(\alpha_B)^2 + 4\cdot \left(\frac{\mathtt{L}_1}{\mathtt{L}_2}\right) \cdot \sin(\alpha_C)^2}\right] \cdot \mathtt{P} = 14.058 \cdot \mathtt{kN} \\ & \text{ and } \quad \mathtt{T}_2 = 2\cdot \left(\frac{\sin(\alpha_C)}{\sin(\alpha_B)}\right) \cdot \left(\frac{\mathtt{L}_1}{\mathtt{L}_2}\right) \cdot \mathtt{T}_1 = 11.247 \cdot \mathtt{kN} \end{split}$$

Use allowable stress  $\boldsymbol{\sigma}_a$  to find minimum required cross sectional area of each cable

$$A_1 = \frac{T_1}{\sigma_a} = 70.291 \cdot mm^2$$
  $A_2 = \frac{T_2}{\sigma_a} = 56.233 \cdot mm^2$  so  $A_{reqd} = 70.3mm^2$ 

221

© 2018 Cengage Learning®. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

$$\sigma_{ys} = 340 \text{MPa} \ \sigma_{yA} = 410 \text{MPa} \ A_s = 7700 \text{mm}^2 \ A_A = 3800 \text{mm}^2 \ L = 500 \text{mm}$$
  
 $E_s = 200 \text{GPa} \ E_A = 73 \text{GPa}$ 

Axial stiffnesses of cylinder and tube - treat as springs in parallel

$$k_{s} = \frac{E_{s} \cdot A_{s}}{L} = 3.08 \times 10^{6} \cdot \frac{kN}{m} \qquad \qquad k_{A} = \frac{E_{A} \cdot A_{A}}{L} = 5.548 \times 10^{5} \cdot \frac{kN}{m} \\ k_{T} = k_{s} + k_{A} = 3.635 \times 10^{6} \cdot \frac{kN}{m}$$

Each "spring" carries a force in proportion to its stiffness

$$\mathbf{P}_{\mathrm{S}}(\mathbf{P}) = \frac{\mathbf{k}_{\mathrm{S}}}{\mathbf{k}_{\mathrm{T}}} \cdot \mathbf{P} \text{ float}, 5 \rightarrow 0.84736 \cdot \mathbf{P} \qquad \qquad \mathbf{P}_{\mathrm{A}}(\mathbf{P}) = \frac{\mathbf{k}_{\mathrm{A}}}{\mathbf{k}_{\mathrm{T}}} \cdot \mathbf{P} \text{ float}, 5 \rightarrow 0.15264 \cdot \mathbf{P}$$

Maximum force in each component is governed by its yield stress


$$\sigma_{ys}(P) = \frac{P_s(P)}{A_s} \text{ float, 5} \rightarrow \frac{0.00011005 \cdot P}{mm^2}$$
$$\sigma_{ys}(P) - 340 \text{MPa} \quad \begin{vmatrix} \text{solve, P} \\ \text{float, 5} \end{vmatrix} \approx 3.0895 \text{e6} \cdot \text{MPa} \cdot \text{mm}^2 = 3089.5 \cdot \text{kN}$$

$$\sigma_{yA}(P) = \frac{P_A(P)}{A_A} \text{ float, 5} \rightarrow \frac{0.000040168 \cdot P}{mm^2}$$

$$\sigma_{yA}(P) - 410MPa \quad \begin{vmatrix} \text{solve}, P \\ \text{float, 5} \rightarrow 1.0207e7 \cdot MPa \cdot mm^2 = 10207 \cdot kN \end{vmatrix}$$

So the allowable load P is limited by yield stress in steel cylinder

$$P_{all} = 3090 kN$$



FREE-BODY DIAGRAM OF END PLATE



EQUATION OF EQUILIBRIUM

 $\Sigma F_{\text{horiz}} = 0 \quad P_A + P_B - P = 0 \tag{1}$ 

EQUATION OF COMPATIBILITY

$$\delta_A = \delta_B$$
 (2)

FORCE-DISPLACEMENT RELATIONS

 $A_A$  = total area of both outer bars

$$\delta_A = \frac{P_A L}{E_A A_k} \quad \delta_B = \frac{P_B L}{E_B A_B} \tag{3}$$

Substitute into Eq. (2):

$$\frac{P_A L}{E_A A_A} = \frac{P_B L}{E_B A_B} \tag{4}$$

SOLUTION OF THE EQUATIONS

Solve simultaneously Eqs. (1) and (4):

$$P_A = \frac{E_A A_A P}{E_A A_A + E_B A_B} \quad P_B = \frac{E_B A_B P}{E_A A_A + E_B A_B} \tag{5}$$

Substitute into Eq. (3):

$$\delta = \delta_A = \delta_B = \frac{PL}{E_A A_A + E_B A_B} \tag{6}$$

STRESSES:

$$\sigma_A = \frac{P_A}{A_A} = \frac{E_A P}{E_A A_A + E_B A_B}$$
$$\sigma_B = \frac{P_B}{A_B} = \frac{E_B P}{E_A A_A + E_B A_B}$$
(7)

(a) LOAD IN MIDDLE BAR

$$\frac{P_B}{P} = \frac{E_B A_B}{E_A A_A + E_B A_B} = \frac{1}{\frac{E_A A_A}{E_B A_B} + 1}$$
Given:  $\frac{E_A}{E_B} = 2$   $\frac{A_A}{A_B} = \frac{1+1}{1.5} = \frac{4}{3}$ 
 $\therefore \frac{P_B}{P} = \frac{1}{\left(\frac{E_A}{E_B}\right)\left(\frac{A_A}{A_B}\right) + 1} = \frac{1}{\frac{8}{3} + 1} = \frac{3}{11} \quad \leftarrow$ 

(b) RATIO OF STRESSES

$$\frac{\sigma_B}{\sigma_A} = \frac{E_B}{E_A} = \frac{1}{2} \quad \longleftarrow$$

(c) RATIO OF STRAINS

All bars have the same strain

Ratio = 1 
$$\leftarrow$$

(a) Reactions at A and B due to load P at L/2

$$A_{AC} = \frac{\pi}{4} \left[ d^2 - \left(\frac{d}{2}\right)^2 \right] \qquad A_{AC} = \frac{3}{16} \pi d^2$$
$$A_{CB} = \frac{\pi}{4} d^2$$

Select  $R_B$  as the redundant; use superposition and a compatibility equation at B:

$$\text{if } x \le L/2 \qquad \delta_{B1a} = \frac{Px}{EA_{AC}} + \frac{P\left(\frac{L}{2} - x\right)}{EA_{CB}} \qquad \delta_{B1a} = \frac{P}{E}\left(\frac{x}{\frac{3}{16}\pi d^2} + \frac{\frac{L}{2} - x}{\frac{\pi}{4}d^2}\right) \\ \delta_{B1a} = \frac{2}{3}P\frac{2x + 3L}{E\pi d^2} \\ \text{if } x \ge L/2 \qquad \delta_{B1b} = \frac{P\frac{L}{2}}{EA_{AC}} \qquad \delta_{B1b} = \frac{P\frac{L}{2}}{E\left(\frac{3}{16}\pi d^2\right)} \qquad \delta_{B1b} = \frac{8}{3}\frac{PL}{E\pi d^2}$$

1

The following expression for  $\delta_{B2}$  is good for all *x*:

$$\delta_{B2} = \frac{R_B}{E} \left( \frac{x}{A_{AC}} + \frac{L - x}{A_{CB}} \right) \qquad \delta_{B2} = \frac{R_B}{E} \left( \frac{x}{\frac{3}{16} \pi d^2} + \frac{L - x}{\frac{\pi}{4} d^2} \right)$$
$$\delta_{B2} = \frac{R_B}{E} \left( \frac{16}{3} \frac{x}{\pi d^2} + 4 \frac{L - x}{\pi d^2} \right)$$

Solve for  $R_B$  and  $R_A$  assuming that  $x \le L/2$ :

Compatibility: 
$$\delta_{B1a} + \delta_{B2} = 0$$
  $R_{Ba} = \frac{-\left(\frac{2}{3}P\frac{2x+3L}{\pi d^2}\right)}{\left(\frac{16}{3}\frac{x}{\pi d^2} + 4\frac{L-x}{\pi d^2}\right)}$   $R_{Ba} = \frac{-1}{2}P\frac{2x+3L}{x+3L}$ 

^ check—if  $x = 0, R_B = -P/2$ 

Statics: 
$$R_{Aa} = -P - R_{Ba}$$
  $R_{Aa} = -P - \frac{-1}{2}P\frac{2x+3L}{x+3L}$   $R_{Aa} = \frac{-3}{2}P\frac{L}{x+3L}$    
  $\land \text{check}\text{--if } x = 0, R_{Aa} = -P/2$ 

Solve for  $R_B$  and  $R_A$  assuming that  $x \ge L/2$ :

Compatibility: 
$$\delta_{B1b} + \delta_{B2} = 0$$
  $R_{Bb} = \frac{\frac{-8}{3}\frac{PL}{\pi d^2}}{\left(\frac{16}{3}\frac{x}{\pi d^2} + 4\frac{L-x}{\pi d^2}\right)}$   $R_{Bb} = \frac{-2PL}{x+3L}$ 

^ check—if x = L,  $R_B = -P/2$ 

Statics: 
$$R_{Ab} = -P - R_{Bb}$$
  $R_{Ab} = -P - \left(\frac{-2PL}{x+3L}\right)$   $R_{Ab} = -P\frac{x+L}{x+3L}$ 

(b) Find  $\delta$  at point of LOAD APPLICATION; AXIAL FORCE FOR SEGMENT 0 to  $L/2 = -R_A$  and  $\delta =$  ELONGATION OF THIS SEGMENT Assume that  $x \leq L/2$ :

$$\delta_a = \frac{-R_{Aa}}{E} \left( \frac{x}{A_{AC}} + \frac{\frac{L}{2} - x}{A_{CB}} \right) \qquad \delta_a = \frac{-\left(\frac{-3}{2}P\frac{L}{x+3L}\right)}{E} \left( \frac{x}{\frac{3}{16}\pi d^2} + \frac{\frac{L}{2} - x}{\frac{\pi}{4}d^2} \right)$$

$$\delta_a = PL \frac{2x + 3L}{(x + 3L)E\pi d^2}$$

For 
$$x = L/2$$
,  $\delta_a = \frac{8}{7}L\frac{P}{E\pi d^2}$   $\leftarrow$ 

Assume that  $x \ge L/2$ :

$$\delta_b = \frac{(-R_{Ab})\frac{L}{2}}{EA_{AC}} \qquad \delta_b = \frac{\left(P\frac{x+L}{x+3L}\right)\frac{L}{2}}{E\left(\frac{3}{16}\pi d^2\right)} \qquad \delta_b = \frac{8}{3}P\left(\frac{x+L}{x+3L}\right)\frac{L}{E\pi d^2} \qquad \longleftarrow$$
for  $x = L/2 \qquad \delta_b = \frac{8}{7}P\frac{L}{E\pi d^2} \qquad < \text{same as } \delta_a \text{ above (OK)}$ 

(c) FOR WHAT VALUE OF x is  $R_B = (6/5) R_A$ ? Guess that x < L/2 here and use  $R_{Ba}$  expression above to find x:

$$\frac{-1}{2}P\frac{2x+3L}{x+3L} - \frac{6}{5}\left(\frac{-3}{2}P\frac{L}{x+3L}\right) = 0 \qquad \frac{-1}{10}P\frac{10x-3L}{x+3L} = 0 \qquad x = \frac{3L}{10} \quad \leftarrow$$

Now try  $R_{Bb} = (6/5)R_{Ab}$ , assuming that x > L/2

$$\frac{-2PL}{x+3L} - \frac{6}{5} \left( -P\frac{x+L}{x+3L} \right) = 0 \qquad \frac{2}{5} P\frac{-2L+3x}{x+3L} = 0 \qquad x = \frac{2}{3}L \quad \longleftarrow$$

So, there are two solutions for x.

(d) Find reactions if the bar is now rotated to a vertical position, load P is removed, and the bar is hanging under its own weight (assume mass density =  $\rho$ ). Assume that x = L/2.

$$A_{AC} = \frac{3}{16} \pi d^2$$
  $A_{CB} = \frac{\pi}{4} d^2$ 

Select  $R_B$  as the redundant; use superposition and a compatibility equation at *B* from (a) above. compatibility:  $\delta_{B1} + \delta_{B2} = 0$ 

$$\delta_{B2} = \frac{R_B}{E} \left( \frac{x}{A_{AC}} + \frac{L - x}{A_{CB}} \right) \quad \text{For } x = L/2, \ \delta_{B2} = \frac{R_B}{E} \left( \frac{14}{3} \frac{L}{\pi d^2} \right)$$
$$\delta_{B1} = \int_0^{\frac{L}{2}} \frac{N_{AC}}{EA_{AC}} d\zeta + \int_{\frac{L}{2}}^{L} \frac{N_{CB}}{EA_{CB}} d\zeta$$

Where axial forces in bar due to self weight are  $W_{AC} = \rho g A_{AC} \frac{L}{2}$   $W_{CB} = \rho g A_{CB} \frac{L}{2}$  (assume  $\zeta$  is measured upward from A):

$$\begin{split} N_{AC} &= -\left[\rho g A_{CB} \frac{L}{2} + \rho g A_{AC} \left(\frac{L}{2} - \zeta\right)\right] \qquad A_{AC} = \frac{3}{16} \pi d^2 \qquad A_{CB} = \frac{\pi}{4} d^2 \\ N_{CB} &= -\left[\rho g A_{CB} (L - \zeta)\right] \\ N_{AC} &= \frac{-1}{8} \rho g \pi d^2 L - \frac{3}{16} \rho g \pi d^2 \left(\frac{1}{2} L - \zeta\right) \qquad N_{CB} = -\left[\frac{1}{4} \rho g \pi d^2 (L - \zeta)\right] \end{split}$$

$$\delta_{B1} = \int_{0}^{L} \frac{\frac{-1}{2} \rho g \pi d^{2}L - \frac{3}{16} \rho g \pi d^{2} \left(\frac{1}{2}L - \zeta\right)}{E\left(\frac{3}{16} \pi d^{2}\right)} d\zeta + \int_{L}^{L} \frac{-\left[\frac{1}{4} \rho g \pi d^{2} (L - \zeta)\right]}{E\left(\frac{\pi}{4}d^{2}\right)} d\zeta$$
$$\delta_{B1} = \left(\frac{-11}{24} \rho g \frac{L^{2}}{E} + \frac{-1}{8} \rho g \frac{L^{2}}{E}\right) \qquad \delta_{B1} = \frac{-7}{12} \rho g \frac{L^{2}}{E} \qquad \frac{7}{12} = 0.583$$

Compatibility:  $\delta_{B1} + \delta_{B2} = 0$ 

$$R_B = \frac{-\left(\frac{-7}{12}\rho g \frac{L^2}{E}\right)}{\left(\frac{14}{3}\frac{L}{E\pi d^2}\right)} \qquad R_B = \frac{1}{8}\rho g \pi d^2 L \quad \leftarrow$$

Statics:  $R_A = (W_{AC} + W_{CB}) - R_B$ 

$$R_A = \left[ \left[ \rho g \left( \frac{3}{16} \pi d^2 \right) \frac{L}{2} + \rho g \left( \frac{\pi}{4} d^2 \right) \frac{L}{2} \right] - \frac{1}{8} \rho g \pi d^2 L \right]$$
$$R_A = \frac{3}{32} \rho g \pi d^2 L \quad \longleftarrow$$

© 2018 Cengage Learning<sup>®</sup>. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

226

P = 200kN L = 2m t = 20mm  $b_1 = 100mm$   $b_2 = 115mm$  E = 96GPa

Select reaction R<sub>c</sub> as the redundant; use superposition

axial displacement at C due to actual load P at B

$$\delta_{C1} = \frac{P \cdot \left(\frac{3 \cdot L}{5}\right)}{E \cdot t \cdot \left(b_2 - b_1\right)} \cdot \ln \left(\frac{b_2}{b_1}\right) = 1.165 \cdot mm$$
$$\delta_{C2} = R_C \left[\frac{\frac{3 \cdot L}{5} + \frac{2 \cdot L}{5}}{E \cdot t \cdot \left(b_2 - b_1\right)} \cdot \ln \left(\frac{b_2}{b_1}\right)\right]$$

52

axial displacement at C due to redundant R<sub>C</sub>

$$\frac{\frac{3 \cdot L}{5} + \frac{2 \cdot L}{5}}{E \cdot t \cdot (b_2 - b_1)} \cdot \ln \left(\frac{b_2}{b_1}\right) = 9.706 \times 10^{-3} \cdot \frac{\text{mm}}{\text{kN}}$$

Compatibility equation  $\delta_{C1} + \delta_{C2} = 0 \quad \text{solve for } \mathsf{R}_{C} \qquad \mathsf{R}_{C} = \frac{-\delta_{C1}}{\left[\frac{3 \cdot L}{5} + \frac{2 \cdot L}{5}}{\left[\frac{1}{E \cdot t \cdot \left(b_{2} - b_{1}\right)} \cdot \ln\left(\frac{b_{2}}{b_{1}}\right)\right]} = -120 \cdot kN$ 

Statics  $\Sigma F = 0$   $R_A = -(P + R_C) = -80 \cdot kN$ 

Negative reactions so both act to left

Compute extension of AB or compression of BC to find displ.  $\delta_{\text{B}}$  (to the right)

$$-\mathbf{R}_{\mathbf{A}'}\left[\frac{\left(\frac{3\cdot\mathbf{L}}{5}\right)}{\mathbf{E}\cdot\mathbf{t}\cdot\left(\mathbf{b}_{2}-\mathbf{b}_{1}\right)}\cdot\ln\left(\frac{\mathbf{b}_{2}}{\mathbf{b}_{1}}\right)\right] = 0.466 \cdot \mathrm{mm} \qquad \mathrm{or} \qquad -\mathbf{R}_{\mathbf{C}'}\left[\frac{\left(\frac{2\cdot\mathbf{L}}{5}\right)}{\mathbf{E}\cdot\mathbf{t}\cdot\left(\mathbf{b}_{2}-\mathbf{b}_{1}\right)}\cdot\ln\left(\frac{\mathbf{b}_{2}}{\mathbf{b}_{1}}\right)\right] = 0.466 \cdot \mathrm{mm}$$

$$P = 90kN$$
  $L = 1m$   $t = 6mm$   $b_1 = 50mm$   $b_2 = 60mm$   $E = 72GPa$ 

$$A_{BC} = b_1 \cdot t = 300 \cdot mm^2$$
  $b_{ave} = \frac{b_1 + b_2}{2} = 55 \cdot mm$ 

Select reaction  $\mathsf{R}_\mathsf{C}$  as the redundant; use superposition

axial displacement at C due to actual load P at middle of AB

$$\delta_{C1} = \frac{P \cdot \left(\frac{L}{4}\right)}{E \cdot t \cdot \left(b_2 - b_{ave}\right)} \cdot \ln\left(\frac{b_2}{b_{ave}}\right) = 0.906 \cdot mm$$

axial displacement at C due to redundant R<sub>c</sub>

$$\delta_{C2} = \mathbf{R}_{\mathbf{C}} \cdot \left[ \frac{\frac{L}{2}}{E \cdot t \cdot (b_2 - b_1)} \cdot \ln \left( \frac{b_2}{b_1} \right) + \frac{L}{E \cdot A_{BC}} \right]$$

flexibility constant for bar

 $\frac{\frac{L}{2}}{E \cdot t \cdot \left(b_2 - b_1\right)} \cdot \ln \left(\frac{b_2}{b_1}\right) + \frac{\frac{L}{2}}{E \cdot A_{BC}} = 0.044 \cdot \frac{mm}{kN}$ 

Compatibility equation  $\delta_{C1} + \delta_{C2} = 0$  solve for  $R_{C}$ 

$$R_{C} = \frac{-\delta_{C1}}{\left[\frac{\frac{L}{2}}{E \cdot t \cdot (b_{2} - b_{1})} \cdot \ln \left(\frac{b_{2}}{b_{1}}\right) + \frac{\frac{L}{2}}{E \cdot A_{BC}}\right]} = -20.483 \cdot kN$$

Statics

$$\Sigma F = 0$$
  $R_A = -(P + R_C) = -69.517 \cdot kN$ 


Negative reactions so both act to left

Compute deformations of AB (two terms, more difficult) or deformation of BC (easier) to find displ.  $\delta_B$  (to the right)

$$-R_{A} \cdot \left[\frac{\left(\frac{L}{4}\right)}{E \cdot t \cdot \left(b_{2} - b_{ave}\right)} \cdot \ln\left(\frac{b_{2}}{b_{ave}}\right)\right] + \frac{\left(-R_{A} - P\right) \cdot \frac{L}{4}}{E \cdot t \cdot \left(b_{ave} - b_{1}\right)} \cdot \ln\left(\frac{b_{ave}}{b_{1}}\right) = 4.741 \times 10^{-1} \cdot \text{mm}$$
  
or 
$$-R_{C} \cdot \left(\frac{\frac{L}{2}}{E \cdot A_{BC}}\right) = 0.474 \cdot \text{mm}$$

228

© 2018 Cengage Learning®. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.



 $P = 12 \text{ kN} \qquad d_1 = 30 \text{ mm} \qquad b = 100 \text{ mm}$   $L = 500 \text{ mm} \qquad d_2 = 45 \text{ mm} \qquad c = 300 \text{ mm}$ Rod:  $E_1 = 3.1 \text{ GPa}$ Sleeve:  $E_2 = 2.5 \text{ GPa}$ Rod:  $A_1 = \frac{\pi d_1^2}{4} = 706.86 \text{ mm}^2$ 

Sleeve: 
$$A_2 = \frac{\pi}{4}(d_2^2 - d_1^2) = 883.57 \text{ mm}^2$$
  
 $E_1A_1 + E_2A_2 = 4.400 \text{ MN}$ 

(a) ELONGATION OF ROD

Part AC: 
$$\delta_{AC} = \frac{Pb}{E_1A_1} = 0.5476 \text{ mm}$$

Part CD: 
$$\delta_{CD} = \frac{P_C}{E_1A_1 + E_2A_2}$$
  
= 0.81815 mm


(From Eq. 2-16 of Example 2-8)

$$\delta = 2\delta_{AC} + \delta_{CD} = 1.91 \text{ mm}$$

(b) SLEEVE AT FULL LENGTH

$$\delta = \delta_{CD} \left( \frac{L}{c} \right) = (0.81815 \text{ mm}) \left( \frac{500 \text{ mm}}{300 \text{ mm}} \right)$$
$$= 1.36 \text{ mm} \quad \leftarrow$$

$$\delta = \frac{PL}{E_1 A_1} = 2.74 \text{ mm} \quad \leftarrow$$



AREAS OF CABLES (from Table 2-1) Middle cable:  $A_M = 173 \text{ mm}^2$ Outer cables:  $A_O = 77 \text{ mm}^2$ (for each cable)

FIRST LOADING

$$P_1 = 60 \text{ kN} \left( \text{Each cable carries} \frac{P_1}{3} \text{ or } 20 \text{ kN} \right)$$

SECOND LOADING

 $P_2 = 40 \text{ kN} \text{ (additional load)}$ 

SOLVE SIMULTANEOUSLY EQS. (1) AND (3):

$$P_M = P_2 \left( \frac{A_M}{A_M + 2A_O} \right) = 21 \text{ kN}$$
$$P_o = P_2 \left( \frac{A_o}{A_M + 2A_O} \right) = 9.418 \text{ kN}$$

FORCES IN CABLES

Middle cable: Force = 20 kN + 21 kN = 41 kNOuter cables: Force = 20 kN + 9.418 kN = 29.4 kN

(a) PERCENT OF TOTAL LOAD CARRIED BY MIDDLE CABLE

$$Percent = \frac{41 \text{ KN}}{100 \text{ KN}} (100\%) = 41.2\% \quad \leftarrow$$

EQUATION OF EQUILIBRIUM

$$\Sigma F_{\text{vert}} = 0 \qquad 2P_O + P_M - P_2 = 0 \tag{1}$$
  
Equation of compatibility

$$\delta_M = \delta_O$$
 (2)

FORCE-DISPLACEMENT RELATIONS

$$\delta_M = \frac{P_M L}{EA_M} \quad \delta_O = \frac{P_o L}{EA_o}$$

SUBSTITUTE INTO COMPATIBILITY EQUATION:


$$P_0$$
  $P_M$   $P_0$   
 $P_2 = 40 \text{ kN}$ 

$$\frac{P_M L}{EA_M} = \frac{P_O L}{EA_O} \quad \frac{P_M}{A_M} = \frac{P_O}{A_O} \tag{3}$$

(b) Stresses in Cables ( $\sigma = P/A$ )

Middle cable:  $\sigma_{\rm M} = \frac{41 \text{ kN}}{173 \text{ mm}^2} = 238 \text{ MPa} \quad \leftarrow$ 

Outer cables: 
$$\sigma_0 = \frac{29.41 \text{ kN}}{77 \text{ mm}^2} = 383 \text{ MPa} \quad \leftarrow$$



FREE-BODY DIAGRAM

$$\begin{array}{c|c} R_A & P_B & P_C & R_D \\ \hline & & & \\ A & B & C & D \end{array}$$

EQUATION OF EQUILIBRIUM

$$\Sigma F_{\text{horiz}} = 0 \xrightarrow{+} \leftarrow$$

$$P_B + R_D - P_C - R_A = 0 \text{ or}$$

$$R_A - R_D = P_B - P_C = 8.5 \text{ kN} \quad (\text{Eq. 1})$$

EQUATION OF COMPATIBILITY

$$\delta_{AD}$$
 = elongation of entire bar  
 $\delta_{AD} = \delta_{AB} + \delta_{BC} + \delta_{CD} = 0$  (Eq. 2)  
FORCE-DISPLACEMENT RELATIONS

$$\delta_{AB} = \frac{R_A L_1}{E A_1} = \frac{R_A}{E} \left( 238.05 \frac{1}{m} \right)$$
 (Eq. 3)

$$\delta_{BC} = \frac{(R_A - P_B)L_2}{EA_2}$$

$$R_A(1) = P_B(1)$$

$$= \frac{A_{A}}{E} \left( 198.413 \frac{1}{m} \right) - \frac{A_{B}}{E} \left( 198.413 \frac{1}{m} \right) \quad (\text{Eq. 4})$$

$$\delta_{CD} = \frac{R_D L_1}{E A_1} = \frac{R_D}{E} \left( 238.095 \frac{1}{m} \right)$$
 (Eq. 5)

$$P_B = 25.5 \text{ kN} \qquad P_C = 17.0 \text{ kN}$$

$$L_1 = 200 \text{ mm} \qquad L_2 = 250 \text{ mm}$$

$$A_1 = 840 \text{ mm}^2 \qquad A_2 = 1260 \text{ mm}^2$$

$$m = \text{meter}$$

SOLUTION OF EQUATIONS

Substitute Eqs. (3), (4), and (5) into Eq. (2):

$$\frac{R_A}{E} \left( 238.095 \frac{1}{\text{m}} \right) + \frac{R_A}{E} \left( 198.413 \frac{1}{\text{m}} \right)$$
$$-\frac{P_B}{E} \left( 198.413 \frac{1}{\text{m}} \right) + \frac{R_D}{E} \left( 238.095 \frac{1}{\text{m}} \right) = 0$$
Simplify and substitute  $P_{\text{m}} = 25.5 \text{ kN}$ 

Simplify and substitute  $P_B = 25.5$  kN:

$$R_A \left(436.508\frac{1}{m}\right) + R_D \left(238.095\frac{1}{m}\right)$$
  
= 5,059.53 kN/m (Eq. 6)

(a) REACTIONS 
$$R_A$$
 AND  $R_D$   
Solve simultaneously Eqs. (1) and (6).  
From (1):  $R_D = R_A - 8.5$  kN

Substitute into (6) and solve for  $R_A$ :

$$R_A\left(674.603\frac{1}{m}\right) = 7083.34 \text{ kN/m}$$

$$R_A = 10.5 \text{ kN} \quad \leftarrow$$
$$R_D = R_A - 8.5 \text{ kN} = 2.0 \text{ kN} \quad \leftarrow$$

(b) Compressive axial force 
$$F_{BC}$$
  
 $F_{BC} = P_B - R_A = P_C - R_D = 15.0 \text{ kN} \quad \leftarrow$ 

NUMERICAL DATA

$$n = 6$$
  $d_b = 12.5 \text{ mm}$   $\sigma_a = 96 \text{ MPa}$   $A_b = \frac{\pi}{4} d_b^2 = 122.718 \text{ mm}^2$ 

(a) Formulas for reactions F

Segment *ABC* flexibility: 
$$f_1 = \frac{2\left(\frac{L}{4}\right)}{EA} = \frac{L}{2EA}$$

Segment *CDE* flexibility: 
$$f_2 = \frac{2\left(\frac{L}{4}\right)}{\frac{1}{2}EA} = \frac{L}{EA}$$

Loads at points B and D:

$$P_B = -2P$$
  $P_D = 3P$ 

(1) Select  $R_E$  as the redundant; find axial displacement  $\delta_1$  = displ. at *E* due to loads  $P_B$  and  $P_D$ :

$$\delta_1 = \frac{(P_B + P_D)\frac{L}{4}}{EA} + \frac{P_D\frac{L}{4}}{EA} + \frac{P_D\frac{L}{4}}{\frac{1}{2}EA} = \frac{5LP}{2EA}$$

(2) Next apply redundant  $R_E$  and find axial displ.  $\delta_2$  = displ. at E due to redundant  $R_E$ :

$$\delta_2 = R_E(f_1 + f_2) = \frac{3LR_E}{2EA}$$


(3) Use compatibility equation to find redundant  $R_{E_2}$  then use statics to find  $R_A$ :

$$\delta_1 + \delta_2 = 0 \text{ solving for } R_E \qquad R_E = \frac{-5}{3}P$$
$$R_A = -R_E - P_B - P_D \qquad R_A = \frac{2P}{3} \qquad R_A = \frac{2P}{3}$$
$$R_E = \frac{-5P}{3}$$

(b) Determine the axial displacements  $\delta_B$ ,  $\delta_C$ , and  $\delta_D$  at points B, C, and D, respectively.

$$\delta_B \frac{\left(\frac{-2P}{3}\right)\left(\frac{L}{4}\right)}{EA} = -\frac{LP}{6EA} \qquad \delta_C = \delta_B + \frac{\left(2P - \frac{2P}{3}\right)\left(\frac{L}{4}\right)}{EA} = \frac{LP}{6EA} \qquad \delta_D = \frac{\left(\frac{5P}{3}\right)\left(\frac{L}{4}\right)}{\frac{EA}{2}} = \frac{5LP}{6EA}$$
leftward to the right

(c) Draw an axial-displacement diagram (ADD) in which the abscissa is the distance x from support A to any point on the bar and the ordinate is the horizontal displacement  $\delta$  at that point.



AFD for use below in Part (d)

AFD is composed of 4 constant segments, so ADD is linear with zero displacements at supports A and E.

Plot displacements  $\delta_B$ ,  $\delta_C$ , and  $\delta_D$  from part (b) above, then connect points using straight lines showing linear variation of axial displacement between points.

$$\delta_{\max} = \delta_D \qquad \delta_{\max} = \frac{5LP}{6EA}$$
 to the right

Boundary conditions at supports:

$$\delta_A = \delta_E = 0$$

(d) Maximum permissible value of load variable P based on allowable normal stress in flange bolts From AFD, force at L/2:

$$F_{\text{max}} = \frac{4}{3}P$$
 and  $F_{\text{max}} = n\sigma_a A_b = 70.686 \text{ kN}$   
 $P_{\text{max}} = \frac{3}{4}F_{\text{max}} = 53.01 \text{ kN}$   $P_{\text{max}} = 53 \text{ kN}$ 

(a) Stresses and reactions: Select  $R_1$  as redundant and do superposition analysis (here q = 0; deflection positive upward)

$$d_1 = 50 \text{ mm}$$
  $d_2 = 60 \text{ mm}$   $d_3 = 57 \text{ mm}$   $d_4 = 64 \text{ mm}$   $A_1 = \frac{\pi}{4} (d_2^2 - d_1^2) = 863.938 \text{ mm}^2$   
 $E = 110 \text{ MPa}$   
 $A_2 = \frac{\pi}{4} (d_4^2 - d_3^2) = 665.232 \text{ mm}^2$ 

Segment flexibilities  $L_1 = 2 \text{ m}$   $L_2 = 3 \text{ m}$ 

 $f_1 = \frac{L_1}{EA_1} = 0.02105 \text{ mm/N} \qquad f_2 = \frac{L_2}{EA_2} = 0.041 \text{ mm/N} \qquad \frac{f_1}{f_2} = 0.513$ TENSILE stress ( $\sigma_1$ ) is known in upper segment so  $R_1 = \sigma_1 \times A_1 \qquad \sigma_1 = 10.5 \text{ MPa} \qquad R_1 = \sigma_1 A_1 = 9.07 \text{ kN}$ 


$$\delta_{1a} = -Pf_2 \qquad \delta_{1b} = R_1(f_1 + f_2) \qquad \text{Compatibility:} \quad \delta_{1a} + \delta_{1b} = 0$$
  
Solve for P: 
$$P = R_1\left(\frac{f_1 + f_2}{f_2}\right) = 13.73 \text{ kN}$$

Finally, use statics to find  $R_2$ :  $R_2 = P - R_1 = 4.66 \text{ kN}$   $\sigma_2 = \frac{R_2}{A_2} = 7 \text{ MPa}$  < compressive since  $R_2$  is positive (upward) P = 13.73 kN  $R_1 = 9.07 \text{ kN}$   $R_2 = 4.66 \text{ kN}$   $\sigma_2 = 7 \text{ MPa}$ 

(b) DISPLACEMENT AT CAP PLATE


 $\delta_c = R_1 f_1 = 190.909 \text{ mm}$  < downward OR  $\delta_c = (R_2) f_2 = 190.909 \text{ mm}$  < downward (neg. x-direction)  $\delta_{cap} = \delta_c = 0.191 \text{ m}$   $\delta_{cap} = 190.9 \text{ mm}$ AFD and ADD:  $R_1 = 9.071$   $R_2 = 4.657$   $L_1 = 2$   $A_1 = 863.938$   $A_2 = 665.232$  E = 110 $L_2 = 3$ 

NOTE: x is measured up from lower support.



(c) Uniform load Q on segment 2 such that  $R_2 = 0$ 

$$P = 13.728 \text{ kN} \qquad R_1 = \sigma_1 A_1 = 9.071 \text{ kN} \qquad L_2 = 3 \text{ m}$$
  
Equilibrium:  $R_1 + R_2 = P - qL_2 < \text{set } R_2 = 0$ , solve for req'd  $q \qquad q = \frac{P - R_1}{L_2} = 1.552 \text{ kN/m}$ 
$$\boxed{q = 1.552 \text{ kN/m}}$$



SOLUTION OF EQUATIONS

Substitute Eq. (3) into Eq. (2):

$$\frac{R_A L}{E_s A_s} - \frac{R_B (2L)}{E_a A_a} = 0$$
(Eq. 4)

Solve simultaneously Eqs. (1) and (4):

$$R_A = \frac{4E_s A_s P}{E_a A_a + 2E_s A_s} \quad R_B = \frac{2E_a A_a P}{E_a A_a + 2E_s A_s} \quad \text{(Eqs. 5)}$$

(a) AXIAL STRESSES

Steel: 
$$\sigma_s = \frac{R_A}{A_s} = \frac{4E_sP}{E_aA_a + 2E_sA_s} \quad \leftarrow \quad (Eq. 6)$$
(tension)

Aluminum: 
$$\sigma_a = \frac{R_B}{A_a} = \frac{2E_a P}{E_a A_a + 2E_s A_s} \quad \leftarrow$$
  
(compression) (Eq. 7)

(b) NUMERICAL RESULTS

 $P = 50 \text{ kN} \qquad A_a = 6000 \text{ mm}^2 \qquad A_s = 600 \text{ mm}^2$  $E_a = 70 \text{ GPa} \qquad E_s = 200 \text{ GPa}$  $E_a A_a + 2E_s A_s = 660 \times 10^3 \text{ kN}$ From Eq. (6):  $\sigma_s = 60.6 \text{ MPa (tension)} \leftarrow$ From Eq. (7):  $\sigma_a = 10.6 \text{ MPa (compression)} \leftarrow$ 

Pipe 1 is steel. Pipe 2 is aluminum.

EQUATION OF EQUILIBRIUM

 $\Sigma F_{\text{vert}} = 0, \quad R_A + R_B = 2P$  (Eq. 1) Equation of compatibility

 $\delta_{AB} = \delta_{AC} + \delta_{CB} = 0 \tag{Eq. 2}$ 

(A positive value of  $\delta$  means elongation.)

FORCE-DISPLACEMENT RELATIONS

$$\delta_{AC} = \frac{R_A L}{E_s A_s} \quad \delta_{BC} = -\frac{R_B (2L)}{E_a A_a}$$
(Eqs. 3)

Numerical data:

- $W = 800 \text{ N} \qquad L = 150 \text{ mm}$   $a = 50 \text{ mm} \qquad d_S = 2 \text{ mm}$   $d_A = 4 \text{ mm} \qquad E_S = 210 \text{ GPa}$   $\sigma_{Sa} = 220 \text{ MPa} \qquad \sigma_{Aa} = 80 \text{ MPa}$   $A_A = \frac{\pi}{4} d_A^2 \qquad A_S = \frac{\pi}{4} d_S^2$   $A_A = 13 \text{ mm}^2 \qquad A_S = 3 \text{ mm}^2$
- (a)  $P_{\text{allow}}$  at center of bar
  - One-degree statically indeterminate use reaction  $(R_A)$  at top of aluminum bar as the redundant
  - compatibility:  $\delta_1 \delta_2 = 0$  Statics:  $2R_S + R_A = P + W$

$$\delta_1 = \frac{P + W}{2} \left( \frac{L}{E_S A_S} \right) \qquad < \text{downward displacement due to elongation of each steel wire under } P + W \text{ if aluminum wire is cut at top}$$

 $\delta_2 = R_A \left( \frac{L}{2E_S A_S} + \frac{L}{E_A A_A} \right)$  <br/> < upward displ. due to shortening of steel wires and elongation of aluminum wire under redundant  $R_A$ 

Enforce compatibility and then solve for  $R_A$ :

$$\delta_1 = \delta_2 \quad \text{so} \quad R_A = \frac{\frac{P+W}{2} \left(\frac{L}{E_S A_S}\right)}{\frac{L}{2E_S A_S} + \frac{L}{E_A A_A}} \quad R_A = (P+W) \frac{E_A A_A}{E_A A_A + 2E_S A_S} \quad \text{and} \quad \sigma_{Aa} = \frac{R_A}{A_A}$$

Now use statics to find  $R_S$ :

$$R_{S} = \frac{P + W - R_{A}}{2} \qquad R_{S} = \frac{P + W - (P + W) \frac{E_{A}A_{A}}{E_{A}A_{A} + 2E_{S}A_{S}}}{2} \qquad R_{S} = (P + W) \frac{E_{S}A_{S}}{E_{A}A_{A} + 2E_{S}A_{S}}$$
  
and  $\sigma_{Sa} = \frac{R_{S}}{A_{S}}$ 

Compute stresses and apply allowable stress values:

$$\sigma_{Aa} = (P + W) \frac{E_A}{E_A A_A + 2E_S A_S} \qquad \sigma_{Sa} = (P + W) \frac{E_S}{E_A A_A + 2E_S A_S}$$

Solve for allowable load P:

$$P_{Aa} = \sigma_{Aa} \left( \frac{E_A A_A + 2E_S A_S}{E_A} \right) - W \qquad P_{Sa} = \sigma_{Sa} \left( \frac{E_A A_A + 2E_S A_S}{E_S} \right) - W \quad \text{(lower value of } P \text{ controls)}$$
$$P_{Aa} = 1713 \text{ N} \qquad P_{Sa} = 1504 \text{ N} \quad \leftarrow P_{\text{allow}} \text{ is controlled by steel wires}$$

236

# (b) $P_{\text{allow}}$ IF LOAD P AT x = a/2

Again, cut aluminum wire at top, then compute elongations of left and right steel wires:

$$\delta_{1L} = \left(\frac{3P}{4} + \frac{W}{2}\right) \left(\frac{L}{E_S A_S}\right) \quad \delta_{1R} = \left(\frac{P}{4} + \frac{W}{2}\right) \left(\frac{L}{E_S A_S}\right)$$
$$\delta_1 = \frac{\delta_{1L} + \delta_{1R}}{2} \qquad \delta_1 = \frac{P + W}{2} \left(\frac{L}{E_S A_S}\right) \text{ where } \delta_1 = \text{displacement at } x = a$$

Use  $\delta_2$  from part (a):

$$\delta_2 = R_A \left( \frac{L}{2E_S A_S} + \frac{L}{E_A A_A} \right)$$

So equating  $\delta_1$  and  $\delta_2$ , solve for  $R_A$ :  $R_A = (P + W) \frac{E_A A_A}{E_A A_A + 2E_S A_S}$ 

^ same as in part (a)

 $R_{SL} = \frac{3P}{4} + \frac{W}{2} - \frac{R_A}{2} \qquad < \text{stress in left steel wire exceeds that in right steel wire}$ 

$$R_{SL} = \frac{3P}{4} + \frac{W}{2} - \frac{(P+W)\frac{E_A A_A}{E_A A_A + 2E_S A_S}}{2}$$

$$R_{SL} = \frac{PE_AA_A + 6PE_SA_S + 4WE_SA_S}{4E_AA_A + 8E_SA_S} \qquad \sigma_{Sa} = \frac{PE_AA_A + 6PE_SA_S + 4WE_SA_S}{4E_AA_A + 8E_SA_S} \left(\frac{1}{A_S}\right)$$

Solve for Pallow based on allowable stresses in steel and aluminum:

$$P_{Sa} = \frac{\sigma_{Sa}(4A_SE_AA_A + 8E_SA_S^2) - (4WE_SA_S)}{E_AA_A + 6E_SA_S} \qquad P_{Aa} = 1713 \text{ N} \qquad < \text{same as in part(a)}$$
$$P_{Sa} = 820 \text{ N} \qquad \leftarrow \text{ steel controls}$$

(c)  $P_{\text{allow}}$  if wires are switched as shown and x = a/2

Select  $R_A$  as the redundant; statics on the two released structures:

(1) Cut aluminum wire—apply *P* and *W*, compute forces in left and right steel wires, then compute displacements at each steel wire:

$$R_{SL} = \frac{P}{2} \qquad R_{SR} = \frac{P}{2} + W$$
$$\delta_{1L} = \frac{P}{2} \left(\frac{L}{E_S A_S}\right) \qquad \delta_{1R} = \left(\frac{P}{2} + W\right) \left(\frac{L}{E_S A_S}\right)$$

237

By geometry,  $\delta$  at aluminum wire location at far right is

$$\delta_1 = \left(\frac{P}{2} + 2W\right) \left(\frac{L}{E_S A_S}\right)$$

(2) Next apply redundant  $R_A$  at right wire, compute wire force and displacement at aluminum wire:

$$R_{SL} = -R_A$$
  $R_{SR} = 2R_A$   $\delta_2 = R_A \left( \frac{5L}{E_S A_S} + \frac{L}{E_A A_A} \right)$ 

(3) Compatibility equate  $\delta_1$ ,  $\delta_2$  and solve for  $R_A$ , then  $P_{\text{allow}}$  for aluminum wire:

$$R_{A} = \frac{\left(\frac{P}{2} + 2W\right)\left(\frac{L}{E_{S}A_{S}}\right)}{\frac{5L}{E_{S}A_{S}} + \frac{L}{E_{A}A_{A}}} \qquad R_{A} = \frac{E_{A}A_{A}P + 4E_{A}A_{A}W}{10E_{A}A_{A} + 2E_{S}A_{S}} \qquad \sigma_{Aa} = \frac{R_{A}}{A_{A}}$$
$$\sigma_{Aa} = \frac{E_{A}P + 4E_{A}W}{10E_{A}A_{A} + 2E_{S}A_{S}}$$
$$P_{Aa} = \frac{\sigma_{Aa}(10E_{A}A_{A} + 2E_{S}A_{S}) - 4E_{A}W}{E_{A}} \qquad P_{Aa} = 1713 \text{ N}$$

(4) Statics or superposition—find forces in steel wires, then  $P_{\text{allow}}$  for steel wires:


$$R_{SL} = \frac{P}{2} + R_A \qquad R_{SL} = \frac{P}{2} + \frac{E_A A_A P + 4E_A A_A W}{10E_A A_A + 2E_S A_S}$$
$$R_{SL} = \frac{6E_A A_A P + PE_S A_S + 4E_A A_A W}{10E_A A_A + 2E_S A_S} \qquad < \text{larger than } R_{SR}, \text{ so use in allowable stress calculations}$$

$$R_{SR} = \frac{P}{2} + W - 2R_A \qquad R_{SR} = \frac{P}{2} + W - \frac{E_A A_A P + 4E_A A_A W}{5E_A A_A + E_S A_S}$$

$$R_{SR} = \frac{3E_A A_A P + PE_S A_S + 2E_A A_A W + 2WE_S A_S}{10E_A A_A + 2E_S A_S}$$

$$\sigma_{Sa} = \frac{R_{SL}}{A_S} \qquad P_{Sa} = \sigma_{Sa} A_S \left(\frac{10E_A A_A + 2E_S A_S}{6E_A A_A + E_S A_S}\right) - \frac{4E_A A_A W}{6E_A A_A + E_S A_S}$$

$$P_{Sa} = \frac{10\sigma_{Sa} A_S E_A A_A + 2\sigma_{Sa} A_S^2 E_S - 4E_A A_A W}{6E_A A_A + E_S A_S} \qquad P_{Sa} = 703 \text{ N} \quad \leftarrow 1000 \text{ N}$$



2)

FREE-BODY DIAGRAM

(Plate at right-hand end)

$$\begin{array}{c|c} \frac{b}{1} & P_2 \\ \hline \\ \hline \\ \frac{b}{1} & P_1 \\ \hline \\ \frac{b}{2} \end{array} \xrightarrow{P} + e$$

EQUATIONS OF EQUILIBRIUM

$$\Sigma F = 0 \quad P_1 + P_2 = P$$
 (Eq. 1)

$$\Sigma M = 0 \iff Pe + P_1\left(\frac{b}{2}\right) - P_2\left(\frac{b}{2}\right) = 0 \quad \text{(Eq.)}$$

EQUATION OF COMPATIBILITY

 $\delta_2 = \delta_1$ 

$$\frac{P_2 L}{E_2 A} = \frac{P_1 L}{E_1 A}$$
 or  $\frac{P_2}{E_2} = \frac{P_1}{E_1}$  (Eq. 3)

(a) AXIAL FORCES

Solve simultaneously Eqs. (1) and (3):

$$P_1 = \frac{PE_1}{E_1 + E_2} \quad P_2 = \frac{PE_2}{E_1 + E_2} \quad \leftarrow$$

(b) ECCENTRICITY OF LOAD PSubstitute  $P_1$  and  $P_2$  into Eq. (2) and solve for e:

$$e = \frac{b(E_2 - E_1)}{2(E_2 + E_1)} \quad \leftarrow \quad$$

(c) RATIO OF STRESSES

$$\sigma_1 = \frac{P_1}{A} \quad \sigma_2 = \frac{P_2}{A} \quad \frac{\sigma_1}{\sigma_2} = \frac{P_1}{P_2} = \frac{E_1}{E_2} \quad \leftarrow$$

NUMERICAL DATA

L = 2.5 m b = 0.71 L = 1.775 m E = 210 GPa  $A = 3500 \text{ mm}^2$  P = 185 kN  $\theta_A = 60^\circ$  $\sigma_a = 150 \text{ MPa}$ 

FIND MISSING DIMENSIONS AND ANGLES IN PLANE TRUSS FIGURE

$$x_c = b\cos(\theta_A) = 0.8875 \text{ m} \qquad y_c = b\sin(\theta_A) = 1.5372 \text{ m}$$

$$\frac{b}{\sin(\theta_B)} = \frac{L}{\sin(\theta_A)} \qquad \text{so} \qquad \theta_B = a\sin\left(\frac{b\sin(\theta_A)}{L}\right) = 37.94306^\circ$$

$$\theta_C = 180^\circ - (\theta_A + \theta_B) = 82.05694^\circ$$

$$c = \frac{L}{\sin(\theta_A)}\sin(\theta_C) = 2.85906 \text{ m} \qquad \text{or} \qquad c = \sqrt{b^2 + L^2 - 2bL\cos(\theta_C)} = 2.85906 \text{ m}$$

- (a) Select  $B_x$  as the redundant; perform superposition analysis to find  $B_x$  then use statics to find remaining reactions. Finally use method of joints to find member forces (see Example 1-1)
  - $\delta_{Bx1}$  = displacement in x-direction in released structure acted upon by loads P and 2P at joint C:

 $\delta_{Bx1} = 1.2789911 \text{ mm}$  < this displacement equals force in AB divided by flexibility of AB

 $\delta_{Bx2}$  = displacement in x-direction in released structure acted upon by redundant  $B_x$ :  $\delta_{BX2} = B_x \frac{c}{EA}$ 

COMPATIBILITY EQUATION:  $\delta_{BX1} + \delta_{BX2} = 0$  so  $B_X = \frac{-EA}{c} \delta_{BX1} = -328.8 \text{ kN}$ 

STATICS: 
$$\Sigma F_X = 0$$
  $A_X = -B_X - 2P = -41.2 \text{ kN}$   
 $\Sigma M_A = 0$   $B_y = \frac{1}{c} [2P(b\sin(\theta_A)) + P(b\cos(\theta_A))] = 256.361 \text{ kN}$   
 $\Sigma F_y = 0$   $A_y = P - B_y = -71.361 \text{ kN}$ 

REACTIONS:

$$A_x = -41.2 \text{ kN}$$
  $A_y = -71.4 \text{ kN}$   $B_x = -329 \text{ kN}$   $B_y = 256 \text{ kN}$ 

- (b) FIND MAXIMUM PERMISSIBLE VALUE OF LOAD VARIABLE P if allowable normal stress is 150 MPa
  - (1) Use reactions and Method of Joints to find member forces in each member for above loading.

Results: 
$$F_{AB} = 0$$
  $F_{BC} = -416.929 \text{ kN}$   $F_{AC} = 82.40 \text{ kN}$ 


(2) Compute member stresses:

$$\sigma_{AB} = 0$$
  $\sigma_{BC} = \frac{-416.93 \text{ kN}}{A} = -119.123 \text{ MPa}$   $\sigma_{AC} = \frac{82.4 \text{ kN}}{A} = 23.543 \text{ MPa}$ 

(3) Maximum stress occurs in member BC. For linear analysis, the stress is proportional to the load so

$$P_{\text{max}} = \left| \frac{\sigma_a}{\sigma_{BC}} \right| P = 233 \text{ kN}$$

So when downward load P = 233 kN is applied at C and horizontal load 2P = 466 kN is applied to the right at C, the stress in BC is 150 MPa



FREE-BODY DIAGRAM OF RIGID BAR EQUATION OF EQUILIBRIUM

$$\Sigma F_{\text{vert}} = 0$$

$$2F_1 + F_2 - W = 0 \quad (\text{Eq. 1})$$
FULLY STRESSED RODS
$$F_1 = \sigma_1 A_1 \qquad F_2 = \sigma_2 A_2$$

$$A_1 = \frac{\pi d_1^2}{4} \qquad A_2 = \frac{\pi d_2^2}{4}$$
Substitute into Eq. (1):

$$2\sigma_1\left(\frac{\pi d_1^2}{4}\right) + \sigma_2\left(\frac{\pi d_2^2}{4}\right) = W$$

Diameter  $d_1$  is known; solve for  $d_2$ :

$$d_2 = \sqrt{\frac{4W}{\pi\sigma_2} - \frac{2\sigma_1 d_1^2}{\sigma_2}} \quad \longleftarrow \quad (\text{Eq. 2})$$

SUBSTITUTE NUMERICAL VALUES:

$$d_2 = 9.28 \text{ mm} \quad \leftarrow$$

EQUATION OF COMPATIBILITY

$$\delta_1 = \delta_2$$
 (Eq. 3)

FORCE-DISPLACEMENT RELATIONS

$$\delta_1 = \frac{F_1 L_1}{E_1 A_1} = \sigma_1 \left(\frac{L_1}{E_1}\right) \tag{Eq. 4}$$

$$\delta_2 = \frac{F_2 L_2}{E_2 A_2} = \sigma_2 \left(\frac{L_2}{E_2}\right) \tag{Eq. 5}$$


Substitute Eqs. (4) and (5) into Eq. (3):

$$\sigma_1 \left( \frac{L_1}{E_1} \right) = \sigma_2 \left( \frac{L_2}{E_2} \right)$$

Length  $L_1$  is known; solve for  $L_2$ :

$$L_2 = L_1 \left( \frac{\sigma_1 E_2}{\sigma_2 E_1} \right) \quad \longleftarrow \tag{Eq. 6}$$

SUBSTITUTE NUMERICAL VALUES:  $L_2 = 1.10 \text{ m}$ 



NUMERICAL DATA

a = 250 mm

b = 500 mm


c = 200 mm

 $k_1 = 10 \text{ kN/m}$ 

 $k_2 = 25 \text{ kN/m}$ 

$$\theta_{\max} = 3^\circ = \frac{\pi}{60}$$
 rad

FREE-BODY DIAGRAM AND DISPLACEMENT DIAGRAM



EQUATION OF EQUILIBRIUM

$$\Sigma M_B = 0 + -F_A(a) - P(c) + F_D(b) = 0$$
 (Eq. 1)

EQUATION OF COMPATIBILITY

$$\frac{\delta_A}{a} = \frac{\delta_D}{b} \tag{Eq. 2}$$

FORCE-DISPLACEMENT RELATIONS

$$\delta_A = \frac{F_A}{k_1} \quad \delta_D = \frac{F_D}{k_2} \tag{Eqs. 3, 4}$$

SOLUTION OF EQUATIONS

Substitute (3) and (4) into Eq. (2):

$$\frac{F_A}{ak_1} = \frac{F_D}{bk_2}$$
(Eq. 5)

SOLVE SIMULTANEOUSLY EQS. (1) AND (5):

$$F_A = \frac{ack_1P}{a^2k_1 + b^2k_2} \qquad F_D = \frac{bck_2P}{a^2k_1 + b^2k_2}$$

ANGLE OF ROTATION

$$\delta_D = \frac{F_D}{k_2} = \frac{bcP}{a^2k_1 + b^2k_2} \qquad \theta = \frac{\delta_D}{b} = \frac{cP}{a^2k_1 + b^2k_2}$$


MAXIMUM LOAD

$$P = \frac{\theta}{c} (a^2 k_1 + b^2 k_2)$$

$$P_{\text{max}} = \frac{\theta_{\text{max}}}{c} (a^2 k_1 + b^2 k_2) \quad \blacktriangleleft$$

SUBSTITUTE NUMERICAL VALUES:


$$P_{\text{max}} = \frac{\pi/60 \text{ rad}}{200 \text{ mm}} [(250 \text{ mm})^2 (10 \text{ kN/m}) + (500 \text{ mm})^2 (25 \text{ kN/m})] = 1800 \text{ N} \quad \leftarrow$$




$$h = 0.4 \text{ m}$$
  
 $2h = 0.8 \text{ m}$ 

- c = 0.5 m
- d = 1.2 m
- L = 1600 mm
- E = 200 GPa
- $A = 16 \text{ mm}^2$
- $P = 970 \, \text{N}$

FREE-BODY DIAGRAM



DISPLACEMENT DIAGRAM



EQUATION OF EQUILIBRIUM

$$\Sigma M_A = 0 \stackrel{\text{(ff)}}{\longrightarrow} T_C(c) + T_D(d) = PL$$
(Eq. 1)  
EQUATION OF COMPATIBILITY

$$\frac{\delta_C}{c} = \frac{\delta_D}{d} \tag{Eq. 2}$$

FORCE-DISPLACEMENT RELATIONS

$$\delta_C = \frac{T_C h}{EA} \quad \delta_D = \frac{T_D(2h)}{EA}$$
(Eqs. 3, 4)

Solution of equations Substitute Eqs. (3) and (4) into Eq. (2):

$$\frac{T_C h}{cEA} = \frac{T_D(2h)}{dEA} \quad \text{or} \quad \frac{T_C}{c} = \frac{2T_D}{d}$$
(Eq. 5)

TENSILE FORCES IN THE WIRES

Solve simultaneously Eqs. (1) and (5):

$$T_C = \frac{2cPL}{2c^2 + d^2}$$
  $T_D = \frac{dPL}{2c^2 + d^2}$ 

TENSILE STRESSES IN THE WIRES

$$\sigma_C = \frac{T_C}{A} = \frac{2cPL}{A(2c^2 + d^2)}$$

$$\sigma_D = \frac{T_D}{A} = \frac{dPL}{A(2c^2 + d^2)}$$

SUBSTITUTE NUMERICAL VALUES

$$\begin{aligned} A(2c^2 + d^2) &= (60 \text{ mm})^2 [2(500 \text{ mm})^2 + (1200 \text{ mm})^2] \\ &= 31.04 \times 10^6 \text{ mm}^4 \end{aligned}$$

$$\sigma_C = \frac{2(500 \text{ mm})(970 \text{ N})(1600 \text{ mm})}{31.04 \times 10^6 \text{ mm}^4} = 50.0 \text{ MPa} \quad \leftarrow \\ \sigma_D = \frac{(1200 \text{ mm})(970 \text{ N})(1600 \text{ mm})}{31.04 \times 10^6 \text{ mm}^4} = 60.0 \text{ MPa} \quad \leftarrow$$

DISPLACEMENT AT END OF BAR

$$\delta_B = \delta_D \left( \frac{L}{d} \right) = \frac{2hT_D}{EA} \left( \frac{L}{d} \right) = \frac{2hPL^2}{EA(2c^2 + d^2)}$$

SUBSTITUTE NUMERICAL VALUES

$$\delta_B = \frac{2(400 \text{ mm})(970 \text{ N})(1600 \text{ mm})^2}{(200 \text{ GPa})(31.04 \times 10^6 \text{ mm}^4)}$$
  
= 0.320 mm \leftarrow

Remove pin at B; draw separate FBD's of beam and column. Find selected forces using statics

 $D_y$ From FBD of column DBF D.,  $\Sigma M_{B} = D_{x} \cdot \frac{L}{2} = 0 \qquad D_{x} = 0$  $\Sigma \mathbf{F}_{\mathbf{X}} = \mathbf{D}_{\mathbf{X}} - \mathbf{B}_{\mathbf{X}} = \mathbf{0}$   $\mathbf{B}_{\mathbf{X}} = \mathbf{D}_{\mathbf{X}}$ B. From FBD of beam ABC 2P  $\Sigma \mathbf{F}_{\mathbf{x}} = \mathbf{A}_{\mathbf{x}} + \mathbf{B}_{\mathbf{x}} = 0 \qquad \mathbf{A}_{\mathbf{x}} = 0$  $\mathbf{D}_{\mathbf{y}}$  $\Sigma M_{\mathbf{B}} = \mathbf{M}_{\mathbf{A}} - 2\mathbf{P} \cdot \frac{\mathbf{L}}{3} = 0$   $M_{\mathbf{A}} = 2\mathbf{P} \cdot \frac{\mathbf{L}}{3}$ D, Rf  $\Sigma \mathbf{F}_{\mathrm{V}} = \mathbf{B}_{\mathrm{V}} - 2\mathbf{P} = \mathbf{0}$   $\mathbf{B}_{\mathrm{V}} = 2\mathbf{P}$ Remove reaction R<sub>F</sub> to create the release structure; find vertical displacement at F due to actual load 2P at C B<sub>x</sub>  $\delta_{F1} = \frac{B_y \cdot \frac{L}{2}}{EA} \qquad \delta_{F1} = \frac{P \cdot L}{EA}$ 

Apply redundant R<sub>F</sub> to released structure; find vertical displacement at F

$$B_{y} = 0 \qquad \delta'_{F2} = \frac{-R_{F} \cdot \frac{L}{2}}{2EA} - \frac{R_{F} \cdot \frac{L}{2}}{EA} \qquad \delta'_{F2} = -R_{F} \cdot \left(\frac{L}{4 \cdot EA} + \frac{L}{2EA}\right) \qquad \delta'_{F2} = -R_{F} \cdot \frac{3L}{4 \cdot EA}$$


Compatibility equation - solve for R<sub>F</sub>

$$\delta_{F1} + \delta'_{F2} = 0$$
 $R_F = \frac{\frac{14L}{EA}}{\left(\frac{3L}{4\cdot EA}\right)}$ 
 $R_F = \frac{4}{3}P$ 

Finally solve for reaction D<sub>v</sub> using FBD of DBF

$$\Sigma F_y = 0$$
  $D_y = B_y - R_F$   $D_y = 2P - \frac{4}{3}P$   $D_y = \frac{2}{3}P$ 

DI



B<sub>x</sub>

244

FREE-BODY DIAGRAM OF RIGID END PLATE

EQUATION OF EQUILIBRIUM

 $\Sigma F_{\rm vert} = 0 \qquad P_s + P_b + P_c = P$ (Eq. 1)

EQUATIONS OF COMPATIBILITY

$$\delta_s = \delta_b \qquad \delta_c = \delta_s \qquad (Eqs. 2)$$

FORCE-DISPLACEMENT RELATIONS PI P, I

$$\delta_s = \frac{P_s L}{E_s A_s} \quad \delta_b = \frac{P_b L}{E_b A_b} \quad \delta_c = \frac{P_c L}{E_c A_c}$$

SOLUTION OF EQUATIONS

 $\pi$ -

Substitute into Eqs. (2):

 $\pi$ 

$$P_{b} = P_{s} \frac{E_{b} A_{b}}{E_{s} A_{s}}$$
(Eqs. 3, 4)  
$$P_{c} = P_{s} \frac{E_{c} A_{c}}{E_{s} A_{s}}$$

Solve simultaneously Eqs. (1), (3), and (4):

$$P_{s} = P \frac{E_{s}A_{s}}{E_{s}A_{s} + E_{b}A_{b} + E_{c}A_{c}}$$

$$P_{b} = P \frac{E_{b}A_{b}}{E_{s}A_{s} + E_{b}A_{b} + E_{c}A_{c}}$$

$$P_{c} = P \frac{E_{c}A_{c}}{E_{s}A_{s} + E_{b}A_{b} + E_{c}A_{c}}$$
(Eq. 5)

COMPRESSIVE STRESSES

Let 
$$\Sigma EA = E_s A_s + E_b A_b + E_c A_c$$
  
 $\sigma_s = \frac{P_s}{A_s} = \frac{PE_s}{\Sigma EA}$ 
 $\sigma_b = \frac{P_b}{A_b} = \frac{PE_b}{\Sigma EA}$ 
 $\sigma_c = \frac{P_c}{A_c} = \frac{PE_c}{\Sigma EA}$ 

Substitute numerical values:

 $E_s = 210$  GPa,  $E_b = 100$  GPa,  $E_c = 120$  GPa  $d_c = 20 \text{ mm}, \quad d_b = 15 \text{ mm}, \quad d_s = 10 \text{ mm}$ 

$$A_{s} = \frac{\pi}{4}d_{s}^{2} = \frac{\pi}{4}(10 \text{ mm})^{2} = 78.54 \text{ mm}^{2}$$

$$A_{b} = \frac{\pi}{4}(d_{b}^{2} - d_{s}^{2}) = \frac{\pi}{4}\left[(15 \text{ mm})^{2} - (10 \text{ mm})^{2}\right]$$

$$= 98.17 \text{ mm}^{2}$$

$$A_{c} = \frac{\pi}{4}(d_{c}^{2} - d_{b}^{2}) = \frac{\pi}{4}\left[(20 \text{ mm})^{2} - (15 \text{ mm})^{2}\right]$$

$$= 137.44 \text{ mm}^{2}$$

$$P = 12 \text{ kN}, \quad \Sigma EA = 42.80 \times 10^{6} \text{ N}$$

$$\sigma_{s} = \frac{PE_{s}}{\Sigma EA} = 58.9 \text{ MPa}$$

$$\sigma_{b} = \frac{PE_{b}}{\Sigma EA} = 28.0 \text{ MPa} \quad \leftarrow$$

$$\sigma_c = \frac{PE_c}{\Sigma EA} = 33.6 \text{ MPa}$$

© 2018 Cengage Learning®. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

Remove R<sub>F</sub> to create released structure; use superposition to find redundant R<sub>F</sub> = y-dir reaction at F

Released structure under actual load; use FBD of ABC to find pin force By

 $\Sigma M_A = 0$   $B_y = \frac{1}{\underline{L}} (3 \cdot P \cdot L)$   $B_y \rightarrow 9 \cdot P$  acts upward on ABC so acts downward on DBF Find vert. displ. of F in released structure under actual loads  $\delta_{F1} = \frac{-B_y \cdot L}{2 \cdot EA}$   $\delta_{F1} \rightarrow \frac{9 \cdot L \cdot P}{2 \cdot EA}$  downward

 $\delta_{F2} = R_F \left( \frac{\frac{L}{3}}{EA} + \frac{L}{2 \cdot EA} \right) \quad \delta_{F2} \to \frac{5 \cdot L \cdot R_F}{6 \cdot EA}$ Apply redundant  $\mathrm{R}_{\mathrm{F}}$  and find vertical displ. at F in released structure

Compatibility equ.  $\delta_{F1} + \delta_{F2} = 0$   $R_F = \frac{-\delta_{F1}}{\frac{5}{6} \frac{L}{EA}}$   $R_F \rightarrow \frac{27 \cdot P}{5}$ 

<u>Now use statics to find all remaining reactions</u> FBD of DBF  $\Sigma M_B = 0$  so  $D_x = 0$ 

The rails are prevented from expanding because of their great length and lack of expansion joints.

Therefore, the rail is in the same condition as a bar with fixed ends (see Example 2-9).

The compressive stress in the rails may be calculated as follows:

$$\Delta T = 52^{\circ}C - 10^{\circ}C = 42^{\circ}C$$
  

$$\sigma = E\alpha(\Delta T)$$
  
= (200 GPa)(12 × 10<sup>-6</sup>/°C)(42°C)

= 100.8 MPa ← (compression)

INITIAL CONDITIONS


$L_a = 60 \text{ m}$	$T_0 = 10^{\circ}\mathrm{C}$
$L_s = 60.005 \text{ m}$	$T_0 = 10^{\circ}\mathrm{C}$
$\alpha_a = 23 \times 10^{-6} / ^{\circ}\mathrm{C}$	$\alpha_s = 12 \times 10^{-6} / ^{\circ}\mathrm{C}$

FINAL CONDITIONS

Aluminum pipe is longer than the steel pipe by the amount  $\Delta L = 15$  mm.

 $\Delta T$  = increase in temperature

$$\delta_a = \alpha_a(\Delta T)L_a$$
  $\delta_s = \alpha_s(\Delta T)L_s$ 



From the figure above:

$$\delta_a + L_a = \Delta L + \delta_s + L_s$$


or,  $\alpha_a(\Delta T)L_a + L_a = \Delta L + \alpha_s(\Delta T)L_s + L_s$ 

Solve for  $\Delta T$ :


$$\Delta T = \frac{\Delta L + (L_s - L_a)}{\alpha_a L_a - \alpha_s L_s} \quad \leftarrow \quad$$

Substitute numerical values:

$$\alpha_a L_a - \alpha_s L_s = 659.9 \times 10^{-6} \text{ m/°C}$$
$$\Delta T = \frac{15 \text{ mm} + 5 \text{ mm}}{659.9 \times 10^{-6} \text{ m/°C} = 30.31^{\circ}\text{C}}$$
$$T = T_0 + \Delta T = 10^{\circ}\text{C} + 30.31^{\circ}\text{C}$$



 $S = \text{steel} \qquad A = \text{aluminum}$ W = 3560 Nd = 3.2 mm $A_s = \frac{\pi d^2}{4} = 8.042 \text{ mm}^2$  $E_s = 205 \text{ GPa}$  $E_s A_s = 1,648,706 \text{ N}$  $\alpha_s = 12 \times 10^{-6/\circ}\text{C}$  $\alpha_a = 24 \times 10^{-6/\circ}\text{C}$ L = Initial length of wires



 $\delta_1$  = increase in length of a steel wire due to temperature increase  $\Delta T$ 

$$= \alpha_s (\Delta T)L$$

 $\delta_2 = \text{increase in length of a steel wire due to load} W/2$ 

$$=\frac{WL}{2E_sA_s}$$

 $\delta_3$  = increase in length of aluminum wire due to temperature increase  $\Delta T$ 

$$= \alpha_a(\Delta T)L$$

For no load in the aluminum wire:

$$\delta_1 + \delta_2 = \delta_3$$
  
$$\alpha_s(\Delta T)L + \frac{WL}{2E_sA_s} = \alpha_a(\Delta T)L$$

or

$$\Delta T = \frac{W}{2E_s A_s (\alpha_a - \alpha_s)} \quad \blacktriangleleft$$

Substitute numerical values:

$$\Delta T = \frac{3560 \text{ N}}{(2)(1,648,706 \text{ N})(12 \times 10^{-6})^{\circ}\text{C})}$$
  
= 90°C \leftarrow

**NOTE:** If the temperature increase is larger than  $\Delta T$ , the aluminum wire would be in compression, which is not possible. Therefore, the steel wires continue to carry all of the load. If the temperature increase is less than  $\Delta T$ , the aluminum wire will be in tension and carry part of the load.

NUMERICAL PROPERTIES

$$d_r = 15 \text{ mm}$$
  $d_b = 12 \text{ mm}$   $d_w = 20 \text{ mm}$   $t_c = 10 \text{ mm}$   $t_{wall} = 18 \text{ mm}$   
 $\tau_b = 45 \text{ MPa}$   $\alpha = 12 (10^{-6})$   $E = 200 \text{ GPa}$ 

(a) Temperature drop resulting in bolt shear stress  $\varepsilon = \alpha \Delta T$   $\sigma = E \alpha \Delta T$ 

Rod force  $= P = (E\alpha \Delta T)\frac{\pi}{4}d_r^2$  and bolt in double shear with shear stress  $\tau = \frac{P}{\frac{2}{A_s}}$   $\tau = \frac{P}{2\frac{\pi}{4}{d_b}^2}$ 

$$\tau_b = \frac{2}{\pi d_b^2} \left[ (E\alpha \,\Delta T) \frac{\pi}{4} d_r^2 \right] \qquad \tau_b = \frac{E\alpha \,\Delta T}{2} \left( \frac{d_r}{d_b} \right)^2$$
  
$$\tau_b = 45 \,\mathrm{MPa}$$
  
$$\Delta T = \frac{2 \tau_b}{E(1000) \alpha} \left( \frac{d_b}{d_r} \right)^2 \qquad \Delta T = 24^{\circ}\mathrm{C} \qquad P = (E\alpha \,\Delta T) \frac{\pi}{4} d_r^2 \qquad P = 10 \,\mathrm{kN}$$
  
$$\sigma_{\mathrm{rod}} = \frac{P \,1000}{\frac{\pi}{4} d_r^2} \qquad \overline{\sigma_{\mathrm{rod}} = 57.6 \,\mathrm{MPa}}$$

(b) BEARING STRESSES

BOLT AND CLEVIS 
$$\sigma_{bc} = \frac{P}{2}$$
  
WASHER AT WALL  $\sigma_{bw} = \frac{P}{\frac{\pi}{4}(d_w^2 - d_r^2)}$   $\sigma_{bw} = 74.1 \text{ MPa}$ 


(c) If the connection to the wall at *B* is changed to an end plate with two bolts (see Fig. b), what is the required diameter  $d_b$  of each bolt if temperature drop  $\Delta T = 38^{\circ}$ C and the allowable bolt stress is 90 MPa? Find force in rod due to temperature drop.

$$\Delta T = 38^{\circ}\text{C} \qquad P = (E\alpha \,\Delta T) \frac{\pi}{4} d_r^2$$
$$P = 200 \,GPa \frac{\pi}{4} (15 \text{ mm})^2 \left[ 12 \left( 10^{-6} \right) \right] (38) = 16116 \text{ N} \qquad P = 16.12 \text{ kN}$$

Each bolt carries one half of the force P:

$$d_b = \sqrt{\frac{\frac{1612 \text{ kN}}{2}}{\frac{\pi}{4}(90 \text{ MPa})}} = 10.68 \text{ mm}) \qquad \qquad \boxed{d_b = 10.68 \text{ mm}}$$


(a) ONE DEGREE STATICALLY INDETERMINATE—USE SUPERPOSITION SELECT REACTION  $R_B$  AS THE REDUNDANT; FOLLOW PROCEDURE Bar with nonuniform temperature change.



At distance x:

$$\Delta T = \Delta T_B \left(\frac{x^3}{L^3}\right)$$

Remove the support at the end B of the bar:



Consider an element dx at a distance x from end A.

 $d\delta$  = Elongation of element dx

$$d\delta = \alpha(\Delta T)dx = \alpha(\Delta T_B)\left(\frac{x^3}{L^3}\right)dx$$

 $d\delta$  = elongation of bar

$$\delta = \int_0^L d\delta = \int_0^L \alpha(\Delta T_B) \left(\frac{x^3}{L^3}\right) dx = \frac{1}{4} \alpha(\Delta T_B) L$$

Compressive force P required to shorten the bar by the amount  $\delta$ 

$$P = \frac{EA\delta}{L} = \frac{1}{4}EA\alpha(\Delta T_B)$$

COMPRESSIVE STRESS IN THE BAR

$$\sigma_c = \frac{P}{A} = \frac{E\alpha(\Delta T_B)}{4} \quad \Leftarrow$$

(b) ONE DEGREE STATICALLY INDETERMINATE—USE SUPERPOSITION. Select exection P on the advantant then compared

Select reaction  $R_B$  as the redundant then compute bar elongations due to  $\Delta T$  and due to  $R_B$ 

$$\delta_{B1} = \alpha \Delta T_B \frac{L}{4}$$
 due to temperature from above

$$\delta_{B2} = R_B \left( \frac{1}{k} + \frac{L}{EA} \right)$$

Compatibility: solve for  $R_B$ :  $\delta_{B1} + \delta_{B2} = 0$ 

$$R_B = \frac{-\left(\alpha \Delta T_B \frac{L}{4}\right)}{\left(\frac{1}{k} + \frac{L}{EA}\right)}$$
$$R_B = -\alpha \Delta T_B \left[\frac{EA}{4\left(\frac{EA}{kL} + 1\right)}\right]$$

So compressive stress in bar is

$$\sigma_c = \frac{R_B}{A}$$
  $\sigma_c = \frac{E\alpha(\Delta T_B)}{4\left(\frac{EA}{kL} + 1\right)}$ 

**NOTE:**  $\sigma_c$  in part (b) is the same as in part (a) if spring constant k goes to infinity.

$$A = 2 \cdot (1913 \text{mm}^2) = 3826 \cdot \text{mm}^2 \text{ k} = 1750 \frac{\text{kN}}{\text{m}} \quad \Delta T = 45 \text{ } \alpha = 12 \cdot (10^{-6}) \qquad \text{L} = 3\text{m} \quad \text{E} = 205 \text{GPa}$$

Assume that beam and spring are stress free at the start, then apply temperature increase  $\Delta T$ . Select R<sub>c</sub> as the redundant to remove to create the released structure

Apply  $\Delta T$  to beam in released structure  $\delta_{C1} = \alpha \cdot \Delta T \cdot L = 1.62 \cdot mm$ 

Apply redundant 
$$R_{C}$$
  $\delta_{C2} = R_{C} \cdot \left(\frac{L}{E \cdot A} + \frac{1}{k}\right) \qquad \frac{L}{E \cdot A} + \frac{1}{k} = 0.575 \cdot \frac{mm}{kN}$ 

$$\label{eq:compatibility} \text{Compatibility equation and solution for redundant} \quad \begin{split} \delta_{C1} + \delta_{C2} &= 0 \\ \frac{\delta_{C1}}{\left(\frac{L}{E \cdot A} + \frac{1}{k}\right)} &= -2.816 \cdot k N \end{split}$$

Axial normal compressive stress in beam of

$$\sigma_{\rm T} = \frac{R_{\rm C}}{A} = -0.736 \cdot \rm{MPa}$$

Displacement at B using superposition

$$\delta_{\rm B} = \frac{R_{\rm C} \cdot L}{E \cdot A} + \alpha \cdot \Delta T \cdot L = 1.609 \cdot \text{mm} \qquad \frac{R_{\rm C}}{k} = -1.609 \cdot \text{mm}$$

elongation of beam is equal to shortening of spring

E = 200GPa  $\alpha = 12 \cdot 10^{-6}$   $\Delta T = 10$   $A = 33.4cm^2$  L = 3m

Select reaction R<sub>B</sub> as the redundant; remove R<sub>B</sub> to create released structure. Use superposition - apply  $\Delta T$  to released structure, then apply redundant. Solve compatibility equation to find R<sub>B</sub> then use statics to get R<sub>A</sub>

$$\delta_{B1} = \alpha \cdot \Delta T \cdot L = 0.014 \cdot in$$
  $\delta_{B2} = R_B \cdot \frac{L}{EA}$ 

Compatibility  $\delta_{B1} + \delta_{B2} = 0$  solve for  $R_B$ 

$$R_{B} = \frac{-E \cdot A}{L} \cdot (\alpha \cdot \Delta T \cdot L) = -80.16 \cdot kN \text{ negative so } R_{B} \text{ acts to left}$$

Statics  $\mathbf{R}_{\mathbf{A}} + \mathbf{R}_{\mathbf{B}} = 0$  so  $\mathbf{R}_{\mathbf{A}} = -\mathbf{R}_{\mathbf{B}} = 80.16 \text{ kN}$ 

Beam is in uniform axial compression due to temperature change; compressive normal stress is

$$\sigma_{\rm T} = \frac{{\rm R}_{\rm B}}{{\rm A}} = -24 \cdot {\rm MPa}$$

NUMERICAL DATA

- $d_1 = 50 \text{ mm}$   $d_2 = 75 \text{ mm}$   $L_1 = 225 \text{ mm}$   $L_2 = 300 \text{ mm}$  E = 6.0 GPa  $\alpha = 100 \times 10^{-6} \text{/}^{\circ}\text{C}$  $\Delta T = 30^{\circ}\text{C}$  k = 50 MN/m
- (a) Compressive force N, maximum compressive stress and displacement of PT. C

$$A_1 = \frac{\pi}{4} d_1^2 \quad A_2 = \frac{\pi}{4} d_2^2$$

One-degree statically indeterminate—use  $R_B$  as redundant

$$\delta_{B1} = \alpha \Delta T (L_1 + L_2)$$
  
$$\delta_{B2} = R_B \left( \frac{L_1}{EA_1} + \frac{L_2}{EA_2} \right)$$

Compatibility:  $\delta_{B1} = \delta_{B2}$ , solve for  $R_B$ 

$$R_B = \frac{\alpha \Delta T(L_1 + L_2)}{\frac{L_1}{EA_1} + \frac{L_2}{EA_2}} \quad N = R_B$$

 $N = 51.8 \text{ kN} \leftarrow$ Maximum compressive stress in AC since it has the smaller area  $(A_1 < A_2)$ :

$$\sigma_{\rm cmax} = \frac{N}{A_1} \quad \sigma_{\rm cmax} = 26.4 \text{ MPa}$$

Displacement  $\delta_C$  of point C = superposition of displacements in two released structures at C:

$$\delta_C = \alpha \Delta T(L_1) - R_B \frac{L_1}{EA_1}$$

 $\delta_C = -0.314 \text{ mm} \leftarrow (-) \text{ sign means joint } C \text{ moves left}$ 

(b) Compressive force N, maximum compressive stress and displacement of part C for elastic support case

Use  $R_B$  as redundant as in part (a):

$$\delta_{B1} = \alpha \Delta T (L_1 + L_2)$$
  
$$\delta_{B_2} = R_B \left( \frac{L_1}{EA_1} + \frac{L_2}{EA_2} + \frac{1}{k} \right)$$

Now add effect of elastic support; equate  $\delta_{B1}$  and  $\delta_{B2}$  then solve for  $R_B$ :

$$R_B = \frac{\alpha \Delta T (L_1 + L_2)}{\frac{L_1}{EA_1} + \frac{L_2}{EA_2} + \frac{1}{k}} \quad N = R_B$$
$$N = 31.2 \text{ kN} \quad \leftarrow$$

$$\sigma_{cmax} = \frac{N}{A_1} \quad \sigma_{cmax} = 15.91 \text{ MPa} \quad \leftarrow$$

Superposition:

$$\delta_C = \alpha \Delta T(L_1) - R_B \left( \frac{L_1}{EA_1} + \frac{1}{k} \right)$$

 $\delta_C = -0.546 \text{ mm} \leftarrow (-) \text{ sign means joint } C$ moves left

$$\Delta T = 10$$
  $\alpha = 23 \cdot (10^{-6})$   $E = 72$  GPa  $L = 1$  mb<sub>1</sub> = 50 mm b<sub>2</sub> = 60 mm t = 6 mm

Select reaction R<sub>C</sub> as the redundant; remove redundant to create released structure; apply temperature increase and then apply redundant to get displacements at joint C in released structure.

$$\delta_{C1} = \alpha \cdot \Delta T \cdot L = 0.23 \cdot \text{mm}$$

$$\delta_{C2} = \mathbf{R}_{C} \cdot \left[ \frac{\frac{L}{2}}{E \cdot t \cdot (b_{2} - b_{1})} \cdot \ln \left( \frac{b_{2}}{b_{1}} \right) + \frac{\frac{L}{2}}{E \cdot (b_{1} \cdot t)} \right]$$

$$\frac{\frac{L}{2}}{E \cdot t \cdot (b_{2} - b_{1})} \cdot \ln \left( \frac{b_{2}}{b_{1}} \right) + \frac{\frac{L}{2}}{E \cdot (b_{1} \cdot t)} = 0.044 \cdot \frac{\text{mm}}{\text{kN}}$$

-

Write compatibility equation then solve for R<sub>c</sub>

$$\delta_{C1} + \delta_{C2} = 0 \qquad R_{C} = \frac{-(\alpha \cdot \Delta T \cdot L)}{\left[\frac{L}{2}} \left[\frac{\frac{L}{2}}{E \cdot t \cdot (b_{2} - b_{1})} \cdot \ln \left(\frac{b_{2}}{b_{1}}\right) + \frac{L}{E \cdot (b_{1} \cdot t)}\right]} = -5.198 \cdot kN$$

Statics  $\mathbf{R}_{\mathbf{A}} + \mathbf{R}_{\mathbf{C}} = 0$   $\mathbf{R}_{\mathbf{A}} = -\mathbf{R}_{\mathbf{C}} = 5.198 \text{ kN}$ 

Displacement at B using superposition

$$\delta_{B} = -R_{A} \cdot \left[ \frac{\frac{L}{2}}{E \cdot t \cdot (b_{2} - b_{1})} \cdot \ln \left( \frac{b_{2}}{b_{1}} \right) \right] + \alpha \cdot \Delta T \cdot \frac{L}{2} = 5.318 \times 10^{-3} \cdot \text{mm}$$
  
joint B moves to right  
$$\frac{R_{C} \cdot \frac{L}{2}}{E \cdot (b_{1} \cdot t)} + \alpha \cdot \Delta T \cdot \frac{L}{2} = -5.32 \times 10^{-3} \cdot \text{mm}$$
  
shortening of BC

OR

$$\Delta T = 30$$
  $\alpha = 19 \cdot (10^{-6})$  L = 2m t = 20mm b<sub>1</sub> = 100mm b<sub>2</sub> = 115mm E = 96GPa

Select reaction R<sub>C</sub> as the redundant; remove redundant to create released structure; apply temperature increase and then apply redundant to get displacements at joint C in released structure.

$$\delta_{C1} = \alpha \cdot \Delta T \cdot L = 1.14 \cdot \text{mm} \qquad \delta_{C2} = R_C \cdot \left[ \frac{\frac{3 \cdot L}{5} + \frac{2 \cdot L}{5}}{E \cdot t \cdot (b_2 - b_1)} \cdot \ln \left( \frac{b_2}{b_1} \right) \right] \qquad \frac{L}{E \cdot t \cdot (b_2 - b_1)} \cdot \ln \left( \frac{b_2}{b_1} \right) = 9.706 \times 10^{-3} \cdot \frac{\text{mm}}{\text{kN}}$$

Write compatibility equation then solve for R<sub>c</sub>

$$\delta_{C1} + \delta_{C2} = 0 \qquad \qquad R_{C} = \frac{-(\alpha \cdot \Delta T \cdot L)}{\left[\frac{L}{E \cdot t \cdot (b_2 - b_1)} \cdot \ln\left(\frac{b_2}{b_1}\right)\right]} = -117.457 \cdot kN$$

Statics  $\mathbf{R}_{\mathbf{A}} + \mathbf{R}_{\mathbf{C}} = 0$   $\mathbf{R}_{\mathbf{A}} = -\mathbf{R}_{\mathbf{C}} = 117.457 \cdot \mathbf{kN}$ 

Displacement at B using superposition  


$$\delta_{B} = -R_{A} \cdot \left[ \frac{\frac{3 \cdot L}{5}}{E \cdot t \cdot (b_{2} - b_{1})} \cdot ln \left( \frac{b_{2}}{b_{1}} \right) \right] + \alpha \cdot \Delta T \cdot \frac{3 \cdot L}{5} = 0 \cdot mm$$
no elongation of AB  
OR  

$$R_{C} \cdot \left[ \frac{\frac{2 \cdot L}{5}}{E \cdot t \cdot (b_{2} - b_{1})} \cdot ln \left( \frac{b_{2}}{b_{1}} \right) \right] + \alpha \cdot \Delta T \cdot \frac{2L}{5} = 0 \cdot mm$$
no shortening of BC

<u>Extra</u> - find displ. at x = 2L/5  $b_{2L5} = b_2 - \frac{2}{3} \cdot (b_2 - b_1) \quad b_{2L5} \rightarrow 105 \cdot \text{mm}$ 

$$\delta_{2L5} = -R_{A'} \left[ \frac{\frac{2 \cdot L}{5}}{E \cdot t \cdot (b_2 - b_{2L5})} \cdot \ln \left( \frac{b_2}{b_{2L5}} \right) \right] + \alpha \cdot \Delta T \cdot \frac{2 \cdot L}{5} = 0.011 \cdot \text{mm}$$

$$OR \qquad R_{C'} \left[ \frac{\frac{2 \cdot L}{5}}{E \cdot t \cdot (b_2 - b_1)} \cdot \ln \left( \frac{b_2}{b_1} \right) + \frac{\frac{L}{5}}{E \cdot t \cdot (b_{2L5} - b_1)} \cdot \ln \left( \frac{b_{2L5}}{b_1} \right) \right] + \alpha \cdot \Delta T \cdot \frac{3L}{5} = -0.011 \cdot \text{mm}$$



ELONGATION OF THE TWO OUTER PARTS OF THE BAR

$$\delta_1 = \alpha_s (\Delta T) (L_1 - L_2)$$
$$= 2.940 \text{ mm}$$

ELONGATION OF THE MIDDLE PART OF THE BAR The steel rod and bronze sleeve lengthen the same amount, so they are in the same condition as the bolt and sleeve of Example 2-10. Thus, we can calculate the elongation from Eq. (2-21):

$$\delta_2 = \frac{(\alpha_s E_s A_s + \alpha_b E_b A_b)(\Delta T) L_2}{E_s A_s + E_b A_b}$$

SUBSTITUTE NUMERICAL VALUES

$$\alpha_s = 12 \times 10^{-6} \text{/}^{\circ}\text{C} \quad \alpha_b = 20 \times 10^{-6} \text{/}^{\circ}\text{C}$$

$$E_s = 210 \text{ GPa} \qquad E_b = 110 \text{ GPa}$$

$$A_s = \frac{\pi}{4} d_1^2 = 176.7 \text{ mm}^2$$

$$A_b = \frac{\pi}{4} (d_2^2 - d_1^2) = 169.6 \text{ mm}^2$$

$$\Delta T = 350^{\circ}\text{C} \quad L_2 = 400 \text{ mm}$$

$$\delta_2 = 2.055 \text{ mm}$$
TOTAL ELONGATION

$$\delta = \delta_1 + \delta_2 = 5.0 \text{ mm} \quad \leftarrow$$

 $\Delta T = 15$   $\alpha_{T} = 23 \cdot (10^{-6})$  L = 1.8m r = 36mm E = 72GPa  $a = \frac{r}{8} = 4.5 \cdot mm$ 

 $A_1 = \pi \cdot r^2 = 4071.504 \cdot mm^2$  Use formulas in Appendix E, Case 15 for area of slotted segment

$$\alpha = \arccos\left(\frac{a}{r}\right) = 1.445$$
  $b = \sqrt{r^2 - a^2} = 35.718 \text{ mm}$   $A_2 = 2 \cdot r^2 \cdot \left(\alpha - \frac{a \cdot b}{r^2}\right) = 3425.196 \text{ mm}^2$   $\frac{A_2}{A_1} = 0.841$ 


Select reaction R<sub>C</sub> as the redundant; remove redundant to create released structure; apply temperature increase and then apply redundant to get displacements at joint C in released structure.

$$\delta_{C1} = \alpha_{T} \Delta T \cdot L = 0.621 \text{ mm} \quad \delta_{C2} = R_{C} \left( \frac{2 \cdot \frac{L}{4}}{E \cdot A_{1}} + \frac{L}{2} \right) \qquad \qquad \frac{2 \cdot \frac{L}{4}}{E \cdot A_{1}} + \frac{L}{E \cdot A_{2}} = 6.72 \times 10^{-3} \cdot \frac{\text{mm}}{\text{kN}}$$

Statics  $\mathbf{R}_{\mathbf{A}} + \mathbf{R}_{\mathbf{C}} = 0$   $\mathbf{R}_{\mathbf{A}} = -\mathbf{R}_{\mathbf{C}} = 92.417 \text{ kN}$ 

Thermal compressive stress in solid bar segments 
$$\sigma_{T1} = \frac{R_C}{A_1} = -22.698 \cdot MPa$$

and in slotted middle segment 
$$\sigma_{T2} = \frac{R_C}{A_2} = -26.982 \cdot MPa$$



Diameter of pin:  $d_P = 111 \text{ mm}$ 

Area of pin: 
$$A_P = \frac{\pi}{4} dp^2 = 95 \text{ mm}^2$$

Area of two copper bars:  $A_c = 1200 \text{ mm}^2$ 

Aluminum:  $E_a = 69$  GPa

$$\alpha_a = 26 \times 10^{-6}/^{\circ}C$$

Use the results of Example 2-10.

Find the forces  $P_a$  and  $P_c$  in the aluminum bar and copper bar, respectively, from Eq. (2-19).

Replace the subscript "S" in that equation by "a" (for aluminum) and replace the subscript "B" by "c" (for copper):

$$P_a = P_c = \frac{(\alpha_a - \alpha_c)(\Delta T)E_a A_a E_c A_c}{E_a A_a + E_c A_c}$$

Note that  $P_a$  is the compressive force in the aluminum bar and  $P_c$  is the combined tensile force in the two copper bars.

SUBSTITUTE NUMERICAL VALUES:

$$P_a = P_c = \frac{(\alpha_a - \alpha_c)(\Delta T)E_c A_c}{1 + \frac{E_c A_c}{E_a A_a}}$$

Area of aluminum bar:  $A_a = 1250 \text{ mm}^2$   $\Delta T = 40^{\circ}\text{C}$ Copper:  $E_c = 124 \text{ GPa}$   $\alpha_c = 20 \times 10^{-6}/^{\circ}\text{C}$ 

$$P_a = P_c = \frac{(6 \times 10^{-6} / ^{\circ} \text{C})(40^{\circ} \text{C})(124 \text{ GPa})(1200 \text{ mm}^2)}{1 + \frac{124}{69} \left(\frac{1200}{1250}\right)}$$
  
= 12.861 kN

FREE-BODY DIAGRAM OF PIN AT THE LEFT END


$$P_d$$
  
 $P_d$ 

V = shear force in pin

$$= P_c/2$$

 $\tau$  = average shear stress on cross section of pin

$$\tau = \frac{V}{A_P} = \frac{6430.5 \text{ N}}{95 \text{ mm}^2}$$
$$\tau = 67.7 \text{ MPa} \quad \leftarrow \quad$$



Subscript S means "sleeve".

Subscript B means "bolt".

Use the results of Example 2-10.

 $\sigma_S$  = compressive force in sleeve

EQUATION (2-20a):

 $\sigma_{S} = \frac{(\alpha_{S} - \alpha_{B})(\Delta T)E_{S}E_{B}A_{B}}{E_{S}A_{S} + E_{B}A_{B}}$  (Compression) Solve for  $\Delta T$ :

$$\Delta T = \frac{\sigma_S(E_S A_S + E_B A_B)}{(\alpha_S - \alpha_B)E_S E_B A_B}$$

or

$$\Delta T = \frac{\sigma_S}{E_S(\alpha_S - \alpha_B)} \left( 1 + \frac{E_S A_S}{E_B A_B} \right) \quad \leftarrow \quad$$

SUBSTITUTE NUMERICAL VALUES:

$$\sigma_{S} = 25 \text{ MPa}$$

$$d_{2} = 36 \text{ mm} \qquad d_{1} = 26 \text{ mm} \qquad d_{B} = 25 \text{ mm}$$

$$E_{S} = 100 \text{ GPa} \qquad E_{B} = 200 \text{ GPa}$$

$$\alpha_{S} = 21 \times 10^{-6} / ^{\circ}\text{C} \qquad \alpha_{B} = 10 \times 10^{-6} / ^{\circ}\text{C}$$

$$A_{S} = \frac{\pi}{4} (d_{2}^{2} - d_{1}^{2}) = \frac{\pi}{4} (620 \text{ mm}^{2})$$


$$A_{B} = \frac{\pi}{4} (d_{B})^{2} = \frac{\pi}{4} (625 \text{ mm}^{2}) 1 + \frac{E_{S} A_{S}}{E_{B} A_{B}} = 1.496$$

$$\Delta T = \frac{25 \text{ MPa} (1.496)}{(100 \text{ GPa})(11 \times 10^{-6} / ^{\circ}\text{C})}$$

$$\Delta T = 34^{\circ}\text{C} \quad \leftarrow$$

(Increase in temperature)


FREE-BODY DIAGRAM OF FRAME



EQUATION OF EQUILIBRIUM

$$\begin{split} \Sigma M_C &= 0 \not\Leftrightarrow \frown \\ P(2b) - T_A(2b) - T_B(b) &= 0 \ \text{ or } 2T_A + T_B = 2P \ (\text{Eq. 1}) \end{split}$$





EQUATION OF COMPATIBILITY

 $\delta_A = 2\delta_B$  (Eq. 2)

(a) LOAD P ONLY

Force-displacement relations:

$$\delta_A = \frac{T_A L}{EA} \quad \delta_B = \frac{T_B L}{EA} \tag{Eq. 3}$$

(L = length of wires at A and B.)Substitute Eq. (3) into Eq. (2):

$$\frac{T_A L}{EA} = \frac{2T_B L}{EA}$$
or  $T_A = 2T_B$  (Eq. 4)

Solve simultaneously Eqs. (1) and (4):

$$T_A = \frac{4P}{5}$$
  $T_B = \frac{2P}{5}$  (Eqs. 5)

For 
$$P = 2.2$$
 kN, we obtain  
 $T_A = 1760$  N  $T_B = 880$  N  $\leftarrow$ 

(b) LOAD *P* AND TEMPERATURE INCREASE ( $\Delta T = 100$  °C) Force-displacement and temperature-displacement relations:

$$\delta_A = \frac{T_A L}{EA} + \alpha(\Delta T)L$$
(Eq. 6)  
$$\delta_B = \frac{T_B L}{EA} + \alpha(\Delta T)L$$

Substitute Eq. (6) into Eq. (2):

$$\frac{T_A L}{EA} + \alpha(\Delta T)L = \frac{2T_B L}{EA} + 2\alpha(\Delta T)L$$
  
or  $T_A - 2T_B = EA\alpha(\Delta T)$  (Eq. 7)

Solve simultaneously Eqs. (1) and (7):

$$T_A = \frac{1}{5} [4P + EA\alpha(\Delta T)]$$
 (Eq. 8)

$$T_B = \frac{2}{5} [P - EA\alpha(\Delta T)]$$
 (Eq. 9)

Substitute numerical values:

$$P = 2.2 \text{ kN} = 2200 \text{ N}$$
  $EA = 540 \text{ kN} = 540,000 \text{ N}$   
 $\Delta T = 100^{\circ}\text{C}$ 

$$\alpha = 23 \times 10^{-6} \text{°C}$$
  


$$T_A = 1760 \text{ N} + 248 \text{ N} = 2008 \text{ N} \leftarrow$$
  

$$T_B = 880 \text{ N} - 497 \text{ N} = 383 \text{ N} \leftarrow$$

(c) Wire B becomes slack


Set 
$$T_B = 0$$
 in Eq. (9):  
 $P = EA\alpha(\Delta T)$   
or  
 $\Delta T = \frac{P}{EA\alpha} = \frac{2200 \text{ N}}{(540 \text{ kN})(23 \times 10^{-6})^{\circ}\text{C})}$   
 $= 177^{\circ}\text{C}$ 

FREE-BODY DIAGRAM OF BAR ABCD



 $T_B$  = force in cable B  $T_C$  = force in cable C $d_B = 12 \text{ mm} \quad d_C = 20 \text{ mm}$ 

DISPLACEMENT DIAGRAM



COMPATIBILITY:

 $\delta_C = 2\delta_B$ (Eq. 2)

FORCE-DISPLACEMENT AND TEMPERATURE-DISPLACEMENT RELATIONS

$$\delta_B = \frac{T_B L}{E A_B} + \alpha (\Delta T) L \tag{Eq. 3}$$

$$\delta_C = \frac{T_C L}{E A_C} + \alpha(\Delta T) L \tag{Eq. 4}$$

SUBSTITUTE EQS. (3) AND (4) INTO EQ. (2):

$$\frac{T_C L}{EA_C} + \alpha(\Delta T)L = \frac{2T_B L}{EA_B} + 2\alpha(\Delta T)L$$
  
or  
$$2T_B A_C - T_C A_B = -E\alpha(\Delta T)A_B A_C$$
(Eq. 5)

From Table 2-1:  

$$A_B = 76.7 \text{ mm}^2$$
  $E = 140 \text{ GPa}$   
 $\Delta T = 60^{\circ}\text{C}$   $A_C = 173 \text{ mm}^2$   
 $\alpha = 12 \times 10^{-6} / ^{\circ}\text{C}$   
EQUATION OF EQUILIBRIUM  
 $\Sigma M_A = 0 \quad \textcircled{(a)} \ \textcircled{(b)} \quad T_B(2b) + T_C(4b) - P(5b) = 0$   
or  $2T_B + 4T_C = 5P$  (Eq. 1)

SUBSTITUTE NUMERICAL VALUES INTO EQ. (5):	
$T_B(346) - T_C(76.7) = -1,338,000$	(Eq. 6)
in which $T_B$ and $T_C$ have units of newtons.	
Solve simultaneously Eqs. (1) and (6):	
$T_B = 0.2494 P - 3,480$	(Eq. 7)
$T_C = 1.1253 P + 1,740$	(Eq. 8)
in which P has units of newtons.	
Solve Eqs. (7) and (8) for the load P:	
$P_B = 4.0096 T_B + 13,953$	(Eq. 9)
$P_C = 0.8887 \ T_C - 1,546$	(Eq. 10)
ALLOWABLE LOADS	
From Table 2-1:	
$(T_B)_{\rm ULT} = 102,000 \text{ N}$ $(T_C)_{\rm ULT} = 231,000 \text{ N}$	

Factor of safety = 5

$$(T_B)_{\text{allow}} = 20,400 \text{ N}$$
  $(T_C)_{\text{allow}} = 46,200 \text{ N}$ 

From Eq. (9):  $P_B = (4.0096)(20,400 \text{ N}) + 13,953 \text{ N}$ = 95,700 N

From Eq. (10):  $P_C = (0.8887)(46,200 \text{ N}) - 1546 \text{ N}$ = 39,500 N

Cable C governs.

 $P_{\text{allow}} = 39.5 \text{ kN}$ -

262

NUMERICAL DATA

$$L = 0.635 \text{ m } d = 0.050 \text{ m } \delta = 2(10^{-4}) \text{ m}$$
  

$$k = 210(10^{6}) \text{ N/m } E = 110(10^{9}) \text{ Pa}$$
  

$$\alpha = 17.5(10^{-6}) \quad \Delta T = 27^{\circ}\text{C}$$
  

$$A = \frac{\pi}{4}d^{2} A = 1.9635 \ 10^{-3} \text{ m}^{2}$$

(a) One-degree statically indeterminate if gap closes

 $\Delta = \alpha \Delta TL$   $\Delta = 3.00037 \ 10^{-4} \text{ m}$  <exceeds gap

Select  $R_A$  as redundant and do superposition analysis:

$$\delta_{A1} = \Delta \quad \delta_{A2} = R_A \left( \frac{L}{EA} + \frac{1}{k} \right)$$
  
Compatibility:  $\delta_{A1} + \delta_{A2} = \delta \quad \delta_{A2} = \delta - \delta_{A1}$   
 $\frac{\Delta}{\delta} = 1.50019$ 

$$R_A = \frac{\delta - \Delta}{\frac{L}{EA} + \frac{1}{k}} \quad R_A = -1.29886 \times 10^4 \,\mathrm{N}$$
  
Compressive stress in bar:  
$$\sigma = \frac{R_A}{A} \quad \sigma = -6.62 \,\mathrm{MPa}$$

- (b) Force in spring  $F_k = R_C$ statics  $R_A + R_C = 0$   $R_C = -R_A$   $R_C = -1.29886 \times 10^4$  N  $\leftarrow$  $F_k = 12.99$  kN(C)
- (c) Find compressive stress in Bar if k goes to infinity. From expression for  $R_{\!A}$  above, 1/k goes to zero, so

$$R_A = \frac{\delta - \Delta}{\frac{L}{EA}} \quad R_A = -3.40261 \times 10^4 \text{ N}$$
$$\sigma = \frac{R_A}{A} \quad \sigma = -17.33 \text{ MPa} \quad \leftarrow$$



Initial prestress:  $\sigma_1 = 42$  MPa

Initial temperature:  $T_1 = 20^{\circ}$ C

E = 200 GPa

$$\alpha = 14 \times 10^{-6} / ^{\circ} \mathrm{C}$$

(a) Stress  $\sigma$  when temperature drops to  $0^{\circ}C$ 

$$T_2 = 0^{\circ} C \quad \Delta T = 20^{\circ} C$$

**NOTE:** *Positive*  $\Delta T$  means a *decrease* in temperature and an *increase* in the stress in the wire.

Negative  $\Delta T$  means an *increase* in temperature and a *decrease* in the stress.

Stress  $\sigma$  equals the initial stress  $\sigma_1$  plus the additional stress  $\sigma_2$  due to the temperature drop.

$$\sigma_2 = E\alpha(\Delta T)$$
  

$$\sigma = \sigma_1 + \sigma_2 = \sigma_1 + E\alpha(\Delta T)$$
  

$$= 42 \text{ MPa} + (200 \text{ GPa})(14 \times 10^{-6} \text{/}^{\circ}\text{C})(20^{\circ}\text{C})$$
  

$$= 42 \text{ MPa} + 56 \text{ MPa} = 98 \text{ MPa} \quad \leftarrow$$
  
(b) TEMPERATURE WHEN STRESS EQUALS ZERO

$$\sigma = \sigma_1 + \sigma_2 = 0 \quad \sigma_1 + E\alpha(\Delta T) = 0$$
$$\Delta T = -\frac{\sigma_1}{E\alpha}$$

(Negative means increase in temp.)

$$\Delta T = -\frac{42 \text{ MPa}}{(200 \text{ GPa})(14 \times 10^{-6})^{\circ}\text{C}} = -15^{\circ}\text{C}$$
$$T = 20^{\circ}\text{C} + 15^{\circ}\text{C} = 35^{\circ}\text{C} \quad \leftarrow$$

n = 1.5 p = 1.6mm 
$$A_s = 550 \text{ mm}^2$$
  $A_A = 2900 \text{ mm}^2$   $d = \sqrt{\frac{4}{\pi} \cdot A_s} = 26.463 \cdot \text{mm}$ 

$$L = 500 \text{mm}$$
  $E_s = 200 \text{GPa}$   $E_A = 73 \text{GPa}$ 

Select force in tube as the redundant. Cut through aluminum tube at right end to expose internal force FA to create released structure. Apply n turns of turnbuckles to released structure to find relative displacement between ends of cut tube

$$\delta_1 = 2 \cdot n \cdot p = 4.8 \cdot mm$$
 Note that n turns of a turnbuckle moves ends together by factor of two

Now apply pair of internal forces  $F_T$  to ends of tube then again find relative displacement. Force  $F_A$  shortens both cables and elongates the tube.

$$\delta_2 = \mathbf{F}_{\mathbf{A}} \cdot \left( \frac{\mathbf{L}}{\mathbf{E}_{\mathbf{A}} \cdot \mathbf{A}_{\mathbf{A}}} + \frac{\mathbf{L}}{2 \cdot \mathbf{E}_{\mathbf{s}} \cdot \mathbf{A}_{\mathbf{s}}} \right) \qquad \qquad \frac{\mathbf{L}}{\mathbf{E}_{\mathbf{A}} \cdot \mathbf{A}_{\mathbf{A}}} + \frac{\mathbf{L}}{2 \cdot \mathbf{E}_{\mathbf{s}} \cdot \mathbf{A}_{\mathbf{s}}} = 4.635 \times 10^{-3} \cdot \frac{\mathrm{mm}}{\mathrm{kN}}$$

Compatibility equation  $\delta_1 + \delta_2 = 0$  solve for  $F_A$ 


$$F_{A} = \frac{-2 \cdot n \cdot p}{\frac{L}{E_{A} \cdot A_{A}} + \frac{L}{2 \cdot E_{s} \cdot A_{s}}} = -1.036 \times 10^{3} \cdot kN$$

Statics - force in each cable =  $F_s$  2· $F_s$ 

$$F_{s} + F_{A} = 0$$
  $F_{s} = \frac{-F_{A}}{2} = 517.849 \text{ kN}$ 

Shortening of aluminum tube  $\delta_{\Lambda}$ 

$$\delta_{A} = \frac{F_{A} \cdot L}{E_{A} \cdot A_{A}} = -2.4461 \cdot \text{mm}$$



Reactions must be equal; find s.


COMPATIBILITY EQUATION

$$\delta_1 - \delta_2 = s \quad \text{or}$$

$$\frac{2PL}{3EA} - \frac{R_B L}{EA} = s \quad (Eq. 1)$$

EQUILIBRIUM EQUATION

 $R_A$  = reaction at end A (to the left)  $R_B$  = reaction at end B (to the left)  $P = R_A + R_B$  FORCE-DISPLACEMENT RELATIONS



Reactions must be equal.

$$\therefore R_A = R_B \quad P = 2R_B \quad R_B = \frac{P}{2}$$

Substitute for  $R_B$  in Eq. (1):

$$\frac{2PL}{3EA} - \frac{PL}{2EA} = s \quad \text{or} \quad s = \frac{PL}{6EA} \quad \leftarrow$$

**NOTE:** The gap closes when the load reaches the value *P*/4. When the load reaches the value *P*, equal to 6EAs/L, the reactions are equal  $(R_A = R_B = P/2)$ . When the load is between *P*/4 and *P*,  $R_A$  is greater than  $R_B$ . If the load exceeds *P*,  $R_B$  is greater than  $R_A$ .

NUMERICAL PROPERTIES (N, m)  $E_{-} = 210(10^9)$   $E_{-} = 06(10^9)$ 

$$E_{1} = 210(10^{-}) \quad E_{2} = 96(10^{-})$$

$$L_{1} = 1.4 \quad L_{2} = 0.9 \quad s = 1.25(10^{-3})$$

$$d_{1} = 0.152 \quad t_{1} = 0.0125$$

$$d_{2} = 0.127 \quad t_{2} = 0.0065$$

$$\alpha_{1} = 12(10^{-6}) \quad \alpha_{2} = 21(10^{-6})$$

$$A_{1} = \frac{\pi}{4} [d_{1}^{2} - (d_{1} - 2t_{1})^{2}] \quad A_{1} = 5.478 \times 10^{-3}$$

$$A_{2} = \frac{\pi}{4} [d_{2}^{2} - (d_{2} - 2t_{2})^{2}]$$

$$A_{2} = 2.461 \times 10^{-3}$$

$$R_B = \frac{s}{\left(\frac{L_1}{E_1 A_1} + \frac{L_2}{E_2 A_2}\right)} \quad R_B = 249 \text{ kN} \quad \leftarrow$$
$$R_A = -R_B$$

(b) Find reactions at A and B for applied force P<sub>2</sub>:

$$P_2 = \frac{E_2 A_2}{\frac{L_2}{2}} s \quad P_2 = 656 \text{ kN}$$

Stat-indet. analysis after removing  $P_2$  is same as in part (a).

(c) Max. shear stress in pipe 1 or 2 when either P<sub>1</sub> or P<sub>2</sub> is applied:

$$\tau_{\max a} = \frac{\frac{P_1}{A_1}}{2} \quad \tau_{\max a} = 93.8 \text{ MPa} \quad \leftarrow$$

(a) Find reactions at A and B for applied force P<sub>1</sub>.
 First compute P<sub>1</sub> required to close gap:

$$P_1 = \frac{E_1 A_1}{L_1} s \quad P_1 = 1027 \text{ kN} \quad \leftarrow$$

Stat-indet. analysis with  $R_B$  as the redundant:

$$\delta_{B1} = -s \quad \delta_{B2} = R_B \left( \frac{L_1}{E_1 A_1} + \frac{L_2}{E_2 A_2} \right)$$

Compatibility:  $\delta_{B1} + \delta_{B2} = 0$ 

$$\tau_{\text{maxb}} = \frac{\frac{P_2}{A_2}}{2} \quad \tau_{\text{maxb}} = 133.3 \text{ MPa} \quad \leftarrow$$

(d) Required  $\Delta T$  and reactions at A and B

 $\Delta T_{\text{reqd}} = 35^{\circ}\text{C}$ 

If pin is inserted but temperature remains at  $\Delta T$  above ambient temperature, reactions are zero.

(e) If temp. returns to original ambient temperature, find reactions at A and B
Stat-indet analysis with R<sub>B</sub> as the redundant:
Compatibility: δ<sub>B1</sub> + δ<sub>B2</sub> = 0
Analysis is the same as in parts (a) and (b) above since gap s is the same, so reactions are the same as above.

With gap *s* closed due to  $\Delta T$ , structure is one-degree statically-indeterminate; select internal force (Q) at juncture of bar and spring as the redundant. Use superposition of two released structures in the solution.

 $\delta_{rel1}$  = relative displacement between end of bar at C and end of spring due to  $\Delta T$ 

$$\delta_{\text{rel1}} = \alpha \Delta T (L_1 + L_2)$$
  
$$\delta_{\text{rel1}} \text{ is greater than gap length } s$$

 $\delta_{rel2}$  = relative displacement between ends of bar and spring due to pair of forces Q, one on end of bar at C and the other on end of spring

$$\delta_{\text{rel2}} = Q\left(\frac{L_1}{EA_1} + \frac{L_2}{EA_2}\right) + \frac{Q}{k_3}$$
$$\delta_{\text{rel2}} = Q\left(\frac{L_1}{EA_1} + \frac{L_2}{EA_2} + \frac{1}{k_3}\right)$$

(b) DISPLACEMENTS AT B AND C Use superposition of displacements in the two released structures:

$$\delta_B = \alpha \Delta T(L_1) - R_A \left(\frac{L_1}{EA_1}\right) \leftarrow \delta_B = \alpha \Delta T(L_1) - \frac{\left[-s + \alpha \Delta T(L_1 + L_2)\right]}{\frac{L_1}{EA_1} + \frac{L_2}{EA_2} + \frac{1}{k_3}} \left(\frac{L_1}{EA_1}\right)$$


Compatibility:  $\delta_{rel1} + \delta_{rel2} = s \quad \delta_{rel2} = s - \delta_{rel1}$  $\delta_{rel2} = s - \alpha \Delta T (L_1 + L_2)$ 

$$Q = \frac{s - \alpha \Delta T (L_1 + L_2)}{\frac{L_1}{EA_1} + \frac{L_2}{EA_2} + \frac{1}{k_3}}$$
$$Q = \frac{EA_1A_2k_3}{L_1A_2k_3 + L_2A_1k_3 + EA_1A_2}$$
$$[s - \alpha \Delta T (L_1 + L_2)]$$

(a) REACTIONS AT 
$$A$$
 AND  $D$   
Statics:  $R_A = -Q$   $R_D = Q$   
 $R_A = \frac{-s + \alpha \Delta T(L_1 + L_2)}{\frac{L_1}{EA_1} + \frac{L_2}{EA_2} + \frac{1}{k_3}} \leftarrow$   
 $R_D = -R_A \leftarrow$ 


$$\delta_C = \alpha \Delta T (L_1 + L_2) - R_A \left( \frac{L_1}{EA_1} + \frac{L_2}{EA_2} \right) \quad \leftarrow$$
$$\delta_C = \alpha \Delta T (L_1 + L_2) - C$$

$$\frac{\frac{[-s + \alpha \Delta T(L_1 + L_2)]}{\frac{L_1}{EA_1} + \frac{L_2}{EA_2} + \frac{1}{k_3}} \left(\frac{L_1}{EA_1} + \frac{L_2}{EA_2}\right)$$



#### DISPLACEMENT DIAGRAM

$$S_B = 2.032 \text{ m} - L_B = 1 \text{ mm}$$
  
 $S_C = 2.032 \text{ m} - L_C = 2 \text{ mm}$ 



Elongation of wires:

$$\begin{split} \delta_{\rm B} &= S_B + 2\delta \qquad ({\rm Eq.}\ 2) \\ \delta_{\rm C} &= S_C + \delta \qquad ({\rm Eq.}\ 3) \end{split}$$

FORCE-DISPLACEMENT RELATIONS


$$\delta_B = \frac{T_B L}{EA} \quad \delta_C = \frac{T_C L}{EA}$$
 (Eqs. 4, 5)

SOLUTION OF EQUATIONS

Combine Eqs. (2) and (4):

$$\frac{T_B L}{EA} = S_B + 2\delta \tag{Eq. 6}$$

EQUILIBRIUM EQUATION



Combine Eqs. (3) and (5):

$$\frac{T_C L}{EA} = S_C + \delta \tag{Eq. 7}$$

Eliminate & between Eqs. (6) and (7):

$$T_B - 2T_C = \frac{EAS_B}{L} - \frac{2EAS_C}{L}$$
(Eq. 8)

Solve simultaneously Eqs. (1) and (8):

$$T_B = \frac{6P}{5} + \frac{EAS_B}{5L} - \frac{2EAS_C}{5L} \quad \longleftarrow$$
$$T_C = \frac{3P}{5} - \frac{2EAS_B}{5L} + \frac{4EAS_C}{5L} \quad \longleftarrow$$


SUBSTITUTE NUMERICAL VALUES:

$$\frac{EA}{5L} = 398.917 \text{ kN/m.}$$

$$T_B = 3738 + 398.911 \text{ N} - 1595.668 = 2541 \text{ N} \quad \longleftarrow$$

$$T_C = 1869 - 797.834 + 3191.336 = 4263 \text{ N} \quad \longleftarrow$$

(Both forces are positive, which means tension, as required for wires.)



$$\sigma_{\text{allow}} = 20 \text{ MPa}$$

$$E = 30 \text{ GPa}$$

C = concrete post


DOES THE GAP CLOSE?

Stress in the two outer posts when the gap is just closed:

$$\sigma = E\varepsilon = E\left(\frac{s}{L}\right) = (30 \text{ GPa})\left(\frac{1.0 \text{ mm}}{2.0 \text{ m}}\right)$$
$$= 15 \text{ MPa}$$

Since this stress is less than the allowable stress, the allowable force P will close the gap.

EQUILIBRIUM EQUATION



FORCE-DISPLACEMENT RELATIONS

$$\delta_1 = \frac{P_1 L}{EA} \quad \delta_2 = \frac{P_2 L}{EA}$$
(Eqs. 3, 4)

SOLUTION OF EQUATIONS

Substitute (3) and (4) into Eq. (2):

$$\frac{P_1L}{EA} = \frac{P_2L}{EA} + s \quad \text{or} \quad P_1 - P_2 = \frac{EAs}{L} \quad (\text{Eq. 5})$$

Solve simultaneously Eqs. (1) and (5):

$$P = 3P_1 - \frac{EAs}{L}$$

By inspection, we know that  $P_1$  is larger than  $P_2$ . Therefore,  $P_1$  will control and will be equal to  $\sigma_{\text{allow}} A$ .

$$P_{\text{allow}} = 3\sigma_{\text{allow}} A - \frac{EAs}{L}$$
$$= 2400 \text{ kN} - 600 \text{ kN} = 1800 \text{ kN}$$
$$= 1.8 \text{ MN} \quad \longleftarrow$$

The figure shows a section through the pipe, cap and rod. NUMERICAL PROPERTIES

$$L_{ci} = 1.6 \text{ m}$$
  $E_s = 210 \text{ GPA}$   $E_b = 96 \text{ GPa}$   
 $E_c = 83 \text{ GPa}$   $t_c = 25 \text{ mm}$   $p = 1.3 \text{ mm}$   $n = \frac{1}{4}$   
 $d_w = 19 \text{ mm}$   $d_r = 12 \text{ mm}$   $d_o = 150 \text{ mm}$   
 $d_i = 143 \text{ mm}$ 

- (a) Forces and stresses in PIPE and ROD
  - One degree stat-indet. cut rod at cap and use force in rod (Q) as the redundant.
  - $\delta_{\text{rel1}} = \text{relative displ. between cut ends of rod due to}$ 1/4 turn of nut

$$\delta_{\text{rel 1}} = -np$$
 < ends of rod move apart, not together, so this is (-)

 $\delta_{rel2}$  = relative displ. between cut ends of rod due to pair of forces Q

$$\delta_{\text{rel2}} = Q \left( \frac{L + 2t_c}{E_b A_{\text{rod}}} + \frac{L_{ci}}{E_c A_{\text{pipe}}} \right)$$

$$\begin{split} A_{\rm rod} &= \frac{\pi}{4} d_r^2 \qquad A_{\rm pipe} = \frac{\pi}{4} (d_o^2 - d_i^2) \\ A_{\rm rod} &= 1.131 \times 10^{-4} \, {\rm m}^2 \qquad A_{\rm pipe} = 1.611 \times 10^{-3} \, {\rm m}^2 \\ {\rm Compatibility equation:} \qquad \delta_{\rm rel1} + \delta_{\rm rel2} = 0 \end{split}$$

$$Q = \frac{np}{\frac{L_{ci} + 2t_c}{E_b A_{rod}} + \frac{L_{ci}}{E_c A_{pipe}}}$$
$$Q = 1.982 \times 10^3 \,\mathrm{N}$$


Statics: 
$$F_{\rm rod} = Q$$
  $F_{\rm pipe} = -Q$ 

Stresses: 
$$\sigma_p = \frac{F_{\text{pipe}}}{A_{\text{pipe}}}$$
  $\sigma_p = -1.231 \text{ MPa}$   $\leftarrow$   
 $\sigma_r = \frac{F_{\text{rod}}}{A_{\text{rod}}}$   $\sigma_r = 17.53 \text{ MPa}$   $\leftarrow$ 


(b) BEARING AND SHEAR STRESSES IN STEEL CAP

$$d_w = 0.019 \text{ m}$$
  $d_r = 0.012 \text{ m}$   $t_c = 0.025 \text{ m}$ 

$$\sigma_b = \frac{F_{\rm rod}}{\frac{\pi}{4}(d_w^2 - d_r^2)} \quad \sigma_b = 11.63 \text{ MPa} \quad \longleftarrow$$
$$\tau_c = \frac{F_{\rm rod}}{\pi d_w t_c} \quad \tau_c = 1.328 \text{ MPa} \quad \longleftarrow$$



 $P_s$  = tensile force in one steel bolt  $P_p$  = compressive force in plastic cylinder  $P_p$  = 2 $P_s$  COMPATIBILITY EQUATION



 $\delta_s$  = elongation of steel bolt

 $\delta_p$  = shortening of plastic cylinder

$$+\delta_p = np$$
 (Eq. 2)

FORCE-DISPLACEMENT RELATIONS

. .

$$\delta_s = \frac{P_s L}{E_s A_s} \quad \delta_p = \frac{P_p L}{E_p A_p} \tag{Eq. 3, Eq. 4}$$

SOLUTION OF EQUATIONS

 $\delta_s$ 

Substitute (3) and (4) into Eq. (2):

$$\frac{P_s L}{E_s A_s} + \frac{P_p L}{E_p A_p} = np \tag{Eq. 5}$$

Solve simultaneously Eqs. (1) and (5):

$$P_p = \frac{2npE_sA_sE_pA_p}{L(E_pA_p + 2E_sA_s)}$$


STRESS IN THE PLASTIC CYLINDER

$$\sigma_p = \frac{P_p}{A_p} = \frac{2np E_s A_s E_p}{L(E_p A_p + 2E_s A_s)}$$

Substitute numerical values:  $N = E_s A_s E_p = 54.0 \times 10^{15} \text{ N}^2/\text{m}^2$ 

$$D = E_p A_p + 2E_s A_s = 21.6 \times 10^6 \text{ N}$$
$$\sigma_p = \frac{2np}{L} \left(\frac{N}{D}\right) = \frac{2(1)(1.0 \text{ mm})}{200 \text{ mm}} \left(\frac{N}{D}\right)$$
$$= 25.0 \text{ MPa} \quad \longleftarrow$$

(Eq. 1)



COMPATIBILITY EQUATION  $\delta_s = \text{elongation of steel bolt}$   $\delta_p = \text{shortening of plastic cylinder}$   $\delta_s + \delta_p = np$  (Eq. 2)  $P_s \uparrow P_p \downarrow \uparrow P_s \downarrow$  $S \uparrow P_p \downarrow S$ 

FORCE-DISPLACEMENT RELATIONS

$$\delta_s = \frac{P_s L}{E_s A_s} \quad \delta_p = \frac{P_p L}{E_p A_p}$$
(Eq. 3, Eq. 4)

SOLUTION OF EQUATIONS

Substitute Eqs. (3) and (4) into Eq. (2):

$$\frac{P_s L}{E_s A_s} + \frac{P_p L}{E_p A_p} = np$$
(Eq. 5)

Solve simultaneously Eqs. (1) and (5):

$$P_p = \frac{2 np E_s A_s E_p A_p}{L(E_p A_p + 2E_s A_s)}$$
  
Stress in the plastic cylinder

$$\sigma_p = \frac{P_p}{A_p} = \frac{2 n p E_s A_s E_p}{L(E_p A_p + 2E_s A_s)} \quad \leftarrow \quad$$

SUBSTITUTE NUMERICAL VALUES:

$$N = E_s A_s E_p$$

$$D = E_p A_p + 2E_s A_s$$

$$\sigma_p = \frac{2np}{L} \left(\frac{N}{D}\right)$$

$$= 15.0 \text{ MPa} \quad \leftarrow$$

The figure shows a section through the sleeve, cap, and bolt.

NUMERICAL PROPERTIES

 $n = \frac{1}{2} \qquad p = 1.0 \text{ mm} \qquad \Delta T = 30^{\circ}\text{C}$   $E_c = 120 \text{ GPa} \qquad \alpha_c = 17 \times (10^{-6})/^{\circ}\text{C}$   $E_s = 200 \text{ GPa} \qquad \alpha_s = 12 \times (10^{-6})/^{\circ}\text{C}$   $\tau_{aj} = 18.5 \text{ MPa} \qquad s = 26 \text{ mm} \qquad d_b = 5 \text{ mm}$   $L_1 = 40 \text{ mm} \qquad t_1 = 4 \text{ mm} \qquad L_2 = 50 \text{ mm} \qquad t_2 = 3 \text{ mm}$   $d_1 = 25 \text{ mm} \qquad d_1 - 2t_1 = 17 \text{ mm} \qquad d_2 = 17 \text{ mm}$ 

$$A_b = \frac{\pi}{4} d_b^2 \qquad A_1 = \frac{\pi}{4} [d_1^2 - (d_1 - 2t_1)^2]$$
$$A_b = 19.635 \text{ mm}^2 \qquad A_1 = 263.894 \text{ mm}^2$$

$$A_2 = \frac{\pi}{4} [d_2^2 - (d_2 - 2t_2)^2]$$
  $A_2 = 131.947 \text{ mm}^2$ 

(a) FORCES IN SLEEVE AND BOLT One-degree statically indeterminate—cut bolt and use force in bolt (P<sub>B</sub>) as redundant (see sketches):


$$\delta_{B1} = -np + \alpha_s \Delta T (L_1 + L_2 - s)$$

$$\delta_{B2} = P_B \left[ \frac{L_1 + L_2 - s}{E_s A_b} + \frac{L_1 - s}{E_c A_1} + \frac{L_2 - s}{E_c A_2} + \frac{s}{E_c (A_1 + A_2)} \right]$$

Compatibility:  $\delta_{B1} + \delta_{B2} = 0$ 

$$P_B = \frac{-[-np + \alpha_s \Delta T(L_1 + L_2 - s)]}{\left[\frac{L_1 + L_2 - s}{E_s A_b} + \frac{L_1 - s}{E_c A_1} + \frac{L_2 - s}{E_c A_2} + \frac{s}{E_c (A_1 + A_2)}\right]} \quad P_B = 25.4 \text{ kN} \quad \longleftarrow \quad P_s = -P_B \quad \longleftarrow$$

Sketches illustrating superposition procedure for statically-indeterminate analysis



(b) REQUIRED LENGTH OF SOLDER JOINT≈

$$\tau = \frac{P}{A_s} \qquad A_s = \pi d_2 s$$
$$s_{\text{reqd}} = \frac{P_B}{\pi d_2 \tau_{aj}} \qquad s_{\text{reqd}} = 25.7 \text{ mm}$$

$$\delta_s = P_s \left[ \frac{L_1 - s}{E_c A_1} + \frac{L_2 - s}{E_c A_2} + \frac{s}{E_c (A_1 + A_2)} \right]$$
  
$$\delta_s = -0.064 \text{ mm}$$
  
$$\delta_f = \delta_b + \delta_s \qquad \delta_f = 0.35 \text{ mm} \quad \longleftarrow$$

(c) FINAL ELONGATION

 $\delta_f$  = net of elongation of bolt ( $\delta_b$ ) and shortening of sleeve ( $\delta_s$ )

$$\delta_b = P_B \left( \frac{L_1 + L_2 - s}{E_s A_b} \right) \qquad \delta_b = 0.413 \text{ mm}$$

PROPERTIES & DIMENSIONS (N, m)

$$d_o = 0.150 \qquad t = 0.003 \qquad E_t = 0.7 \times 10^9$$
$$A_t = \frac{\pi}{4} \left[ d_o^2 - (d_o - 2t)^2 \right] \qquad A_t = 1.385 \times 10^{-3}$$

must redefine L and  $L_1 \mbox{ from above }$ 

$$L_1 = 0.308 > L = 0.305$$
  $k = 262.5 (10^3)$ 

Spring 3 mm  $\delta = L_1 - L$   $\delta = 3 \times 10^{-3}$  longer than tube

- $\begin{aligned} \alpha_k &= 12(10^{-6}) < \alpha_t = 140(10^{-6}) \\ \Delta T &= 0 \qquad < \text{note that } Q \text{ result below is for } \\ \text{zero temp.} \end{aligned}$
- (a) Force in spring  $F_{\kappa}$  = redundant Q

Flexibilities: 
$$f = \frac{1}{k}$$
  $f_t = \frac{L}{E_t A_t}$   $f_t = 3.145 \times 10^{-7}$   
$$Q = \frac{-\delta + \Delta T (-\alpha_k L_1 + \alpha_t L)}{f + f_t}$$

Q = -727 N < compressive force in spring  $(F_k)$ 

(b)  $F_t = \text{FORCE IN TUBE} = -Q$ ^ also tensile force in tube

**NOTE:** if tube is rigid,  $F_k = -k\delta = -787.5$ 

(c) FINAL LENGTH OF TUBE AND SPRING

$$L_f = L + \delta_{c1} + \delta_{c2}$$
 < i.e., add displacements in  
cap for the two released  
structures to initial tube  
length L

$$L_f = L - Qf_t + \alpha_t(\Delta T)L \qquad L_f = 305.2 \text{ mm}$$

$$k(L_f - L) = -727.446 \qquad \frac{Q}{k} = -2.771 \times 10^{-3}$$


$$Qf = -2.771 \times 10^{-3}$$

STRESS IN POLYETHYLENE TUBE

$$\sigma_t = \frac{Q}{A_t} \qquad \sigma_t = -5.251 \times 10^5 \,\mathrm{Pa}$$

(d) Set Q = 0 to find  $\Delta T$  required to reduce spring force to zero

$$\Delta T_{\text{reqd}} = \frac{\delta}{(-\alpha_k L_1 + \alpha_t L)}$$
  
$$\Delta T_{\text{reqd}} = 76.9 \text{ °C} \qquad < \text{since } \alpha_t > \alpha_k, \text{ a temp.}$$
  
increase is req'd to expand  
tube so that spring force  
goes to zero



EQUILIBRIUM EQUATION

 $P_s = P_c$ Compatibility equation and Force-displacement relations

 $\delta_1$  = initial elongation of steel wires

$$=\frac{QL}{E_sA_s}=\frac{\sigma_0L}{E_s}$$

 $\delta_2$  = final elongation of steel wires

$$= \frac{P_s L}{E_s A_s}$$

\_

 $\delta_3$  = shortening of concrete

$$=\frac{P_cL}{E_cA_c}$$

 $\delta_1 - \delta_2 = \delta_3 \quad \text{or} \\ \frac{\sigma_0 L}{E_s} - \frac{P_s L}{E_s A_s} = \frac{P_c L}{E_c A_c}$ (Eq. 2, Eq. 3)

Solve simultaneously Eqs. (1) and (3):

$$P_s = P_c = \frac{\sigma_0 A_s}{1 + \frac{E_s A_s}{E_c A_c}}$$

$$L = \text{length}$$
  

$$\sigma_0 = \text{initial stress in wires}$$
  

$$= \frac{Q}{A_s} = 620 \text{ MPa}$$
  

$$A_s = \text{total area of steel wires}$$
  

$$A_c = \text{area of concrete}$$
  

$$= 50 A_s$$
  

$$E_s = 12 E_c$$

 $P_s$  = final tensile force in steel wires

 $P_c$  = final compressive force in concrete

STRESSES

(Eq. 1)

$$\sigma_s = \frac{P_s}{A_s} = \frac{\sigma_0}{1 + \frac{E_s A_s}{E_c A_c}} \quad \leftarrow$$
$$\sigma_c = \frac{P_c}{A_c} = \frac{\sigma_0}{\frac{A_c}{A_s} + \frac{E_s}{E_c}} \quad \leftarrow$$

SUBSTITUTE NUMERICAL VALUES:

$$\sigma_0 = 620 \text{ MPa} \qquad \frac{E_s}{E_c} = 12 \quad \frac{A_s}{A_c} = \frac{1}{50}$$
$$\sigma_s = \frac{620 \text{ MPa}}{1 + \frac{12}{50}} = 500 \text{ MPa (Tension)} \quad \leftarrow$$
$$\sigma_c = \frac{620 \text{ MPa}}{50 + 12} = 10 \text{ MPa (Compression)} \quad \leftarrow$$

The figure shows a section through the tube, cap and spring.

PROPERTIES AND DIMENSIONS (N, m)

$$d_0 = 0.150 \text{ mm}$$
  $t = 0.003 \text{ mm}$   $E_t = 0.7(10^9)$ 

 $L = 0.305 \text{ mm} > L_1 = 0.302 \text{ mm}$   $k = 262.5(10^3) \frac{\text{N}}{\text{m}}$ 

$$\alpha_k = 12(10^{-6}) < \alpha_t = 140(10^{-6})$$
$$A_t = \frac{\pi}{4} [d_0^2 - (d_0 - 2t)^2]$$

$$A_t = 1.385 \times 10^{-3}$$
 spring is 3 mm shorter  
than tube

 $F_k = 727 \text{ N}$   $\leftarrow$  also the compressive force in the tube

- (b) Force in tube  $F_t = -Q$   $\leftarrow$
- (c) Final length of tube and spring  $L_f = L + \delta_{c1} + \delta_{c2}$

$$L_f = L - Qf_t + \alpha_t(\Delta T)L$$
  $L_f = 304.8 \text{ mm}$    
 $k(L_f - L_t) = 727.446$   
 $\frac{Q}{k} = 2.771 \times 10^{-3}$ 

PRETENSION AND TEMPERATURE

 $\delta = L - L_1$   $\delta = 3 \times 10^{-3}$   $\Delta T = 0$ 

< note that Q result below is for ZERO TEMP (until part (d))

FLEXIBILITIES 
$$f = \frac{1}{k}$$
  $f_t = \frac{L}{E_t A_t}$   $f_t = 3.145 \times 10^{-7}$ 

(a) Force in spring  $(F_k)$  = redundant (Q)

$$Q = \frac{\delta + \Delta T (-\alpha_k L_1 + \alpha_t L)}{f + f_t} = F_k$$

$$Q = 727 \text{ N}$$

 $Qf = 2.771 \times 10^{-3}$  same as  $Q = F_k$ 


STRESS IN POLYETHYLENE TUBE

$$\sigma_{\rm t} = \frac{Q}{A_t} \quad \sigma_t = 5.251 \times 10^5$$

(d) Set Q = 0 to find  $\Delta T$  required to reduce spring force to zero

$$\Delta T_{\text{reqd}} = \frac{-\delta}{(-\alpha_k L_1 + \alpha_t L)}$$

 $\Delta T_{\text{reqd}} = -76.8 \,^{\circ}\text{C}$  since  $\alpha_t > \alpha_k$ , a temp. drop is req'd to shrink tube so that spring force goes to zero



 $A = 2.5 \times 10^{-3} \text{m}^2$  $\sigma_a = 125 \text{ MPa}$  $\tau_a = 76 \text{ MPa}$ 

MAXIMUM LOAD-tension

 $P_{\max\sigma} = \sigma_a A$   $P_{\max\sigma} = 312 \text{ kN}$ 

MAXIMUM LOAD-shear

 $P_{\max\tau} = 2\tau_a A$   $P_{\max\tau} = 380 \text{ kN}$ 

Because  $\tau_{\text{allow}}$  is more than one-half of  $\sigma_{\text{allow}}$ , the normal stress governs.




$$P_{\max} = 2\tau_a \left(\frac{\pi}{4} d_{\min}^2\right)$$
$$d_{\min} = \sqrt{\frac{2}{\pi \tau_a} P}$$

$$d_{\min} = 6.81 \text{ mm} \quad \leftarrow$$

NUMERICAL DATA P = 3.5 kN  $\sigma_a = 118$  MPa  $\tau_a = 48$  MPa Find  $P_{max}$  then rod diameter.

Find  $P_{\text{max}}$  then rod diameter. since  $\tau_a$  is less than 1/2 of  $\sigma_a$ , shear governs.



 $A = 65 \text{ mm} \times 100 \text{ mm} = 6500 \text{ mm}^2$ Maximum normal stress:



Maximum shear stress:


$$\tau_{\max} = \frac{\sigma_x}{2} = \frac{P}{2A}$$

 $\sigma_{\rm ult} = 26 \text{ MPa}$   $\tau_{\rm ult} = 8 \text{ MPa}$ 

Because  $\tau_{\rm ult}$  is less than one-half of  $\sigma_{\rm ult}$ , the shear stress governs.

$$\tau_{\max} = \frac{P}{2A}$$
 or  $P_{\max} = 2A\tau_{ult}$ 

 $P_{\rm max} = 2(6500\,{\rm mm^2})(8\,{\rm MPa}) = 104\,{\rm kN}$   $\leftarrow$ 



NUMERICAL DATA

d = 2.42 mm T = 98 N $\alpha = 19.5 (10^{-6})/^{\circ}\text{C}$  E = 110 GPa

(a)  $\Delta T_{\text{max}}$  (drop in temperature)

$$\sigma = \frac{T}{A} - (E\alpha \,\Delta T) \qquad \tau_{\max} = \frac{\sigma}{2}$$
$$\tau_a = \frac{T}{2A} - \frac{E\alpha \,\Delta T}{2}$$

$$\begin{aligned} \tau_a &= 60 \text{ MPa} \quad A = \frac{\pi}{4} d^2 \\ \Delta T_{\text{max}} &= \frac{\frac{T}{A} - 2 \tau_a}{E \alpha} \\ \Delta T_{\text{max}} &= -46^{\circ} \text{C (drop)} \end{aligned}$$

(b)  $\Delta T$  at which wire goes slack

Increase  $\Delta T$  until  $\sigma = 0$ :

$$\Delta T = \frac{T}{E \alpha A}$$
$$\Delta T = 9.93^{\circ} C \text{ (increase)}$$

NUMERICAL DATA (N, m)

$$d = 0.0016 \text{ m}$$
  $T = 200 \text{ N}$   $\alpha = 21.2(10^{-6})$   
 $E = 110(10^9) \text{ Pa}$   $\Delta T = -30^{\circ}\text{C}$   
 $A = \frac{\pi}{4}d^2$ 

(a)  $\tau_{\rm max}$  (due to drop in temperature)

$$\tau_{\max} = \frac{\sigma_x}{2}$$
  $\tau_{\max} = \frac{\frac{T}{A} - (E \alpha \Delta T)}{2}$ 

 $\tau_{\rm max} = 84.7 \ {
m MPa} \quad \longleftarrow$ 

(b)  $\Delta T_{\text{max}}$  for allow. Shear stress

$$\tau_a = 70(10^6) \text{ Pa}$$
$$\Delta T_{\text{max}} = \frac{\frac{T}{A} - 2\tau_a}{E\alpha}$$
$$\Delta T_{\text{max}} = -17.38^{\circ}\text{C} \quad \longleftarrow$$

(c)  $\Delta T$  at which wire goes slack Increase  $\Delta T$  until  $\sigma = 0$ 

$$\Delta T = \frac{T}{E \alpha A}$$

 $\Delta T = 42.7$ °C (increase)  $\leftarrow$ 

(a) 
$$d = 12 \text{ mm}$$
  $P = 9.5 \text{ kN}$   $A = \frac{\pi}{4}d^2 = 1.131 \times 10^{-4} \text{ m}^2$   
 $\sigma_x = \frac{P}{A} = 84 \text{ MPa}$   
(b)  $\overline{\tau_{\text{max}} = \frac{\sigma_x}{2} = 42 \text{ MPa}}$  On plane stress element rotated 45°


(c) Rotated stress element (45°) has normal tensile stress  $\sigma_x/2$  on all faces,  $-T_{max}$  (CW) on +x-face, and  $+T_{max}$  (CCW) on + y-face

$$\tau_{xylyl} = \tau_{max} \qquad \sigma_{xl} = \frac{\sigma_x}{2} \qquad \sigma_{yl} = \sigma_{xl}$$
On rotated x-face: 
$$\boxed{\sigma_{xl} = 42 \text{ MPa}} \qquad \boxed{\tau_{xlyl} = 42 \text{ MPa}}$$
On rotated y-face: 
$$\boxed{\sigma_{yl} = 42 \text{ MPa}}$$
(d)  $\theta = 22.5^\circ \qquad < \text{CCW ROTATION OF ELEMENT}$ 

 $\sigma_{\theta} = \sigma_x \cos(\theta)^2 = 71.7 \text{ MPa}$  < on rotated x face  $\sigma_y = \sigma_x \cos\left(\theta + \frac{\pi}{2}\right)^2 = 12.3 \text{ MPa}$  < on rotated y face

Eq. 2-29b 
$$\tau_{\theta} = \frac{-\sigma_x}{2} \sin(2\theta) = -29.7 \text{ MPa}$$
 < CW on rotated x-face  
On rotated x-face:  $\sigma_{x1} = 71.7 \text{ MPa}$   $\tau_{x1y1} = -29$ 

On rotated x-face: 
$$\sigma_{x1} = 71.7 \text{ MPa}$$
  
On rotated y-face:  $\sigma_{y1} = 12.3 \text{ MPa}$ 




$$\sigma_{\rm max} = 16.8 \, {\rm MPa}$$

(b) MAXIMUM SHEAR STRESS The maximum shear stress is on a 45° plane and equals  $\sigma_x/2$ .

$$\tau_{\max} = \frac{\sigma_x}{2} = 8.4 \text{ MPa}$$

(c) Stress element at  $\theta = 45^{\circ}$ 



(a) 
$$\alpha = 17.5 (10^{-6})$$
  $\Delta T = 50$   $E = 120$  GPa  
 $\sigma_x = -E\alpha \Delta T = -105$  MPa  $\tau_{max} = \frac{\sigma_x}{2} = -52.5$  MPa  $< \text{at } \theta = 45^\circ$   
(compression)  
(b)  $\tau_{\theta} = 48$  MPa  
Eq. 2-29b  $\tau_{\theta} = \frac{-\sigma_x}{2} \sin(2\theta)$   
so  $\theta = \frac{1}{2}a \sin\left(\frac{2\tau_{\theta}}{-\sigma_x}\right) = 33.1^\circ$   $<$  CCW rotation of element  $\theta = 33.1^\circ$   
 $\sigma_{\theta} = \sigma_x \cos(\theta)^2 = -73.8$  MPa  $<$  on rotated x face  
 $\sigma_y = \sigma_x \cos\left(\theta + \frac{\pi}{2}\right)^2 = -31.2$  MPa  $<$  on rotated y face

286 © 2018 Cengage Learning<sup>®</sup>. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

P = 45kN L = 1m  $A = 5200mm^2$   $\theta = 35deg$ 

Normal compressive stress 
$$\sigma_x = \frac{-P}{A} = -8.654 \cdot MPa$$

Plane stress transformations


$$\begin{split} \sigma_{\theta}(\theta) &= \sigma_{x} \cdot \cos(\theta)^{2} & \sigma_{\theta}(\theta) = -5.807 \cdot \text{MPa} & \sigma_{\theta} \left(\theta + \frac{\pi}{2}\right) = -2.847 \cdot \text{MPa} \\ \tau_{\theta}(\theta) &= -\sigma_{x} \cdot \sin(\theta) \cdot \cos(\theta) & \tau_{\theta}(\theta) = 4.066 \cdot \text{MPa} & \tau_{\theta} \left(\theta + \frac{\pi}{2}\right) = -4.066 \cdot \text{MPa} \end{split}$$

L = 1m A = 1200mm<sup>2</sup> 
$$\Delta T$$
 = 25  $\alpha$  = 12 (10<sup>-6</sup>)  $\theta$  = 45deg E = 200GPa

 $\label{eq:stress} \text{Compressive thermal stress} \qquad \sigma_T = E \cdot \alpha \cdot \Delta T = 60 \cdot \text{MPa}$ 

Support reactions 
$$R_A = \sigma_T \cdot A = 72 \cdot kN$$
  $R_B = -R_A$   
Plane stress transformations  $\sigma_x = \frac{R_B}{A} = -60 \cdot MPa$   
 $\sigma_\theta = \sigma_x \cdot \cos(\theta)^2 = -30 \cdot MPa$   $\sigma_x \cdot \cos\left(\theta + \frac{\pi}{2}\right)^2 = -30 \cdot MPa$   $\tau_\theta = -\sigma_x \cdot \sin(\theta) \cdot \cos(\theta) = 30 \cdot MPa$ 

Rotated stress element



NUMERICAL DATA

L = 3 m b = 0.71 L P = 220 kN  $\sigma_a = 96 \text{ MPa}$   $\tau_a = 52 \text{ MPa}$   $A = 37.4 \text{ cm}^2$  < UPN 220 b = 2.13 m(a) Find reactions, then member forces (see solu. Approach in Eq. 1-1)

$$\begin{aligned} \theta_A &= 60^\circ \quad \theta_B = \arcsin\left(\frac{b}{L}\sin(\theta_A)\right) = 37.943^\circ \quad \theta_C = 180^\circ - (\theta_A + \theta_B) = 82.057^\circ \\ c &= L\left(\frac{\sin(\theta_C)}{\sin(\theta_A)}\right) = 3.431 \,\mathrm{m} \quad B_y = \frac{Pb\,\cos(\theta_A) + 2Pb\,\sin(\theta_A)}{c} = 304.861 \,\mathrm{kN} \quad A_y = P - B_y = -84.861 \,\mathrm{kN} \\ A_x &= -2P = -440 \,\mathrm{kN} \quad F_{AC} = \frac{-A_y}{\sin(\theta_A)} = 97.99 \,\mathrm{kN} \quad F_{AB} = -A_x - F_{AC}\cos(\theta_A) = 391.005 \,\mathrm{kN} \\ F_{BC} &= \frac{-B_y}{\sin(\theta_B)} = 495.808 \,\mathrm{kN} \end{aligned}$$
Normal stresses in each member:  $\sigma_{AC} = \frac{F_{AC}}{F_{AC}} = 26.2 \,\mathrm{MPa} \quad \sigma_{AB} = \frac{F_{AB}}{F_{AB}} = 104.547 \,\mathrm{MPa} \end{aligned}$ 

Normal stresses in each member:  $\sigma_{AC} = \frac{F_{AC}}{A} = 26.2 \text{ MPa}$   $\sigma_{AB} = \frac{F_{AB}}{A} = 104.547 \text{ MPa}$  $\sigma_{BC} = \frac{F_{BC}}{A} = -132.569 \text{ MPa}$ 

From Eq. 2 -31:

$$\tau_{\max AC} = \frac{\sigma_{AC}}{2} = 13.1 \text{ MPa} \qquad \qquad \tau_{\max AB} = \frac{\sigma_{AB}}{2} = 52.3 \text{ MPa} \qquad \qquad \tau_{\max BC} = \frac{\sigma_{BC}}{2} = -66.3 \text{ MPa}$$

(b)  $\sigma_a < 2\tau_a$  so normal stress will control; lowest value governs here.

$$\begin{array}{ll} \text{Member } AC: \quad P_{\max\sigma} = \frac{P}{F_{AC}}(\sigma_a A) = 806.094 \text{ kN} \qquad P_{\max\tau} = \frac{P}{F_{AC}}(2\,\tau_a A) = 873.268 \text{ kN} \\ \text{Member } AB: \quad P_{\max\sigma} = \frac{P}{F_{AB}}(\sigma_a A) = 202.015 \text{ kN} \qquad P_{\max\tau} = \frac{P}{F_{AB}}(2\,\tau_a A) = 218.849 \text{ kN} \\ \text{Member } BC: \quad \boxed{P_{\max\sigma} = \left|\frac{P}{F_{BC}}\right|(\sigma_a A) = 159.3 \text{ kN}} \qquad P_{\max\tau} = \left|\frac{P}{F_{BC}}\right|(2\,\tau_a A) = 172.589 \text{ kN} \end{array}$$

NUMERICAL DATA

d = 32  mm	$A = \frac{\pi}{4} d^2$
P = 190  N	$A = 804.25 \text{ mm}^2$
a = 100  mm	
b = 300  mm	

(a) Statics—Find compressive force F and stresses in plastic bar

$$F = \frac{P(a + b)}{a} \qquad F = 760 \text{ N}$$


$$\sigma_x = \frac{F}{A} \quad \sigma_x = 0.945 \text{ MPa} \quad \text{or} \quad \sigma_x = 945 \text{ kPa}$$
From (1), (2), and (3) below:
$$\sigma_{\text{max}} = \sigma_x \quad \sigma_{\text{max}} = -945 \text{ kPa}$$

$$\tau_{\text{max}} = 472 \text{ kPa} \quad \frac{\sigma_x}{2} = -472 \text{ kPa}$$
(1)  $\theta = 0^\circ \quad \sigma_x = -945 \text{ kPa} \quad \longleftarrow$ 

(2)  $\theta = 22.50^{\circ}$ 

On +x-face:

(b) ADD SPRING—FIND MAXIMUM NORMAL AND SHEAR STRESSES IN PLASTIC BAR



$$\sigma_{\theta} = \sigma_x \cos(\theta)^2$$
  

$$\sigma_{\theta} = -807 \text{ kPa} \quad \leftarrow$$
  

$$\tau_{\theta} = -\sigma_x \sin(\theta) \cos(\theta)$$
  

$$\tau_{\theta} = 334 \text{ kPa} \quad \leftarrow$$
  
On +y-face:  $\theta = \theta + \frac{\pi}{2}$   

$$\sigma_{\theta} = \sigma_x \cos(\theta)^2$$
  

$$\sigma_{\theta} = -138.39 \text{ kPa}$$
  

$$\tau_{\theta} = -\sigma_x \sin(\theta) \cos(\theta)$$
  

$$\tau_{\theta} = -334.1 \text{ kPa}$$
  
(3)  $\theta = 45^{\circ}$   
On +x-face:  

$$\sigma_{\theta} = \sigma_x \cos(\theta)^2$$
  

$$\sigma_{\theta} = -472 \text{ kPa} \quad \leftarrow$$
  

$$\tau_{\theta} = -\sigma_x \sin(\theta) \cos(\theta)$$
  

$$\tau_{\theta} = 472 \text{ kPa} \quad \leftarrow$$
  
On +y-face:  $\theta = \theta + \frac{\pi}{2}$   

$$\sigma_{\theta} = \sigma_x \cos(\theta)^2 \quad \sigma_{\theta} = -472.49 \text{ kPa}$$
  

$$\tau_{\theta} = -\sigma_x \sin(\theta) \cos(\theta) \quad \tau_{\theta} = -472.49 \text{ kPa}$$

Force in plastic bar:

$$F = (2k) \left(\frac{4}{5} \frac{P}{k}\right)$$
$$F = \frac{8}{5}P \qquad F = 304 \text{ N}$$

Normal and shear stresses in plastic bar:

$$\sigma_x = \frac{F}{A} \qquad \sigma_x = 0.38$$
$$\sigma_{\text{max}} = -378 \text{ kPa} \quad \longleftarrow$$
$$\tau_{\text{max}} = \frac{\sigma_x}{2} \qquad \tau_{\text{max}} = -189 \text{ kPa} \quad \longleftarrow$$

NUMERICAL DATA (N, m)

$$b = 0.038$$
  $h = 0.075$   $A = bh$   $A = 2.85 \times 10^{-3} \text{ m}^2$   
 $\Delta T = 70 - 20$   $\Delta T = 50^{\circ}\text{C}$   
 $\sigma_{reg} = -8.7(10^6)$ 

$$\alpha = 95 (10^{-6})^{\circ}$$
C


$$E = 2.4 (10^9)$$
 Pa

(a) SHEAR STRESS ON PLANE PQ STAT-INDET. ANALYSIS GIVES FOR REACTION AT RIGHT SUPPORT.

$$R = -EA\alpha\Delta T$$
  $R = -32.49$  kN

$$\sigma_x = \frac{R}{A}$$
  $\sigma_x = -11.4$  MPa

(b) STRESS ELEMENT FOR PLANE PQ



(c) Max. Load at quarter point  $\sigma_a = 23(10^6)$  Pa

 $\tau_a = 11.3(10^6)$   $2\tau_a = 22.6$  MPa < less than  $\sigma_a$ , so shear controls

Stat-indet. analysis for P at L/4 gives for reactions:

$$R_{R2} = \frac{-P}{4}$$
  $R_{L2} = \frac{-3}{4}P$ 

(tension for 0 to L/4 and compression for rest of bar)

From part (a) (for temperature increase  $\Delta T$ ):

$$R_{R1} = -EA\alpha\Delta T$$
  $R_{L1} = -EA\alpha\Delta T$   
Stresses in bar (0 to L/4):

$$\sigma_x = -E\alpha\Delta T + \frac{3P}{4A}$$
  $\tau_{\max} = \frac{\sigma_x}{2}$ 

Using 
$$\sigma_{\theta} = \sigma_x \cos(\theta)^2$$
:  $\cos(\theta)^2 = \frac{\sigma_{pq}}{\sigma_x}$   
 $\sigma_x = -11.4 \text{ MPa} \quad \sigma_{pq} = -8.7 \text{ MPa} \quad \sqrt{\frac{\sigma_{pq}}{\sigma_x}} = 0.87$   
 $\theta = \arccos\left(\sqrt{\frac{\sigma_{pq}}{\sigma_x}}\right) \quad \theta = 0.87^\circ$ 

Now with  $\theta$ , we can find shear stress on plane pq:  $\tau_{pq} = -\sigma_x \sin(\theta) \cos(\theta)$   $\tau_{pq} = 4.85 \text{ MPa} \leftarrow \sigma_{pq} = \sigma_x \cos(\theta)^2$   $\sigma_{pq} = -8.7 \text{ MPa}$ Stresses at  $\theta + \pi/2$  (v-face):

$$\sigma_y = \sigma_x cos \left(\theta + \frac{\pi}{2}\right)^2$$
  $\sigma_y = -2.7 \text{ MPa}$ 

Set  $\tau_{\text{max}} = \tau_a$  and solve for  $P_{\text{max1}}$ :

$$\tau_{a} = \frac{-E\alpha\Delta T}{2} + \frac{3P}{8A} \qquad \tau_{a} = 11.3 \text{ MPa}$$

$$P_{\max 1} = \frac{4A}{3}(2\tau_{a} + E\alpha\Delta T)$$

$$P_{\max 1} = 129,200 \text{ N}$$

$$\tau_{\max} = \frac{-E\alpha\Delta T}{2} + \frac{3P_{\max 1}}{8A}$$

$$\tau_{\max} = 11.3 \text{ MPa} \qquad < \text{check}$$

$$\sigma_{x} = -E\alpha\Delta T + \frac{3P_{\max 1}}{4A}$$

$$\sigma_{x} = 22.6 \text{ MPa} \qquad < \text{less than } \sigma_{a}$$
Stresses in bar (L/4 to L):  

$$\sigma_{x} = -E\alpha\Delta T - \frac{P}{4A} \qquad \tau_{\max} = \frac{\sigma_{x}}{2}$$


Set 
$$\tau_{max} = \tau_a$$
 and solve for  $P_{max2}$ :

$$P_{\max 2} = -4A(-2\tau_a + E\alpha\Delta T)$$

$$P_{\max 2} = 127.7 \text{ kN} \quad \leftarrow \quad \text{shear in segment } (L/4 \text{ to } L) \text{ controls}$$

$$\tau_{\max} = \frac{-E\alpha\Delta T}{2} - \frac{P_{\max 2}}{8A} \quad \tau_{\max} = -11.3 \text{ MPa}$$
$$\sigma_x = -E\alpha\Delta T - \frac{P_{\max 2}}{4\pi} \quad \sigma_x = -22.6 \text{ MPa}$$

$$\sigma_x = -E\alpha \Delta T - \frac{1 \max 2}{4A}$$
  $\sigma_x = -22.6 \text{ N}$ 



NUMERICAL DATA

$$\theta = 55\left(\frac{\pi}{180}\right)$$
 rad

$$b = 18 \text{ mm}$$
  $h = 40 \text{ mm}$   
 $A = bh$   $A = 720 \text{ mm}^2$ 

- $\sigma_{pqa} = 60 \text{ MPa} \qquad \tau_{pqa} = 30 \text{ MPa}$   $\alpha = 17 \times (10^{-6}) \text{/}^{\circ}\text{C} \qquad E = 120 \text{ GPa}$  $\Delta T = 20^{\circ}\text{C} \qquad P = 15 \text{ kN}$
- (a) Find  $\Delta T_{\text{max}}$  based on allowable normal and shear stress values on plane pq

$$\sigma_x = -E\alpha\Delta T_{\max} \qquad \Delta T_{\max} = \frac{-\sigma_x}{E\alpha}$$

 $\sigma_{pq} = \sigma_x \cos(\theta)^2$   $\tau_{pq} = -\sigma_x \sin(\theta) \cos(\theta)$ 

Set each equal to corresponding allowable and solve for  $\sigma_x$ :

$$\sigma_{x1} = \frac{\sigma_{pqa}}{\cos(\theta)^2} \qquad \sigma_{x1} = 182.38 \text{ MPa}$$
$$\sigma_{x2} = \frac{\tau_{pqa}}{-\sin(\theta)\cos(\theta)} \qquad \sigma_{x2} = -63.85 \text{ MPa}$$

Lesser value controls, so allowable shear stress governs.

$$\Delta T_{\max} = \frac{-\sigma_{x2}}{E\alpha} \qquad \Delta T_{\max} = 31.3^{\circ} \text{C} \quad \leftarrow$$

(b) STRESSES ON PLANE PQ FOR MAXIMUM TEMPERATURE

$$\sigma_x = -E\alpha\Delta T_{\text{max}} \qquad \sigma_x = -63.85 \text{ MPa}$$
  
$$\sigma_{pq} = \sigma_x \cos(\theta)^2 \qquad \sigma_{pq} = -21.0 \text{ MPa} \quad \leftarrow$$
  
$$\tau_{pq} = -\sigma_x \sin(\theta)\cos(\theta) \qquad \tau_{pq} = 30 \text{ MPa} \quad \leftarrow$$

(c) Add load P in +x-direction to temperature change and find location of load

 $\Delta T = 28^{\circ}C$ 

P = 15 kN from one-degree statically indeterminate analysis, reactions  $R_A$  and  $R_B$  due to load P:

 $R_A = -(1 - \beta)P$   $R_B = \beta P$ Now add normal stresses due to P to thermal stresses due to  $\Delta T$  (tension in segment 0 to  $\beta L$ , compression in segment  $\beta L$  to L).

Stresses in bar (0 to  $\beta L$ ):

$$\sigma_x = -E\alpha\Delta T + \frac{R_A}{A} \qquad \tau_{\max} = \frac{\sigma_x}{2}$$

Shear controls so set  $\tau_{max} = \tau_a$  and solve for  $\beta$ :

$$2\tau_a = -E\alpha\Delta T + \frac{(1-\beta)P}{A}$$
$$\beta = 1 - \frac{A}{P}[2\tau_a + E\alpha\Delta T]$$

 $\beta = -5.1$ Impossible so evaluate segment ( $\beta L$  to L):

Stresses in bar ( $\beta L$  to L):

$$\sigma_x = -E\alpha\Delta T - \frac{R_B}{A} \qquad \tau_{\max} = \frac{\sigma_x}{2}$$
  
set  $\tau_{\max} = \tau_a$  and solve for  $P_{\max 2}$ 

$$2\tau_a = -E\alpha\Delta T - \frac{\beta P}{A}$$
$$\beta = \frac{-A}{P} \left[ -2\tau_a + E\alpha\Delta T \right]$$
$$\beta = 0.62 \quad \leftarrow$$

NUMERICAL DATA

$$P = 30 \text{ kN}$$
  $\alpha = 36^{\circ}$   $\sigma_a = 90 \text{ MPa}$   
 $\tau_a = 48 \text{ MPa}$ 

$$\theta = \frac{\pi}{2} - \alpha \quad \theta = 54^{\circ}$$

 $\sigma_{ja}=40~\mathrm{MPa}$ 

 $\tau_{ja} = 20 \text{ MPa}$  <on brazed joint

tensile force NAC Method of Joints at C

$$N_{AC} = \frac{P}{\sin(60^{\circ})}$$
 (tension)  
 $N_{AC} = 34.6 \text{ kN} \quad \leftarrow$ 

min. required diameter of bar AC

(1) Check tension and shear in bars;  $\tau_a > \sigma_a/2$  so

normal stress controls

$$\sigma_a = \frac{N_{AC}}{A} \quad \sigma_x = \sigma_a$$

$$A_{\text{reqd}} = \frac{N_{AC}}{\sigma_a} \quad A_{\text{reqd}} = 384.9 \text{ mm}^2$$

$$d_{\min} = \sqrt{\frac{4}{\pi}A_{\text{reqd}}} \quad d_{\min} = 22.14 \text{ mm}$$

(2) Check tension and shear on brazed joint:

$$\sigma_x = \frac{N_{AC}}{A}$$
  $\sigma_x = \frac{N_{AC}}{\frac{\pi}{4}d^2}$   $d_{\text{reqd}} = \sqrt{\frac{4}{\pi}\frac{N_{AC}}{\sigma_x}}$ 

Tension on brazed joint:


$$\sigma_{\theta} = \sigma_x \cos(\theta)^2$$
 set equal to  $\sigma_{ja}$  and solve for  $\sigma_x$ , then  $d_{reqd}$ 

$$\sigma_x = \frac{\sigma_{ja}}{\cos(\theta)^2} \qquad \sigma_x = 115.78 \text{ MPa}$$
$$d_{\text{reqd}} = \sqrt{\frac{4}{\pi} \frac{N_{AC}}{\sigma_x}} \qquad d_{\text{reqd}} = 19.52 \text{ mm}$$

Shear on brazed joint:

$$\tau_{\theta} = -\sigma_x \sin(\theta) \cos(\theta)$$


$$\sigma_x = \left| \frac{N_{AC}}{-(\sin(\theta)\cos(\theta))} \right| \qquad \sigma_x = 42.06 \text{ MPa}$$
$$d_{\text{reqd}} = \sqrt[4]{\frac{4}{\pi} \frac{N_{AC}}{\sigma_x}} \qquad d_{\text{reqd}} = 32.4 \text{ mm} \quad \leftarrow \text{governs}$$



 $10^\circ \le \alpha \le 40^\circ$ 

Due to load *P*:  $\sigma_x = 4.9$  MPa

(a) Stresses on joint when  $\alpha = 20^{\circ}$ 



$$\theta = 90^\circ - \alpha = 70^\circ$$

$$\theta = \sigma_x \cos^2 \theta = (4.9 \text{ MPa})(\cos 70^\circ)^\circ$$

 $\sigma$ 

$$\tau_{\theta} = -\sigma_x \sin \theta \cos \theta$$

$$= (-4.9 \text{ MPa})(\sin 70^\circ)(\cos 70^\circ)$$

(b) Largest angle  $\alpha$  if  $\tau_{allow} = 2.25$  MPa

$$\tau_{\text{allow}} = -\sigma_x \sin \theta \cos \theta$$

The shear stress on the joint has a negative sign. Its numerical value cannot exceed  $\tau_{allow} = 2.25$  MPa. Therefore,


 $-2.25 \text{ MPa} = -(4.9 \text{ MPa})(\sin \theta)(\cos \theta) \text{ or } \sin \theta \cos \theta = 0.4592$ 

From trigonometry:  $\sin\theta\cos\theta = \frac{1}{2}\sin 2\theta$ 

Therefore:  $\sin 2\theta = 2(0.4592) = 0.9184$ Solving:  $2\theta = 66.69^{\circ}$  or  $113.31^{\circ}$  $\theta = 33.34^{\circ}$  or 56.66°  $\alpha = 90^\circ - \theta$   $\therefore \alpha = 56.66^\circ$  or  $33.34^\circ$ Since  $\alpha$  must be between 10° and 40°, we select  $\alpha = 33.3^{\circ} \leftarrow$ **NOTE:** If  $\alpha$  is between 10° and 33.3°,  $|\tau_{\theta}| < 2.25$  MPa. If  $\alpha$  is between 33.3° and 40°,  $|\tau_{\theta}| > 2.25$  MPa. (c) WHAT IS  $\alpha$  if  $\tau_{\theta} = 2\sigma_{\theta}$ ? Numerical values only:  $|\sigma_{\theta}| = \sigma_x \cos^2 \theta$  $|\tau_{\theta}| = \sigma_x \sin \theta \cos \theta$  $\left|\frac{\tau_0}{\sigma_0}\right| = 2$  $\sigma_x \sin \theta \cos \theta = 2\sigma_x \cos^2 \theta$  $\sin \theta = 2 \cos \theta$  or  $\tan \theta = 2$  $\theta = 63.43^{\circ}$   $\alpha = 90^{\circ} - \theta$  $\alpha = 26.6^{\circ}$   $\leftarrow$ 

**NOTE:** For  $\alpha = 26.6^{\circ}$  and  $\theta = 63.4^{\circ}$ , we find  $\sigma_{\theta} = 0.98$  MPa and  $\tau_{\theta} = -1.96$  MPa.

Thus, 
$$\left| \frac{\tau_0}{\sigma_0} \right| = 2$$
 as required.



(a) Angle  $\theta$  and shear stress  $\tau_{\theta}$ 

Plane at angle 
$$\theta$$

$$\sigma_{\theta} = \sigma_x \cos^2 \theta$$

 $\sigma_{\theta} = 60 \text{ MPa}$ 

$$\sigma_x = \frac{\sigma_0}{\cos^2\theta} = \frac{60 \text{ MPa}}{\cos^2\theta} \tag{1}$$

Plane at angle  $\theta$  + 90°

$$\sigma_{\theta + 90^\circ} = \sigma_x [\cos(\theta + 90^\circ)]^2 = \sigma_x [-\sin\theta]^2$$
$$= \sigma_x \sin^2\theta$$

$$\sigma_{\theta + 90^\circ} = 20 \text{ MPa}$$


$$\sigma_x = \frac{\sigma_{\theta+90^\circ}}{\sin^2\theta} = \frac{20\,\mathrm{MPa}}{\sin^2\theta} \tag{2}$$

Equate (1) and (2):

$$\frac{60\,\mathrm{MPa}}{\cos^2\theta} = \frac{20\,\mathrm{MPa}}{\sin^2\theta}$$


 $\tan^2 \theta = \frac{1}{3} \quad \tan \theta = \frac{1}{\sqrt{3}} \quad \theta = 30^\circ \quad \leftarrow$ From Eq. (1) or (2):  $\sigma_x = 80 \text{ MPa (tension)}$  $\tau_\theta = -\sigma_x \text{ s in } \theta \cos \theta$  $= (-80 \text{ MPa})(\sin 30^\circ)(\cos 30^\circ)$  $= -34.6 \text{ MPa} \quad \leftarrow$ 

Minus sign means that  $\tau_{\theta}$  acts clockwise on the plane for which  $\theta = 30^{\circ}$ .



(b) MAXIMUM NORMAL AND SHEAR STRESSES

$$\sigma_{\max} = \sigma_x = 80 \text{ MPa} \quad \longleftarrow$$
  
 $\tau_{\max} = \frac{\sigma_x}{2} = 40 \text{ MPa} \quad \longleftarrow$ 



Find  $\theta$  and  $\sigma_x$  for stress state shown in figure.

$$\sigma_{\theta} = \sigma_x \cos(\theta)^2$$
  $\cos(\theta) = \sqrt{\frac{\sigma_{\theta}}{\sigma_x}}$   
so  $\sin(\theta) = \sqrt{1 - \frac{\sigma_{\theta}}{\sigma_x}}$ 

 $\tau_{\theta} = -\sigma_x \sin(\theta) \cos(\theta)$ 


$$\frac{\tau_{\theta}}{\sigma_x} = -\sqrt{1 - \frac{\sigma_{\theta}}{\sigma_x}}\sqrt{\frac{\sigma_{\theta}}{\sigma_x}}$$
$$\left(\frac{\tau_{\theta}}{\sigma_x}\right)^2 = \frac{\sigma_{\theta}}{\sigma_x} - \left(\frac{\sigma_{\theta}}{\sigma_x}\right)$$
$$\left(\frac{23}{\sigma_x}\right)^2 = \frac{65}{\sigma_x} - \left(\frac{65}{\sigma_x}\right)^2$$
$$\left(\frac{65}{\sigma_x}\right)^2 - \left(\frac{65}{\sigma_x}\right) + \left(\frac{23}{\sigma_x}\right)^2 = 0$$

$$\frac{-(-4754 + 65\sigma_x)}{\sigma_x^2} = 0$$

$$\sigma_x = \frac{4754}{65}$$

$$\sigma_x = 73.1 \text{ MPa} \qquad \sigma_\theta = 65 \text{ MPa}$$

$$\theta = a\cos\left(\sqrt{\frac{\sigma_\theta}{\sigma_x}}\right) \qquad \theta = 19.5^\circ$$




Now find  $\sigma_{\theta}$  and  $\tau_{\theta}$  for  $\theta = 30^{\circ}$ :

$$\sigma_{\theta 1} = \sigma_x \cos(\theta)^2 \qquad \sigma_{\theta 1} = 54.9 \text{ MPa} \quad \longleftarrow$$
  

$$\tau_{\theta} = -\sigma_x \sin(\theta) \cos(\theta) \qquad \tau_{\theta} = -31.7 \text{ MPa} \quad \longleftarrow$$
  


$$\sigma_{\theta 2} = \sigma_x \cos\left(\theta + \frac{\pi}{2}\right)^2 \qquad \sigma_{\theta 2} = 18.3 \text{ MPa} \quad \longleftarrow$$



From (3): 
$$\left[\frac{\cos\theta_1}{\cos(\theta_1 + 30^\circ)}\right] = \frac{\sigma_1}{\sigma_2}$$
 or  
 $\frac{\cos\theta_1}{\cos(\theta_1 + 30^\circ)} = \sqrt{\frac{\sigma_1}{\sigma_2}} = 1.5742$ 

Solve by iteration or use a computer program:

$$\theta_1 = 25^\circ$$
  
From (1) and (2):  $\sigma_{\text{max}} = \sigma_x = 64.4 \text{ MPa}$   
 $\tau_{\text{max}} = \frac{\sigma_x}{2} = 34.7 \text{ MPa} \quad \longleftarrow$ 



 $25^\circ < \theta < 45^\circ$ 

$$A = 225 \text{ mm}^2$$

On glued joint:  $\sigma_{allow} = 5.0 \text{ MPa}$ 

 $\tau_{\text{allow}} = 3.0 \text{ MPa}$ 

ALLOWABLE STRESS  $\sigma_x$  in tension

$$\sigma_{\theta} = \sigma_x \cos^2 \theta$$
  $\sigma_x = \frac{\sigma_{\theta}}{\cos^2 \theta} = \frac{5.0 \text{ MPa}}{\cos^2 \theta}$  (1)


 $\tau_{\theta} = -\sigma_x \sin \theta \cos \theta$ 

Since the direction of  $\tau_{\theta}$  is immaterial, we can write:  $\tau_{\theta} \mid = \sigma_x \sin \theta \cos \theta$ 

or

$$\sigma_x = \frac{|\tau_\theta|}{\sin\theta\cos\theta} = \frac{3.0 \text{ MPa}}{\sin\theta\cos\theta} \quad (2)$$

GRAPH OF EQS. (1) AND (2)



(a) Determine angle  $\Theta$  for largest load

Point A gives the largest value of  $\sigma_x$  and hence the largest load. To determine the angle  $\theta$  corresponding to point A, we equate Eqs. (1) and (2).

$$\frac{5.0 \text{ MPa}}{\cos^2 \theta} = \frac{3.0 \text{ MPa}}{\sin \theta \cos \theta}$$

-

$$\tan \theta = \frac{3.0}{5.0} \quad \theta = 30.96^{\circ} \quad \longleftarrow$$

(b) DETERMINE THE MAXIMUM LOAD

From Eq. (1) or Eq. (2):

$$\sigma_x = \frac{5.0 \text{ MPa}}{\cos^2 \theta} = \frac{3.0 \text{ MPa}}{\sin \theta \cos \theta} = 6.80 \text{ MPa}$$
$$P_{\text{max}} = \sigma_x A = (6.80 \text{ MPa})(225 \text{ mm}^2)$$
$$= 1.53 \text{ kN} \quad \longleftarrow$$

NUMERICAL DATA

$$\alpha = 95(10^{-6})/^{\circ}$$
C  $E = 2.8$  GPa  $L = 0.6$  m  $\Delta T = 48^{\circ}$ C  $k = 3150$  kN/m  $f = \frac{1}{k} = 3.175 \times 10^{-4}$  kN/m  $b = 19$  mm  $h = 38$  mm  $A = bh$   $L_{\theta} = 0.46$  m  $\sigma_a = -6.9$  MPa  $\tau_a = -3.9$  MPa  $\sigma_{\theta} = -5.3$  MPa

(a) Find  $\theta$  and  $T_{\theta}$ 

$$R_{2} = \operatorname{redundant} \quad R_{2} = \frac{-\alpha \,\Delta TL}{\left(\frac{L}{EA}\right) + f} = -4.454 \,\mathrm{kN} \quad \sigma_{x} = \frac{R_{2}}{A} = -6.169 \,\mathrm{MPa} \quad \sqrt{\frac{\sigma_{\theta}}{\sigma_{x}}} = 0.927$$

$$\theta = \arccos\left(\sqrt{\frac{\sigma_{\theta}}{\sigma_{x}}}\right) = 0.385 \quad \cos(2\theta) = 0.718 \quad \theta = 22.047^{\circ}$$

$$\sigma_{x} \cos\left(\theta\right)^{2} = -5.3 \,\mathrm{MPa} \quad \mathrm{OR} \quad \frac{\sigma_{x}}{2} (1 + \cos\left(2\theta\right)) = -5.3 \,\mathrm{MPa} \quad \sigma_{y} = \sigma_{x} \cos\left(\theta + \frac{\pi}{2}\right)^{2} = -0.869 \,\mathrm{MPa}$$

$$\theta = 0.385 \,\mathrm{radians} \quad \theta = 22.047^{\circ} \quad \sigma_{x} = -6.169 \,\mathrm{MPa} \quad 2\theta = 0.77 \,\mathrm{radians}$$

$$\tau_{\theta} = -\sigma_{x} \sin(\theta) \cos(\theta) = 2.146 \,\mathrm{MPa} \quad \mathrm{OR} \quad \tau_{\theta} = \frac{-\sigma_{x}}{2} \sin(2\theta) = 2.146 \,\mathrm{MPa}$$

$$\overline{\tau_{\theta} = 2.15 \,\mathrm{MPa}} \quad \overline{\theta = 22^{\circ}}$$

(b) Find  $\sigma_{x1}$  and  $\sigma_{y1}$ 

$$\sigma_{x1} = \sigma_x \cos(\theta)^2 \quad \sigma_{y1} = \sigma_x \cos\left(\theta + \frac{\pi}{2}\right)^2$$
$$\sigma_{x1} = -5.3 \text{ MPa} \quad \sigma_{y1} = -0.869 \text{ MPa}$$

(c) Given L = 0.6 m, find  $k_{\text{max}}$ 

$$k_{\max 1} = \frac{\sigma_a A}{-\alpha \Delta T L - \sigma_a A \left(\frac{L}{EA}\right)} = 3961.895 \text{ kN/m} < \text{controls (based on } \sigma_{\text{allow}})$$

$$OR \quad k_{\max 2} = \frac{2\tau_a A}{-\alpha \Delta T L - 2\tau_a A \left(\frac{L}{EA}\right)} = 5290.016 \text{ kN/m} < \text{based on allowable shear stress}$$

$$k_{\max} = 3962 \text{ kN/m}$$

(d) Given allowable normal and shear stresses, find  $L_{\rm max}$ 

$$k = 3150 \text{ kN/m}$$

$$\sigma_x = \frac{R_2}{A} \quad \sigma_a A = \frac{-\alpha \Delta TL}{\left(\frac{L}{EA}\right) + f} \quad L_{\text{max1}} = \frac{\sigma_a A(f)}{-\left(\alpha \Delta T + \frac{\sigma_a}{E}\right)} = 0.755 \text{ m} \quad < \text{controls based on } \sigma_{\text{allow}}$$

$$OR \quad L_{\text{max2}} = \frac{2\tau_a A(f)}{-\left(\alpha \Delta T + \frac{2\tau_a}{E}\right)} = 1.088 \text{ m} \quad < \text{based on } \tau_{\text{allow}}$$

$$\overline{L_{\text{max}} = 0.755 \text{ m}}$$

299

© 2018 Cengage Learning®. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

(e) Find  $\Delta T_{\text{max}}$  given L, k, and allowable stresses k = 3150 kN/m L = 0.6 m  $\sigma_a = -6.9$  MPa

$$\tau_{a} = -3.9 \text{ MPa}$$

$$\Delta T_{\max 1} = \frac{\left(\frac{L}{EA} + f\right)\sigma_{a}A}{-\alpha L} = 53.686 \text{ }^{\circ}\text{C} \quad <\text{based on } \sigma_{\text{allow}}$$

$$\Delta T_{\max 2} = \frac{\left(\frac{L}{EA} + f\right)2\tau_{a}A}{-\alpha L} = 60.688 \text{ }^{\circ}\text{C} \quad <\text{based on } \tau_{\text{allow}}$$

$$\Delta T_{\max 2} = 53.7 \text{ }^{\circ}\text{C}$$

b = 50mm  $\alpha$  = 35deg  $\sigma_a = 11.5MPa$   $\tau_a = 4.5MPa$  $\sigma_{ga} = 3.5MPa$   $\tau_{ga} = 1.25MPa$ 

Rotate stress element CW by angle  $\theta$  to align with glue joint (see fig.)

$$\theta = \alpha - 90 \text{deg} = -55 \cdot \text{deg}$$


Equate  $\sigma_{\theta}$  and  $\tau_{\theta}$  to allowable values and solve for P - min. P controls

$$\sigma_{\max} = \sigma_{x} \qquad P_{\max 1} = \sigma_{a} \cdot A = 28.75 \cdot kN$$
  

$$\tau_{\max} = -\left(\frac{P}{A}\right) \cdot \sin(45 \text{deg}) \cdot \cos(45 \text{deg}) \qquad P_{\max 2} = \frac{\tau_{a}}{2} \cdot A = 5.625 \cdot kN \qquad < \text{shear in wood controls}$$
  

$$P_{\max 3} = \frac{\sigma_{ga} \cdot A}{\cos(\theta)^{2}} = 26.597 \cdot kN$$
  

$$P_{\max 4} = \frac{\tau_{ga} \cdot A}{-\sin(\theta) \cdot \cos(\theta)} = 6.651 \cdot kN$$



P = 27 kN

L = 130 cm

E = 72 GPa

 $A = 18 \text{ cm}^2$ 

INTERNAL AXIAL FORCES


$$N_{AB} = 3P \qquad N_{BC} = -2P \qquad N_{CD} = P$$
 Lengths

$$L_{AB} = \frac{L}{6} \qquad L_{BC} = \frac{L}{2} \qquad L_{CD} = \frac{L}{3}$$

(a) STRAIN ENERGY OF THE BAR (Eq. 2-40)

$$U = \sum \frac{N_i^2 L_i}{2E_i A_i}$$
  
=  $\frac{1}{2EA} \left[ (3P)^2 \left( \frac{L}{6} \right) + (-2P)^2 \left( \frac{L}{2} \right) + (P)^2 \left( \frac{L}{3} \right) \right]$   
=  $\frac{P^2 L}{2EA} \left( \frac{23}{6} \right) = \frac{23P^2 L}{12EA} \leftarrow$ 

$$U = \frac{23P^2L}{12EA}$$



(a) STRAIN ENERGY OF THE BAR

Add the strain energies of the two segments of the bar (see Eq. 2-40).

$$U = \sum_{i=1}^{2} \frac{N_{i}^{2}L_{i}}{2 E_{i}A_{i}} = \frac{P^{2}(L/2)}{2E} \left[ \frac{1}{\frac{\pi}{4}(2d)^{2}} + \frac{1}{\frac{\pi}{4}(d^{2})} \right]$$
$$= \frac{P^{2}L}{\pi E} \left( \frac{1}{4d^{2}} + \frac{1}{d^{2}} \right) = \frac{5P^{2}L}{4\pi Ed^{2}} \leftarrow$$


(b) SUBSTITUTE NUMERICAL VALUES:

$$P = 27 \text{ kN} \qquad L = 600 \text{ mm}$$
  

$$d = 40 \text{ mm} \qquad E = 105 \text{ GPa}$$
  

$$U = \frac{5(27 \text{ kN}^2)(600 \text{ mm})}{4\pi (105 \text{ GPa})(40 \text{ mm})^2}$$

 $= 1.036 \text{ N} \cdot \text{m} = 1.036 \text{ J} \leftarrow$ 



Add the strain energies of the three segments (see Eq. 2-40).

Upper segment:  $N_1 = -P_1$ 

Middle segment:  $N_2 = -(P_1 + P_2)$ 


Lower segment:  $N_3 = -(P_1 + P_2 + P_3)$ 

STRAIN ENERGY

$$U = \sum \frac{N_i^2 L_i}{2E_i A_i} = \left[\frac{H}{(2EA)}\right] \sum_{i=1}^3 N_i^2$$
$$= \frac{H}{2EA} [P_1^2 + (P_1 + P_2)^2 + (P_1 + P_2 + P_3)^2]$$

Substitute numerical values:

*H* = 3.0 m   
*E* = 200 GPa  
*A* = 7500 mm<sup>2</sup> *P*<sub>1</sub> = 150 kN  
*P*<sub>2</sub> = *P*<sub>3</sub> = 300 kN  
*U* = 
$$\frac{(3.0 \text{ m})}{2(200 \text{ GPa})(7500 \text{ mm}^2)}$$
 [(150 kN)<sup>2</sup> + (450 kN)<sup>2</sup>  
+ (750 kN)<sup>2</sup>]  
= 788 J ←



(a) Force P acts alone (Q = 0)

$$U_1 = \frac{P^2 L}{2EA} \leftarrow$$

(b) Force Q acts alone (P = 0)

$$U_2 = \frac{Q^2(L/2)}{2EA} = \frac{Q^2L}{4EA} \quad \leftarrow$$

(c) Forces P and Q act simultaneously

Segment BC: 
$$U_{BC} = \frac{P^2(L/2)}{2EA} = \frac{P^2L}{4EA}$$

Segment AB: 
$$U_{AB} = \frac{(P+Q)^2(L/2)}{2EA}$$

$$= \frac{P^2 L}{4EA} + \frac{PQL}{2EA} + \frac{Q^2 L}{4EA}$$
$$U_3 = U_{BC} + U_{AB} = \frac{P^2 L}{2EA} + \frac{PQL}{2EA} + \frac{Q^2 L}{4EA} \quad \leftarrow$$

(Note that  $U_3$  is *not* equal to  $U_1 + U_2$ . In this case,  $U_3 > U_1 + U_2$ . However, if Q is reversed in direction,  $U_3 < U_1 + U_2$ . Thus,  $U_3$  may be larger or smaller than  $U_1 + U_2$ .)

DATA			
Material	Weight density (kN/m <sup>3</sup> )	Modulus of elasticity (GPa)	Proportional limit (MPa)
Mild steel	77.1	207	248
Tool steel	77.1	207	827
Aluminum	26.7	72	345
Rubber (soft)	11.0	2	1.38

STRAIN ENERGY PER UNIT VOLUME

$$U = \frac{P^2 L}{2EA} \qquad \text{Volume } V = AL$$
$$u = \frac{U}{V} = \frac{\sigma^2}{2E}$$

At the proportional limit:

.

 $u = u_R =$  modulus of resistance

$$u_R = \frac{\sigma_{PL}^2}{2E}$$
(Eq. 1)

STRAIN ENERGY PER UNIT WEIGHT

$$U = \frac{P^2 L}{2EA} \quad \text{Weight } W = \gamma A L$$


 $\gamma =$  weight density

$$u_W = \frac{U}{W} = \frac{\sigma^2}{2\gamma E}$$

At the proportional limit:  $u_W = \frac{\sigma_{PL}^2}{2\gamma E}$ (Eq. 2)

#### RESULTS

	$u_R$ (kPa)	$u_{w}(m)$
Mild steel	149	1.9
Tool steel	1652	21
Aluminum	826	31
Rubber (soft)	476	143



Axial forces:  $N_{AB} = P$  (tension)

$$N_{BC} = -P$$
 (compression)

(a) STRAIN ENERGY OF TRUSS (Eq. 2-40)

$$U = \sum \frac{N_i^2 L_i}{2E_i A_i} = \frac{(N_{AB})^2 L}{2EA} + \frac{(N_{BC})^2 L}{2EA} = \frac{P^2 L}{EA} \quad \leftarrow$$

(b) HORIZONTAL DISPLACEMENT OF JOINT B (Eq. 2-42)

$$\delta_B = \frac{2U}{P} = \frac{2}{P} \left( \frac{P^2 L}{EA} \right) = \frac{2PL}{EA} \quad \leftarrow$$

$$L_{BC} = 1.5 \text{ m} \qquad \theta = 30^{\circ}$$

$$P_1 = 1.3 \text{ kN} \qquad P_2 = 4 \text{ kN}$$

$$L_{AB} = \frac{L_{BC}}{\cos(\theta)} \qquad L_{AB} = 1.732 \text{ m}$$

$$E = 200 \text{ GPa} \qquad A = 1500 \text{ mm}^2$$

(a) Load  $P_1$  acts alone

$$F_{BC} = P_1 \qquad F_{AB} = 0$$
$$U_1 = \frac{F_{BC}^2 L_{BC}}{2EA} \qquad U_1 = 0.00422 \text{ J}$$

(c) Loads  $P_1$  and  $P_2$  act simultaneously

$$F_{AB} = \frac{P_2}{\sin(\theta)} = 8 \text{ kN}$$
  

$$F_{BC} = P_1 + F_{BC} = -5.628 \text{ kN}$$
  

$$U_3 = \frac{F_{AB}{}^2 L_{AB}}{2EA} + \frac{F_{BC}{}^2 L_{BC}}{2EA} \qquad U_3 = 0.264 \text{ J}$$


**NOTE:** The strain energy  $U_3$  is not equal to  $U_1 + U_2$ .

(b) Load  $P_2$  acts alone

$$F_{AB} = \frac{P_2}{\sin(\theta)} \qquad F_{AB} = 8 \text{ kN}$$

$$F_{BC} = -F_{AB}\cos(\theta) \qquad F_{BC} = -6928.203 \text{ N}$$

$$U_2 = \frac{F_{AB}^2 L_{AB}}{2EA} + \frac{F_{BC}^2 L_{BC}}{2EA} \qquad U_2 = 0.305 \text{ J}$$



 $k_1 = 3k$ 

 $k_2 = 1.5k$ 

$$k_3 = k$$

 $\delta$  = downward displacement of rigid bar

For a spring: 
$$U = \frac{k\delta^2}{2}$$
 Eq. (2-38b)

(a) STRAIN ENERGY U OF ALL SPRINGS

$$U = 2\left(\frac{3k\delta^2}{2}\right) + 2\left(\frac{1.5k\delta^2}{2}\right) + \frac{k\delta^2}{2} = 5k\delta^2 \quad \leftarrow$$

(b) DISPLACEMENT  $\delta$ 

Work done by the weight W equals  $\frac{W\delta}{2}$ Strain energy of the springs equals  $5k\delta^2$ 

$$\therefore \frac{W\delta}{2} = 5k\delta^2 \quad \text{and} \quad \delta = \frac{W}{10k} \quad \leftarrow$$

(c) FORCES IN THE SPRINGS


$$F_1 = 3k\delta = \frac{3W}{10}$$
  $F_2 = 1.5k\delta = \frac{3W}{20}$   $\leftarrow$   
 $F_3 = k\delta = \frac{W}{10}$   $\leftarrow$ 

(d) NUMERICAL VALUES

$$W = 600 \text{ N}$$
  $k = 7.5 \text{ N/mm} = 7500 \text{ N/mm}$ 

$$U = 5k\delta^{2} = 5k\left(\frac{W}{10k}\right)^{2} = \frac{W^{2}}{20k}$$
$$= 2.4 \text{ N} \cdot \text{m} = 2.4 \text{ J} \quad \leftarrow$$
$$\delta = \frac{W}{10k} = 8.0 \text{ mm} \quad \leftarrow$$
$$F_{1} = \frac{3W}{10} = 180 \text{ N} \quad \leftarrow$$
$$F_{2} = \frac{3W}{20} = 90 \text{ N} \quad \leftarrow$$
$$F_{3} = \frac{W}{10} = 60 \text{ N} \quad \leftarrow$$

NOTE:  $W = 2F_1 + 2F_2 + F_3 = 600 \text{ N}$  (Check)



$$U = \int \frac{[N(x)]^2 dx}{2EA(x)} \quad (Eq. \ 2-41)$$
  
=  $\int_0^L \frac{P^2 dx}{2Etb(x)} = \frac{P^2}{2Et} \int_0^L \frac{dx}{b_2 - (b_2 - b_1)_L^x} \quad (1)$   
From Appendix C:  $\int \frac{dx}{a + bx} = \frac{1}{b} \ln (a + bx)$ 


Apply this integration formula to Eq. (1):

$$U = \frac{P^2}{2Et} \left[ \frac{1}{-(b_2 - b_1)(\frac{1}{L})} \ln \left[ b_2 - \frac{(b_2 - b_1)x}{L} \right] \right]_0^L$$
$$= \frac{P^2}{2Et} \left[ \frac{-L}{(b_2 - b_1)} \ln b_1 - \frac{-L}{(b_2 - b_1)} \ln b_2 \right]$$
$$U = \frac{P^2 L}{2Et(b_2 - b_1)} \ln \frac{b_2}{b_1} \quad \leftarrow$$

(b) ELONGATION OF THE BAR (Eq. 2-42)

$$\delta = \frac{2U}{P} = \frac{PL}{Et(b_2 - b_1)} \ln \frac{b_2}{b_1} \quad \leftarrow \quad$$

NOTE: This result agrees with the formula derived in Prob. 2.3-17.



s = 1.0 mm

L = 1.0 m

For each bar:

 $A = 3000 \text{ mm}^2$ 

$$E = 45 \text{ GPa}$$

$$\frac{EA}{L} = 135 \times 10^6 \,\text{N/m}$$

(a) LOAD  $P_1$  REQUIRED TO CLOSE THE GAP

In general, 
$$\delta = \frac{PL}{EA}$$
 and  $P = \frac{EA\delta}{L}$ 

For two bars, we obtain:

$$P_1 = 2\left(\frac{EAs}{L}\right) = 2(135 \times 10^6 \,\mathrm{N/m})(1.0 \,\mathrm{mm})$$

 $P_1 = 270 \text{ kN} \leftarrow$ 

(b) DISPLACEMENT  $\delta$  for P = 400 kN

Since  $P > P_1$ , all three bars are compressed. The force P equals  $P_1$  plus the additional force required to compress all three bars by the amount  $\delta - s$ .

$$P = P_1 + 3\left(\frac{EA}{L}\right)(\delta - s)$$

or 400 kN = 270 kN +  $3(135 \times 10^{6} \text{ N/m})$ ( $\delta - 0.001 \text{ m}$ )

Solving, we get  $\delta = 1.321 \text{ mm}$ 

(c) Strain energy U for P = 400 kN

$$U = \Sigma \frac{EA\delta^2}{2L}$$


Outer bars:  $\delta = 1.321 \text{ mm}$ Middle bar:  $\delta = 1.321 \text{ mm} - s$ = 0.321 mm

$$U = \frac{EA}{2L} [2(1.321 \text{ mm})^2 + (0.321 \text{ mm})^2]$$
  
=  $\frac{1}{2} (135 \times 10^6 \text{ N/m}) (3.593 \text{ mm}^2)$   
= 243 N·m = 243 J  $\leftarrow$ 

(d) LOAD-DISPLACEMENT DIAGRAM


$$U = 243 \text{ J} = 243 \text{ N} \cdot \text{m}$$
$$\frac{P\delta}{2} = \frac{1}{2} (400 \text{ kN})(1.321 \text{ mm}) = 264 \text{ N} \cdot \text{m}$$

The strain energy U is *not* equal to  $\frac{P\delta}{2}$  = because the load-displacement relation is not linear.



U = area under line OAB.

$$\frac{Po}{2}$$
 = area under a straight line from O to B, which is larger than U.



Force  $P_0$  required to close the gap:

$$P_0 = k_1 s$$
 (1)

FORCE-DISPLACEMENT RELATION BEFORE GAP IS CLOSED

$$P = k_1 x$$
  $(0 \le x \le s)(0 \le P \le P_0)$  (2)

FORCE-DISPLACEMENT RELATION AFTER GAP IS CLOSED


All three springs are compressed. Total stiffness equals  $k_1 + 2k_2$ . Additional displacement equals x - s. Force *P* equals  $P_0$  plus the force required to compress all three springs by the amount x - s.

$$P = P_0 + (k_1 + 2k_2)(x - s)$$
  
=  $k_1s + (k_1 + 2k_2)x - k_1s - 2k_2s$   
$$P = (k_1 + 2k_2)x - 2k_2s \quad (x \ge s); (P \ge P_0)$$
(3)  
$$P_1 = \text{force } P \text{ when } x = 2s$$

Substitute x = 2s into Eq. (3):

$$P_1 = 2(k_1 + k_2)s \tag{4}$$

(a) FORCE-DISPLACEMENT DIAGRAM



(b) STRAIN ENERGY  $U_1$  when x = 2s



$$= \underbrace{1}_{2}P_{0}s + P_{0}s + \frac{1}{2}(P_{1} - P_{0})s = P_{0}s + \frac{1}{2}P_{1}s$$
$$= k_{1}s^{2} + (k_{1} + k_{2})s^{2}$$
$$U_{1} = (2k_{1} + k_{2})s^{2} \quad \longleftarrow \qquad (5)$$

(c) Strain energy  $U_1$  is not equal to  $\frac{P\delta}{2}$ 


For  $\delta = 2s$ :  $\frac{P\delta}{2} = \frac{1}{2}P_1(2s) = P_1s = 2(k_1 + k_2)s^2$ (This quantity is greater than  $U_1$ .)

 $U_1$  = area under line *OAB*.

 $\frac{P\delta}{2}$  = area under a straight line from *O* to *B*, which is larger than  $U_1$ .

Thus,  $\frac{P\delta}{2}$  is *not* equal to the strain energy because the force-displacement relation is not linear.

DIMENSIONS BEFORE THE LOAD P is applied




From triangle ACD:

$$\frac{L_1}{2} = \sqrt{\left(\frac{b}{2}\right)^2 + x^2} \tag{2}$$

$$L_1 = \sqrt{b^2 + 4x^2}$$
(3)

Equilibrium at point C

Let F = tensile force in bungee cord



$$\frac{F}{P/2} = \frac{L_1/2}{x} \quad F = \left(\frac{P}{2}\right) \left(\frac{L_1}{2}\right) \left(\frac{1}{x}\right)$$
$$= \frac{P}{2} \sqrt{1 + \left(\frac{b}{2x}\right)^2} \tag{4}$$

ELONGATION OF BUNGEE CORD

Let  $\delta$  = elongation of the entire bungee cord

$$\delta = \frac{F}{k} = \frac{P}{2k}\sqrt{1 + \frac{b^2}{4x^2}} \tag{5}$$

Final length of bungee cord = original length +  $\delta$ 

$$L_1 = L_0 + \delta = L_0 + \frac{P}{2k}\sqrt{1 + \frac{b^2}{4x^2}}$$
(6)

SOLUTION OF EQUATIONS


Combine Eqs. (6) and (3):

$$L_1 = L_0 + \frac{P}{2k}\sqrt{1 + \frac{b^2}{4x^2}} = \sqrt{b^2 + 4x^2}$$

From triangle ACD:

$$d = \frac{1}{2}\sqrt{L_0^2 - b^2} = 329.09 \text{ mm}$$
(1)

DIMENSIONS AFTER THE LOAD P is applied



Let x = distance CDLet  $L_1 = \text{stretched length of bungee cord}$ 

or 
$$L_1 = L_0 + \frac{P}{4kx}\sqrt{b^2 + 4x^2} = \sqrt{b^2 + 4x^2}$$
  
 $L_0 = \left(1 - \frac{P}{4kx}\right)\sqrt{b^2 + 4x^2}$  (7)

This equation can be solved for x.

SUBSTITUTE NUMERICAL VALUES INTO EQ. (7):

760 mm = 
$$\left[1 - \frac{(80 \text{ N})(1000 \text{ mm/m})}{4(140 \text{ N/m})x}\right]$$
  
  $\times \sqrt{(380 \text{ mm})^2 + 4x^2}$  (8)

$$760 = \left(1 - \frac{142.857}{x}\right)\sqrt{144,400 + 4x^2} \tag{9}$$

Units: x is in millimeters

Solve for x (Use trial-and-error or a computer program):

$$x = 497.88 \text{ mm}$$

(a) Strain energy U of the bungee cord

$$U = \frac{k\delta^2}{2}$$
  $k = 140$  N/m  $P = 80$  N

From Eq. (5):

$$\delta = \frac{P}{2k}\sqrt{1 + \frac{b^2}{4x^2}} = 305.81 \text{ mm}$$
$$U = \frac{1}{2}(140 \text{ N/m})(305.81 \text{ mm})^2 = 6.55 \text{ N·m}$$

$$U = 6.55 J \leftarrow$$

(b) DISPLACEMENT  $\delta_C$  of point C

$$\delta_C = x - d = 497.88 \text{ mm} - 329.09 \text{ mm}$$
  
= 168.8 mm  $\leftarrow$ 

313


(c) Comparison of strain energy U with the quantity  $P\delta_{C}/2$ 


$$U = 6.55 \text{ J}$$
  
 $\frac{P\delta_C}{2} = \frac{1}{2} (80 \text{ N})(168.8 \text{ mm}) = 6.75 \text{ J}$ 

The two quantities are not the same. The work done by the load *P* is *not* equal to  $P\delta_C/2$  because the loaddisplacement relation (see below) is non-linear when the displacements are large. (The *work* done by the load *P* is equal to the strain energy because the bungee cord behaves elastically and there are no energy losses.)

U = area OAB under the curve OA.

 $\frac{P\delta_C}{2} = \text{area of triangle } OAB, \text{ which is greater than } U.$ 





W = 650  N	
h = 50  mm	L = 1.2  m
E = 210  GPa	$A = 5 \text{ cm}^2$

(a) DOWNWARD DISPLACEMENT OF FLANGE

$$\delta_{st} = \frac{WL}{EA}$$
Eq. (2-53):  

$$\delta_{\max} = \delta_{st} \left[ 1 + \left( 1 + \frac{2h}{\delta_{st}} \right)^{1/2} \right]$$


$$= 0.869 \text{ mm} \quad \leftarrow$$

(b) MAXIMUM TENSILE STRESS (Eq. 2-55)

$$\sigma_{\max} = \frac{E\delta_{\max}}{L} = 152.1 \text{ MPa} \quad \leftarrow$$

(c) IMPACT FACTOR (Eq. 2-61)

Impact factor 
$$= \frac{\delta_{\max}}{\delta_{st}}$$
  
= 117  $\leftarrow$ 



$$M = 80 \text{ kg}$$
  
W = Mg = (80 kg)(9.81 m/s<sup>2</sup>)  
= 784.8 N

- h = 0.5 m L = 3.0 m
- $E = 170 \text{ GPa} \qquad A = 350 \text{ mm}^2$

(a) DOWNWARD DISPLACEMENT OF FLANGE


$$\delta_{st} = \frac{WL}{EA} = 0.03957 \text{ mm}$$
  
Eq. (2-53):  $\delta_{max} = \delta_{st} \left[ 1 + \left( 1 + \frac{2h}{\delta_{st}} \right)^{1/2} \right]$   
= 6.33 mm  $\leftarrow$ 


(b) MAXIMUM TENSILE STRESS (Eq. 2-55)

$$\sigma_{\max} = \frac{E\delta_{\max}}{L} = 359 \text{ MPa} \quad \leftarrow$$

(c) IMPACT FACTOR (Eq. 2-61)

Impact factor 
$$=\frac{\delta_{\text{max}}}{\delta_{st}}=\frac{6.33 \text{ mm}}{0.03957 \text{ mm}}$$






(b) MAXIMUM TENSILE STRESS (Eq. 2-55)

$$\sigma_{\max} = \frac{E\delta_{\max}}{L} = 177.7 \text{ MPa} \quad \leftarrow$$

- (c) IMPACT FACTOR (Eq. 2-61)
  - Impact factor =  $\frac{\delta_{max}}{\delta_{st}}$ = 133  $\leftarrow$




W = 5.0 N h = 200 mm k = 90 N/m

(a) MAXIMUM SHORTENING OF THE SPRING

$$\delta_{st} = \frac{W}{k} = \frac{5.0 \text{ N}}{90 \text{ N/m}} = 55.56 \text{ mm}$$
  
Eq. (2-53):  $\delta_{\text{max}} = \delta_{st} \left[ 1 + \left( 1 + \frac{2h}{\delta_{st}} \right)^{1/2} \right]$   
= 215 mm  $\leftarrow$ 

Impact factor  $=\frac{\delta_{\text{max}}}{\delta_{st}} = \frac{215 \text{ mm}}{55.56 \text{ mm}}$ = 3.9  $\leftarrow$ 

(b) IMPACT FACTOR (Eq. 2-61)




W = 8 N h = 300 mm k = 125 N/m

(a) MAXIMUM SHORTENING OF THE SPRING

$$\delta_{st} = \frac{W}{k}$$
  
Eq. (2-53):  $\delta_{\max} = \delta_{st} \left[ 1 + \left( 1 + \frac{2h}{\delta_{st}} \right)^{1/2} \right]$   
= 270 mm  $\leftarrow$ 

(b) IMPACT FACTOR (Eq. 2-61)

Impact factor 
$$= \frac{\delta_{\max}}{\delta_{st}}$$
  
= 4.2  $\leftarrow$ 



 $L_1 = 900 \text{ mm}$  W = 450 mN

WHEN THE BALL LEAVES THE PADDLE

$$KE = \frac{Wv^2}{2g}$$


WHEN THE RUBBER CORD IS FULLY STRETCHED:

$$U = \frac{EA\delta^2}{2L_0} = \frac{EA}{2L_0}(L_1 - L_0)^2$$

CONSERVATION OF ENERGY

$$KE = U \quad \frac{Wv^2}{2g} = \frac{EA}{2L_0}(L_1 - L_0)^2$$
$$v^2 = \frac{gEA}{WL_0}(L_1 - L_0)^2$$
$$v = (L_1 - L_0)\sqrt{\frac{gEA}{WL_0}} \quad \leftarrow$$

$$v = (700 \text{ mm}) \sqrt{\frac{(9.81 \text{ m/s}^2)(2.0 \text{ MPa})(1.6 \text{ mm}^2)}{(450 \text{ mN})(200 \text{ mm})}}$$
  
= 13.1 m/s  $\leftarrow$ 



W = 20  kN	d = 300  mm
L = 5.5  m	
$A = \frac{\pi d^2}{4} = 0$	0.0707 m <sup>2</sup>


E = 10 GPa  $\sigma_{\text{allow}} = 17 \text{ MPa}$ Find  $h_{\text{max}}$ STATIC STRESS  $\sigma_{st} = \frac{W}{A} = \frac{20 \text{ kN}}{0.0707 \text{ m}^2} = 283 \text{ KPa}$ MAXIMUM HEIGHT  $h_{\text{max}}$ 

Eq. (2-59): 
$$\sigma_{\text{max}} = \sigma_{st} \left[ 1 + \left( 1 + \frac{2hE}{L\sigma_{st}} \right)^{1/2} \right]$$
  
or

 $\frac{\sigma_{\max}}{\sigma_{st}} - 1 = \left(1 + \frac{2hE}{L\sigma_{st}}\right)^{1/2}$ Square both sides and solve for h:

$$h = h_{\max} = \frac{L\sigma_{\max}}{2E} \left( \frac{\sigma_{\max}}{\sigma_{st}} - 2 \right) \quad \leftarrow$$

$$\sigma_{\text{max}} = \sigma_{\text{allow}} = 17 \text{ MPa}$$
  
 $h_{\text{max}} = 0.27 \text{ m} \quad \leftarrow$ 




 $W = Mg = (35 \text{ kg})(9.81 \text{ m/s}^2) = 343.4 \text{ N}$   $A = 40 \text{ mm}^2 \qquad E = 130 \text{ GPa}$   $h = 1.0 \text{ m} \qquad \sigma_{\text{allow}} = \sigma_{\text{max}} = 500 \text{ MPa}$ Find minimum length  $L_{\text{min}}$ . STATIC STRESS

$$\sigma_{st} = \frac{W}{A} = \frac{343.4 \text{ N}}{40 \text{ mm}^2} = 8.585 \text{ MPa}$$
MINIMUM LENGTH  $L_{\min}$ 
Eq. (2-59):  $\sigma_{\max} = \sigma_{st} \left[ 1 + \left( 1 + \frac{2hE}{L\sigma_{st}} \right)^{1/2} \right]$ 
or
$$\frac{\sigma_{\max}}{\sigma_{st}} - 1 = \left( 1 + \frac{2hE}{L\sigma_{st}} \right)^{1/2}$$

Square both sides and solve for L:

$$L = L_{\min} = \frac{2Eh\sigma_{st}}{\sigma_{\max}(\sigma_{\max} - 2\sigma_{st})} \quad \leftarrow \quad$$

$$L_{\min} = \frac{2(130 \text{ GPa}) (1.0 \text{ m}) (8.585 \text{ MPa})}{(500 \text{ MPa}) [500 \text{ MPa} - 2(8.585 \text{ MPa})]}$$
  
= 9.25 m \leftarrow



STATIC STRESS

$$\sigma_{st} = \frac{W}{A} = 2.9 \text{ MPa}$$

MINIMUM LENGTH Lmin

Eq. (2-59): 
$$\sigma_{\text{max}} = \sigma_{st} \left[ 1 + \left( 1 + \frac{2hE}{L\sigma_{st}} \right)^{1/2} \right]$$

$$\frac{\sigma_{\max}}{\sigma_{st}} - 1 = \left(1 + \frac{2hE}{L\sigma_{st}}\right)^{1/2}$$


Square both sides and solve for L:

$$L = L_{\min} = \frac{2Eh\sigma_{st}}{\sigma_{\max}(\sigma_{\max} - 2\sigma_{st})} \quad \leftarrow \quad$$

SUBSTITUTE NUMERICAL VALUES:

$$L_{\min} = \frac{2Eh\sigma_{st}}{\sigma_a(\sigma_a - 2\sigma_{st})}$$
$$= 4.59 \text{ m} \quad \leftarrow$$

$$\begin{split} W &= 145 \text{ N} \\ A &= 0.5 \text{ cm}^2 \qquad E = 150 \text{ GPa} \\ h &= 120 \text{ cm} \qquad \sigma_a = 480 \text{ MPa} \\ \text{Find minimum length } L_{\text{min}}. \end{split}$$



d = maximum displacement of spring

$$d = \delta_{max} = 450 \text{ mm}$$

Find  $v_{\text{max}}$ .

KINETIC ENERGY BEFORE IMPACT

$$KE = \frac{Mv^2}{2} = \frac{Wv^2}{2g}$$


STRAIN ENERGY WHEN SPRING IS COMPRESSED TO THE MAXIMUM ALLOWABLE AMOUNT

$$U = \frac{k\delta_{\max}^2}{2} = \frac{kd^2}{2}$$

CONSERVATION OF ENERGY

$$KE = U \quad \frac{Wv^2}{2g} = \frac{kd^2}{2} \quad v^2 = \frac{kd^2}{W/g}$$
$$v = v_{\text{max}} = d\sqrt{\frac{k}{W/g}} \quad \leftarrow$$

$$v_{\text{max}} = (450 \text{ mm}) \sqrt{\frac{8.0 \text{ MN/m}}{(545 \text{ kN})/(9.81 \text{ m/s}^2)}}$$
  
= 5400 mm/s = 5.4 m/s  $\leftarrow$ 



$$k = 176 \text{ kN/m}$$
  $W = 14 \text{ kN}$ 

 $\nu = 8$  km/hr

$$g = 9.81 \text{ m/s}^2$$

SHORTENING OF THE SPRING

Conservation of energy:

KE before import = strain energy when spring is fully compressed

$$\frac{Mv^2}{2} = \frac{k\delta_{\max}^2}{2}$$


Solve for 
$$\delta_{\max}$$
:  $\delta_{\max} = \sqrt{\frac{Mv^2}{k}} = \sqrt{\frac{Wv^2}{gk}} \quad \leftarrow$ 

7

$$\delta_{\max} = \sqrt{\frac{W \cdot v^2}{g \cdot k}} = \sqrt{\frac{14000 N \left(\frac{8000 m}{3600 s}\right)^2}{9.81 \frac{m}{s^2} \left(176000 \frac{N}{m}\right)}} = 200 \,\mathrm{mm}$$

$$\delta_{max} = 0.2 \text{ m} = 200 \text{ mm}$$

Problem 2.8-12



$$W = Mg = (55 \text{ kg})(9.81 \text{ m/s}^2)$$

$$EA = 2.3 \text{ kN}$$

Height: h = 60 m

Clearance: 
$$C = 10 \text{ m}$$

Find length L of the bungee cord.

*P.E.* = Potential energy of the jumper at the top of bridge (with respect to lowest position)

$$= W(L + \delta_{\max})$$

U = strain energy of cord at lowest position

$$=\frac{EA\delta_{\max}^2}{2L}$$

CONSERVATION OF ENERGY

$$P.E. = U \qquad W(L + \delta_{\max}) = \frac{EA\delta_{\max}^2}{2L}$$
  
or  $\delta_{\max}^2 - \frac{2WL}{EA}\delta_{\max} - \frac{2WL^2}{EA} = 0$ 

Solve quadratic equation for  $\delta_{max}$ :

$$\delta_{\max} = \frac{WL}{EA} + \left[ \left( \frac{WL}{EA} \right)^2 + 2L \left( \frac{WL}{EA} \right) \right]^{1/2}$$
$$= \frac{WL}{EA} \left[ 1 + \left( 1 + \frac{2EA}{W} \right)^{1/2} \right]$$

VERTICAL HEIGHT

$$h = C + L + \delta_{\max}$$

$$h - C = L + \frac{WL}{EA} \left[ 1 + \left( 1 + \frac{2EA}{W} \right)^{1/2} \right]$$

SOLVE FOR L:

$$L = \frac{h - C}{1 + \frac{W}{EA} \left[ 1 + \left( 1 + \frac{2EA}{W} \right)^{1/2} \right]} \quad \leftarrow$$

SUBSTITUTE NUMERICAL VALUES:


$$\frac{W}{EA} = \frac{539.55 \text{ N}}{2.3 \text{ kN}} = 0.234587$$

Numerator = h - C = 60 m - 10 m = 50 m

Denominator = 1 + (0.234587)

$$\times \left[ 1 + \left( 1 + \frac{2}{0.234587} \right)^{1/2} \right]$$
  
= 1.9586

$$L = \frac{50 \text{ m}}{1.9586} = 25.5 \text{ m} \quad \leftarrow$$



W = Weight

Properties of elastic cord:

E = modulus of elasticity

A = cross-sectional area

L = original length

 $\delta_{max}$  = elongation of elastic cord

P.E. = potential energy of weight before fall (with respect to lowest position)

 $P.E. = W(L + \delta_{\max})$ 

Let U = strain energy of cord at lowest position.

$$U = \frac{EA\delta_{\max}^2}{2L}$$

CONSERVATION OF ENERGY

$$P.E. = U \qquad W(L + \delta_{\max}) = \frac{EA\delta_{\max}^2}{2L}$$
  
or  $\delta_{\max}^2 - \frac{2WL}{EA}\delta_{\max} - \frac{2WL^2}{EA} = 0$ 

Solve quadratic equation for  $\delta_{max}$ :

$$\delta_{\max} = \frac{WL}{EA} + \left[ \left( \frac{WL}{EA} \right)^2 + 2L \left( \frac{WL}{EA} \right) \right]^{1/2}$$

STATIC ELONGATION

$$\delta_{st} = \frac{WL}{EA}$$


IMPACT FACTOR

$$\frac{\delta_{\max}}{\delta_{st}} = 1 + \left[1 + \frac{2EA}{W}\right]^{1/2} \quad \leftarrow$$

NUMERICAL VALUES

$$\delta_{st} = (2.5\%)(L) = 0.025L$$
  
$$\delta_{st} = \frac{WL}{EA} \quad \frac{W}{EA} = 0.025 \qquad \frac{EA}{W} = 40$$

Impact factor =  $1 + [1 + 2(40)]^{1/2} = 10 \leftarrow$ 



RIGID BAR:

$$W = Mg = (1.0 \text{ kg})(9.81 \text{ m/s}^2)$$

L = 0.5 m

NYLON CORD:


 $A = 30 \text{ mm}^2$ 

$$b = 0.25 \text{ m}$$

E = 2.1 GPa

Find maximum stress  $\sigma_{max}$  in cord BC.

GEOMETRY OF BAR AB AND CORD BC



$$\overline{CD} = \overline{CB} = b$$

$$\overline{AD} = \overline{AB} = L$$

h = height of center of gravity of raised bar AD

 $\delta_{max} = elongation of cord$ 

From triangle ABC:sin 
$$\theta = \frac{b}{\sqrt{b^2 + L^2}}$$
  
 $\cos \theta = \frac{L}{\sqrt{b^2 + L^2}}$ 

From line AD:  $\sin 2\theta = \frac{2h}{AD} = \frac{2h}{L}$ 

From Appendix C:  $\sin 2\theta = 2 \sin \theta \cos \theta$ 

$$\therefore \frac{2h}{L} = 2\left(\frac{b}{\sqrt{b^2 + L^2}}\right)\left(\frac{L}{\sqrt{b^2 + L^2}}\right) = \frac{2bL}{b^2 + L^2}$$
  
and  $h = \frac{bL^2}{b^2 + L^2}$  (Eq. 1)

CONSERVATION OF ENERGY

$$P.E. =$$
 potential energy of raised bar  $AD$ 

$$= W\left(h + \frac{\delta_{\max}}{2}\right)$$

$$U = \text{strain energy of stretched cord} = \frac{EA\delta_{\text{max}}^2}{2b}$$

$$P.E. = U \quad W\left(h + \frac{\delta_{\max}}{2}\right) = \frac{EA\delta_{\max}^2}{2b}$$
(Eq. 2)

For the cord:  $\delta_{\max} = \frac{\sigma_{\max}b}{E}$ 

Substitute into Eq. (2) and rearrange:

$$\sigma_{\max}^2 - \frac{W}{A}\sigma_{\max} - \frac{2WhE}{bA} = 0 \qquad (Eq. 3)$$

Substitute from Eq. (1) into Eq. (3):

$$\sigma_{\max}^2 - \frac{W}{A}\sigma_{\max} - \frac{2WL^2E}{A(b^2 + L^2)} = 0$$
 (Eq. 4)


Solve for  $\sigma_{max}$ :

$$\sigma_{\max} = \frac{W}{2A} \left[ 1 + \sqrt{1 + \frac{8L^2 EA}{W(b^2 + L^2)}} \right] \quad \leftarrow$$

SUBSTITUTE NUMERICAL VALUES:

 $\sigma_{\rm max} = 33.3 \, {\rm MPa} \quad \leftarrow$ 

#### Problem 2.10-1



P = 13 kN t = 6 mm

(a) BAR WITH CIRCULAR HOLE (b = 150 mm) Obtain K from Fig. 2-84 For d = 25 mm: c = b - d = 125 mm

$$\sigma_{\text{nom}} = \frac{1}{ct} = 17.33 \text{ MPa}$$

$$d/b = 0.167 \quad K \approx 2.60$$

$$\sigma_{\text{max}} = K\sigma_{\text{nom}} \approx 45 \text{ MPa} \quad \leftarrow$$
For  $d = 50 \text{ mm}: c = b - d = 100 \text{ mm}$ 


$$\sigma_{\text{nom}} = \frac{P}{ct} = 21.67 \text{ MPa}$$

$$d/b = 0.33 \quad K \approx 2.31$$

$$\sigma_{\text{max}} = K \sigma_{\text{nom}} \approx 50 \text{ MPa} \quad \leftarrow$$

- (b) Stepped bar with shoulder fillets
  - b = 100 mm c = 64 mm; obtain *K* from Fig. 2-86.

$$\sigma_{\text{nom}} = \frac{P}{ct} = 33.85 \text{ MPa}$$
  
For  $R = 6 \text{ mm}: R/c = 0.1 \quad b/c = 1.5$   
 $K \approx 2.25, \sigma_{\text{max}} = K\sigma_{\text{nom}} \approx 76 \text{ MPa} \leftarrow$   
For  $R = 12 \text{ mm}: R/c = 0.19, \quad b/c = 1.5$   
 $K \approx 1.87 \quad \sigma_{\text{max}} = K\sigma_{\text{nom}} \approx 61 \text{ MPa} \leftarrow$ 



$$P = 2.5 \text{ kN}$$
  $t = 5.0 \text{ mm}$ 

(a) BAR WITH CIRCULAR HOLE (b = 60 mm) Obtain K from Fig. 2-84

For d = 12 mm: c = b - d = 48 mm

$$\sigma_{nom} = \frac{P}{ct} = \frac{2.5 \text{ kN}}{(48 \text{ mm}) (5 \text{ mm})} = 10.42 \text{ MPa}$$

$$d/b = \frac{1}{5} \quad K \approx 2.51$$

$$\sigma_{max} = K\sigma_{nom} \approx 26 \text{ MPa} \quad \leftarrow$$
FOR  $d = 20 \text{ mm}: c = b - d = 40 \text{ mm}$ 

$$\sigma_{nom} = \frac{P}{ct} = \frac{2.5 \text{ kN}}{(40 \text{ mm}) (5 \text{ mm})} = 12.50 \text{ MPa}$$

$$d/b = \frac{1}{3} \quad K \approx 2.31$$

$$\sigma_{max} = K\sigma_{nom} \approx 29 \text{ MPa} \quad \leftarrow$$

(b) STEPPED BAR WITH SHOULDER FILLETS

b = 60 mm c = 40 mm;

Obtain K from Fig 2-86

P	2.5 kN	- = 12.50 MPa
$\sigma_{\text{nom}} = \frac{1}{ct}$	(40 mm) (5 mm)	= 12.50  MPa
For $R = 6$ m	nm: $R/c = 0.15$	b/c = 1.5
$K\approx 2.00$	$\sigma_{\max} = K \sigma_{nom} \approx$	≈ 25 MPa ←
For $R = 10$	mm: $R/c = 0.25$	b/c = 1.5
$K \approx 1.75$	$\sigma_{\max} = K \sigma_{nom} \approx$	≈ 22 MPa ←



t =thickness

 $\sigma_t$  = allowable tensile stress

Find P<sub>max</sub>

Find K from Fig. 2-84

$$P_{\max} = \sigma_{nom} ct = \frac{\sigma_{\max}}{K} ct = \frac{\sigma_t}{K} (b - d)t$$
$$= \frac{\sigma_t}{K} bt \left(1 - \frac{d}{b}\right)$$

Because  $\sigma_t$ , b, and t are constants, we write:

$$P^* = \frac{P_{\max}}{\sigma_t b t} = \frac{1}{K} \left( 1 - \frac{d}{b} \right)$$


d		(C)
b	K	<i>P</i> *
0	3.00	0.333
0.1	2.73	0.330
0.2	2.50	0.320
0.3	2.35	0.298
0.4	2.24	0.268

We observe that  $P_{\text{max}}$  decreases as d/b increases. Therefore, the maximum load occurs when the hole becomes very small.

$$\begin{pmatrix} \frac{d}{b} \to 0 & \text{and} & K \to 3 \end{pmatrix}$$

$$P_{\max} = \frac{\sigma_t b t}{3} \quad \leftarrow$$

# Problem 2.10-4



Solve for P:  $P = \frac{\delta E A_1 A_2}{2L_2 A_1 + L_1 A_2}$ 

Use Fig. 2-87 for the stress-concentration factor:


$$\sigma_{\text{nom}} = \frac{P}{A_1} = \frac{\delta E A_2}{2L_2 A_1 + L_1 A_2} = \frac{\delta E}{2L_2 \left(\frac{A_1}{A_2}\right) + L_1}$$
$$= \frac{\delta E}{2L_2 \left(\frac{d_1}{d_2}\right)^2 + L_1}$$

SUBSTITUTE NUMERICAL VALUES:

$$\sigma_{\text{norm}} = \frac{(0.12 \text{ mm}) (100 \text{ GPa})}{2(0.1 \text{ m}) \left(\frac{20}{26}\right)^2 + 0.3 \text{ m}} = 28.68 \text{ MPa}$$
$$\frac{R}{D_1} = \frac{3 \text{ mm}}{20 \text{ mm}} = 0.15$$

Use the dashed curve in Fig. 2-87.  $K \approx 1.6$ 

 $\sigma_{\max} = K \sigma_{nom} \approx (1.6) (28.68 \text{ MPa})$  $\approx 46 \text{ MPa} \quad \leftarrow$ 




$$\delta = 2\left(\frac{PL_2}{EA_2}\right) + \frac{PL_1}{EA_1}$$
  
Solve for P:  $P = \frac{\delta EA_1A_2}{2L_2A_1 + L_1A_2}$ 

Use Fig. 2-87 for the stress-concentration factor.


$$\sigma_{\text{nom}} = \frac{P}{A_1} = \frac{\delta E A_2}{2L_2 A_1 + L_1 A_2} = \frac{\delta E}{2L_2 \left(\frac{A_1}{A_2}\right) + L_1}$$
$$= \frac{\delta E}{2L_2 \left(\frac{d_1}{d_2}\right)^2 + L_1}$$

SUBSTITUTE NUMERICAL VALUES:



Use the dashed curve in Fig. 2-87.  $K \approx 1.53$  $\sigma_{\text{max}} = K\sigma_{\text{nom}} \approx (1.53)(27.39 \text{ MPa})$  $\approx 41.9 \text{ MPa} \quad \leftarrow$ 

## Problem 2.10-6





$$P_2 = \sigma_{\text{nom}} A_1 = \frac{\sigma_{\text{max}}}{K} A_1 = \frac{\sigma_t}{K} A_1$$
$$= \left(\frac{80 \text{ MPa}}{1.75}\right) \left(\frac{\pi}{4}\right) (20 \text{ mm})^2$$
$$\approx 14.4 \text{ kN} \quad \leftarrow$$

Enlarging the bar makes it *weaker*, not stronger. The ratio of loads is  $P_1/P_2 = K = 1.75$ 

Fillet radius: R = 2 mmAllowable stress:  $\sigma_t = 80 \text{ MPa}$ 

(a) COMPARISON OF BARS

Prismatic bar: 
$$P_1 = \sigma_t A_0 = \sigma_t \left(\frac{\pi d_0^2}{4}\right)$$
  
=  $(80 \text{ MPa}) \left(\frac{\pi}{4}\right) (20 \text{ mm})^2 = 25.1 \text{ kN} \quad \leftarrow$ 

Stepped bar: See Fig. 2-87 for the stress-concentration factor.


$$R = 2.0 \text{ mm} \qquad D_1 = 20 \text{ mm} \qquad D_2 = 25 \text{ mm}$$

$$R/D_1 = 0.10 \qquad D_2/D_1 = 1.25 \qquad K \approx 1.75$$

$$\sigma_{\text{nom}} = \frac{P_2}{\frac{\pi}{4}d_1^2} = \frac{P_2}{A_1} \quad \sigma_{\text{nom}} = \frac{\sigma_{\text{max}}}{K}$$

(b) DIAMETER OF PRISMATIC BAR FOR THE SAME ALLOWABLE LOAD

$$P_1 = P_2 \quad \sigma_t \left(\frac{\pi d_0^2}{4}\right) = \frac{\sigma_t}{K} \left(\frac{\pi d_1^2}{4}\right) \quad d_0^2 = \frac{d_1^2}{K}$$
$$d_0 = \frac{d_1}{\sqrt{K}} \approx \frac{20 \text{ mm}}{\sqrt{1.75}} \approx 15.1 \text{ mm} \quad \leftarrow$$



BASED UPON HOLE (Use Fig. 2-84)


$$b = 60 \text{ mm} \qquad d = \text{diameter of the hole (mm)}$$

$$c_1 = b - d$$


$$P_{\text{max}} = \sigma_{\text{nom}} c_1 t = \frac{\sigma_{\text{max}}}{K} (b - d) t$$

$$= \frac{1}{K} \left(1 - \frac{d}{b}\right) b t \sigma_{\text{max}}$$

d(mm)	d/b	K	$P_{\rm max}/bt\sigma_{\rm max}$
12	0.20	2.5	0.32
13	0.22	2.45	0.318
14	0.23	2.4	0.321
15	0.25	2.35	0.319



# Problem 2.11-1




STRAIN AT DISTANCE X

$$\varepsilon = \frac{\sigma}{E} + \frac{\sigma_0 \alpha}{E} \left(\frac{\sigma}{\sigma_0}\right)^m = \frac{\gamma x}{E} + \frac{\sigma_0}{\alpha E} \left(\frac{\gamma x}{\sigma_0}\right)^m$$

ELONGATION OF BAR

$$\delta = \int_0^L \varepsilon dx = \int_0^L \frac{\gamma x}{E} dx + \frac{\sigma_0 \alpha}{E} \int_0^L \left(\frac{\gamma x}{\sigma_0}\right)^m dx$$
$$= \frac{\gamma L^2}{2E} + \frac{\sigma_0 \alpha L}{(m+1)E} \left(\frac{\gamma L}{\sigma_0}\right)^m \qquad \text{Q.E.D.} \quad \leftarrow$$



$$AB: \sigma = \frac{P_1}{A} = \frac{30 \text{ kN}}{480 \text{ mm}^2} = 62.5 \text{ MPa}$$
$$\varepsilon = 0.001389$$
$$\delta_c = \varepsilon \left(\frac{2L}{3}\right) = 1.67 \text{ mm} \quad \leftarrow$$

(b)  $P_2$  ACTS ALONE

$$ABC:\sigma = \frac{P_2}{A} = \frac{60 \text{ kN}}{480 \text{ mm}^2} = 125 \text{ MPa}$$
$$\varepsilon = 0.002853$$
$$\delta_c = \varepsilon L = 5.13 \text{ mm} \quad \leftarrow$$

(c) Both  $P_1$  and  $P_2$  are acting

$$AB:\sigma = \frac{P_1 + P_2}{A} = \frac{90 \text{ kN}}{480 \text{ mm}^2} = 187.5 \text{ MPa}$$
  

$$\varepsilon = 0.008477$$
  

$$\delta_{AB} = \varepsilon \left(\frac{2L}{3}\right) = 10.17 \text{ mm}$$
  


$$BC:\sigma = \frac{P_2}{A} = \frac{60 \text{ kN}}{480 \text{ mm}^2} = 125 \text{ MPa}$$
  

$$\varepsilon = 0.002853$$
  

$$\delta_{BC} = \varepsilon \left(\frac{L}{3}\right) = 1.71 \text{ mm}$$
  

$$\delta_C = \delta_{AB} + \delta_{BC} = 11.88 \text{ mm} \quad \leftarrow$$


(Note that the displacement when both loads act simultaneously is *not* equal to the sum of the displacements when the loads act separately.)



$$L = 810 \text{ mm} \qquad d = 19 \text{ mm}$$
$$A = \frac{\pi d^2}{4} \quad A = \frac{\pi 19^2}{4} = 283.529$$

(a) STRESS-STRAIN DIAGRAM

$$\sigma = \left(\frac{18,000\varepsilon}{1+300\varepsilon}\right) (6.809) \quad 0 \le \varepsilon \le 0.03 \quad (\sigma = \text{MPa})$$



(b) Allowable load P

Max. elongation  $\delta_{max} = 6 \text{ mm}$ 

Max. stress  $\sigma_{max} = 275$  MPa


Based upon elongation:

$$\varepsilon_{\max} = \frac{\delta_{\max}}{L} = \frac{6}{810} = 7.407 \times 10^{-3}$$
$$\sigma_{\max} = 6.809 \left(\frac{18,000\varepsilon_{\max}}{1+300\varepsilon_{\max}}\right) = 281.752$$

so max. stress controls.

BASED UPON STRESS:

$$P_a = \sigma_{max} A$$
  
 $P_a = 79.9 \text{ kN} \leftarrow$ 




L = 2.0 m $A = 249 \text{ mm}^2$ 


STRESS-STRAIN DIAGRAM (See the problem statement for the diagram)

LOAD-DISPLACEMENT DIAGRAM

P (kN)	$\sigma = P/A$ (MPa)	ε (from diagram)	$\delta = \varepsilon L$ (mm)
10	40	0.0009	1.8
20	80	0.0018	3.6
30	120	0.0031	6.2
40	161	0.0060	12.0
45	181	0.0081	16.2





**NOTE:** The load-displacement curve has the same shape as the stress-strain curve.



LOAD-DISPLACEMENT DIAGRAM

P (kN)	$\sigma = P/A$ (MPa)	ε (from Eq. 1 or Eq. 2)	$d = \varepsilon L$ (mm)
35	27	0.00039	1.5
70	54	0.00078	3.0
106	82	0.00121	4.5
140	108	0.00275	10.5
180	139	0.00462	17.5





Wire: E = 210 GPa

$$\sigma_Y = 820 \text{ MPa}$$

$$L = 1.0 \text{ m}$$

$$d = 3 \text{ mm}$$

$$A = \frac{\pi d^2}{4} = 7.0686 \text{ mm}^2$$

STRESS-STRAIN DIAGRAM

$$\sigma = E\varepsilon \qquad (0 \le \sigma \le \sigma_Y) \tag{1}$$

$$\sigma = \sigma_Y \left(\frac{E\varepsilon}{\sigma_Y}\right)^n \qquad (\sigma \ge \sigma_Y) \qquad (n = 0.2)$$
 (2)

(a) DISPLACEMENT  $\delta_B$  at end of bar

$$\delta = \text{elongation of wire } \delta_B = \frac{3}{2}\delta = \frac{3}{2}\varepsilon L$$
 (3)

Obtain & from stress-strain equations:

From Eq. (1): 
$$\varepsilon = \frac{\sigma E}{(0 \le \sigma \le \sigma_{\gamma})}$$
 (4)

From Eq. (2): 
$$\varepsilon = \frac{\sigma_Y}{E} \left(\frac{\sigma}{\sigma_Y}\right)^{1/n}$$
 (5)  
Axial force in wire:  $F = \frac{3P}{2}$ 

Axial force in wire: 
$$F = \frac{1}{2}$$


Stress in wire:  $\sigma = \frac{F}{A} = \frac{3P}{2A}$  (6) PROCEDURE: Assume a value of *P* Calculate  $\sigma$  from Eq. (6) Calculate  $\varepsilon$  from Eq. (4) or (5) Calculate  $\delta_B$  from Eq. (3)

σ (MPa) Eq. (6)	ε Eq. (4) or (5)	$\delta_B (mm)$ Eq. (3)
509.3	0.002425	3.64
679.1	0.003234	4.85
848.8	0.004640	6.96
1018.6	0.01155	17.3
1188.4	0.02497	37.5
	Eq. (6) 509.3 679.1 848.8 1018.6	Eq. (6)         or (5)           509.3         0.002425           679.1         0.003234           848.8         0.004640           1018.6         0.01155


For  $\sigma = \sigma_Y = 820$  MPa:

 $\varepsilon = 0.0039048$  P = 3.864 kN  $\delta_B = 5.86$  mm


(b) LOAD-DISPLACEMENT DIAGRAM



Structure is statically determinate. The yield load  $P_Y$  and the plastic lead  $P_P$  occur at the same time, namely, when both bars reach the yield stress.




JOINT B  $\Sigma F_{vert} = 0$   $(2\sigma_Y A) \sin \theta = P$  $P_Y = P_P = 2\sigma_Y A \sin \theta \leftarrow$ 



 $d_1 = 20 \text{ mm}$   $d_2 = 25 \text{ mm}$   $\sigma_Y = 250 \text{ MPa}$ Determine the plastic load  $P_P$ :

At the plastic load, all parts of the bar are stressed to the yield stress.

Point C:




$$F_{AC} = \sigma_Y A_1 \qquad F_{CB} = \sigma_Y A_2$$

$$P = F_{AC} + F_{CB}$$


$$P_P = \sigma_Y A_1 + \sigma_Y A_2 = \sigma_Y (A_1 + A_2) \quad \leftarrow$$
SUBSTITUTE NUMERICAL VALUES:

$$P_P = (250 \text{ MPa}) \left(\frac{\pi}{4}\right) (d_1^2 + d_2^2)$$
  
= (250 MPa)  $\left(\frac{\pi}{4}\right) [(20 \text{ mm})^2 + (25 \text{ mm})^2]$   
= 201 kN  $\leftarrow$ 




(a) PLASTIC LOAD  $P_P$ At the plastic load, each wire is stressed to the yield stress.  $\therefore P_P = 5\sigma_y A \leftarrow$ 


$$F = \sigma_Y A$$



- (b) BAR AB IS FLEXIBLE At the plastic load, each wire is stressed to the yield stress, so the plastic load is not changed. ←
- (c) RADIUS R IS INCREASED Again, the forces in the wires are not changed, so the plastic load is not changed. ←




At the plastic load, all four rods are stressed to the yield stress.



 $F = \sigma_{\gamma}A$ Sum forces in the vertical direction and solve for the load:

 $P_P = 2F + 2F \sin \alpha$  $P_P = 2\sigma_Y A (1 + \sin \alpha) \quad \leftarrow$ 

JOINT E




Plastic load  $P_P$ 


At the plastic load, all bars are stressed to the yield stress.

$$F_{AE} = \sigma_{Y}A_{AE} \qquad F_{BE} = \sigma_{Y}A_{BE}$$
$$P_{P} = \frac{6}{5}\sigma_{Y}A_{AE} + \frac{8}{5}\sigma_{Y}A_{BE} \quad \longleftarrow$$

SUBSTITUTE NUMERICAL VALUES:

$$A_{AE} = 200 \text{ mm}^2 A_{BE} = 400 \text{ mm}^2$$
  
 $\sigma_Y = 250 \text{ MPa}$   
 $P_P = \frac{6}{5} (250 \text{ MPa})(200 \text{ mm}^2) + \frac{8}{5} (250 \text{ MPa})(400 \text{ mm}^2)$   
 $= 60 \text{ kN} + 160 \text{ kN} = 220 \text{ kN} \leftarrow$ 





 $\sigma_Y = 250 \text{ MPa}$ 

At the plastic load, all five bars are stressed to the yield stress


# $F = \sigma_Y A$

Sum forces in the vertical direction and solve for the load:

$$P_P = 2F\left(\frac{1}{\sqrt{2}}\right) + 2F\left(\frac{2}{\sqrt{5}}\right) + F$$
$$= \frac{\sigma_Y A}{5}(5\sqrt{2} + 4\sqrt{5} + 5)$$

=  $4.2031\sigma_yA \leftarrow$ 

Substitute numerical values:  $P_P = (4.2031)(250 \text{ MPa})(78.54 \text{ mm}^2)$ 



d = 15 mm

$$\sigma_{\gamma} = 290 \text{ MPa}$$

Tensile stress = 60 MPa

(a) Plastic load  $P_P$ 


The presence of the initial tensile stress does not affect the plastic load. Both parts of the bar must yield in order to reach the plastic load.

$$P_p = 2\sigma_Y A \leftarrow$$

$$P_p = (2)(290 \text{ MPa}) \left(\frac{\pi}{4}\right) (15 \text{ mm})^2$$


$$= 102 \text{ kN} \leftarrow$$

(b) P<sub>P</sub> is not changed.



(a) YIELD LOAD  $P_Y$ 

Yielding occurs when the most highly stressed wire reaches the yield stress  $\sigma_Y$ 



$$\Delta m_C = 0$$


 $P_Y = \sigma_Y A \quad \leftarrow$ At point A:

$$\delta_A = \left(\frac{\sigma_Y A}{2}\right) \left(\frac{L}{EA}\right) = \frac{\sigma_Y L}{2E}$$

At point B:

$$\delta_B = 3\delta_A = \delta_Y = \frac{3\sigma_Y L}{2E} \quad \leftarrow \quad$$

(b) PLASTIC LOAD  $P_P$ 



At the plastic load, all wires reach the yield stress.

$$\Sigma M_C = 0$$
$$P_P = \frac{4\sigma_Y A}{3} \quad \leftarrow$$


At point A:


$$\delta_A = (\sigma_Y A) \left(\frac{L}{EA}\right) = \frac{\sigma_Y L}{E}$$

At point B:

$$\delta_B = 3\delta_A = \delta_P = \frac{3\sigma_Y L}{E} \quad \leftarrow$$

(c) LOAD-DISPLACEMENT DIAGRAM





$$\delta_D = 2\delta_B$$

STRESSES

$$\sigma_B = \frac{F_B}{A} \quad \sigma_C = \frac{F_C}{A} \quad \sigma_C = 2\sigma_B \tag{7}$$

Wire C has the larger stress. Therefore, it will yield first. (a) YIELD LOAD

$$\sigma_C = \sigma_Y$$
  $\sigma_B = \frac{\sigma_C}{2} = \frac{\sigma_Y}{2}$  (From Eq. 7)  
 $F_C = \sigma_Y A$   $F_B = \frac{1}{2}\sigma_Y A$ 

From Eq. (3):

$$2\left(\frac{1}{2}\sigma_{Y}A\right) + 3(\sigma_{Y}A) = 4P$$
$$P = P_{Y} = \sigma_{Y}A \quad \leftarrow$$

From Eq. (4):

$$\delta_B = \frac{F_B L}{EA} = \frac{\sigma_Y L}{2E}$$

From Eq. (2):

$$\delta_D = \delta_Y = 2\delta_B = \frac{\sigma_Y L}{E} \quad \leftarrow \quad$$

(b) PLASTIC LOAD At the plastic load, both wires yield.

$$\sigma_B = \sigma_Y = \sigma_C \qquad F_B = F_C = \sigma_Y A$$

From Eq. (3):


$$2(\sigma_{Y}A) + 3(\sigma_{Y}A) = 4P$$
$$P = P_{P} = \frac{5}{4}\sigma_{Y}A \quad \leftarrow$$

From Eq. (4):


$$\delta_B = \frac{F_B L}{EA} = \frac{\sigma_Y L}{E}$$
  
From Eq. (2):  
$$2\sigma_Y L$$

$$\delta_D = \delta_P = 2\delta_B = \frac{2\delta_{PL}}{E} \quad \leftarrow$$

(C) LOAD-DISPLACEMENT DIAGRAM



350



$$\sigma_1 = \frac{W_1}{A} = \frac{Ed}{L} = 400 \text{ MPa} (\sigma_1 < \sigma_Y \therefore > \text{OK})$$

(a) YIELD LOAD  $W_Y$ 

Cable 1 yields first.  $F_1 = \sigma_y A = 24 \text{ kN}$ 

- $\delta_{1Y}$  = total elongation of cable 1
- $\delta_{1Y}$  = total elongation of cable 1
- $\delta_{1Y} = \frac{F_1 L}{EA} = \frac{\sigma_Y L}{E} = 0.125 \text{ m} = 125 \text{ mm}$  $\delta_Y = \delta_{1Y} = 125 \text{ mm} \quad \leftarrow$

$$\delta_{2Y}$$
 = elongation of cable 2

$$= \delta_{1Y} - d = 25 \text{ mm}$$

$$F_2 = \frac{EA}{L} \delta_{2Y} = 4.8 \text{ kN}$$

$$W_Y = F_1 + F_2 = 24 \text{ kN} + 4.8 \text{ kN}$$

$$= 28.8 \text{ kN} \quad \leftarrow$$

(b) PLASTIC LOAD Wp

$$F_1 = \sigma_Y A \qquad F_2 = \sigma_Y A$$


$$W_P = 2\sigma_Y A = 48 \text{ kN} \quad \leftarrow$$

$$\delta_{2P} = \text{elongation of cable 2}$$

$$= F_2 \left(\frac{L}{EA}\right) = \frac{\sigma_Y L}{E} = 0.125 \text{ mm} = 125 \text{ mm}$$

$$\delta_{1P} = \delta_{2P} + d = 225 \text{ mm} \quad \leftarrow$$

(c) LOAD-DISPLACEMENT DIAGRAM




$$\frac{W_P}{W_Y} = 1.667 \quad \frac{\delta_P}{\delta_Y} = 1.8$$

 $0 < W < W_1$ : slope = 192,000 N/m  $W_1 < W < W_Y$ : slope = 384,000 N/m

$$W_Y < W < W_P$$
: slope = 192,000 N/m

L = 380 mm c = 0.26 mm E = 200 GPa  $\sigma_Y = 250 \text{ MPa}$ TUBE:  $d_2 = 76 \text{ mm}$   $d_1 = 70 \text{ mm}$   $d_b = 38 \text{ mm}$   $A_T = \frac{\pi}{4} (d_2^2 - d_1^2)$   $A_B = \frac{\pi}{4} d_b^2$ 



INITIAL SHORTENING OF TUBE T

Initially, the tube supports all of the load.

Let  $P_1 =$ load required to close the clearance

 $P_1 = \frac{EA_T}{L}c = 94.1 \text{ kN}$ Let  $\delta_1$  = shortening of tube  $\delta_1 = c = 0.26 \text{ mm}$  $\sigma_1 = \frac{P_1}{A_T} = 136.8 \text{ MPa}$   $(\sigma_1 < \sigma_Y \therefore \text{ OK})$ 

(a) YIELD LOAD AND SHORTENING OF TUBE Because the tube and bar are made of the same material, and because the strain in the tube is larger than the strain in the bar, the tube will yield first.

 $F_T = \sigma_Y A_T = 172 \text{ kN}$ 

 $\delta_{TY}$  = shortening of tube at the yield stress

$$\sigma_{TY} = \frac{\sigma_Y L}{E} = 0.475 \text{ mm}$$
  
$$\delta_Y = \delta_{TY} \leftarrow$$
  
$$\delta_{BY} = \text{shortening of bar}$$
  
$$= \delta_{TY} - c = 0.215 \text{ mm}$$

$$F_B = \frac{EA_B}{L} \delta_{BY} = 128.3 \text{ kN}$$
$$P_Y = F_T + F_B$$
$$= 200 \text{ kN}$$

$$= 300 \text{ kN}$$

$$P_Y = 300 \text{ kN} \quad \leftarrow$$

(b) PLASTIC LOAD  $P_P$ 


$$F_T = \sigma_Y A_T \qquad F_B = \sigma_Y A_B$$
$$P_P = F_T + F_B = \sigma_Y (A_T + A_B)$$
$$= 456 \text{ kN} \quad \longleftarrow$$

$$\delta_{BP} = \text{shortening of bar}$$
  
=  $\frac{\sigma_Y L}{E} = 0.475 \text{ mm}$   
 $\delta_{TP} = \delta_{BP} + c = 0.735 \text{ mm}$ 

taning of her

 $\delta_P = \delta_{TP} \quad \leftarrow$ 

(c) LOAD-DISPLACEMENT DIAGRAM



352


 $E_s = 210 \text{ GPa}$   $E_c = 120 \text{ GPa}$ 

Displacements are equal:  $\delta_s = \delta_c$ 

or 
$$\frac{PL}{E_s A_s} = \frac{PL}{E_c A_c}$$
  
so  $E_s A_s = E_c A_c$   
and  $\frac{A_c}{A_s} = \frac{E_s}{E_c}$ 

Express areas in terms of wire diameters, then find ratio:

$$\frac{\frac{\pi d_c^2}{4}}{\left(\frac{\pi d_s^2}{4}\right)} = \frac{E_s}{E_c} \qquad \text{so} \qquad \frac{d_c}{d_s} = \sqrt{\frac{E_s}{E_c}} = 1.323 \quad \leftarrow$$



$$L = 4.5 \text{ m} \qquad E = 170 \text{ GPa}$$
$$A = 4500 \text{ mm}^2 \qquad \delta_{\text{max}} = 2.7 \text{ mm}$$

Statics: sum moments about A to find reaction at B

$$R_B = \frac{P\frac{L}{2} + P\frac{L}{2}}{L} \qquad R_B = P$$


Method of Joints at B:

 $F_{AB} = P$  (tension)

Force-displ. relation:

$$P_{\max} = \frac{EA}{L} \delta_{\max} = 459 \text{ kN} \quad \leftarrow$$

Check normal stress in bar AB:



 $\sigma = \frac{P_{\text{max}}}{A} = 102.0 \text{ MPa}$  < well below yield stress of 290 MPa in tension

$$E = 110 \text{ GPa} \qquad A = 250 \text{ mm}^2$$

$$a = 2 \text{ m} \qquad b = 0.75 \text{ m}$$

$$c = 1.2 \text{ m}$$

$$P_1 = 15 \text{ kN} \qquad P_2 = 10 \text{ kN}$$

$$P_3 = 8 \text{ kN}$$

Segment forces (tension is positive): 
$$N_{AB} = P_1 + P_2 - P_3 = 17.00 \text{ kN}$$
  
 $N_{BC} = P_2 - P_3 = 2.00 \text{ kN}$   
 $N_{CD} = -P_3 = -8.00 \text{ kN}$ 

Change in length:

$$\delta_D = \frac{1}{EA} (N_{AB}a + N_{BC}b + N_{CD}c) = 0.942 \text{ mm} \quad \leftarrow$$
$$\frac{\delta_D}{a+b+c} = 2.384 \times 10^{-4}$$

^positive so elongation

Check max. stress:

$$\frac{N_{AB}}{A} = 68.0 \text{ MPa} \qquad < \text{ well below yield stress for brass, so OK}$$

$$L = 2.5 \text{ m} \qquad P = 25 \text{ kN}$$

$$d_1 = 18 \text{ mm} \qquad d_2 = 12 \text{ mm}$$

$$E = 110 \text{ GPa}$$

$$A_1 = \frac{\pi}{4} d_1^2 = 254.469 \text{ mm}^2$$

$$A_2 = \frac{\pi}{4} d_2^2 = 113.097 \text{ mm}^2$$

Volume of nonprismatic bar:

$$\text{Vol}_{\text{nonprismatic}} = (A_1 + A_2) \frac{L}{2} = 459,458 \text{ mm}^3$$

Diameter of prismatic bar of same volume:  $d = \sqrt{\frac{\text{Vol}_{nonprismatic}}{\frac{\pi}{4}L}} = 15.30 \text{ mm}$ 

$$A_{\text{prismatic}} = \frac{\pi}{4}d^2 = 184 \text{ mm}^2$$

$$V_{\text{prismatic}} = A_{\text{prismatic}} L = 459,458 \text{ mm}^3$$

Elongation of prismatic bar:

$$\delta = \frac{PL}{EA_{\text{prismatic}}} = 3.09 \text{ mm} \quad \leftarrow \quad < \text{less than } \delta \text{ for nonprismatic bar}$$

Elongation of nonprismatic bar shown in figure above:

$$\Delta = \frac{PL}{2E} \left( \frac{1}{A_1} + \frac{1}{A_2} \right) = 3.63 \text{ mm}$$

Forces in Segments 1 and 2:

Forces in Segments 1 and 2:  

$$N_{1} = \frac{3P}{2} \qquad N_{2} = \frac{-P}{2}$$
Displacement at free end:  

$$\delta_{3} = \frac{N_{1}x}{E\left(\frac{3}{4}A\right)} + \frac{N_{2}(L-x)}{EA}$$

$$\delta_{3} = \frac{\frac{3P}{2}x}{E\left(\frac{3}{4}A\right)} + \frac{\frac{-P}{2}(L-x)}{EA} = -\frac{P(L-5x)}{2AE}$$

Set  $\delta_3$  equal to *PL/EA* and solve for *x*:

$$-\frac{P(L-5x)}{2AE} = \frac{PL}{EA} \quad \text{or}$$
$$-\frac{P(L-5x)}{2AE} - \frac{PL}{EA} = 0 \text{ simplify then solve for } x: \rightarrow -\frac{P(3L-5x)}{2AE} = 0$$
So  $x = 3L/5 \quad \leftarrow$ 

$$E = 2.1 \text{ GPa} \qquad L = 4.5 \text{ m} \qquad d = 12 \text{ mm}$$

$$A = \frac{\pi d^2}{4} = 113.097 \text{ mm}^2$$


$$\gamma = 11 \frac{\text{kN}}{\text{m}^3}$$

$$W = \gamma LA = 5.598 \text{ N}$$

$$\delta_B = \frac{WL}{2EA} \quad \text{or} \quad \delta_B = \frac{(\gamma LA)L}{2EA}$$
so  $\delta_B = \frac{\gamma L^2}{2E} = 0.053 \text{ mm} \quad \leftarrow$ 

Check max. normal stress at top of bar  $\sigma_{\text{max}} = \frac{W}{A} = 0.050 \text{ MPa}$ 

< ok - well below ult. stress for nylon



Set  $\delta_b$  equal to 0.10 mm and solve for load P:

$$\delta_b = \frac{P_b L}{E_b A_b} \quad \text{so} \quad P_b = \frac{E_b A_b}{L} \delta_b \quad \text{with} \quad \delta_b = 0.10 \text{ mm}$$
  
and then 
$$P = \frac{E_b A_b}{L} \delta_b \left(1 + \frac{E_m A_m}{E_b A_b}\right) = 13.40 \text{ kN} \quad \leftarrow$$

$$E_{s} = 210 \text{ GPa}$$

$$d_{r} = 12 \text{ mm} \qquad d_{p} = 15 \text{ mm}$$

$$A_{r} = \frac{\pi}{4}d_{r}^{2} = 113.097 \text{ mm}^{2}$$

$$A_{p} = \frac{\pi}{4}d_{p}^{2} = 176.715 \text{ mm}^{2}$$

$$\alpha_{s} = 12(10^{-6})/^{\circ}\text{C}$$

$$\tau_{a} = 45 \text{ MPa} \qquad \sigma_{a} = 70 \text{ MPa}$$

Force in rod due to temperature drop  $\Delta T$ : And normal stress in rod:

$$F_r = E_s A_r(\alpha_s) \Delta T$$
  $\sigma_r = \frac{F_r}{A_r}$ 

So  $\Delta T_{\text{max}}$  associated with normal stress in rod:

$$\Delta T_{\text{maxrod}} = \frac{\sigma_a}{E_s \alpha_s} = 27.8 \quad \leftarrow \quad \text{degrees Celsius (decrease)} < \text{controls}$$

Now check  $\Delta T$  based on shear stress in **pin** (in double shear):

$$\tau_{\rm pin} = \frac{F_r}{2A_p}$$

$$\Delta T_{\text{maxpin}} = \frac{\tau_a(2A_p)}{E_s A_r \alpha_s} = 55.8$$

\_

$$E_s = 210 \text{ GPa} \qquad d_r = 15 \text{ mm} \qquad d_w = 22 \text{ mm}$$

$$A_r = \frac{\pi}{4} d_r^2 = 176.7 \text{ mm}^2$$

$$A_w = \frac{\pi}{4} (d_w^2 - d_r^2) = 203.4 \text{ mm}^2$$

$$\alpha_s = 12(10^{-6})/^{\circ}\text{C}$$

$$\sigma_{ba} = 55 \text{ MPa} \qquad \sigma_a = 90 \text{ MPa}$$

Force in rod due to temperature drop  $\Delta T$ : And normal stress in rod:

$$F_r = E_s A_r(\alpha_s) \Delta T$$
  $\sigma_r = \frac{F_r}{A_r}$ 

So  $\Delta T_{\text{max}}$  associated with normal stress in **rod**:

$$\Delta T_{\text{maxrod}} = \frac{\sigma_a}{E_s \alpha_s} = 35.7$$
 degrees Celsius (decrease)

Now check  $\Delta T$  based on bearing stress beneath washer:  $\sigma_b = \frac{F_r}{A_w}$ 

$$\Delta T_{\text{maxwasher}} = \frac{\sigma_{ba}(A_w)}{E_s A_r \alpha_s} = 25.1 \quad \leftarrow \quad \text{degrees Celsius (decrease)} \\ < \text{controls}$$

$$E_s = 210 \text{ GPa} \quad E_c = 110 \text{ GPa} \quad L = 0.5 \text{ m}$$

$$A_c = 400 \text{ mm}^2 \quad A_s = 130 \text{ mm}^2$$

$$n = 0.25 \quad p = 1.25 \text{ mm}$$
Steel bolt

Compatibility: shortening of tube and elongation of bolt = applied displacement of  $n \times p$ 

$$\frac{P_c L}{E_c A_c} + \frac{P_s L}{E_s A_s} = np$$

Statics: 
$$P_c = P_s$$

Solve for  $P_s$ :


$$\frac{P_s L}{E_c A_c} + \frac{P_s L}{E_s A_s} = np \quad \text{or} \quad P_s = \frac{np}{L\left(\frac{1}{E_c A_c} + \frac{1}{E_s A_s}\right)} = 10.529 \text{ kN}$$

Stress in steel bolt:

$$\sigma_s = \frac{P_s}{A_s} = 81.0 \text{ MPa} \quad \leftarrow \quad < \text{tension}$$

Stress in copper tube:

$$\sigma_c = \frac{P_s}{A_c} = 26.3 \text{ MPa}$$
 < compression



Bar is in uniaxial tension so  $\tau_{\text{max}} = \sigma_{\text{max}}/2$ ; since  $2\tau_a < \sigma_a$ , shear stress governs.

 $P_{\text{max}} = 2 \tau_a A = 91.2 \text{ kN} \quad \leftarrow$ 

$$E = 110 \text{ GPa} \quad d = 2.0 \text{ mm}$$
  
 $\alpha_b = 19.5(10^{-6})/^{\circ}\text{C} \quad T = 85 \text{ N}$   
 $A = \frac{\pi}{4}d^2 = 3.14 \text{ mm}^2$ 

Normal tensile stress in wire due to pretension T and temperature increase  $\Delta T$ :

 $\stackrel{T}{\longleftrightarrow} \stackrel{\downarrow d}{\fbox} \stackrel{}{ \ \ } \stackrel{T}{\longrightarrow} \stackrel{T}{ \ \ } \stackrel{T}{ \$ 

$$\sigma = \frac{T}{A} - E\alpha_b \,\Delta T$$

Wire goes slack when normal stress goes to zero; solve for  $\Delta T$ :

$$\Delta T = \frac{\frac{T}{A}}{E\alpha_b} = +12.61 \quad \leftarrow \quad \text{degrees Celsius (increase in temperature)}$$

$$E = 110 \text{ GPa} \qquad d = 10 \text{ mm}$$

$$A = \frac{\pi}{4}d^2 = 78.54 \text{ mm}^2$$

$$P = 11.5 \text{ kN}$$
Normal stress in bar:

$$\sigma = \frac{p}{A} = 146.4 \text{ MPa}$$

For bar in uniaxial stress, max. shear stress is on a plane at 45° to axis of bar and equals 1/2 of normal stress:

$$\tau_{\max} = \frac{\sigma}{2} = 73.2 \text{ MPa} \quad \leftarrow$$

$$P = 200 \text{ kN}$$
  $A = 3970 \text{ mm}^2$   $H = 3 \text{ m}$   $L = 4 \text{ m}$ 

Statics: sum moments about A to find vertical reaction at B


$$B_{\rm vert} = \frac{-PH}{L} = -150.000 \,\rm kN$$

(downward)

Method of Joints at B:

$$CB_{\text{vert}} = -B_{\text{vert}}$$
  $CB_{\text{horiz}} = \frac{L}{H}CB_{\text{vert}} = 200.0 \text{ kN}$   
So bar force in AB is:  $AB = P + CB_{\text{horiz}}$   
 $= 400.0 \text{ kN}$  (compression)

Max. normal stress in AB: 
$$\sigma_{AB} = \frac{AB}{A} = 100.8 \text{ MPa}$$




Max. shear stress is 1/2 of max. normal stress for bar in uniaxial stress and is on plane at 45° to axis of bar:

$$\tau_{\max} = \frac{\sigma_{AB}}{2} = 50.4 \text{ MPa}$$

$$\sigma_{\theta} = 78 \text{ MPa}$$

Plane stress transformation formulas for uniaxial stress:

$$\sigma_x = \frac{\sigma_{\theta}}{\cos(\theta)^2}$$
 and  $\sigma_x = \frac{\frac{\sigma_{\theta}}{2}}{\sin(\theta)^2}$   
  $\wedge$  on element face  $\wedge$  on element face at angle  $\theta$  + 90



Equate above formulas and solve for  $\sigma_x$ 

$$\tan(\theta)^2 = \frac{1}{2}$$
  
so  $\theta = \arctan\left(\frac{1}{\sqrt{2}}\right) = 35.264^{\circ}$   
 $\sigma_x = \frac{\sigma_{\theta}}{\cos(\theta)^2} = 117.0 \text{ MPa}$  also  $\tau_{\theta} = -\sigma_x \sin(\theta) \cos(\theta) = -55.154 \text{ MPa}$ 

Max. shear stress is 1/2 of max. normal stress for bar in uniaxial stress and is on plane at 45° to axis of bar:

$$\tau_{\max} = \frac{\sigma_x}{2} = 58.5 \text{ MPa} \quad \leftarrow$$


## Mechanics of Materials SI Edition 9th Edition Goodno Solutions Manual

Full Download: http://testbanklive.com/download/mechanics-of-materials-si-edition-9th-edition-goodno-solutions-manual/

#### Problem R-2.16

Prismatic bar 
$$P_{1 \text{ max}} = \sigma_{\text{allow}} \left( \frac{\pi d_0^2}{4} \right) = (75 \text{ MPa}) \left[ \frac{\pi (18 \text{ mm})^2}{4} \right] = 19.1 \text{ kN}$$
  
Stepped bar  $\frac{R}{d_1} = \frac{2 \text{ mm}}{20 \text{ mm}} = 0.100 \quad \frac{d_2}{d_1} = \frac{25 \text{ mm}}{20 \text{ mm}} = 1.250 \text{ so } K = 1.75$ 

From stress conc. Fig. 2-66:



$$P_{2 \max} = \frac{\sigma_{\text{allow}}}{K} \left(\frac{\pi d_1^2}{4}\right) = \left(\frac{75 \text{ MPa}}{K}\right) \left[\frac{\pi (20 \text{ mm})^2}{4}\right] = 13.5 \text{ kN}$$
$$\frac{P_{1 \max}}{P_{2 \max}} = \frac{19.1 \text{ kN}}{13.5 \text{ kN}} = 1.41 \quad \leftarrow$$

368 © 2018 Cengage Learning®. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.