

Spreadsheet Modeling and Decision Analysis A Practical Introduction to Business Analytics 8th Edition Ragsdale Solutions Full Download: http://testbanklive.com/download/spreadsheet-modeling-and-decision-analysis-a-practical-introduction-to-business


Chapter 2 - Introduction to Optimization & Linear Programming : S-1


Chapter 2 Introduction to Optimization & Linear Programming

- 1. If an LP model has more than one optimal solution it has an *infinite* number of alternate optimal solutions. In Figure 2.8, the two extreme points at (122, 78) and (174, 0) are alternate optimal solutions, but there are an infinite number of alternate optimal solutions along the edge connecting these extreme points. This is true of all LP models with alternate optimal solutions.
- 2. There is no guarantee that the optimal solution to an LP problem will occur at an integer-valued extreme point of the feasible region. (An exception to this general rule is discussed in Chapter 5 on networks).
- 3. We can graph an inequality as if they were an equality because the condition imposed by the equality corresponds to the boundary line (or most extreme case) of the inequality.
- 4. The objectives are equivalent. For any values of X_1 and X_2 , the absolute value of the objectives are the same. Thus, maximizing the value of the first objective is equivalent to minimizing the value of the second objective.
- 5. a. linear
 - b. nonlinear
 - c. linear, can be re-written as: $4 X_1 .3333 X_2 = 75$
 - d. linear, can be re-written as: 2.1 $X_1 + 1.1 X_2 3.9 X_3 \le 0$











13. X_1 = number of softballs to produce, X_2 = number of baseballs to produce



14. X_1 = number of His chairs to produce, X_2 = number of Hers chairs to produce

$$\begin{array}{lll} \mbox{MAX} & 10 \ X_1 + 12 \ X_2 \\ \mbox{ST} & 4 \ X_1 + 8 \ X_2 \leq 1200 \\ & 8 \ X_1 + 4 \ X_2 \leq 1056 \\ & 2 \ X_1 + 2 \ X_2 \leq 400 \\ & 4 \ X_1 + 4 \ X_2 \leq 900 \\ & 1 \ X_1 - 0.5 \ X_2 \geq 0 \\ & X_1, \ X_2 \geq 0 \end{array}$$




15. X_1 = number of propane grills to produce, X_2 = number of electric grills to produce

MAX
$$100 X_1 + 80 X_2$$


ST $2 X_1 + 1 X_2 \le 2400$
 $4 X_1 + 5 X_2 \le 6000$
 $2 X_1 + 3 X_2 \le 3300$
 $1 X_1 + 1 X_2 \le 1500$
 $X_1, X_2 \ge 0$

 X_2
 2500
 2000
 $1X_1 + 1X_2 = 1500$
 1500
 1500
 1000
 500
 $2X_1 + 5X_2 = 6000$
 1000
 1000
 1000
 $2X_1 + 3X_2 = 3300$
 $2X_1 + 3X_2 = 3300$

16. X_1 = number of generators, X_2 = number of alternators




17. X_1 = number of generators, X_2 = number of alternators




d. No, the feasible region would not increase so the solution would not change -- you'd just have extra (unused) wiring capacity.


18. X_1 = proportion of beef in the mix, X_2 = proportion of pork in the mix



19. T = number of TV ads to run, M = number of magazine ads to run




20. $X_1 = #$ of TV spots, $X_2 = #$ of magazine ads




21. $X_1 =$ tons of ore purchased from mine 1, $X_2 =$ tons of ore purchased from mine 2


MIN	90 $X_1 + 120 X_2$	(cost)
ST	$0.2 X_1 + 0.3 X_2 \ge 8$	(copper)
	$0.2 \; X_1 + 0.25 \; X_2 \geq 6$	(zinc)
	$0.15 X_1 + 0.1 X_2 \ge 5$	(magnesium)
	$X_1, X_2 \ge 0$	




22. R = number of Razors produced, Z = number of Zoomers produced




23. P = number of Presidential desks produced, S = number of Senator desks produced




24. X_1 = acres planted in watermelons, X_2 = acres planted in cantaloupes



25. D = number of doors produced, W = number of windows produced



26. X_1 = number of desktop computers, X_2 = number of laptop computers



Case 2-1: For The Lines They Are A-Changin'

- 1. 200 pumps, 1566 labor hours, 2712 feet of tubing.
- 2. Pumps are a binding constraint and should be increased to 207, if possible. This would increase profits by \$1,400 to \$67,500.
- 3. Labor is a binding constraint and should be increased to 1800, if possible. This would increase profits by \$3,900 to \$70,000.
- 4. Tubing is a non-binding constraint. They've already got more than they can use and don't need any more.
- 5. 9 to 8: profit increases by \$3,050
 8 to 7: profit increases by \$850
 7 to 6: profit increases by \$0
- 6. 6 to 5: profit increases by \$975
 5 to 4: profit increases by \$585
 4 to 3: profit increases by \$390
- 7. 12 to 13: profit changes by \$0
 13 to 14: profit decreases by \$760
 14 to 15: profit decreases by \$1,440

- 8. 16 to 17: profit changes by \$017 to 18: profit changes by \$018 to 19: profit decreases by \$400
- 9. The profit on Aqua-Spas can vary between \$300 and \$450 without changing the optimal solution.
- 10. The profit on Hydro-Luxes can vary between \$233.33 and \$350 without changing the optimal solution.

Spreadsheet Modeling & Decision Analysis

A Practical Introduction to Business Analytics 8th edition

Cliff T. Ragsdale

© 2017 Cengage Learning. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part. Spreadsheet Modeling and Decision Analysis A Practical Introduction to Business Analytics



Cliff T. Ragsdale

EIGHTH EDITION 8



Introduction to Optimization and Linear Programming

Introduction

 We all face decision about how to use limited resources such as:

 Oil in the earth
 Land for dumps
 Time
 Money
 Workers

Mathematical Programming...

- MP is a field of management science that finds the optimal, or most efficient, way of using limited resources to achieve the objectives of an individual of a business.
- a.k.a. Optimization

Applications of Optimization

- Determining Product Mix
- Manufacturing
- Routing and Logistics
- Financial Planning

Characteristics of Optimization Problems

- Decisions
- Constraints
- Objectives

General Form of an Optimization Problem

MAX (or MIN): $f_0(X_1, X_2, ..., X_n)$ Subject to: $f_1(X_1, X_2, ..., X_n) <= b_1$: $f_k(X_1, X_2, ..., X_n) >= b_k$

 $f_m(X_1, X_2, \ldots, X_n) = b_m$

Note: If all the functions in an optimization are linear, the problem is a Linear Programming (LP) problem

Linear Programming (LP) Problems

MAX (or MIN): $c_1X_1 + c_2X_2 + ... + c_nX_n$ Subject to: $a_{11}X_1 + a_{12}X_2 + ... + a_{1n}X_n \le b_1$: $a_{k1}X_1 + a_{k2}X_2 + ... + a_{kn}X_n \ge b_k$: $a_{m1}X_1 + a_{m2}X_2 + ... + a_{mn}X_n = b_m$

An Example LP Problem

Blue Ridge Hot Tubs produces two types of hot tubs: Aqua-Spas & Hydro-Luxes.

	Aqua-Spa	Hydro-Lux
Pumps	1	1
Labor	9 hours	6 hours
Tubing	12 feet	16 feet
Unit Profit	\$350	\$300

There are 200 pumps, 1566 hours of labor, and 2880 feet of tubing available.

5 Steps In Formulating LP Models:

Understand the problem.
 Identify the decision variables.

 X₁=number of Aqua-Spas to produce
 X₂=number of Hydro-Luxes to produce

 State the objective function as a linear combination of the decision variables.

 MAX: 350X₁ + 300X₂

5 Steps In Formulating LP Models (continued)

4. State the constraints as linear combinations of the decision variables.

 $1X_{1} + 1X_{2} \le 200$ } pumps $9X_{1} + 6X_{2} \le 1566$ } labor $12X_{1} + 16X_{2} \le 2880$ } tubing 5. Identify any upper or lower bounds on the decision variables.

> $X_1 >= 0$ $X_2 >= 0$

LP Model for Blue Ridge Hot Tubs

MAX: $350X_1 + 300X_2$ S.T.: $1X_1 + 1X_2 \le 200$ $9X_1 + 6X_2 \le 1566$ $12X_1 + 16X_2 \le 2880$ $X_1 \ge 0$ $X_2 \ge 0$

Solving LP Problems: An Intuitive Approach


- Idea: Each Aqua-Spa (X₁) generates the highest unit profit (\$350), so let's make as many of them as possible!
- How many would that be?
 - $\text{Let } X_2 = 0$


▶1st constraint: $1X_1 <= 200$ ▶2nd constraint: $9X_1 <= 1566$ or $X_1 <= 174$ ▶3rd constraint: $12X_1 <= 2880$ or $X_1 <= 240$


- If X₂=0, the maximum value of X₁ is 174 and the total profit is \$350*174 + \$300*0 = \$60,900
- This solution is *feasible*, but is it *optimal*?
- No!


Solving LP Problems: A Graphical Approach


- The constraints of an LP problem defines its feasible region.
- The best point in the feasible region is the optimal solution to the problem.
- For LP problems with 2 variables, it is easy to plot the feasible region and find the optimal solution.











Using A Level Curve to Locate the Optimal Solution Χ, 250 objective function 200 - $350X_1 + 300X_2 = 35000$ 150 optimal solution 100 objective function $350X_1 + 300X_2 = 52500$ 50 0 100 **50** 150 0 250 200 Хı © 2017 Cengage Learning. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly

accessible website, in whole or in part

Calculating the Optimal Solution

- The optimal solution occurs where the "pumps" and "labor" constraints intersect.
- This occurs where:

$$X_1 + X_2 = 200$$
 (1)

(3)

and
$$9X_1 + 6X_2 = 1566$$
 (2)


- From (1) we have, X₂ = 200 X₁
- Substituting (3) for X₂ in (2) we have, 9X₁ + 6 (200 - X₁) = 1566

which reduces to $X_1 = 122$

So the optimal solution is,

$X_1 = 122, X_2 = 200 - X_1 = 78$ Total Profit = $350^{122} + 300^{78} = 66,100$

Enumerating The Corner Points



Summary of Graphical Solution to LP Problems


Plot the boundary line of each constraint
 Identify the feasible region
 Locate the optimal solution by either:


 a. Plotting level curves
 b. Enumerating the extreme points

Understanding How Things Change See file Fig2-8.xlsm


Special Conditions in LP Models


- A number of anomalies can occur in LP problems:
 - Alternate Optimal Solutions
 - Redundant Constraints
 - Unbounded Solutions
 - Infeasibility





Example of an Unbounded Solution





End of Chapter 2

Spreadsheet Modeling and Decision Analysis A Practical Introduction to Business Analytics 8th Edition Ragsdale Solutions Manual Full Download: http://testbanklive.com/download/spreadsheet-modeling-and-decision-analysis-a-practical-introduction-to-business-analytics-8th-edition-ragsdale-solution

The Analytic Solver Platform software featured in this book is provided by Frontline Systems.

http://www.solver.com



© 2017 Cengage Learning. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

Full download all chapters instantly please go to Solutions Manual, Test Bank site: testbanklive.com