
University Physics with Modern Physics 4th Edition Young Test Bank

Full Download: http://testbanklive.com/download/university-physics-with-modern-physics-4th-edition-young-test-bank/ MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question. 1) If the acceleration of an object is negative, the object must be slowing down. 1) _____ A) True B) False 2) If the graph of the position as a function of time for an object is a horizontal line, that object cannot be accelerating. A) True B) False 3) If an object is accelerating toward a point, then it must be getting closer and closer to that point. A) True B) False 4) When can we be certain that the average velocity of an object is always equal to its instantaneous velocity? A) only when the acceleration is changing at a constant rate B) always C) only when the acceleration is constant D) only when the velocity is constant E) never 5) Suppose that an object is moving with constant nonzero acceleration. Which of the 5) _____ following is an accurate statement concerning its motion? A) In equal times it moves equal distances. B) In equal times its velocity changes by equal amounts. C) In equal times its speed changes by equal amounts. D) A graph of its velocity as a function of time is a horizontal line. E) A graph of its position as a function of time has a constant slope. 6) Suppose that a car traveling to the west (the -x direction) begins to slow down as it approaches a traffic light. Which statement concerning its acceleration in the x direction is correct? A) Its acceleration is negative but its velocity is positive.

- B) Its acceleration is positive but its velocity is negative.
- C) Both its acceleration and its velocity are positive.
- D) Both its acceleration and its velocity are negative.




A) decreases.

- B) increases.
- C) decreases and then increases.
- D) increases and then decreases.

8) The motions of a car and a truck along a straight road are represented by the velocity-time graphs in the figure. The two vehicles are initially alongside each other at time t = 0. At time T, what is true about these two vehicles since time t = 0?





- A) The car will have traveled further than the truck.
- B) The truck will have traveled further than the car.
- C) The truck and the car will have traveled the same distance.
- D) The car will be traveling faster than the truck.


SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

- 9) The graph in the figure shows the position of an object as a function of time.

 The letters H-L represent particular moments of time. At which moments shown
- 9) _____


10)

- (H, I, etc.) is the speed of the object
- (a) the greatest?
- (b) the smallest?



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.


10) The figure shows the position of an object (moving along a straight line) as a function of time. Assume two significant figures in each number. Which of the following statements about this object is true over the interval shown?





- A) The average speed of the object is 1.0 m/s.
- B) The object is accelerating to the left.
- C) The acceleration of the object is in the same direction as its velocity.
- D) The object is accelerating to the right.


11) The figure shows the graph of the position *x* as a function of time for an object moving in the straight line (the *x*-axis). Which of the following graphs best describes the velocity along the *x*-axis as a function of time for this object?

11) _____
















E)





- 12) An object is moving with constant non-zero acceleration along the +x-axis. A graph of the velocity in the x direction as a function of time for this object is
- 12) _____


- A) a straight line making an angle with the time axis.
- B) a parabolic curve.
- C) a vertical straight line.
- D) a horizontal straight line.

13) An object is moving in a straight line along the *x*-axis. A plot of its velocity in the *x* direction as a function of time is shown in the figure. Which graph represents its acceleration in the *x* direction as a function of time?





















14) An object starts its motion with a constant velocity of 2.0 m/s toward the east. After 3.0 s, the object stops for 1.0 s. The object then moves toward the west a distance of 2.0 m in 3.0 s. The object continues traveling in the same direction, but increases its speed by 1.0 m/s for the next 2.0 s. Which graph below could represent the motion of this object?


14) _____












- A) in the -x direction
- B) in the +x direction
- C) The acceleration is zero.

16) The figure represents the velocity of a particle as it travels along the *x*-axis. At what value (or values) of *t* is the instantaneous acceleration equal to zero?

16) _____



A) t = 1 s

B) t = 0

C) t = 0.5 s and t = 2 s

17) A ball is thrown directly upward and experiences no air resistance. Which one of the following statements about its motion is correct?

17) _____

- A) The acceleration of the ball is downward while it is traveling up and upward while it is traveling down.
- B) The acceleration of the ball is downward while it is traveling up and downward while it is traveling down but is zero at the highest point when the ball stops.
- C) The acceleration is downward during the entire time the ball is in the air.
- D) The acceleration of the ball is upward while it is traveling up and downward while it is traveling down.
- 18) Two objects are thrown from the top of a tall building and experience no appreciable air resistance. One is thrown up, and the other is thrown down, both with the same initial speed. What are their speeds when they hit the street?

18) _____


- A) The one thrown up is traveling faster.
- B) They are traveling at the same speed.
- C) The one thrown down is traveling faster.
- 19) Two objects are dropped from a bridge, an interval of 1.0 s apart, and experience no appreciable air resistance. As time progresses, the DIFFERENCE in their speeds


19) _____


- A) remains constant.
- B) increases at first, but then stays constant.
- C) decreases.
- D) increases.
- E) decreases at first, but then stays constant.
- 20) Which one of the following graphs could possibly represent the vertical position as a function of time for an object in free fall?


20) _____

A)









SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

21) A cat runs along a straight line (the *x*-axis) from point *A* to point *B* to point *C*, as shown in the figure. The distance between points *A* and *C* is 5.00 m, the distance between points *B* and *C* is 10.0 m, and the positive direction of the *x*-axis points to the right. The time to run from *A* to *B* is 20.0 s, and the time from *B* to *C* is 8.00 s. As the cat runs along the *x*-axis between points *A* and *C* (a) what is the magnitude of its average velocity?




(b) what is its average speed?



22) The figure shows the position of an object as a function of time. During the time interval from time t = 0.0 s and time t = 9.0 s



- (a) what is the length of the path the object followed?
- (b) what is the displacement of the object?



23) As part of an exercise program, a woman walks south at a speed of 2.00 m/s for 60.0 minutes. She then turns around and walks north a distance 3000 m in 25.0 minutes




- (a) What is the woman's average velocity during her entire motion?
 - A) 0.824 m/s south
 - B) 1.93 m/s south
 - C) 2.00 m/s south
 - D) 1.79 m/s south
 - E) 800 m/s south
- (b) What is the woman's average speed during her entire motion?
 - A) 0.824 m/s
 - B) 1.93 m/s
 - C) 2.00 m/s
 - D) 1.79 m/s
 - E) 800 m/s

24) The figure shows the position of an object as a function of time, with all numbers accurate to two significant figures. Between time t = 0.0 s and time



- t = 9.0 s
- (a) what is the average speed of the object?
- (b) what is the average velocity of the object?



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 25) If the fastest you can safely drive is 65 mi/h, what is the longest time you can stop for dinner if you must travel 541 mi in 9.6 h total?
- 25) _____

A) 1.0 h

B) 1.3 h

C) 1.4 h

D) You can't stop at all.

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.


26) Arthur and Betty start walking toward each other when they are 100 m apart. Arthur has a speed of 3.0 m/s and Betty has a speed of 2.0 m/s. Their dog, Spot, starts by Arthur's side at the same time and runs back and forth between them at 5.0 m/s. By the time Arthur and Betty meet, what distance has Spot run?



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

27) A racing car accelerates uniformly from rest along a straight track. This track has markers spaced at equal distances along it from the start, as shown in the figure. The car reaches a speed of 140 km/h as it passes marker 2. Where on the track was the car when it was traveling at 70 km/h?

27) _____




- A) before marker 1
- B) between marker 1 and marker 2
- C) at marker 1

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

28) The figure represents the position of a particle as it travels along the x-axis. Between t = 2 s and t = 4 s, what is (a) the average speed of the particle and (b) the average velocity of the particle?


28) _____



29) The figure shows a graph of the velocity as a function of time for a basketball player traveling up and down the court in a straight-line path. for the 10 s shown on the graph, find



- (a) the net displacement of the player.
- (b) the total distance run by the player.



MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- - velocity of the object when t = 2.2?
 - A) 2.3 m/s
- B) 1.7 m/s
- C) 2.7 m/s
- D) 2.1 m/s
- - A) 4.6 m/s^2
- B) -13 m/s^2
- C) 2.9 m/s^2
- D) 13 m/s²
- 32) The velocity of an object as a function of time is given by v(t) = 2.00 m/s + (3.00 m/s) t 32) ______ $(1.0 \text{ m/s}^2) t^2$. Determine the instantaneous acceleration of the object at time t = 3.00 s.
 - A) 1.00 m/s²
 - B) 2.00 m/s^2
 - C) 0.00 m/s^2
 - D) -3.00 m/s^2
 - E) -2.00 m/s^2

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

33) The position of an object as a function of time is given by

33) _____

 $x(t) = at^3 - bt^2 + ct - d$, where $a = 3.6 \text{ m/s}^3$, $b = 4.0 \text{ m/s}^2$, c = 60 m/s and d = 7.0 m.

- (a) Find the instantaneous acceleration at t = 2.4 s.
- (b) Find the average acceleration over the first 2.4 seconds.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

34) The velocity of an object is given by the expression $v(t) = 3.00 \text{ m/s} + (4.00 \text{ m/s}^3)t^2$, where t is in seconds. Determine the position of the object as a function of time if it is located at x = 1.00 m at time t = 0.000 s.



- A) 1.33 m
- B) $(3.00 \text{ m/s})t + (1.33 \text{ m/s}3)t^3$
- C) $1.00 \text{ m} + (3.00 \text{ m/s})t + (1.33 \text{ m/s}^3)t^3$
- D) (4.00 m/s)t
- E) (4.00 m/s)t + 1.00 m
- 35) The acceleration of an object as a function of time is given by $a(t) = (3.00 \text{ m/s}^3)t$, where t is in seconds. If the object is at rest at time t = 0.00 s, what is the velocity of the object at time t = 6.00 s?



- A) 18.0
- B) 0.00
- C) 54.0
- D) 108 m/s
- E) 15.0

- m/s
- m/s
- m/s

- m/s
- 36) The acceleration of an object as a function of time is given by $a(t) = (3.00 \text{ m/s}^3)t$, where 36) t is in seconds. If the object has a velocity 1.00 m/s at time t = 1.00 s, what is the displacement of the object between time t = 2.00 s and time t = 4.00 s?

- A) 36.0 m
- B) 30.0 m
- C) 27.0 m
- D) 33.0 m
- 37) A car accelerates from 10.0 m/s to 30.0 m/s at a rate of 3.00 m/s². How far does the car travel while accelerating?
- 37) _____

- A) 226 m
- B) 80.0 m
- C) 133 m
- D) 399 m
- 38) A dragster starts from rest and travels 1/4 mi in 6.70 s with constant acceleration. What is its velocity when it crosses the finish line?
- 38)

- A) 135 mi/h
- B) 269 mi/h
- C) 188 mi/h
- D) 296 mi/h

39) A airnlane that i	s flying level needs	to accelerate from	a speed of 2.00×10^{-3}	102 m/s to a	39)	
39) A airplane that is flying level needs to accelerate from a speed of 2.00×10^2 m/s to a speed of 2.40×10^2 m/s while it flies a distance of 1.20 km. What must be the						
acceleration of the plane?						
A) 2.45 m/s^2	ne plane.					
B) 5.78 m/s ²						
c) 7.33 m/s ²						
D) 4.44 m/s ²						
E) 1.34 m/s ²						
=/ 1.5 / III/5						
40) A runner mainta	ins constant acceler	ation after starting	g from rest as she ru	ıns a distance	40)	
of 60.0 m. The r	unner's speed at the	e end of the 60.0 m	n is 9.00 m/s. How	much time did		
it take the runne	r to complete the 6	0.0 m distance?				
A) 15.0 s	B) 13.3 s	c) 10.2 s	D) 6.67 s	E) 9.80 s		
41) An object starts	from rest at time t	– 0.00 c and move	s in the 1x direction	with constant	41)	
=	e object travels 12.0				TI)	
the acceleration	•	· · · · · · · · · · · · · · · · · · ·	_	100 51 11111111111		
A) 8.00 m/s^2	J					
B) -12.0 m/s ²						
c) 24.0 m/s ²						
D) 4.00 m/s ²						
E) -4.00 m/s ²						
=) 1.00 III/3						
42) A car starts from	n rest and accelerate	es with a constant	acceleration of 1.00	$0 \text{ m/s}^2 \text{ for}$	42)	
	continues for 5.00 s				,	
from its starting			•			
A) 4.50 m	B) 9.00 m	C) 15.0 m	D) 24.0 m	E) 19.5 m		
43) A ball rolls acros	ss a floor with an ac	eceleration of 0.10	0 m/s ² in a directio	n opposite to	43)	
	ball has a velocity				,	
•	the initial speed of		J			
A) 5.85	B) 3.85	C) 4.60	D) 5.21	E) 4.15		
m/s	m/s	m/s	m/s	m/s		

44)	44) A car is 200 m from a stop sign and traveling toward the sign at 40.0 m/s. At this time, the driver suddenly realizes that she must stop the car. If it takes 0.200 s for the driver to apply the brakes, what must be the magnitude of the constant acceleration of the car after the brakes are applied so that the car will come to rest at the stop sign?					44)	
	A) 3.89 m/s^2						
	B) 4.17 m/s ²						
	C) 2.89 m/s^2						
	D) 2.08 m/s^2						
	E) 3.42 m/s^2						
	If the police care constant accelerativels a distance A) 3.00 m/s ² B) 3.70 m/s ² C) 7.41 m/s ² D) 6.00 m/s ² E) 1.45 m/s ²		fore starting, whar to catch the s	nat must be the ma peeding car after	ignitude of the	45)	
		-	-		-		
46)	seconds, the ball bottom of the inc	e magnitude of the	nd 1.0 s after th	is, the ball reaches	s the		
MULTIPL	E CHOICE. Choo	ose the one alternativ	e that best comp	etes the statement	or answers the quest	ion.	
47)	before the packa	opped from a helico ge strikes the groun ased if air resistance B) 1000 m	nd, how high about is negligible?			47)	
48)	ground. The ball	ed upward at time <i>t</i> rises, then falls and sistance is negligible	strikes the grou	and. The initial vel	locity of the ball is	48)	
	A) 10 s.	B) 9.4 s.	c) 8.7 s.	D) 9.7 s.	E) 9.0 s.		

	49) At the same mo	oment from the top	of a building $3.0 \times$	10 ² m tall, one roc	k is dropped	49)	
	and one is thro	wn downward with	an initial velocity of	of 10 m/s. Both of t	hem experience		
	negligible air re	esistance. How muc	h EARLIER does t	he thrown rock stri	ke the ground?		
	A) 0.86 s			.95 s	_		
	c) 0.67 s		D) T	hey land at exactly	the same time.		
	50) Two identical of	objects A and B fall	from rest from diff	erent heights to the	ground and	50)	
		able air resistance. I	•		ject A to reach		
	the ground, wh	at is the ratio of the	heights from which	h A and B fell?			
	A) $h_{A}/h_{B} = 1$	1/4	B) <i>h</i>	A/hB = 1/2			
	C) $h_{A}/h_{B} = 1$	$1/\sqrt{2}$	D) <i>h</i>	A/hB = 1/8			
SHOR	RT ANSWER. Write	the word or phrase the	hat best completes e	ach statement or ans	wers the question.		
		t straight up into th	•		51) _		
		ne time required for		_			
		ne maximum height	~				
	` '	the time at which th	e ball pass a point	25.0 m above the p	oint of		
		n the bat and ball.					
	(a) Explain wh	y there are two ansv	wers to part (c).				
MUL	TIPLE CHOICE. Cho	oose the one alternat	ive that best comple	tes the statement or a	answers the questi	on.	
	52) A rock is dropt	ped from the top of	a vertical cliff and	takes 3.00 s to reac	h the ground	52)	
		A second rock is the			•	, <u> </u>	
		the ground below t					
		e second rock throv					
	A) 4.76 m/s ι	ıpward	_				
	B) 5.51 m/s o	downward					
	C) 4.76 m/s o	downward					
	D) 12.3 m/s ι	ıpward					
	E) 12.3 m/s o	downward					
	53) To determine the	he height of a flagpe	ole, Abby throws a	ball straight up and	times it. She	53)	
		all goes by the top o	-		-		
		a total elapsed tim	-	-	the point		
		was launched? (You	•				
	A) 16 m	B) 18 m	C) 13 m	D) 10 m	E) 26 m		
	54) A test rocket is	fired straight up fro	om rest with a net	acceleration of 20.0	m/s ² . After	54)	
		ne motor turns off, l		-			
		resistance. What ma					
	A) 160 m	B) 408 m	c) 320 m	D) 487 m	E) 327 m		

	55) A toy rocket is la	aunched vertically	from ground level	(y = 0.00 m), at tim	t = 0.00 s.	55)	
	The rocket engine provides constant upward acceleration during the burn phase. At the						
	instant of engine burnout, the rocket has risen to 72 m and acquired a velocity of						
	30 m/s. The rocket continues to rise in unpowered flight, reaches maximum height, and falls back to the ground with negligible air resistance. The speed of the rocket upon						
	impact on the ground is closest to						
	A) 39 m/s .	B) 54 m/s .	C) 44 m/s .	D) 59 m/s .	E) 48 m/s .		
	56) A ball is projecte	ed upward at time t	= 0.00 s, from a p	oint on a roof 70 m	above the	56)	
	ground and expe	riences negligible a	ir resistance. The	ball rises, then falls	and strikes the		
	ground and experiences negligible air resistance. The ball rises, then falls and strikes the ground. The initial velocity of the ball is 28.5 m/s. Consider all quantities as positive in						
	•			is 39 m above the g	-		
		tion. The velocity	of the ban when it	is 37 in above the g	ground is		
	closest to	D) 15 /	0) 20 /	D) 22 /	E) 45 /		
	A) -38 m/s.	B) -15 m/s .	C) -30 m/s.	D) -23 m/s.	E) -45 m/s .		
	57) On the earth, wh		_	• •		57)	
	his hand a time 7	Tlater. On planet X	he finds that, und	er the same circums	stances, the		
	stone returns to	his hand in $2T$. In the	ooth cases, he thro	ws the stone with the	ne same initial		
	velocity and it fe	els negligible air re	sistance. The acce	leration due to grav	ity on planet X		
	(in terms of g) is						
	A) $g/\sqrt{2}$.		C) $g\sqrt{2}$.	D) $g/2$.	E) g/4.		
	7 8, V=	-/ -0.	- / 8 V = ·	- / ₀ / - ·	-/ ₈ / · · ·		
	58) Two identical sto	ones are dronned fi	rom rest and feel n	o air registance as t	hey fall. Stone	58)	
	A is dropped from height h , and stone B is dropped from height $2h$. If stone A takes time t to reach the ground, stone B will take time						
		_		5) // [5]	- > 4		
	A) 2 <i>t</i> .	B) $t\sqrt{2}$.	C) $t/2$.	D) $t/\sqrt{2}$.	E) 4 <i>t</i> .		
SHC	ORT ANSWER. Write th	ne word or phrase th	at best completes ea	ach statement or ans	wers the question.		
	59) A rock is thrown	directly unward fo	om the edge of the	e roof of a building	that is 59)		
		• •	-	yay down, and is ob			
			•	•			
	_		•	Neglect any effects	s or air		
	resistance. With	what speed was the	e rock thrown?				
		00 11 11 0 11					
	60) A rocket takes o	-	-	•			
	constant upward	acceleration of 2.2	25 m/s^2 . At 15.4 s	after blastoff, the e	ngines		
	fail completely so the only force on the rocket from then on is the pull of gravity. (a) What is the maximum height the rocket will reach above the launchpad? (b) How fast is the rocket moving at the instant before it crashes onto the launchpad?						
	•	er engine failure do	oes it take for the 1	ocket to crash onto	the		
	launchpad?	- 6 W		3.13 22.332 3110	-		
	inalitipua.						

Answer Key

Testname: UNTITLED2

```
1) B
 2) A
 3) B
 4) D
 5) B
 6) B
 7) C
 8) B
 9) (a) J
             (b) I
10) B
11) A
12) B
13) E
14) D
15) A
16) A
17) C
18) B
19) A
20) D
                      (b) 0.893 \text{ m/s}
21) (a) 0.179 m/s
22) (a) 5.0 m
                  (b) 1.0 m
23) (a) A
              (b) C
24) (a) 0.56 m/s (b) 0.11 m/s
25) B
26) 100 m
27) A
28) (a) 1.0 m/s (b) 0.00 m/s
29) (a) 18 m (b) 20 m
30) D
31) D
32) D
33) (a) 44 \text{ m/s}^2
                    (b) 18 \text{ m/s}^2
34) C
35) C
36) C
37) C
38) B
39) C
40) D
41) A
42) E
43) E
44) B
45) C
46) (a) 2.4 m/s<sup>2</sup>
                      (b) 110 m
47) B
```

University Physics with Modern Physics 4th Edition Young Test Bank

Full Download: http://testbanklive.com/download/university-physics-with-modern-physics-4th-edition-young-test-bank/

Answer Key

60) (a) 328 m

(b) 80.2 m/s

Testname: UNTITLED2

```
48) B
49) B
50) A
51) (a) 3.06 s (b) 45.9 m (c) 0.995 s and 5.13
        (d) One value is for the ball traveling upward; one value is for the ball traveling downward.
52) E
53) D
54) D
55) E
56) A
57) D
58) B
59) 3.05 m/s
```

(c) 11.7 s